

EXHIBIT 3

MODIFICATION LIST LETTER OF EUT

ThreeSOMA

弘怡科技股份有限公司
THREE SOMA TECHNOLOGY CO., LTD.
桃園市水汴二路 27 號 2F
FL.2, NO.27, SHOEI BIANN 2ND RD., TAOYUAN, TAIWAN, R.O.C.
TEL:886-3-3577677 FAX:886-3-3577689

Federal Communications Commission
Authorization and Evaluation Division
7435 Oakland Mills Rd.
Columbia, MD. 21046

Date: May. 20, 1999

Attention: Authorization and Evaluation Division

Subject: RFI related modifications incorporated into unit with COLOR MONITOR
-- Class II Permissive Change -- FCC ID: KX7MW4S

Dear Sirs:

The main changes include the following:

- 1) Add a ferrite core on the video cable between main board and CRT board inside of the EUT. (See photo 7)
- 2) Add two ground wires connected between CRT and the metal cover on the CRT board. (See photo 8)
- 3) Add a bead core on the transformer 18.5V output (pin 12) on the solder side of main board. (See photo 13)
- 4) Add a coupling Y capacitor between the primary and secondary ground on the solder side of main board. (See photo 13)
- 5) Add a bead core on each Q701, Q731, Q761's Vcc input on the Video board.
- 6) The addition of 15 inch size CRT.

If you have any further questions or comments regarding the above, please don't hesitate to contact Mr. Mike Su of ADT Lab. at fax No.: 886-2-26022943 or
E-mail: mike@mail.adt.com.tw

Sincerely yours,

Hank Hsu

Hank Hsu / Manager
ThreeSOMA TECHNOLOGY CO., LTD.

cc. Mr. Harris W. Lai - Advance Data Technology Corporation

EXHIBIT 4

RFI/EMI TEST REPORT



EMC

TEST REPORT

REPORT NO. : F88040262

MODEL NO. : MW4S

DATE OF TEST : Apr. 8, 1999

PREPARED FOR : ThreeSOMA TECHNOLOGY CO., LTD.

ADDRESS : 2F, NO. 27, SHOEI BIANN 2ND RD.,
TAOYUAN, TAIWAN, R.O.C.

PREPARED BY: ADVANCE DATA TECHNOLOGY CORPORATION



Accredited Laboratory

No. 81-1, Lu Liao Keng, 9 Ling, Wu Lung Tsuen,
Chiung Lin Hsiang, Hsin Chu Hsien, Taiwan, R.O.C.

This test report consists of 14 pages in total. It may be duplicated completely for legal use with the allowance of the applicant. It shall not be reproduced except in full, without the written approval of our laboratory. It should not be used by the client to claim product endorsement by NVLAP or any agency of the U.S. government. The test result in the report only applies to the tested sample.



TABLE OF CONTENTS

1. CERTIFICATION.....	3
2. GENERAL INFORMATION	4
2.1 GENERAL DESCRIPTION OF EUT	4
2.2 DESCRIPTION OF SUPPORT UNITS	5
2.3 TEST METHODOLOGY AND CONFIGURATION.....	5
3. TEST INSTRUMENTS	6
3.1 TEST INSTRUMENTS (EMISSION).....	6
3.2 LIMITS OF CONDUCTED AND RADIATED EMISSION.....	7
4. TEST RESULTS (EMISSION)	8
4.1 RADIO DISTURBANCE	8
4.2 EUT OPERATION CONDITION	8
4.3 TEST DATA OF CONDUCTED EMISSION	9
4.4 TEST DATA OF RADIATED EMISSION.....	10
5. PHOTOGRAPHS OF THE TEST CONFIGURATION WITH MINIMUM MARGIN....	12
6. APPENDIX - INFORMATION OF THE TESTING LABORATORY	14



1.

CERTIFICATION

Issue Date: Apr. 14, 1999

Product : COLOR MONITOR
Trade Name : ThreeSOMA
Model No. : MW4S
Applicant : ThreeSOMA TECHNOLOGY CO., LTD.
Standard : FCC Part 15, Subpart B, Class B
ANSI C63.4-1992
CISPR 22:1993+A1:1995+A2:1996

We hereby certify that one sample of the designation has been tested in our facility on Apr. 8, 1999. The test record, data evaluation and Equipment Under Test (EUT) configurations represent herein are true and accurate representation of the measurements of the sample's EMC characteristics under the conditions herein specified.

The test results show that the EUT as described in this report is in compliance with the Class B limits of conducted and radiated emission of applicable standards

TESTED BY : Rico Teng , DATE: 4/14/99
(Rico Teng)

CHECKED BY : Rita Yi , DATE: 4/14/99
(Rita Yi)

APPROVED BY : Stephen W.F. Chen , DATE: 4/14/99
(Stephen W.F. Chen)

ADVANCE DATA TECHNOLOGY CORPORATION**NVLAP[®]**

Accredited Laboratory



2. GENERAL INFORMATION

2.1 GENERAL DESCRIPTION OF EUT

Product	:	COLOR MONITOR
Model No.	:	MW4S
Power Supply	:	Switching
Power Cord	:	Nonshielded 3-pin (1.5m)
Data Cable	:	Shielded (1.5m)

Note: This report is prepared for Class II Permissive Change. The previous report was granted by FCC on May 6, 1997 with FCC ID: KX7MW4S. The main changes on the EUT are as follows:

- * The addition of 15 inch size CRT.
- * Addition of some EMI components as the followings
 - 1) Add a ferrite core on the video cable between main board and CRT board inside of the EUT enclosure.
 - 2) Add two ground wires connected between CRT and the metal cover on the CRT board.
 - 3) Add a bead core on the transformer 18.5V output (pin 12) on the solder side of main board.
 - 4) Add a coupling Y capacitor between the primary and secondary ground on the solder side of main board.
 - 5) Add a bead core on each Q701, Q731, Q761's Vcc input on the Video board.

There is a ferrite core on the video cable outside the monitor.

For more detailed features description, please refer to manufacturer's specification or user's manual.




2.2 DESCRIPTION OF SUPPORT UNITS

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories are used to form representative test configuration during the tests.

No.	Product	Brand	Model No.	FCC ID	I/O Cable
1.	PERSONAL COMPUTER	NTI	PII-233T	FCC DoC Approved	Nonshielded Power (1.8m)
2.	PRINTER	HP	C2642A	B94C2642X	Shielded Signal (1.5m) Nonshielded Power (1.8m)
3.	KEYBOARD	FORWARD	FDA-104GA	F4ZDA-104G	Shielded Signal (1.4m)
4.	MODEM	ACEEX	1414	IFAXDM1414	Shielded Signal (1.5m) Nonshielded Power (1.8m)
5.	MOUSE	LOGITECH	M-S34	DZL211029	Shielded Power (1.5m)

2.3 TEST METHODOLOGY AND CONFIGURATION



Both conducted and radiated testing were performed according to the procedures in ANSI C63.4:1992. Radiated testing was performed at an antenna to EUT distance of 10 m on an open area test site.

Please refer to the photos of test configuration in Item 5.



3. TEST INSTRUMENTS

3.1 TEST INSTRUMENTS (EMISSION)

RADIATED EMISSION MEASUREMENT

Description & Manufacturer	Model No.	Serial No.	Calibrated Until
HP Spectrum Analyzer	8594E	3710A04861	Sept. 14, 1999
CHASE RF Pre Amplifier	CPA92320	1001	June 01, 1999
ROHDE & SCHWARZ Test Receiver	ESVS 10	846285/012	Dec. 15, 1999
CHASE Broadband Antenna	CBL6112A	2343	June 24, 1999
ROHDE & SCHWARZ Precision Dipole	HZ-12 (30~300MHz)	846932/0003	June 06, 2000
ROHDE & SCHWARZ Precision Dipole	HZ-13 (300~1000MHz)	846556/0007	June 17, 2000
EMCO Antenna Tower	2075-2	9712-2124	N/A
EMCO Turn Table	2081-1.53	9712-2030	N/A
CORCOM AC Filter	MRI2030	107/108	N/A
Open Field Test Site	Site A	ADT-RA	July 08, 1999

Note: 1. The measurement uncertainty is less than +/- 3dB, which is calculated as per NAMAS document NIS81.

2. The calibration interval of the above test instruments is 12 months.

And the calibrations are traceable to NML/ROC and NIST/USA.

CONDUCTED EMISSION MEASUREMENT

Description & Manufacturer	Model No.	Serial No.	Calibrated Until
ROHDE & SCHWARZ Test Receiver	ESCS 30	847124/029	Nov. 13, 1999
ROHDE & SCHWARZ LISN	ESHS-Z5	848773/004	Nov. 11, 1999
KYORITSU LISN	KNW-407	8/1395/12	July 15, 1999
Shielded Room	Con A	ADT-CA	N/A

Note: 1. The measurement uncertainty is less than +/- 2.6dB, which is calculated as per NAMAS document NIS81.

2. The calibration interval of the above test instruments is 12 months.

And the calibrations are traceable to NML/ROC and NIST/USA.



3.2 LIMITS OF CONDUCTED AND RADIATED EMISSION

LIMIT OF RADIATED EMISSION OF CISPR 22

FREQUENCY (MHz)	Class A (at 10m) *	Class B (at 10m) *
	dBuV/m	dBuV/m
30 - 230	40	30
230 - 1000	47	37

* Detector Function: Quasi-Peak

LIMIT OF RADIATED EMISSION OF FCC PART 15, SUBPART B FOR FREQUENCY ABOVE 1000 MHz

FREQUENCY (MHz)	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
	Peak	Average	Peak	Average
Above 1000	80.0	60.0	74.0	54.0

- Note: (1) The lower limit shall apply at the transition frequencies.
 (2) Emission level (dBuV/m) = 20 log Emission level (uV/m).
 (3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strengths specified above.

LIMIT OF CONDUCTED EMISSION OF CISPR 22

FREQUENCY (MHz)	Class A (dBuV)		Class B (dBuV)	
	Quasi-peak	Average	Quasi-peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

- Note: (1) The lower limit shall apply at the transition frequencies.
 (2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz
 (3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strengths specified above.



4. TEST RESULTS (EMISSION)

4.1 RADIO DISTURBANCE

Frequency Range : 0.15 - 30 MHz (Conducted Emission)
30 - 1000 MHz (Radiated Emission)
Input Voltage : 120 Vac, 60 Hz
Temperature : 28 °C
Humidity : 53 %
Atmospheric Pressure : 984 mbar

TEST RESULT	Remarks
PASS	Minimum passing margin of conducted emission: -10.60 dB at 15.059 MHz Minimum passing margin of radiated emission: -4.5 dB at 42.40 MHz

Note : The EUT was pre-tested under the following resolution & horizontal synchronization speed mode:

- * 1024x768 mode (56 kHz)
- * 800x600 mode (48 kHz)
- * 640x480 mode (31.5 kHz)

The worst emission levels were found under 1024x768 (56 kHz) and therefore the test data of this mode is recorded.

4.2 EUT OPERATION CONDITION

1. Turn on the power of all equipment.
2. PC runs a test program to enable all to function.
3. PC sends "H" messages to EUT. Then EUT displays the "H" pattern on its screen.
4. PC sends "H" messages to modem.
5. PC sends "H" messages to printer, and the printer prints them on paper.
6. Repeat steps 3-6.



4.3 TEST DATA OF CONDUCTED EMISSION

EUT: COLOR MONITORMODEL: MW4STEST MODE: 1024x768 (56 kHz)6 dB Bandwidth: 10 kHz

Freq.	L Level		N Level		Limit		Margin [dB (μV)]			
[MHz]	[dB (μV)]		[dB (μV)]		[dB (μV)]		L		N	
	QP	AV	QP	AV	QP	AV	QP	AV	QP	AV
0.167	49.00	-	47.40	-	65.50	55.50	-16.50	-	-18.10	-
0.224	40.40	-	44.10	-	63.90	53.90	-23.50	-	-19.80	-
0.282	38.50	-	42.70	-	62.20	52.20	-23.70	-	-19.50	-
3.679	41.20	-	42.60	-	56.00	46.00	-14.80	-	-13.40	-
7.472	36.80	-	35.60	-	60.00	50.00	-23.20	-	-24.40	-
15.059	49.40	-	49.20	-	60.00	50.00	-10.60	-	-10.80	-

- Remarks:
1. "*": Undetectable
 2. Q.P. and AV. are abbreviations of quasi-peak and average individually.
 3. "-": The Quasi-peak reading value also meets average limit and measurement with the average detector is unnecessary.
 4. The emission level of other frequencies were very low against the limit.
 5. Margin value = Emission level - Limit value.

ADT CORP. SHIELDED ROOM A CISPR 22 CLASS B

EUT: MW4S
Test Spec: LISN :L
Comment: 120V AC / 60Hz
Date: 08. Apr 99 13:25


Report No.: F88040262

Page: 9-1

Test By: Rico Tena

Overview Scan Settings (3 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	3M	3.90625k	9k	PK	10ms	10dBLN	OFF
3M	10M	3.90625k	9k	PK	0.05ms	10dBLN	OFF
10M	30M	3.90625k	9k	PK	0.05ms	10dBLN	OFF



ADT CORP. SHIELDED ROOM A

CISPR 22 CLASS B

EUT: MW4S
 Test Spec: LISN :N
 Comment: 120V AC / 60Hz
 Date: 08. Apr 99 13:32


Report No.: F88040262

Page: 9-2

Test By: Rico Teng

Overview Scan Settings (3 Ranges)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	
150k	3M	3.90625k	9k	PK	10ms	10dBLN	OFF	
3M	10M	3.90625k	9k	PK	0.05ms	10dBLN	OFF	
10M	30M	3.90625k	9k	PK	0.05ms	10dBLN	OFF	





4.4 TEST DATA OF RADIATED EMISSION

EUT: COLOR MONITORMODEL: MW4STEST MODE: 1024x768 (56 kHz)ANT. POLARITY: HorizontalDETECTOR FUNCTION: Quasi-peak6 dB BANDWIDTH: 120 kHzFREQUENCY RANGE: 30-1000 MHzMEASURED DISTANCE: 10 M

Frequency (MHz)	Correction Factor (dB)	Reading Data (dBuV)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)
112.30	13.9	10.1	24.0	30.0	-6.0
123.30	14.3	6.6	20.9	30.0	-9.1
128.80	13.8	10.0	23.8	30.0	-6.2
169.30	12.3	8.8	21.1	30.0	-8.9
176.25	12.1	12.3	24.4	30.0	-5.6
643.85	24.3	6.9	31.2	37.0	-5.8

- REMARKS :
1. Emission level (dBuV/m) = Correction Factor (dB) + Meter Reading (dBuV).
 2. Correction Factor (dB) = Ant. Factor (dB)+Cable loss (dB)
 3. The other emission levels were very low against the limit.
 4. Margin value = Emission level - Limit value.



TEST DATA OF RADIATED EMISSION

EUT: COLOR MONITORMODEL: MW4STEST MODE: 1024x768 (56 kHz)ANT. POLARITY: VerticalDETECTOR FUNCTION: Quasi-peak6 dB BANDWIDTH: 120 kHzFREQUENCY RANGE: 30-1000 MHzMEASURED DISTANCE: 10 M

Frequency (MHz)	Correction Factor (dB)	Reading Data (dBuV)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)
42.40	13.2	12.3	25.5	30.0	-4.5
47.00	11.3	13.8	25.1	30.0	-4.9
49.85	9.4	14.2	23.6	30.0	-6.4
158.90	13.7	6.7	20.4	30.0	-9.6
160.54	13.7	9.8	23.5	30.0	-6.5
216.04	13.0	12.3	25.3	30.0	-4.7

- REMARKS :
1. Emission level (dBuV/m) = Correction Factor (dB) + Meter Reading (dBuV).
 2. Correction Factor (dB) = Ant. Factor (dB)+Cable loss (dB)
 3. The other emission levels were very low against the limit.
 4. Margin value = Emission level - Limit value.



6. APPENDIX - INFORMATION OF THE TESTING LABORATORY

Information of the testing laboratory

We, ADT Corp., are founded in 1988, to provide our best service in EMC and Safety consultation. Our laboratory is accredited by the following approval agencies according to ISO/IEC Guide 25 or EN 45001:

- | | |
|---------------|--------------------------------------|
| ● USA | FCC, UL, NVLAP |
| ● Germany | TUV Rheinland
TUV Product Service |
| ● Japan | VCCI |
| ● New Zealand | RFS |
| ● Norway | NEMKO, DNV |
| ● U.K. | INCHCAPE, SGS |
| ● R.O.C. | BSMI |

Enclosed please find some certificates of our laboratory obtained from approval agencies. If you have any comments, please feel free to contact us with the following:

Lin Kou EMC Lab.:
Tel: 886-2-26032180
Fax: 886-2-26022943

Hsin Chu EMC Lab:
Tel: 886-3-5935343
Fax: 886-3-5935342

Lin Kou Safety Lab.:
Tel: 886-2-26093195
Fax: 886-2-26093184

Design Center:
Tel: 886-2-26093195
Fax: 886-2-26093184

E-mail: service@mail.adt.com.tw
<http://www.adt.com.tw>

FEDERAL COMMUNICATIONS COMMISSION

7435 Oakland Mills Road
Columbia, MD 21046
Telephone: 301-725-1585 (ext-218)
Facsimile: 301-344-2020

October 21, 1998

REPLY BY
31040/SIT
1300F2

Advance Data Technology Corporation
12F, No. 1, Sec. 4
Nan-King East Rd.
Taipei, Taiwan, R.O.C.

Attention: Harris W. Lai


Re: Measurement facility located at above address, Site No. 1
(3 and 10 meters)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Our list will also indicate that the facility complies with the radiated and AC line conducted test site criteria in ANSI C63.4-1992. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has been also added to our list of those who perform these measurement services for the public on a fee basis. This list is published periodically and is also available on the Laboratory's Public Access Link as described in the enclosed Public Notice.

Sincerely,



Thomas W. Phillips
Electronics Engineer
Customer Service Branch

Enclosure:
PAL PH

FEDERAL COMMUNICATIONS COMMISSION

7435 Oakland Mills Road
Columbia, MD 21046
Telephone: 301-725-1585 (ext-218)
Facsimile: 301-344-2020

September 15, 1998

REPLY BY
31040/SIT
1300F2

Advance Data Technology Corporation
12F, No. 1, Sec. 4
Nan-King East Rd.
Taipei, Taiwan, R.O.C.

Attention: Harris Lai


Re: Measurement facility located at Lin Kou, Sites 2 & 3
(3 & 10 meters)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has also been added to our list of those who perform these measurement services for the public on a fee basis. An up-to-date list is available on the Internet at the FCC Website www.fcc.gov under Electronic Filing.

Sincerely,



Thomas W. Phillips
Electronics Engineer
Customer Service Branch

FEDERAL COMMUNICATIONS COMMISSION

Equipment Authorization Division
7435 Oakland Mills Road
Columbia, MD 21046

March 04, 1999

Registration Number: 90426

Advance Data Technology Corp.
12F, No. 1, Sec. 4
Nan-King East Road
Taipei
Taiwan, R.O.C.

Attention: Tommy Wu


Re: Measurement facility located at Taipei, Site No. 1
(3 & 10 meters)
Date of Listing: March 04, 1999

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

If requested, the above mentioned facility has been added to our list of those who perform these measurement services for the public on a fee basis. An up-to-date list of such public use facilities is available on the Internet on the FCC Website at WWW.FCC.GOV, Electronic Filing, OET Equipment Authorization Electronic Filing.

Sincerely,



Thomas W. Phillips
Electronics Engineer

FEDERAL COMMUNICATIONS COMMISSION

7435 Oakland Mills Road
Columbia, MD 21046
Telephone: 301-725-1585 (ext-218)
Facsimile: 301-344-2020

October 21, 1998

REPLY BY
31040/SIT
1300F2

Advance Data Technology Corporation
12F, No. 1, Sec. 4
Nan-King East Rd.
Taipei, Taiwan, R.O.C.

Attention: Harris W. Lai


Re: Measurement facility located at above address, Site No. 5
(3 and 10 meters)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Our list will also indicate that the facility complies with the radiated and AC line conducted test site criteria in ANSI C63.4-1992. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has been also added to our list of those who perform these measurement services for the public on a fee basis. This list is published periodically and is also available on the Laboratory's Public Access Link as described in the enclosed Public Notice.

Sincerely,



Thomas W. Phillips
Electronics Engineer
Customer Service Branch

Enclosure:
PAL PH

FEDERAL COMMUNICATIONS COMMISSION

7435 Outland Mills Road
Columbia, MD 21046
Telephone: 301-725-1598 (ext-218)
Facsimile: 301-344-2020

February 25, 1998

BY AIR MAIL REGISTERED
31040/SIT
1300F2

Advance Data Technology Corporation
12F, No. 1, Sec. 4, Nan-King E. Rd.
Taipei, Taiwan

Attention: Hsin W. Lai

Re: Measurement facility located at above address, Site No. 8
(3 and 10 meters)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Our list will also indicate that the facility complies with the radiated and AC line conducted test site criteria in ANSI C63.4-1992. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has been also added to our list of those who perform these measurement services for the public on a fee basis. This list is updated monthly and is available on the Laboratory's Public Access Link (PAL) at 301-725-1072, and also on the Internet at the FCC Website www.fcc.gov/eis/infodatabases/ehfstate/.

Sincerely,

Thomas W. Phillips

Thomas W. Phillips
Electronics Engineer
Customer Service Branch

FEDERAL COMMUNICATIONS COMMISSION

7435 Outland Mills Road
Columbia, MD 21046
Telephone: 301-725-1598 (ext-218)
Facsimile: 301-344-2020

July 18, 1998

BY AIR MAIL REGISTERED
31040/SIT
1300F2

Advance Data Technology Corporation
12F, No. 1, Sec. 4
Nan-King East Rd.
Taipei, Taiwan, R.O.C.

Attention: Hsin W. Lai

Re: Measurement facility located at Hsin Chu (3 & 10 meter site)

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for certification or notification under Parts 15 or 18 of the Commission's Rules. Our list will also indicate that the facility complies with the radiated and AC line conducted test site criteria in ANSI C63.4-1992. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

Per your request, the above mentioned facility has also been added to our list of those who perform these measurement services for the public on a fee basis. An up-to-date list is available on the Internet at the FCC Website www.fcc.gov/eis/infodatabases/ehfstate/.

Sincerely,

Thomas W. Phillips

Thomas W. Phillips
Electronics Engineer
Customer Service Branch

FEDERAL COMMUNICATIONS COMMISSION

Equipment Authorization Division
7435 Outland Mills Road
Columbia, MD 21046

December 23, 1998

Registration Number: 92753

Advance Data Technology Corporation
12F, No. 1, Sec. 4
Nan-King East Road
Taipei
Taiwan, R.O.C.

Attention: Hsin W. Lai

Re: Measurement facility located at Hsin-Chu, Site B
3 & 10 meter site

Gentlemen:

Your submission of the description of the subject measurement facility has been reviewed and found to be in compliance with the requirements of Section 2.948 of the FCC Rules. The description has, therefore, been placed on file and the name of your organization added to the Commission's list of facilities whose measurement data will be accepted in conjunction with applications for Certification under Parts 15 or 18 of the Commission's Rules. Please note that this filing must be updated for any changes made to the facility, and at least every three years the data on file must be certified as current.

If requested, the above mentioned facility has been added to our list of those who perform these measurement services for the public on a fee basis. An up-to-date list of such public test facilities is available on the Internet on the FCC Website at WWW.FCC.GOV, Electronic Filing, OET Equipment Authorization Electronic Filing.

Sincerely,

Thomas W. Phillips

Thomas W. Phillips
Electronics Engineer



Technischer Überwachungs-Verein Rheinland

Certificate

of Appointment

No. 1-9763928-9707

The applicant:

Advance Data Technology (ADT) Corporation
No. 47, 14 Ling, Chia Pau Truen, Lin Kou Hsiang, Taipei Hsien,
Taiwan, R.O.C.

has been authorized to carry out EMC tests by order and under supervision of
TUV Rheinland according to

CISPR16, EN 55 011:1991, EN 55 014:1993, EN 55 015:1993, EN 55 022:1994/A1,
EN 55 104:1995, EN 60 525-2:1997, EN 61 000-3-2:1995, EN 61 000-3-3:1995,
EN 50 081-1:1992, EN 50 082-1:1992, EN 50 081-2:1993, EN 50 082-2:1995,
IEC 801-2:1991, IEC 801-3:1984, IEC 801-4:1988, IEC 801-5:1998, EN 61 000-4-2:1995,
ENV 50 148:1993, ENV 50 141:1993, IEC 1 000-4-3:1995, EN 61 000-4-4:1995,
EN 61 000-4-5:1995, EN 61 000-4-8:1993, EN 61 000-4-11:1994, EN 60 601-1-3:1993

An inspection of the facility was conducted according to the Document
"Approval of Test Site" with reference to EN 45 001 by a TUV Rheinland inspector.

Audit Report No. P 9763928E01, Rev. A
This certificate is valid until the next scheduled inspection or up to 15 months,
at the discretion of TUV Rheinland.

TUV Rheinland Taiwan Ltd.
Taipei, 16.07.1997

Dieter G. Lohken
Dieter G. Lohken
Vice General Manager
Product Safety Department

Dieter U. Meyer
Dieter U. Meyer
Auditor



CERTIFICATE

Facility: NO. 1 SITE
 (Radiation 3 and 10 meter site)
 Company : Advance Data Technology Corp.
 Address : No.47, CHIA PAU TSUEN, LIN KOU HSIANG,
 TAIPEI HSIEN, TAIWAN

*This is to certify that the following measuring facility
 has been registered in accordance with the Regulations
 for Voluntary Control Measures.*

Registration No. : R-236
 Date of Registration : July 1, 1998
 This Certificate is valid until September 30, 2001

Voluntary Control Council for Interference by
 Information Technology Equipment



CERTIFICATE

Facility: NO. 2 SITE
 (Radiation 3 and 10 meter site)
 Company : Advance Data Technology Corp.
 Address : No.47, CHIA PAU TSUEN, LIN KOU HSIANG,
 TAIPEI HSIEN, TAIWAN

*This is to certify that the following measuring facility
 has been registered in accordance with the Regulations
 for Voluntary Control Measures.*

Registration No. : R-237
 Date of Registration : July 1, 1998
 This Certificate is valid until September 30, 2001

Voluntary Control Council for Interference by
 Information Technology Equipment



CERTIFICATE

Facility: NO. 2 SITE
 (Conducted Interference Measurement)
 Company : Advance Data Technology Corp.
 Address : No.47, CHIA PAU TSUEN, LIN KOU HSIANG,
 TAIPEI HSIEN, TAIWAN

*This is to certify that the following measuring facility
 has been registered in accordance with the Regulations
 for Voluntary Control Measures.*

Registration No. : C-240
 Date of Registration : July 1, 1998
 This Certificate is valid until September 30, 2001

Voluntary Control Council for Interference by
 Information Technology Equipment



CERTIFICATE

Facility: No.3 Site
 (Radiation 3 and 10 meter site)
 Company : Advance Data Technology Corp.
 Address : No.47 CHIA PAU TSUEN, LIN KOU HSIANG, TAIPEI
 HSIEN, TAIWAN

*This is to certify that the following measuring facility
 has been registered in accordance with the Regulations
 for Voluntary Control Measures*

Registration No. : R-269
 Date of Registration : January 1, 1999
 This Certificate is valid until March 31, 2002

Voluntary Control Council for Interference by
 Information Technology Equipment





CERTIFICATE

Facility: No.3 Site
(Conducted Interference Measurement)
Company: Advance Data Technology Corp.
Address: No.47 CHIA PAU TSUEN, LIN KOU HSIANG, TAIPEI
HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures*

Registration No.: C-274
Date of Registration: January 1, 1999
This Certificate is valid until March 31, 2002

Voluntary Control Council for Interference by
Information Technology Equipment



CERTIFICATE

Facility: No.4 Site
(Radiation 3 and 10 meter site)
Company: ADVANCE DATA TECHNOLOGY
CORP.
Address: No.47, CHIA PAU TSUEN, LIN KOU
HSIANG, TAIPEI HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures, Article 8.*

Registration No.: R-489
Date of Registration: December 20, 1996
This Certificate is valid until December 31, 1999

Voluntary Control Council for Interference by
Information Technology Equipment



CERTIFICATE

Facility: No.5 Site
(Radiation 3 and 10 meter site)
Company: ADVANCE DATA TECHNOLOGY
CORP.
Address: No.47, CHIA PAU TSUEN, LIN KOU
HSIANG, TAIPEI HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures, Article 8.*

Registration No.: R-490
Date of Registration: December 20, 1996
This Certificate is valid until December 31, 1999

Voluntary Control Council for Interference by
Information Technology Equipment



CERTIFICATE

Facility: ADVANCE DATA TECHNOLOGY
CORPORATION
(Conducted Interference Measurement)
Company: ADVANCE DATA TECHNOLOGY
CORPORATION
Address: No.47, CHIA PAU TSUEN, LIN KOU
HSIANG, TAIPEI HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures, Article 8.*

Registration No.: C-505
Date of Registration: December 20, 1996
This Certificate is valid until December 31, 1999

Voluntary Control Council for Interference by
Information Technology Equipment





CERTIFICATE

Facility: Advance Data Technology Corp Site 6
(Radiation 3 and 10 meter site)
Company : Advance Data Technology Corp.
Address : No. 47, CHIA PAU TSUEN, LIN KOU HSILANG,
TAIPEI HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures.*

Registration No. : R-728
Date of Registration : May 19, 1998
This Certificate is valid until June 30, 2001

Voluntary Control Council for Interference by
Information Technology Equipment



CERTIFICATE

Facility: Advance Data Technology Corp Site A
(Radiation 3 and 10 meter site)
Company : Advance Data Technology Corp.
Address : NO. 81-1, LU LIAO KENG, 9 LING, WU LUNG TSUEN,
CHIUNG LIN HSILANG, HSIN CHU HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures*

Registration No. : R-782
Date of Registration : September 29, 1998
This Certificate is valid until September 30, 2001

Voluntary Control Council for Interference by
Information Technology Equipment



CERTIFICATE

Facility: Advance Data Technology Corp Shielded Room A
(Conducted Interference Measurement)
Company : Advance Data Technology Corp.
Address : NO. 81-1, LU LIAO KENG, 9 LING, WU LUNG TSUEN,
CHIUNG LIN HSILANG, HSIN CHU HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures*

Registration No. : C-817
Date of Registration : September 29, 1998
This Certificate is valid until September 30, 2001

Voluntary Control Council for Interference by
Information Technology Equipment




CERTIFICATE

Facility: ADVANCE DATA TECHNOLOGY CORPORATION OPEN SITE B
(Radiation 3 and 10 meter site)
Company : ADVANCE DATA TECHNOLOGY CORPORATION
Address : NO. 81-1, LU LIAO KENG, 9 LING, WU LUNG TSUEN,
CHIUNG LIN HSILANG, HSIN CHU HSIEN, TAIWAN

*This is to certify that the following measuring facility
has been registered in accordance with the Regulations
for Voluntary Control Measures*

Registration No. : R-847
Date of Registration : March 1, 1999
This Certificate is valid until March 31, 2002

Voluntary Control Council for Interference by
Information Technology Equipment



National Institute of Standards and Technology
NVLAP[®]
National Voluntary Laboratory Accreditation Program

ISO/IEC GUIDE 25:1990
ISO 9002:1987

Scope of Accreditation

Page: 1 of 1
NVLAP LAB CODE 190102-0

ELECTROMAGNETIC COMPATIBILITY AND TELECOMMUNICATIONS

ADVANCE DATA TECHNOLOGY CORPORATION
No. 47, 14 Ling, Chia Pau Tuen,
Lia Kou Huang
Taipei Hsien
TAIWAN
Mr. Harris W. Lai
Phone: 886-2-6021180 Fax: 886-2-6021943

NVLAP Code Designation / Description

International Special Committee on Radio Interference (CISPR) Methods

12/CIS22 IEC/CISPR 22:1993: Limits and methods of measurement of radio disturbance characteristics of information technology equipment

Federal Communications Commission (FCC) Methods

12/F01 FCC Method - 47 CFR Part 15 - Digital Devices
12/F01a Conducted Emissions, Power Lines, 450 KHz to 30 MHz
12/F01b Radiated Emissions

Australian Standards referred to by clauses in AUSTEL Technical Standards

12/T51 AS/NZS 1548: Electromagnetic Interference - Limits and Methods of Measurement of Information Technology Equipment

December 31, 1999
(Effective through)

NVLAP 015-111-99

United States Department of Commerce
National Institute of Standards and Technology

NVLAP[®]
National Voluntary Laboratory Accreditation Program

ISO/IEC GUIDE 25:1990
ISO 9002:1987

Certificate of Accreditation

Page: 1 of 1
NVLAP LAB CODE 190102-0

ADVANCE DATA TECHNOLOGY CORPORATION
TAIPEI HSIEN
TAIWAN

is recognized under the National Voluntary Laboratory Accreditation Program for satisfactory compliance with criteria established in Title 15, Part 285 of Code of Federal Regulations. These criteria encompass the requirements of 15 CFR, Code 25, and the relevant requirements of ISO 9002:1987 (ANSI Z39.1-1987) as suppliers of radio disturbance test results. Accreditation is awarded for specific services listed in the Scope of Accreditation for

ELECTROMAGNETIC COMPATIBILITY AND TELECOMMUNICATIONS
FCC

December 31, 1999
(Effective through)

NVLAP Lab Code 190102-0

National Institute of Standards and Technology
NVLAP[®]
National Voluntary Laboratory Accreditation Program

ISO/IEC GUIDE 25:1990
ISO 9002:1987

Scope of Accreditation

Page: 1 of 1
NVLAP LAB CODE 190376-0

ELECTROMAGNETIC COMPATIBILITY AND TELECOMMUNICATIONS

ADVANCE DATA TECHNOLOGY CORPORATION HSIN CHU EMC LABORATORY
No. 81-1, Lu Liao Kong, 9 Ling, Wu Lung
Tamsui, Chung Lia Huang
Hsin Chu Hsien
TAIWAN
Mr. Harris Lai
Phone: 886-2-26032180 Fax: 886-2-26032943
E-Mail: harris@adtc.com.tw

NVLAP Code Designation / Description

International Special Committee on Radio Interference (CISPR) Methods

12/CIS22 IEC/CISPR 22:1993: Limits and methods of measurement of radio disturbance characteristics of information technology equipment

Federal Communications Commission (FCC) Methods

12/F01 FCC Method - 47 CFR Part 15 - Digital Devices
12/F01a Conducted Emissions, Power Lines, 450 KHz to 30 MHz
12/F01b Radiated Emissions

Australian Standards referred to by clauses in AUSTEL Technical Standards

12/T51 AS/NZS 1548: Electromagnetic Interference - Limits and Methods of Measurement of Information Technology Equipment

March 31, 2000
(Effective through)

NVLAP 015-111-99

United States Department of Commerce
National Institute of Standards and Technology

NVLAP[®]
National Voluntary Laboratory Accreditation Program

ISO/IEC GUIDE 25:1990
ISO 9002:1987

Certificate of Accreditation

Page: 1 of 1
NVLAP LAB CODE 190376-0

ADVANCE DATA TECHNOLOGY CORPORATION HSIN CHU EMC LABORATORY
HSIN CHU HSIEN
TAIWAN

is recognized under the National Voluntary Laboratory Accreditation Program for satisfactory compliance with criteria established in Title 15, Part 285 of Code of Federal Regulations. These criteria encompass the requirements of 15 CFR, Code 25, and the relevant requirements of ISO 9002:1987 (ANSI Z39.1-1987) as suppliers of calibration or test results. Accreditation is awarded for specific services listed in the Scope of Accreditation for

ELECTROMAGNETIC COMPATIBILITY AND TELECOMMUNICATIONS
FCC

March 31, 2000
(Effective through)

NVLAP Lab Code 190376-0



Worldwide Testing and Certification

ELA 4

EMC Laboratory
Authorization

Aut. No.: ELA 112

EMC Laboratory: ADT Advance Data Technology Corporation
No. 47, 14 Limg, Chia Pui Tsuen,
Lia Kow Hsin, Taipei Hsien,
Taiwan R.O.C.

Scope of Authorization: All CENELEC standards (ENs) for EMC that are listed on the accompanying page, and, all of the corresponding CISPR, IEC, and ISO EMC standards that are listed on the accompanying page.

This Authorization Document confirms that the above mentioned EMC Laboratory has been validated against EN 45001 and found to be compliant. The laboratory also fulfils the conditions described in Nemko Document ELA 10. During Nemko's visit to the laboratory on 9. October 1996, an assessment was made of the relevant parts of your organisation - i.e. facilities, personnel qualifications, test equipment, and testing practices. It was found that the EMC Laboratory is capable of performing tests within the Scope of Authorization given on the accompanying page. Accordingly, Nemko will accept your test reports as a basis for assessing conformity to these EMC Standards for the products in question under either the European Union EMC Directive or the European Union Automotive EMC Directive (as applicable).

In case of applications for Product Certification(s) to be issued by Nemko, your EMC Laboratory's test report(s) will be accepted by Nemko if they are enclosed with the Application Form submitted by the manufacturer.

In order to maintain the Authorization, the information given in the enclosed ELA-INFOs (if any) must be carefully followed. Nemko is to be promptly notified about any changes in the situation at your EMC Laboratory which may affect the basis for this Authorization. The Authorization may at any time be withdrawn if the conditions are no longer considered to be fulfilled.

The Authorization is valid through February 28, 1999.

Oslo, 13 March 1998

For Nemko AS:

Kjell Bergh
Kjell Bergh, Head of EMC Section

Printed address:
P.O. Box 19 Blindern
N-0407 Oslo, Norway

Telephone: +47 22 10 00 00
Fax: +47 22 10 00 00



Worldwide Testing and Certification

ELA 4

EMC Laboratory Authorisation

Aut. No.: ELA 112

(Page 2 of 2)

SCOPE OF AUTHORIZATION

GENERIC & PRODUCT-FAMILY STANDARDS

EN 50081-1, EN 50081-2	EN 50082-1, EN 50082-2	EN 55011, Gr. 1, CISPR 11
EN 55013, CISPR 13	EN 55014-1, CISPR 14-1	EN 55015, CISPR 15
EN 55022	EN 60555-2, IEC 555-2, EN 61000-3-2, IEC 61000-3-2	EN 60555-3, IEC 555-3, EN 61000-3-3, IEC 61000-3-3

BASIC STANDARDS

EN 61000-4-2, IEC 61000-4-2, IEC 801-2	EN 61000-4-3, ENV 50148, ENV 50204, IEC 61000-4-3, IEC 801-3	EN 61000-4-4, IEC 61000-4-4, IEC 801-4
EN 61000-4-5, IEC 61000-4-5	EN 61000-4-6, ENV 50141, IEC 61000-4-6	EN 61000-4-8, IEC 61000-4-8
EN 61000-4-11, IEC 61000-4-11		

Oslo, 13 March 1998

Kjell Bergh
Kjell Bergh, Nemko EMC Services

Printed address:
P.O. Box 19 Blindern
N-0407 Oslo, Norway

Telephone: +47 22 10 00 00
Fax: +47 22 10 00 00

World-wide Testing and
Certification

ELA 4

EMC Laboratory
AuthorizationAut. No.: ELA 112-b
Bain Che EMC Laboratory

EMC Laboratory: ADT Advance Data Technology Corporation
Bain Che EMC Laboratory
No. 81-1, Le Liao Kang, 9 Limg,
Wu Long Tsuen, Chiang Lin Hsin,
Bain Che Hsien, Taiwan R.O.C.

Scope of Authorization: All CENELEC standards (ENs) for EMC that are listed on the accompanying page, and, all of the corresponding CISPR, IEC, and ISO EMC standards that are listed on the accompanying page.

This Authorization Document confirms that the above mentioned EMC Laboratory has been validated against EN 45001 and found to be compliant. The laboratory also fulfils the conditions described in Nemko Document ELA 10. Based on submitted material, an assessment has been made of the relevant parts of your organisation - i.e. facilities, personnel qualifications, test equipment, and testing practices. It was found that the EMC Laboratory is capable of performing tests within the Scope of Authorization given on the accompanying page. Accordingly, Nemko will accept your test reports as a basis for assessing conformity to these EMC Standards for the products in question under the European Union EMC Directive.

In case of applications for Product Certification(s) to be issued by Nemko, your EMC Laboratory's test report(s) will be accepted by Nemko if they are enclosed with the Application Form submitted by the manufacturer.

In order to maintain the Authorization, the information given in the enclosed ELA-INFOs (if any) must be carefully followed. Nemko is to be promptly notified about any changes in the situation at your EMC Laboratory which may affect the basis for this Authorization. The Authorization may at any time be withdrawn if the conditions are no longer considered to be fulfilled.

The Authorization is valid through February 28, 1999.

Oslo, 15 December 1998

For Nemko AS:

Kjell Bergh
Kjell Bergh, Head of EMC Section

Printed address:
P.O. Box 19 Blindern

Telephone: +47 22 10 00 00
Fax: +47 22 10 00 00

World-wide Testing and
Certification

ELA 4

EMC Laboratory Authorisation

Aut. No.: ELA 112-b

Bain Che EMC Laboratory

(Page 2 of 2)

SCOPE OF AUTHORIZATION

GENERIC & PRODUCT-FAMILY STANDARDS

EN 50081-1, EN 50081-2	EN 50082-1, EN 50082-2	EN 55011, Gr. 1, CISPR 11
EN 55014-1, CISPR 14-1 (except discontinuous noise)	EN 55014-2, CISPR 14-2	EN 55022, CISPR 22
EN 55024, CISPR 24	EN 60555-2, IEC 60555-2, EN 61000-3-2, IEC 61000-3-2	EN 60555-3, IEC 60555-3, EN 61000-3-3, IEC 61000-3-3

BASIC STANDARDS

EN 61000-4-2, IEC 61000-4-2, ENV 50204	EN 61000-4-3, IEC 61000-4-3, ENV 50141, IEC 61000-4-6	EN 61000-4-4, IEC 61000-4-4, IEC 801-4
EN 61000-4-5, IEC 61000-4-5	EN 61000-4-6, ENV 50141, IEC 61000-4-6	EN 61000-4-8, IEC 61000-4-8
EN 61000-4-11, IEC 61000-4-11		

Oslo, 15 December 1998

Kjell Bergh
Kjell Bergh, Nemko EMC Services

Printed address:
P.O. Box 19 Blindern

Telephone: +47 22 10 00 00
Fax: +47 22 10 00 00

中華民國

經濟部商品檢驗局(函)

中華民國八十五年二月二十一日

受文者：誠信科技股份有限公司

行文單位：正本：誠信科技股份有限公司

副本：本局第二組(二份)、第三組、秘書室(各四份)、檢驗處、各分局

(均函附件)

主旨：有關貴公司電腦相關客測實驗室申請本局電腦相關客測領域認可案，查該實驗

地詳細結果，同意認可登錄，請查照。

說明：

一、查貴公司八十五年十月四日未列字號函。

二、認可登錄範圍如下：

實驗室名稱：誠信科技股份有限公司電腦相關客測實驗室

實驗室地址：台北縣林口鄉嘉寶村二鄰二號

認可項目：

認可項目代號：(一)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二)資訊設備

認可項目名稱：資訊設備

認可項目代號：(三)資訊設備

認可項目名稱：資訊設備

認可項目代號：(四)資訊設備

認可項目名稱：資訊設備

認可項目代號：(五)資訊設備

認可項目名稱：資訊設備

認可項目代號：(六)資訊設備

認可項目名稱：資訊設備

認可項目代號：(七)資訊設備

認可項目名稱：資訊設備

認可項目代號：(八)資訊設備

認可項目名稱：資訊設備

認可項目代號：(九)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十一)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十二)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十三)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十四)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十五)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十六)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十七)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十八)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十九)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十一)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十二)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十三)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十四)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十五)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十六)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十七)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十八)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十九)資訊設備

認可項目名稱：資訊設備

認可項目代號：(三十)資訊設備

認可項目名稱：資訊設備

認可項目代號：(三十一)資訊設備

局長許鵬翔

誠信分庫負責規定授權單位主管執行

20823

中華民國八十五年二月二十一日

中華民國

經濟部商品檢驗局(函)

中華民國八十六年二月二十一日

受文者：誠信科技股份有限公司

行文單位：正本：誠信科技股份有限公司

副本：本局第二組(二份)、第三組、秘書室(各四份)、檢驗處、各分局

(均函附件)

主旨：有關貴公司電腦相關客測實驗室申請本局電腦相關客測領域認可案，查該實驗

地詳細結果，同意認可登錄，請查照。

說明：

一、查貴公司八十六年二月二十一日未列字號函。

二、認可登錄範圍如下：

實驗室名稱：誠信科技股份有限公司電腦相關客測實驗室

實驗室地址：台北縣林口鄉嘉寶村二鄰二號

認可項目：

認可項目代號：(一)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二)資訊設備

認可項目名稱：資訊設備

認可項目代號：(三)資訊設備

認可項目名稱：資訊設備

認可項目代號：(四)資訊設備

認可項目名稱：資訊設備

認可項目代號：(五)資訊設備

認可項目名稱：資訊設備

認可項目代號：(六)資訊設備

認可項目名稱：資訊設備

認可項目代號：(七)資訊設備

認可項目名稱：資訊設備

認可項目代號：(八)資訊設備

認可項目名稱：資訊設備

認可項目代號：(九)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十一)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十二)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十三)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十四)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十五)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十六)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十七)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十八)資訊設備

認可項目名稱：資訊設備

認可項目代號：(十九)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十一)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十二)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十三)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十四)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十五)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十六)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十七)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十八)資訊設備

認可項目名稱：資訊設備

認可項目代號：(二十九)資訊設備

認可項目名稱：資訊設備

認可項目代號：(三十)資訊設備

認可項目名稱：資訊設備

認可項目代號：(三十一)資訊設備

局長陳佐鎮

誠信分庫負責規定授權單位主管執行

12954

中華民國八十六年二月二十一日



DET NORSKE VERITAS STATEMENT OF RECOGNITION

STATEMENT No. 413 - 99 - LAB12
The statement consists of 3 pages

This is to confirm that the
EMC AND SAFETY LABORATORIES

with
ADT

The main office with legal identity
ADT Corporation, No. 47, 14 Ling, Chiapas Tamsu,
Lin Kuo Hsiang, Taipei Hsien, Taiwan, R.O.C.

has been found to comply with the requirements of DNV towards subcontractors of EMC
and Safety testing services in conjunction with the EMC and Low Voltage Directives and in
the voluntary field.

The acceptance is based on a formal Quality Audit and follow-up according to relevant parts of
EN 45001 and ISO/IEC Guide 25, in accordance with the requirements of the DNV Laboratory
Quality Manual towards subcontractors.

Place and date
Havik, 23 February, 1999
for Det Norske Veritas AS
(Notified Body no. 575/434)

This Statement is valid until
23 February, 2000

Arvid W. W. W.
Arvid W. W. W.
Head of Section



A. T. O. W.
A. T. O. W.
Lead Auditor

DNV NORSE VERITAS AS
P.O. Box 28, 050
Havik, Norway
T: +47 57 57 57 57
F: +47 57 57 57 57
Page 1 of 3



Statement No. 413 - 99 - LAB12

Audit information

Initial audit:

- Date of Audit: 1998-11-18 and 1998-11-19
- Initial Audit Report: 1998-11-22
- Closing of Non-conformities: 99-02-12

Site Audited

Lin Kuo EMC Laboratory:
No. 47, 14 Ling, Chiapas Tamsu, Lin Kuo Hsiang, Taipei Hsien, Taiwan, R.O.C.

Hsin Chu EMC Laboratory:
No. 81-1, Lu Liao Keng, 9 Ling, Wu Lung Tamsu, Chung Lin Hsiang, Hsin Chu, Hsien,
Taiwan, R.O.C.

Lin Kuo Safety Laboratory:
No. 46, Lane 504, Chung Hsiao Road, Lin Kuo Hsiang, Taipei, Taiwan, R.O.C.

Scope of recognition

EMC testing according to the following standards:

- EN 50081-1 / -2
- EN 50082-1 / -2
- EN 55011 / CISPR 11
- EN 55013 / CISPR 13
- EN 55014-1 / -2 / CISPR 14-1 / -2
- EN 55015 / CISPR 15
- EN 55022 / CISPR 22
- EN 61000-3-2 / IEC 1000-3-2 / EN 60555-2 / IEC 555-2
- EN 61000-3-3 / IEC 1000-3-3 / EN 60555-3 / IEC 555-3
- EN 61000-4-2 / IEC 1000-4-2 / IEC 801-2
- EN 61000-4-3 / IEC 1000-4-3 / ENV 80140 / IEC 801-3
- EN 61000-4-4 / IEC 1000-4-4 / IEC 801-4
- EN 61000-4-5 / IEC 1000-4-5 / ENV 80142
- EN 61000-4-6 / IEC 1000-4-6 / ENV 80141
- EN 61000-4-8 / IEC 1000-4-8
- EN 61000-4-11 / IEC 1000-4-11

Safety testing according to the following standards:

- EN 60065 / IEC 65
- EN 60950 / IEC 950

Application/Limitations

Testing of single- and three phase systems

DET NORSKE VERITAS AS
P.O. Box 28, 050
Havik, Norway
T: +47 57 57 57 57
F: +47 57 57 57 57
Page 2 of 3



ENG 39
AJD

8th January 1999

Advance Data Technology Corporation
No. 47
14 Ling
Chiapas Tamsu
Lin Kuo Hsiang
Taiwan
R.O.C.

Attention: Mr. Sharon Hsiung

Dear Mr. Hsiung

LABORATORY APPROVAL

Thank you for your submission of 5th January regarding the re-certification of
your testing laboratory to the Ministry of Commerce's laboratory approval
criteria.

I am pleased to advise that your submission has been successful and your
approval has been extended until 30th June 1999. At this time, the Approved
Laboratory scheme will cease operation with the implementation of the new
radio communications regulations. Test reports from your laboratory will be
accepted under the new framework. Please find enclosed a copy of the
Ministry's discussion paper, DP10, outlining the proposed compliance process
from 1 January 1999.

If you have any further questions on this matter please do not hesitate to
contact me.

Yours faithfully

B. Emmett
Brian Emmett

Technical Officer (Regulatory)
e-mail: brian.emmett@moc.govt.nz

RADIO SPECTRUM MANAGEMENT GROUP

Department of Communications, P.O. Box 10, Wellington, New Zealand
Tel: +64 (0)4 499 9999 Fax: +64 (0)4 499 9998



Certificate of Assessment

This is to certify

That ADVANCE DATA TECHNOLOGY CORP.

has been approved as a supplier of
**"EMC TESTING
SERVICES"**

and in particular for specifications implemented by

The EC DIRECTIVE on EMC

SGS EMC SERVICES

in accordance with

SGS Laboratory Approval Scheme

The scope of approval is detailed in the

Schedule of Assessment

SGS EMC Services
South East Asia
Bangkok
Ch. Dharma
DNV SIA
UNITED KINGDOM

Issued
For and on behalf of
SGS EMC Services
J. W. W. W.
General Manager
Date: 07/03/96