

Date:1999-01-11
No.: WM1328/504

TEST REPORT

APPENDIX B

Page B1 of B3

ANCILLARY EQUIPMENT

ITEM NO.	DESCRIPTION	MODEL NO.	FCC ID	REMARK
1	AST COMPUTER	AST PREMIUM II 486/33	DJKASTPII486-33	1.92m SVT SHIELDED CABLE
2	SVGA MONITOR	CM6P	GDRCM6P	RESOLUTION : 720*400 (DURING TESTING) 1.0M UNSHIEDED POWER CORD CONNECTED TO THE COMPUTER 1.8M SHIELDED CABLE CONNECTED TO THE COMPUTER
3	AST KEYBOARD	KB-101	AQ6MEMB-74004	1.8 SHIELDED COILED CABLE CONNECTED TO THE COMPUTER
4	MOUSE	PS12	FSUGMZC8	2.4M UNSHIELDED CABLE CONNECTED TO THE COMPUTER
5	SERIAL PROGRAM PAD (EUT)	SV-280	KYISV-280	2.6M SHIELDED CABLE CONNECTED TO COMPUTER KEYBOARD SOCKET 2.3M SHIELDED CABLE CONNECTED TO SOUND CARD SOCKET OF THE COMPUTER
6	PARALLEL PRINTER	DMP3000	DE2850CDMP3000	1.8M UNSHIELDED POWER CORD 2.8M SHIELDED CABLE (BUNDLED TO 1M) CONNTCTED TO THE COMPUTER
7	SERIAL PRINTER	N/A	N/A	SAME AS PARALLED PRINTER

Date:1999-01-11
No.: WM1328/504

TEST REPORT
APPENDIX B
TEST PHOTOGRAPHS

Page B2 of B3

THESE RADIATED EMISSION PICTURES SHOW THE WORST CASE
CONFIGURATION AND CABLE PLACEMENT

Date:1999-01-11
No.: WM1328/504

TEST REPORT
APPENDIX B
TEST PHOTOGRAPHS

Page B3 of B3

THESE LINE CONDUCTED TEST PICTURES SHOW THE WORST CASE
CONFIGURATION AND CABLE PLACEMENT