



ITC2500

PS 200W

- Power o.k.
- Battery Operation
- Battery Low
- Battery Charging
- Fuses Alarm

Battery Fuse
250V / 12.5 AT

Power

BSC

PWR / IDE

COM1

COM2

COM3

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH

USB / ETH


USB / ETH


USB / ETH

USB / ETH

USB / ETH

USB / ETH





Single antenna use

Dual antenna use

Rx: For dual antenna use only

Rx / Tx: Single antenna use

Tx: Dual antenna use

13.5V/1A max
OUT

Battery
IN



SWISSPHONE ITC2500 NA
Type/Model: ITC 2500-NA 481 Band: 135-174 MHz
Power: 12.5W
100 - 240 VAC, 50/60Hz, 2 SA, 1.1A, 250VA
FCC ID: L3M-ITC2500-481
IC: 4404A-ITC2500-481
A/E No.: 0721682
S/N: 02011737 03818

Mains in

SWISSPHONE ITC2500 NA

Type/Model: ITC 2500-NA 4B1 Band: 136-174 MHz

Space: 12.5kHz

100 - 240 VAC; 50/60Hz; 2.5A-1.1A; 260VA

FCC ID: L3M-ITC2500-4B1

IC: 4404A-ITC25004B1



Art.Nr.: 0721682

S/Nr.: C201737.03515



Mains in

