

File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/98111111_ZOOM.VLT
Start : 11-Nov-98 11:56:58 am End : 11-Nov-98 12:09:07 pm

Radio Type : SONY
Model Number : L5ACMZ100SB2
Serial Number : 21103806691
Frequency : 1851.25 MHz
Peak Trans. Pwr : 0.400 W
Start Trans. Pwr: 0.400 W
Antenna Type : Helical
Antenna Posn. : In
Phantom Type : Head
Phantom Posn. : Left Ear
Scan Type : ZOOM/SAR
Probe Name : PCTEST
Field Type : E Field
Orientation : 0 Degrees

Mixture Type = Brain
Mixture Dielectric Constant = 42.900
Mixture Conductivity = 1.650

Comment :
CHAN 0025 CDMA MODE
SONY PCS BAND PHONE
PCTEST

Robot : PCTEST

Probe Offset = 0.25 cm
Sensor Factor = 0.0108
Conversion Factor = 1.200

PCTEST Amplifier Channel Settings : 0.250 0.233 0.225

Max Location : X = 0.500, Y = 1.750, Z = 0.000 (cm) Value = 10.856

Measured Values (volts) =
9.912E-003 2.293E-003 7.728E-004 3.690E-004 2.628E-004 1.849E-004
1.183E-004 1.437E-004 1.016E-004 9.903E-005 7.860E-005


Calc. Voltage @ Surface (Vs) = 0.0137

Voltage @ 1.00 cm (Vt) = 0.0042

Ave. Voltage (Vs+Vt)/2 = 0.0089

Ave. SAR over 1 g (mW/g) = 0.9941

SAR Scan
File : 98111111_ZOOM
Start : 11-Nov-98 11:56:58 am End : 11-Nov-98 12:09:07 pm
SONY/L5ACMZ100SB2 /21103806691;1851.25MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/42.900/1.650





File : 98111111_ZOOM

Start : 11-Nov-98 11:56:58 am End : 11-Nov-98 12:09:07 pm

SONY/L5ACMZ100SB2 /21103806691;1851.25MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/42.900/1.650



File : 98111111_ZOOM

Start : 11-Nov-98 11:56:58 am End : 11-Nov-98 12:09:07 pm

SONY/L5ACMZ100SB2 /21103806691;1851.25MHz;W;Helical/In;

Head/Left Ear;ZOOM/SAR;PCTEST/E Field/0 DegreesBrain/42.900/1.650

