

<b>RTS</b> <b>RIM Testing Services</b>	Document <b>Appendix for the BlackBerry® Smartphone Model RBY41GW</b> <b>SAR Report</b>		Page <b>1(11)</b>
Author Data <b>Shahriar Ninad</b>	Dates of Test <b>June 02-24, 2008</b>	Test Report No <b>RTS-1114-0806-05</b>	FCC ID: <b>L6ARBY40GW</b>

**APPENDIX E: PHOTOGRAPHS**

<b>RTS</b> <b>RIM Testing Services</b>	Document <b>Appendix for the BlackBerry® Smartphone Model RBY41GW SAR Report</b>		Page <b>2(11)</b>
	Author Data <b>Shahriar Ninad</b>	Dates of Test <b>June 02-24, 2008</b>	Test Report No <b>RTS-1114-0806-05</b>



**Figure E1. BlackBerry Smartphone – Flip Open**

<b>RTS</b> RIM Testing Services	Document <b>Appendix for the BlackBerry® Smartphone Model RBY41GW SAR Report</b>		Page 3(11)
	Author Data <b>Shahriar Ninad</b>	Dates of Test <b>June 02-24, 2008</b>	Test Report No <b>RTS-1114-0806-05</b>
		FCC ID: <b>L6ARBY40GW</b>	



**Figure E2. BlackBerry Smartphone – Flip Closed**

<b>RTS</b> RIM Testing Services	Document	Appendix for the BlackBerry® Smartphone Model RBY41GW SAR Report		Page 4(11)
	Author Data <b>Shahriar Ninad</b>	Dates of Test <b>June 02-24, 2008</b>	Test Report No <b>RTS-1114-0806-05</b>	FCC ID: <b>L6ARBY40GW</b>




**Figure E3. Body worn holster**

<b>RTS</b> RIM Testing Services	Document	Appendix for the BlackBerry® Smartphone Model RBY41GW SAR Report		Page
	Author Data	Dates of Test	Test Report No	FCC ID:
Shahriar Ninad	June 02-24, 2008	RTS-1114-0806-05	L6ARBY40GW	5(11)




**Figure E4. Head configuration (Right Touch/Tilt)**

<b>RTS</b> <b>RIM Testing Services</b>	Document <b>Appendix for the BlackBerry® Smartphone Model RBY41GW SAR Report</b>		Page <b>6(11)</b>
	Author Data <b>Shahriar Ninad</b>	Dates of Test <b>June 02-24, 2008</b>	Test Report No <b>RTS-1114-0806-05</b>



**Figure E5. Head configuration (Left Touch/Tilt)**

<b>RTS</b> RIM Testing Services	Document <b>Appendix for the BlackBerry® Smartphone Model RBY41GW SAR Report</b>		Page 7(11)
	Author Data <b>Shahriar Ninad</b>	Dates of Test <b>June 02-24, 2008</b>	Test Report No <b>RTS-1114-0806-05</b>



**Figure E6. Head configuration (Flat Touch)**

<b>RTS</b> RIM Testing Services	Document <b>Appendix for the BlackBerry® Smartphone Model RBY41GW SAR Report</b>		Page 8(11)
	Author Data <b>Shahriar Ninad</b>	Dates of Test <b>June 02-24, 2008</b>	Test Report No <b>RTS-1114-0806-05</b>



**Figure E7. Body-worn configuration (Holster 1, back facing phantom)**



<b>RTS</b> RIM Testing Services	Document	Appendix for the BlackBerry® Smartphone Model RBY41GW SAR Report		Page 9(11)
	Author Data <b>Shahriar Ninad</b>	Dates of Test <b>June 02-24, 2008</b>	Test Report No <b>RTS-1114-0806-05</b>	FCC ID: <b>L6ARBY40GW</b>



**Figure E8. Body-worn configuration ( Holster 1, front facing phantom)**

<b>RTS</b> RIM Testing Services	Document	Appendix for the BlackBerry® Smartphone Model RBY41GW SAR Report		Page 10(11)
	Author Data <b>Shahriar Ninad</b>	Dates of Test <b>June 02-24, 2008</b>	Test Report No <b>RTS-1114-0806-05</b>	FCC ID: <b>L6ARBY40GW</b>



**Figure E9. Body-worn configuration (Holster 1, headset, back facing phantom)**

<b>RTS</b> RIM Testing Services	Document	Appendix for the BlackBerry® Smartphone Model RBY41GW SAR Report		Page 11(11)
	Author Data <b>Shahriar Ninad</b>	Dates of Test <b>June 02-24, 2008</b>	Test Report No <b>RTS-1114-0806-05</b>	FCC ID: <b>L6ARBY40GW</b>



**Figure E10. Body-worn configuration (No Holster, 25 mm away, back facing phantom)**