


<b>RTS</b> <b>RIM Testing Services</b>	Document <b>Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report</b>		Page <b>1(12)</b>
Author Data <b>Jean-Paul Hacquoil</b>	Dates of Test <b>April 01-07, April 30-May 07, May 20, 2009</b>	Test Report No <b>RTS-1615-0905-02</b>	FCC ID: <b>L6ARCG40GW</b>

**APPENDIX E: PHOTOGRAPHS**

<b>RTS</b> RIM Testing Services	Document <b>Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report</b>	Page <b>2(12)</b>	
	Author Data <b>Jean-Paul Hacquoil</b>	Dates of Test <b>April 01-07, April 30-May 07, May 20, 2009</b>	Test Report No <b>RTS-1615-0905-02</b>



**Figure E1. BlackBerry Smartphone**

<b>RTS</b> <b>RIM Testing Services</b>	Document <b>Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report</b>		Page <b>3(12)</b>
	Author Data <b>Jean-Paul Hacquoil</b>	Dates of Test <b>April 01-07, April 30-May 07, May 20, 2009</b>	Test Report No <b>RTS-1615-0905-02</b>




**Figure E2. Body worn holsters – front**

<b>RTS</b> <b>RIM Testing Services</b>	Document <b>Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report</b>	Page <b>4(12)</b>	
Author Data <b>Jean-Paul Hacquoil</b>	Dates of Test <b>April 01-07, April 30-May 07, May 20, 2009</b>	Test Report No <b>RTS-1615-0905-02</b>	FCC ID: <b>L6ARCG40GW</b>



**Figure E3. Body worn holsters – back**

<b>RTS</b> <b>RIM Testing Services</b>	Document <b>Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report</b>	Page <b>5(12)</b>	
	Author Data <b>Jean-Paul Hacquoil</b>	Dates of Test <b>April 01-07, April 30-May 07, May 20, 2009</b>	Test Report No <b>RTS-1615-0905-02</b>




**Figure E4. Head configuration (Right Touch/Tilt)**

<b>RTS</b> <b>RIM Testing Services</b>	Document <b>Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report</b>	Page <b>6(12)</b>	
	Author Data <b>Jean-Paul Hacquoil</b>	Dates of Test <b>April 01-07, April 30-May 07, May 20, 2009</b>	Test Report No <b>RTS-1615-0905-02</b>




**Figure E5. Head configuration (Left Touch/Tilt)**

<b>RTS</b> RIM Testing Services	Document	Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report		Page 7(12)
	Author Data Jean-Paul Hacquoil	Dates of Test April 01-07, April 30-May 07, May 20, 2009	Test Report No RTS-1615-0905-02	FCC ID: L6ARCG40GW



**Figure E6. Body-worn configuration (Vertical Holster #1, back facing phantom)**


<b>RTS</b> RIM Testing Services	Document	Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report		Page <b>8(12)</b>
	Author Data <b>Jean-Paul Hacquoil</b>	Dates of Test <b>April 01-07, April 30-May 07, May 20, 2009</b>	Test Report No <b>RTS-1615-0905-02</b>	FCC ID: <b>L6ARCG40GW</b>



**Figure E7. Body-worn configuration (Vertical Holster #1, headset, back facing phantom)**



<b>RTS</b> RIM Testing Services	Document	Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report		Page
	Author Data	Dates of Test	Test Report No	FCC ID:
Jean-Paul Hacquoil	April 01-07, April 30-May 07, May 20, 2009	RTS-1615-0905-02	L6ARCG40GW	9(12)



**Figure E9. Body-worn configuration (Vertical Holster #1, front facing phantom)**

<b>RTS</b> RIM Testing Services	Document	Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report		Page 10(12)
	Author Data Jean-Paul Hacquoil	Dates of Test April 01-07, April 30-May 07, May 20, 2009	Test Report No RTS-1615-0905-02	FCC ID: L6ARCG40GW




**Figure E10. Body-worn configuration (Vertical Holster #2, back facing phantom)**

<b>RTS</b> RIM Testing Services	Document	Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report		Page 11(12)
	Author Data Jean-Paul Hacquoil	Dates of Test April 01-07, April 30-May 07, May 20, 2009	Test Report No RTS-1615-0905-02	FCC ID: L6ARCG40GW



**Figure E11. Body-worn configuration (Horizontal Holster, back facing phantom)**

<b>RTS</b> RIM Testing Services	Document <b>Appendix for the BlackBerry® Smartphone Model RCG41GW SAR Report</b>		Page <b>12(12)</b>
	Author Data <b>Jean-Paul Hacquoil</b>	Dates of Test <b>April 01-07, April 30-May 07, May 20, 2009</b>	Test Report No <b>RTS-1615-0905-02</b>



**Figure E12. Body-worn configuration (No Holster, 25 mm away, back facing phantom)**