



Document

**Appendix for the BlackBerry® Smartphone Model RCY71UW
SAR Report**

Page

1(14)

Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18	FCC ID: L6ARCY70UW	IC ID 2503A-RCY70UW
-------------------------------------	---	---	------------------------------	-------------------------------

APPENDIX E: PHOTOGRAPHS

	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 2(14)
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18

Audio Output

Headset Jack

Voice Microphone



Figure E1. BlackBerry Smartphone

RIM Testing Services™	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 3(14)
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18
		FCC ID: L6ARCY70UW
		IC ID 2503A-RCY70UW



Figure E2. Body worn holsters – front

RIM Testing Services™	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 4(14)
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18
		FCC ID: L6ARCY70UW
		IC ID 2503A-RCY70UW



Figure E3. Body worn holsters – back

	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 5(14)
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18



Figure E4. Head configuration (Right Touch/Tilt/Slider Closed)

	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 6(14)
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18 FCC ID: L6ARCY70UW IC ID: 2503A-RCY70UW



Figure E5. Head configuration (Right Touch/Tilt/Slider Open)

Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18	FCC ID: L6ARCY70UW	IC ID 2503A-RCY70UW
-------------------------------------	---	---	------------------------------	-------------------------------



Figure E6. Head configuration (Left Touch/Tilt/Slider Closed)

	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 8(14)
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18




Figure E7. Head configuration (Left Touch/Tilt/Slider Open)

 RIM Testing Services™	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 9(14)		
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18	FCC ID: L6ARCY70UW	IC ID 2503A-RCY70UW




Figure E8. Body-worn configuration (Vertical Holster, back facing phantom)

	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 10(14)
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18



Figure E9. Body-worn configuration (Vertical Holster , headset 1, back facing phantom)

	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 11(14)
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18



Figure E10. Body-worn configuration (Vertical Holster , headset 2, back facing phantom)

	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 12(14)
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18 FCC ID: L6ARCY70UW IC ID: 2503A-RCY70UW



Figure E11. Body-worn configuration (Vertical Holster , headset 3, back facing phantom)

	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 13(14)
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18




Figure E12. Body-worn configuration (Vertical Holster, front facing phantom)

	Document Appendix for the BlackBerry® Smartphone Model RCY71UW SAR Report	Page 14(14)
Author Data Andrew Becker	Dates of Test February 02– March 18, 2010	Test Report No RTS-2337-1003-18
		FCC ID: L6ARCY70UW
		IC ID 2503A-RCY70UW



Figure E13. Body-worn configuration (No Holster, 25 mm away, back facing phantom)