
	Document <b>Appendix E for the BlackBerry® Smartphone Model RDS41CW  SAR Report</b>			Page <b>1(10)</b>
Author Data <b>Andrew Becker</b>	Dates of Test <b>May 3 – June 28, 2011</b>	Test Report No <b>RTS-2604-1107-06</b>	FCC ID: <b>L6ARDS40CW</b>	IC ID <b>2503A-RDS40CW</b>


## APPENDIX E: PHOTOGRAPHS

	Document <b>Appendix E for the BlackBerry® Smartphone Model RDS41CW</b> <b>SAR Report</b>			Page <b>2(10)</b>
Author Data <b>Andrew Becker</b>	Dates of Test <b>May 3 – June 28, 2011</b>	Test Report No <b>RTS-2604-1107-06</b>	FCC ID: <b>L6ARDS40CW</b>	IC ID <b>2503A-RDS40CW</b>




**Figure E1. BlackBerry Smartphone**

**Voice Microphone**

	Document <b>Appendix E for the BlackBerry® Smartphone Model RDS41CW</b> <b>SAR Report</b>			Page <b>3(10)</b>
Author Data <b>Andrew Becker</b>	Dates of Test <b>May 3 – June 28, 2011</b>	Test Report No <b>RTS-2604-1107-06</b>	FCC ID: <b>L6ARDS40CW</b>	IC ID <b>2503A-RDS40CW</b>




**Figure E2. Body worn holster – front**


	Document <b>Appendix E for the BlackBerry® Smartphone Model RDS41CW</b> <b>SAR Report</b>			Page <b>4(10)</b>
Author Data <b>Andrew Becker</b>	Dates of Test <b>May 3 – June 28, 2011</b>	Test Report No <b>RTS-2604-1107-06</b>	FCC ID: <b>L6ARDS40CW</b>	IC ID <b>2503A-RDS40CW</b>




**Figure E3. Body worn holsters – back**



	Document <b>Appendix E for the BlackBerry® Smartphone Model RDS41CW</b> <b>SAR Report</b>			Page <b>5(10)</b>
Author Data <b>Andrew Becker</b>	Dates of Test <b>May 3 – June 28, 2011</b>	Test Report No <b>RTS-2604-1107-06</b>	FCC ID: <b>L6ARDS40CW</b>	IC ID <b>2503A-RDS40CW</b>




**Figure E4. Head configuration (Right Touch/Tilt)**


	Document <b>Appendix E for the BlackBerry® Smartphone Model RDS41CW</b> <b>SAR Report</b>			Page <b>6(10)</b>
Author Data <b>Andrew Becker</b>	Dates of Test <b>May 3 – June 28, 2011</b>	Test Report No <b>RTS-2604-1107-06</b>	FCC ID: <b>L6ARDS40CW</b>	IC ID <b>2503A-RDS40CW</b>




**Figure E5. Head configuration (Left Touch/Tilt)**



	Document <b>Appendix E for the BlackBerry® Smartphone Model RDS41CW</b> <b>SAR Report</b>			Page <b>7(10)</b>
Author Data <b>Andrew Becker</b>	Dates of Test <b>May 3 – June 28, 2011</b>	Test Report No <b>RTS-2604-1107-06</b>	FCC ID: <b>L6ARDS40CW</b>	IC ID <b>2503A-RDS40CW</b>




**Figure E6. Body-worn configuration (Vertical Holster, back facing phantom)**

	Document <b>Appendix E for the BlackBerry® Smartphone Model RDS41CW</b> <b>SAR Report</b>			Page <b>8(10)</b>
Author Data <b>Andrew Becker</b>	Dates of Test <b>May 3 – June 28, 2011</b>	Test Report No <b>RTS-2604-1107-06</b>	FCC ID: <b>L6ARDS40CW</b>	IC ID <b>2503A-RDS40CW</b>




**Figure E7. Body-worn configuration (No Holster, back side 15mm away)**



	Document <b>Appendix E for the BlackBerry® Smartphone Model RDS41CW</b> <b>SAR Report</b>			Page <b>9(10)</b>
Author Data <b>Andrew Becker</b>	Dates of Test <b>May 3 – June 28, 2011</b>	Test Report No <b>RTS-2604-1107-06</b>	FCC ID: <b>L6ARDS40CW</b>	IC ID <b>2503A-RDS40CW</b>



**Figure E8. Body-worn configuration (No Holster, front side 15mm away)**

	Document <b>Appendix E for the BlackBerry® Smartphone Model RDS41CW</b> <b>SAR Report</b>			Page <b>10(10)</b>
Author Data <b>Andrew Becker</b>	Dates of Test <b>May 3 – June 28, 2011</b>	Test Report No <b>RTS-2604-1107-06</b>	FCC ID: <b>L6ARDS40CW</b>	IC ID <b>2503A-RDS40CW</b>



**Figure E9. Body-worn configuration (No Holster, headset, back 15mm away)**