

	Document <b>Annex C to Hearing Aid Compatibility RF Emissions Test  Report for the BlackBerry® Smartphone model RDU71CW</b>			Page  <b>1(4)</b>
Author Data <b>Daoud Attayi</b>	Dates of Test <b>Mar. 22-23, Apr. 27 2011</b>	Report No <b>RTS-3933-1104-55</b>	FCC ID <b>L6ARDU70CW</b>	

## Annex C: Test set up photos


	Document <b>Annex C to Hearing Aid Compatibility RF Emissions Test Report for the BlackBerry® Smartphone model RDU71CW</b>			Page <b>2(4)</b>
Author Data <b>Daoud Attayi</b>	Dates of Test <b>Mar. 22-23, Apr. 27 2011</b>	Report No <b>RTS-3933-1104-55</b>	FCC ID <b>L6ARDU70CW</b>	



Audio Output (0, 0)

Telecoil (-3mm, 10mm)



**Figure C1. BlackBerry Smartphone**

	Document <b>Annex C to Hearing Aid Compatibility RF Emissions Test  Report for the BlackBerry® Smartphone model RDU71CW</b>			Page <b>3(4)</b>
Author Data <b>Daoud Attayi</b>	Dates of Test <b>Mar. 22-23, Apr. 27 2011</b>	Report No <b>RTS-3933-1104-55</b>	FCC ID <b>L6ARDU70CW</b>	



**Figure C2 – Dipole Validation & Probe Modulation Factor measurement setup**



Author Data

**Daoud Attayi**



Dates of Test

**Mar. 22-23, Apr. 27 2011**

Report No

**RTS-3933-1104-55**

FCC ID

**L6ARDU70CW****Figure C3 – HAC RF emissions test setup**