

	Document Appendix E for the BlackBerry® Smartphone Model RFC31CW SAR Report	Page 1(16)
Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76

APPENDIX E: PHOTOGRAPHS

Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76	FCC ID: L6ARFC30CW	IC ID 2503A-RFC30CW
-------------------------------------	--	---	------------------------------	-------------------------------

**Figure E1. BlackBerry Smartphone**

	Document Appendix E for the BlackBerry® Smartphone Model RFC31CW SAR Report	Page 3(16)
Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76



Figure E2. Body worn holster – front


	Document Appendix E for the BlackBerry® Smartphone Model RFC31CW SAR Report	Page 4(16)
Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76



Figure E3. Body worn holsters – back

	Document Appendix E for the BlackBerry® Smartphone Model RFC31CW SAR Report	Page 5(16)
Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76



Figure E4. Head configuration (Right Touch/Tilt)

Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76	FCC ID: L6ARFC30CW	IC ID 2503A-RFC30CW
-------------------------------------	--	---	------------------------------	-------------------------------

**Figure E5. Head configuration (Left Touch/Tilt)**

	Document Appendix E for the BlackBerry® Smartphone Model RFC31CW SAR Report	Page 7(16)
Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76



Figure E6. Body-worn configuration (No Holster, back side 15mm away)

Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76	FCC ID: L6ARFC30CW	IC ID 2503A-RFC30CW
-------------------------------------	--	---	------------------------------	-------------------------------



Figure E7. Body-worn configuration (No Holster, front side 15mm away)

	Document Appendix E for the BlackBerry® Smartphone Model RFC31CW SAR Report	Page 9(16)
Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76



Figure E8. Body-worn configuration (Vertical Holster, back facing phantom)

	Document Appendix E for the BlackBerry® Smartphone Model RFC31CW SAR Report	Page 10(16)
Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76



Figure E9. Body-worn configuration (No Holster, headset, back 15mm away)

Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76	FCC ID: L6ARFC30CW	IC ID 2503A-RFC30CW
-------------------------------------	--	---	------------------------------	-------------------------------



Figure E10. Back side MHS configuration, 10 mm away

Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76	FCC ID: L6ARFC30CW	IC ID 2503A-RFC30CW
-------------------------------------	--	---	------------------------------	-------------------------------



Figure E11. Front side MHS configuration, 10 mm away

	Document Appendix E for the BlackBerry® Smartphone Model RFC31CW SAR Report	Page 13(16)
Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76



Figure E12. Right side MHS configuration, 10 mm away

	Document Appendix E for the BlackBerry® Smartphone Model RFC31CW SAR Report	Page 14(16)
Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76



Figure E13. Left side MHS configuration, 10 mm away

	Document Appendix E for the BlackBerry® Smartphone Model RFC31CW SAR Report	Page 15(16)
Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76



Figure E14. Top side MHS configuration, 10 mm away

	Document Appendix E for the BlackBerry® Smartphone Model RFC31CW SAR Report	Page 16(16)
Author Data Andrew Becker	Dates of Test February 23 – March 13, 2012	Test Report No RTS-5994-1203-76



Figure E15. Bottom side MHS configuration, 10 mm away