





LTE Band 2 / 1.4MHz

Highest Channel / QPSK



Date: 7.SEP.2014 11:44:38


Highest Channel / 16QAM



Date: 7.SEP.2014 11:45:32


LTE Band 2 / 3MHz

Lowest Channel / QPSK



Date: 7.SEP.2014 11:50:30

Lowest Channel / 16QAM




Date: 7.SEP.2014 11:51:24




LTE Band 2 / 3MHz

Middle Channel / QPSK




Date: 7.SEP.2014 11:53:18

Middle Channel / 16QAM




Date: 7.SEP.2014 11:54:12

Highest Channel / QPSK



Date: 7.SEP.2014 11:59:06

Highest Channel / 16QAM




Date: 7.SEP.2014 12:00:00




LTE Band 2 / 5MHz

Lowest Channel / QPSK




Date: 7.SEP.2014 12:04:59

Lowest Channel / 16QAM




Date: 7.SEP.2014 12:05:53

Middle Channel / QPSK



Date: 7.SEP.2014 12:07:47

Middle Channel / 16QAM




Date: 7.SEP.2014 12:08:41




LTE Band 2 / 5MHz

Highest Channel / QPSK



Date: 7.SEP.2014 12:13:35


Highest Channel / 16QAM



Date: 7.SEP.2014 12:14:29


LTE Band 2 / 10MHz

Lowest Channel / QPSK



Date: 7.SEP.2014 12:19:28

Lowest Channel / 16QAM




Date: 7.SEP.2014 12:20:22




LTE Band 2 / 10MHz

Middle Channel / QPSK




Date: 7.SEP.2014 12:22:17

Middle Channel / 16QAM




Date: 7.SEP.2014 12:23:11

Highest Channel / QPSK



Date: 7.SEP.2014 12:28:05

Highest Channel / 16QAM




Date: 7.SEP.2014 12:28:59




LTE Band 2 / 15MHz

Lowest Channel / QPSK




Date: 7.SEP.2014 12:33:57

Lowest Channel / 16QAM




Date: 7.SEP.2014 12:34:51

Middle Channel / QPSK



Date: 7.SEP.2014 12:36:46

Middle Channel / 16QAM




Date: 7.SEP.2014 12:37:40




LTE Band 2 / 15MHz

Highest Channel / QPSK



Date: 7.SEP.2014 12:42:33


Highest Channel / 16QAM



Date: 7.SEP.2014 12:43:27


LTE Band 2 / 20MHz

Lowest Channel / QPSK



Date: 7.SEP.2014 12:48:25

Lowest Channel / 16QAM




Date: 7.SEP.2014 12:49:19




LTE Band 2 / 20MHz

Middle Channel / QPSK




Date: 7.SEP.2014 12:51:13

Middle Channel / 16QAM




Date: 7.SEP.2014 12:52:07

Highest Channel / QPSK



Date: 7.SEP.2014 12:57:01

Highest Channel / 16QAM




Date: 7.SEP.2014 12:57:57




LTE Band 5 / 1.4MHz

Lowest Channel / QPSK




Date: 7.SEP.2014 13:13:46

Lowest Channel / 16QAM




Date: 7.SEP.2014 13:14:36

Middle Channel / QPSK



Date: 7.SEP.2014 13:16:26

Middle Channel / 16QAM




Date: 7.SEP.2014 13:17:16




LTE Band 5 / 1.4MHz

Highest Channel / QPSK



Date: 7.SEP.2014 13:22:06


Highest Channel / 16QAM



Date: 7.SEP.2014 13:22:56


LTE Band 5 / 3MHz

Lowest Channel / QPSK



Date: 7.SEP.2014 13:27:50

Lowest Channel / 16QAM




Date: 7.SEP.2014 13:28:40




LTE Band 5 / 3MHz

Middle Channel / QPSK




Date: 7.SEP.2014 13:30:30

Middle Channel / 16QAM




Date: 7.SEP.2014 13:31:19

Highest Channel / QPSK



Date: 7.SEP.2014 13:36:09

Highest Channel / 16QAM




Date: 7.SEP.2014 13:36:58




LTE Band 5 / 5MHz

Lowest Channel / QPSK




Date: 7.SEP.2014 13:41:52

Lowest Channel / 16QAM




Date: 7.SEP.2014 13:42:42

Middle Channel / QPSK



Date: 7.SEP.2014 13:44:32

Middle Channel / 16QAM




Date: 7.SEP.2014 13:45:22




LTE Band 5 / 5MHz

Highest Channel / QPSK



Date: 7.SEP.2014 13:50:12


Highest Channel / 16QAM



Date: 7.SEP.2014 13:51:01


LTE Band 5 / 10MHz

Lowest Channel / QPSK



Date: 7.SEP.2014 13:55:56

Lowest Channel / 16QAM




Date: 7.SEP.2014 13:56:45




LTE Band 5 / 10MHz

Middle Channel / QPSK




Date: 7.SEP.2014 13:58:35

Middle Channel / 16QAM




Date: 7.SEP.2014 13:59:25

Highest Channel / QPSK



Date: 7.SEP.2014 14:04:16

Highest Channel / 16QAM




Date: 7.SEP.2014 14:05:06




LTE Band 7 / 5MHz

Lowest Channel / QPSK




Date: 7.SEP.2014 09:44:46

Lowest Channel / 16QAM




Date: 7.SEP.2014 09:45:56

Middle Channel / QPSK



Date: 7.SEP.2014 09:49:15

Middle Channel / 16QAM




Date: 7.SEP.2014 09:48:10




LTE Band 7 / 5MHz

Highest Channel / QPSK



Date: 7.SEP.2014 09:52:12


Highest Channel / 16QAM



Date: 7.SEP.2014 09:53:25


LTE Band 7 / 10MHz

Lowest Channel / QPSK



Date: 7.SEP.2014 09:54:47

Lowest Channel / 16QAM




Date: 7.SEP.2014 09:56:12




LTE Band 7 / 10MHz

Middle Channel / QPSK




Date: 7.SEP.2014 09:58:49

Middle Channel / 16QAM




Date: 7.SEP.2014 09:57:42

Highest Channel / QPSK



Date: 7.SEP.2014 10:00:06

Highest Channel / 16QAM




Date: 7.SEP.2014 10:01:19




LTE Band 7 / 15MHz

Lowest Channel / QPSK




Date: 7.SEP.2014 10:02:38

Lowest Channel / 16QAM




Date: 7.SEP.2014 10:04:01

Middle Channel / QPSK



Date: 7.SEP.2014 10:06:53

Middle Channel / 16QAM




Date: 7.SEP.2014 10:05:33




LTE Band7 / 15MHz

Highest Channel / QPSK



Date: 7.SEP.2014 10:07:57


Highest Channel / 16QAM



Date: 7.SEP.2014 10:10:03


LTE Band 7 / 20MHz

Lowest Channel / QPSK



Date: 7.SEP.2014 10:11:28

Lowest Channel / 16QAM




Date: 7.SEP.2014 10:13:08




LTE Band 7 / 20MHz

Middle Channel / QPSK




Date: 7.SEP.2014 10:15:43

Middle Channel / 16QAM




Date: 7.SEP.2014 10:14:14

Highest Channel / QPSK



Date: 7.SEP.2014 10:17:03

Highest Channel / 16QAM



Date: 7.SEP.2014 10:18:07

**Frequency Stability**

Test Conditions		LTE Band 2 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0005	PASS
40	Normal Voltage	0.0010	
30	Normal Voltage	0.0012	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0017	
0	Normal Voltage	0.0011	
-10	Normal Voltage	0.0005	
-20	Normal Voltage	0.0022	
-30	Normal Voltage	0.0009	
20	Maximum Voltage	0.0015	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0031	

Note:

1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage =4.2 V
2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Test Conditions		LTE Band 5 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	2.5ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0008	PASS
40	Normal Voltage	0.0010	
30	Normal Voltage	0.0004	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0147	
0	Normal Voltage	0.0005	
-10	Normal Voltage	0.0160	
-20	Normal Voltage	0.0010	
-30	Normal Voltage	0.0012	
20	Maximum Voltage	0.0005	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0006	

Note:

1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage =4.2 V
2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Test Conditions		LTE Band 7 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0198	PASS
40	Normal Voltage	0.0177	
30	Normal Voltage	0.0166	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0174	
0	Normal Voltage	0.0200	
-10	Normal Voltage	0.0011	
-20	Normal Voltage	0.0016	
-30	Normal Voltage	0.0165	
20	Maximum Voltage	0.0167	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0202	

Note:

1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage =4.2 V
2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.



Appendix C. Test Results of Radiated Test

ERP/EIRP



LTE Band 2 / 1.4MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.66	0.12	21.43	0.14
Middle		1	0	20.95	0.12	21.56	0.14
Highest		1	0	20.77	0.12	21.45	0.14
Lowest	16QAM	1	0	19.54	0.09	20.18	0.10
Middle		1	0	19.86	0.10	20.46	0.11
Highest		1	0	19.70	0.09	20.33	0.11
Limit	EIRP < 2W			Result		PASS	

LTE Band 2 / 3MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.64	0.12	21.35	0.14
Middle		1	0	20.80	0.12	21.40	0.14
Highest		1	0	20.61	0.12	21.33	0.14
Lowest	16QAM	1	0	19.33	0.09	19.99	0.10
Middle		1	0	19.52	0.09	20.10	0.10
Highest		1	0	19.43	0.09	20.06	0.10
Limit	EIRP < 2W			Result		PASS	

LTE Band 2 / 5MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.65	0.12	21.34	0.14
Middle		1	0	20.85	0.12	21.41	0.14
Highest		1	0	20.53	0.11	21.23	0.13
Lowest	16QAM	1	0	19.38	0.09	20.05	0.10
Middle		1	0	19.63	0.09	20.25	0.11
Highest		1	0	19.35	0.09	20.04	0.10
Limit	EIRP < 2W			Result		PASS	



LTE Band 2 / 10MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.53	0.11	21.21	0.13
Middle		1	0	20.86	0.12	21.47	0.14
Highest		1	0	20.67	0.12	21.20	0.13
Lowest	16QAM	1	0	19.35	0.09	20.08	0.10
Middle		1	0	19.75	0.09	20.40	0.11
Highest		1	0	19.55	0.09	20.06	0.10
Limit	EIRP < 2W			Result		PASS	

LTE Band 2 / 15MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.51	0.11	21.26	0.13
Middle		1	0	20.81	0.12	21.42	0.14
Highest		1	0	20.86	0.12	21.30	0.13
Lowest	16QAM	1	0	19.22	0.08	20.00	0.10
Middle		1	0	19.61	0.09	20.22	0.11
Highest		1	0	19.65	0.09	20.07	0.10
Limit	EIRP < 2W			Result		PASS	

LTE Band 2 / 20MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	20.56	0.11	21.28	0.13
Middle		1	0	20.57	0.11	21.20	0.13
Highest		1	0	20.94	0.12	21.27	0.13
Lowest	16QAM	1	0	19.22	0.08	19.88	0.10
Middle		1	0	19.92	0.10	20.39	0.11
Highest		1	0	19.40	0.09	20.14	0.10
Limit	EIRP < 2W			Result		PASS	



LTE Band 5 / 1.4MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	8.08	0.006	18.03	0.064
Middle		1	0	7.04	0.005	17.55	0.057
Highest		1	0	6.23	0.004	17.12	0.052
Lowest	16QAM	1	0	7.09	0.005	17.08	0.051
Middle		1	0	6.06	0.004	16.56	0.045
Highest		1	0	5.28	0.003	16.43	0.044
Limit	ERP < 7W			Result		PASS	

LTE Band 5 / 3MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	7.92	0.006	18.05	0.064
Middle		1	0	6.79	0.005	17.42	0.055
Highest		1	0	6.14	0.004	17.02	0.050
Lowest	16QAM	1	0	7.81	0.006	16.96	0.050
Middle		1	0	7.02	0.005	16.61	0.046
Highest		1	0	6.01	0.004	16.11	0.041
Limit	ERP < 7W			Result		PASS	

LTE Band 5 / 5MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	7.92	0.006	18.01	0.063
Middle		1	0	7.00	0.005	17.44	0.055
Highest		1	0	6.08	0.004	17.07	0.051
Lowest	16QAM	1	0	7.33	0.005	16.84	0.048
Middle		1	0	6.45	0.004	16.39	0.044
Highest		1	0	6.04	0.004	16.03	0.040
Limit	ERP < 7W			Result		PASS	



LTE Band 5 / 10MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	8.37	0.007	18.04	0.064
Middle		1	0	7.55	0.006	17.63	0.058
Highest		1	0	6.82	0.005	17.45	0.056
Lowest	16QAM	1	0	6.51	0.004	16.74	0.047
Middle		1	0	6.07	0.004	16.42	0.044
Highest		1	0	5.42	0.003	16.34	0.043
Limit	ERP < 7W			Result		PASS	

LTE Band 7 / 5MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	18.16	0.07	20.70	0.12
Middle		1	0	17.97	0.06	20.32	0.11
Highest		1	0	17.88	0.06	19.95	0.10
Lowest	16QAM	1	0	16.86	0.05	19.15	0.08
Middle		1	0	16.90	0.05	19.25	0.08
Highest		1	0	16.86	0.05	19.19	0.08
Limit	EIRP < 2W			Result		PASS	

LTE Band 7 / 10MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	18.05	0.06	20.56	0.11
Middle		1	0	17.91	0.06	20.29	0.11
Highest		1	0	17.91	0.06	20.25	0.11
Lowest	16QAM	1	0	16.99	0.05	19.52	0.09
Middle		1	0	16.88	0.05	19.26	0.08
Highest		1	0	16.82	0.05	19.13	0.08
Limit	EIRP < 2W			Result		PASS	



LTE Band 7 / 15MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	18.50	0.07	20.93	0.12
Middle		1	0	18.07	0.06	20.40	0.11
Highest		1	0	18.07	0.06	20.29	0.11
Lowest	16QAM	1	0	17.52	0.06	19.90	0.10
Middle		1	0	16.84	0.05	19.14	0.08
Highest		1	0	16.89	0.05	18.97	0.08
Limit	EIRP < 2W			Result		PASS	

LTE Band 7 / 20MHz							
Channel	Modulation	RB		Horizontal		Vertical	
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	0	18.03	0.06	20.49	0.11
Middle		1	0	18.26	0.07	20.43	0.11
Highest		1	0	17.74	0.06	20.14	0.10
Lowest	16QAM	1	0	17.36	0.05	19.73	0.09
Middle		1	0	16.99	0.05	19.34	0.09
Highest		1	0	16.91	0.05	19.11	0.08
Limit	EIRP < 2W			Result		PASS	



Radiated Spurious Emission



LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-50.53	-13	-37.53	-65.72	-57.1	1.67	8.24	H
	5548	-47.43	-13	-34.43	-67.96	-54.5	2.65	9.72	H
	7403	-35.45	-13	-22.45	-62.86	-44.6	2.46	11.61	H
	3700	-49.63	-13	-36.63	-66.12	-56.2	1.67	8.24	V
	5550	-48.03	-13	-35.03	-67.93	-55.1	2.65	9.72	V
	7403	-35.15	-13	-22.15	-61.71	-44.3	2.46	11.61	V
Middle	3759	-49.87	-13	-36.87	-65.2	-56.5	1.69	8.31	H
	5638	-47.55	-13	-34.55	-68.02	-54.6	2.70	9.76	H
	7517	-38.41	-13	-25.41	-65.81	-47.8	2.42	11.81	H
	3759	-50.57	-13	-37.57	-66.77	-57.2	1.69	8.31	V
	5639	-46.85	-13	-33.85	-67.09	-53.9	2.71	9.76	V
	7515	-36.52	-13	-23.52	-63.67	-45.9	2.42	11.81	V
	9398	-40.23	-13	-27.23	-66.36	-50.2	2.57	12.54	V
Highest	3819	-49.22	-13	-36.22	-64.88	-55.9	1.70	8.38	H
	5726	-47.06	-13	-34.06	-67.96	-54.1	2.76	9.79	H
	7634	-38.61	-13	-25.61	-64.77	-48.1	2.39	11.88	H
	3819	-48.42	-13	-35.42	-64.59	-55.1	1.70	8.38	V
	5726	-45.86	-13	-32.86	-66.812	-52.9	2.76	9.79	V
	7634	-37.71	-13	-24.71	-64.35	-47.2	2.39	11.88	V



LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-50.93	-13	-37.93	-66.03	-57.5	1.67	8.24	H
	5550	-47.13	-13	-34.13	-67.44	-54.2	2.65	9.72	H
	7403	-36.55	-13	-23.55	-63.371	-45.7	2.46	11.61	H
	3700	-48.83	-13	-35.83	-64.94	-55.4	1.67	8.24	V
	5550	-47.03	-13	-34.03	-67.55	-54.1	2.65	9.72	V
	7403	-33.35	-13	-20.35	-60.14	-42.5	2.46	11.61	V
	9251	-40.14	-13	-27.14	-66.03	-50.2	2.54	12.60	V
Middle	3757	-51.48	-13	-38.48	-66.73	-58.1	1.68	8.31	H
	5636	-47.25	-13	-34.25	-67.78	-54.3	2.70	9.75	H
	7515	-37.42	-13	-24.42	-64.85	-46.8	2.42	11.81	H
	3757	-50.08	-13	-37.08	-66.37	-56.7	1.68	8.31	V
	5636	-46.15	-13	-33.15	-66.71	-53.2	2.70	9.75	V
	7515	-36.72	-13	-23.72	-64.03	-46.1	2.42	11.81	V
Highest	3812	-47.53	-13	-34.53	-63.16	-54.2	1.70	8.37	H
	5721	-46.16	-13	-33.16	-67.09	-53.2	2.75	9.79	H
	7627	-38.91	-13	-25.91	-65.44	-48.4	2.39	11.88	H
	3812	-49.13	-13	-36.13	-65.3	-55.8	1.70	8.37	V
	5721	-46.16	-13	-33.16	-66.93	-53.2	2.75	9.79	V
	7627	-40.11	-13	-27.11	-66.25	-49.6	2.39	11.88	V
	9538	-39.37	-13	-26.37	-65.89	-47.1	2.60	12.48	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-50.83	-13	-37.83	-65.78	-57.4	1.67	8.24	H
	5548	-46.63	-13	-33.63	-67.37	-53.7	2.65	9.72	H
	7403	-36.15	-13	-23.15	-63.57	-45.3	2.46	11.61	H
	3700	-49.73	-13	-36.73	-65.83	-56.3	1.67	8.24	V
	5550	-47.43	-13	-34.43	-67.44	-54.5	2.65	9.72	V
	7403	-34.05	-13	-21.05	-60.75	-43.2	2.46	11.61	V
	9251	-40.54	-13	-27.54	-66.5	-50.6	2.54	12.60	V
Middle	3755	-51.88	-13	-38.88	-67.12	-58.5	1.68	8.31	H
	5632	-47.05	-13	-34.05	-67.59	-54.1	2.70	9.75	H
	7508	-37.62	-13	-24.62	-65.15	-47	2.43	11.80	H
	3756	-51.18	-13	-38.18	-67.22	-57.8	1.68	8.31	V
	5633	-47.25	-13	-34.25	-67.53	-54.3	2.70	9.75	V
	7508	-35.72	-13	-22.72	-62.97	-45.1	2.43	11.80	V
Highest	3812	-47.83	-13	-34.83	-63.53	-54.5	1.70	8.37	H
	5715	-47.06	-13	-34.06	-67.99	-54.1	2.75	9.79	H
	7620	-40.92	-13	-27.92	-67.39	-50.4	2.39	11.87	H
	9524	-39.76	-13	-26.76	-66.55	-47.5	2.59	12.49	H
	3812	-49.83	-13	-36.83	-66.06	-56.5	1.70	8.37	V
	5716	-46.26	-13	-33.26	-66.72	-53.3	2.75	9.79	V
	7620	-40.12	-13	-27.12	-66.25	-49.6	2.39	11.87	V
	9524	-40.56	-13	-27.56	-66.82	-48.3	2.59	12.49	V



LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-50.83	-13	-37.83	-65.77	-57.4	1.67	8.24	H
	5555	-46.93	-13	-33.93	-67.42	-54	2.66	9.72	H
	7403	-36.45	-13	-23.45	-63.79	-45.6	2.46	11.61	H
	3700	-50.23	-13	-37.23	-66.39	-56.8	1.67	8.24	V
	5555	-47.53	-13	-34.53	-67.87	-54.6	2.66	9.72	V
	7403	-34.35	-13	-21.35	-61.89	-43.5	2.46	11.61	V
Middle	3750	-50.88	-13	-37.88	-66.08	-57.5	1.68	8.30	H
	5625	-47.15	-13	-34.15	-67.73	-54.2	2.70	9.75	H
	7501	-37.23	-13	-24.23	-65.13	-46.6	2.43	11.80	H
	3750	-50.28	-13	-37.28	-66.51	-56.9	1.68	8.30	V
	5625	-47.45	-13	-34.45	-67.53	-54.5	2.70	9.75	V
	7501	-35.83	-13	-22.83	-63.21	-45.2	2.43	11.80	V
	9377	-39.01	-13	-26.01	-65.45	-49	2.56	12.55	V
Highest	3800	-49.84	-13	-36.84	-65.25	-56.5	1.70	8.36	H
	5700	-46.66	-13	-33.66	-67.47	-53.7	2.74	9.78	H
	7599	-38.74	-13	-25.74	-65.55	-48.2	2.40	11.86	H
	3798	-49.14	-13	-36.14	-65.95	-55.8	1.70	8.36	V
	5700	-47.16	-13	-34.16	-67.57	-54.2	2.74	9.78	V
	7606	-39.03	-13	-26.03	-65.65	-48.5	2.40	11.86	V
	9503	-38.84	-13	-25.84	-65.49	-46.6	2.59	12.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-50.33	-13	-37.33	-65.42	-56.9	1.67	8.24	H
	5550	-47.93	-13	-34.93	-68.07	-55	2.65	9.72	H
	7403	-37.05	-13	-24.05	-64.53	-46.2	2.46	11.61	H
	3700	-50.63	-13	-37.63	-66.72	-57.2	1.67	8.24	V
	5555	-46.73	-13	-33.73	-66.87	-53.8	2.66	9.72	V
	7403	-34.45	-13	-21.45	-61.56	-43.6	2.46	11.61	V
Middle	3749	-50.88	-13	-37.88	-65.99	-57.5	1.68	8.30	H
	5618	-47.75	-13	-34.75	-67.92	-54.8	2.69	9.75	H
	7494	-37.64	-13	-24.64	-65.31	-47	2.43	11.79	H
	3745	-51.99	-13	-38.99	-67.77	-58.6	1.68	8.29	V
	5618	-46.55	-13	-33.55	-67.26	-53.6	2.69	9.75	V
	7494	-35.64	-13	-22.64	-62.91	-45	2.43	11.79	V
	9370	-40.31	-13	-27.31	-66.76	-50.3	2.56	12.55	V
Highest	3790	-51.45	-13	-38.45	-66.73	-58.1	1.70	8.35	H
	5685	-46.46	-13	-33.46	-67.18	-53.5	2.73	9.77	H
	7585	-38.75	-13	-25.75	-65.44	-48.2	2.40	11.85	H
	3790	-51.15	-13	-38.15	-67.49	-57.8	1.70	8.35	V
	5685	-45.66	-13	-32.66	-66.29	-52.7	2.73	9.77	V
	7585	-36.55	-13	-23.55	-63.22	-46	2.40	11.85	V
	9482	-38.63	-13	-25.63	-65.38	-46.4	2.59	12.51	V



LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3700	-49.93	-13	-36.93	-65.12	-56.5	1.67	8.24	H
	5555	-48.13	-13	-35.13	-68.71	-55.2	2.66	9.72	H
	7403	-37.85	-13	-24.85	-64.82	-47	2.46	11.61	H
	3700	-50.93	-13	-37.93	-66.5	-57.5	1.67	8.24	V
	5555	-48.43	-13	-35.43	-68.25	-55.5	2.66	9.72	V
	7403	-34.65	-13	-21.65	-61.87	-43.8	2.46	11.61	V
Middle	3742	-49.49	-13	-36.49	-64.66	-56.1	1.68	8.29	H
	5613	-46.94	-13	-33.94	-67.53	-54	2.69	9.75	H
	7487	-38.66	-13	-25.66	-65.68	-48	2.43	11.77	H
	3742	-49.59	-13	-36.59	-65.28	-56.2	1.68	8.29	V
	5611	-47.74	-13	-34.74	-67.48	-54.8	2.69	9.74	V
	7487	-33.76	-13	-20.76	-61.56	-43.1	2.43	11.77	V
	9356	-40.00	-13	-27.00	-66.3	-50	2.56	12.56	V
Highest	3780	-51.86	-13	-38.86	-67.15	-58.5	1.69	8.34	H
	5670	-47.45	-13	-34.45	-67.55	-54.5	2.72	9.77	H
	7560	-42.07	-13	-29.07	-68.62	-51.5	2.41	11.84	H
	3780	-51.56	-13	-38.56	-67.33	-58.2	1.69	8.34	V
	5670	-48.15	-13	-35.15	-68.2	-55.2	2.72	9.77	V
	7564	-39.87	-13	-26.87	-66.74	-49.3	2.41	11.84	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-50.10	-13	-37.10	-59.07	-51.86	0.98	4.89	H
	2472	-52.11	-13	-39.11	-65.82	-53.99	1.28	5.32	H
	3296	-52.47	-13	-39.47	-66.41	-55.88	1.54	7.10	H
	1648	-47.37	-13	-34.37	-58.48	-49.13	0.98	4.89	V
	2472	-52.45	-13	-39.45	-65.85	-54.33	1.28	5.32	V
	3296	-51.61	-13	-38.61	-66.95	-55.02	1.54	7.10	V
Middle	1672	-53.35	-13	-40.35	-62.61	-55.03	0.99	4.82	H
	2504	-49.51	-13	-36.51	-63.17	-51.47	1.29	5.40	H
	3344	-53.47	-13	-40.47	-67.39	-57.08	1.56	7.31	H
	1672	-49.73	-13	-36.73	-60.38	-51.41	0.99	4.82	V
	2508	-51.27	-13	-38.27	-65.44	-53.23	1.29	5.41	V
	3344	-51.16	-13	-38.16	-66.72	-54.77	1.56	7.31	V
Highest	1696	-47.48	-13	-34.48	-56.47	-49.08	1.00	4.75	H
	2544	-48.15	-13	-35.15	-61.65	-50.13	1.30	5.44	H
	3392	-51.61	-13	-38.61	-66.14	-55.41	1.57	7.52	H
	1696	-44.17	-13	-31.17	-56.25	-45.77	1.00	4.75	V
	2544	-50.34	-13	-37.34	-64.04	-52.32	1.30	5.44	V
	3392	-51.24	-13	-38.24	-66.77	-55.04	1.57	7.52	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-50.65	-13	-37.65	-59.66	-52.41	0.98	4.89	H
	2464	-50.26	-13	-37.26	-65.32	-52.12	1.28	5.29	H
	3288	-52.70	-13	-39.70	-66.72	-56.08	1.54	7.07	H
	1648	-45.56	-13	-32.56	-56.85	-47.32	0.98	4.89	V
	2464	-51.35	-13	-38.35	-65.14	-53.21	1.28	5.29	V
	3288	-51.83	-13	-38.83	-66.82	-55.21	1.54	7.07	V
Middle	1672	-53.46	-13	-40.46	-62.12	-55.14	0.99	4.82	H
	2504	-50.15	-13	-37.15	-64.03	-52.11	1.29	5.40	H
	3344	-52.32	-13	-39.32	-66.96	-55.93	1.56	7.31	H
	1672	-49.56	-13	-36.56	-60.95	-51.24	0.99	4.82	V
	2504	-51.66	-13	-38.66	-65.38	-53.62	1.29	5.40	V
	3344	-51.43	-13	-38.43	-67.37	-55.04	1.56	7.31	V
Highest	1688	-43.59	-13	-30.59	-52.57	-45.22	1.00	4.77	H
	2536	-51.09	-13	-38.09	-64.92	-53.07	1.30	5.43	H
	3376	-52.34	-13	-39.34	-66.63	-56.08	1.57	7.45	H
	1688	-42.54	-13	-29.54	-53.54	-44.17	1.00	4.77	V
	2536	-51.70	-13	-38.70	-65.47	-53.68	1.30	5.43	V
	3376	-51.42	-13	-38.42	-66.84	-55.16	1.57	7.45	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-49.22	-13	-36.22	-58.32	-50.98	0.98	4.89	H
	2472	-51.85	-13	-38.85	-65.09	-53.73	1.28	5.32	H
	3304	-52.63	-13	-39.63	-66.32	-56.07	1.54	7.14	H
	1648	-45.30	-13	-32.30	-56.93	-47.06	0.98	4.89	V
	2472	-52.20	-13	-39.20	-65.99	-54.08	1.28	5.32	V
	3304	-51.80	-13	-38.80	-66.79	-55.24	1.54	7.14	V
Middle	1664	-52.32	-13	-39.32	-61.49	-54.03	0.98	4.84	H
	2504	-49.46	-13	-36.46	-62.78	-51.42	1.29	5.40	H
	3344	-52.50	-13	-39.50	-66.73	-56.11	1.56	7.31	H
	1664	-49.74	-13	-36.74	-60.11	-51.45	0.98	4.84	V
	2504	-50.82	-13	-37.82	-64.35	-52.78	1.29	5.40	V
	3344	-51.73	-13	-38.73	-67.49	-55.34	1.56	7.31	V
Highest	1688	-43.50	-13	-30.50	-52.75	-45.13	1.00	4.77	H
	2536	-51.09	-13	-38.09	-64.54	-53.07	1.30	5.43	H
	3384	-52.35	-13	-39.35	-66.88	-56.12	1.57	7.49	H
	1688	-40.73	-13	-27.73	-51.34	-42.36	1.00	4.77	V
	2536	-52.95	-13	-39.95	-65.9	-54.93	1.30	5.43	V
	3384	-51.41	-13	-38.41	-66.91	-55.18	1.57	7.49	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-50.70	-13	-37.70	-59.06	-52.46	0.98	4.89	H
	2472	-52.21	-13	-39.21	-65.87	-54.09	1.28	5.32	H
	3296	-51.58	-13	-38.58	-65.95	-54.99	1.54	7.10	H
	1648	-45.57	-13	-32.57	-56.04	-47.33	0.98	4.89	V
	2472	-52.54	-13	-39.54	-66	-54.42	1.28	5.32	V
	3296	-51.66	-13	-38.66	-66.62	-55.07	1.54	7.10	V
Middle	1664	-50.43	-13	-37.43	-59.7	-52.14	0.98	4.84	H
	2496	-51.44	-13	-38.44	-64.87	-53.39	1.29	5.39	H
	3328	-52.65	-13	-39.65	-66.65	-56.19	1.55	7.24	H
	1664	-47.94	-13	-34.94	-58.74	-49.65	0.98	4.84	V
	2496	-51.04	-13	-38.04	-64.85	-52.99	1.29	5.39	V
	3328	-51.70	-13	-38.70	-66.67	-55.24	1.55	7.24	V
Highest	1680	-50.88	-13	-37.88	-59.02	-52.53	0.99	4.80	H
	2520	-51.18	-13	-38.18	-64.67	-53.15	1.30	5.42	H
	3360	-52.70	-13	-39.70	-66.72	-56.37	1.56	7.38	H
	1680	-46.79	-13	-33.79	-57.41	-48.44	0.99	4.80	V
	2520	-50.12	-13	-37.12	-64.7	-52.09	1.30	5.42	V
	3360	-50.51	-13	-37.51	-66.19	-54.18	1.56	7.38	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4998	-48.94	-25	-23.94	-66.58	-56.3	2.34	9.70	H
	7500	-41.13	-25	-16.13	-68.39	-50.5	2.43	11.80	H
	10002	-28.10	-25	-3.10	-55.9	-37.6	2.70	12.20	H
	4998	-47.14	-25	-22.14	-64.66	-54.5	2.34	9.70	V
	7500	-40.83	-25	-15.83	-67.94	-50.2	2.43	11.80	V
	10002	-37.20	-25	-12.20	-64.72	-46.7	2.70	12.20	V
Middle	5064	-48.87	-25	-23.87	-66.81	-56.2	2.37	9.70	H
	7596	-41.44	-25	-16.44	-68.35	-50.9	2.40	11.86	H
	10128	-28.84	-25	-3.84	-56.93	-38.4	2.70	12.25	H
	5064	-48.97	-25	-23.97	-67.36	-56.3	2.37	9.70	V
	7597	-41.14	-25	-16.14	-67.72	-50.6	2.40	11.86	V
	10128	-35.54	-25	-10.54	-63.23	-45.1	2.70	12.25	V
Highest	5130	-49.91	-25	-24.91	-68.19	-57.2	2.41	9.70	H
	7695	-41.85	-25	-16.85	-67.9	-51.4	2.37	11.92	H
	10260	-33.89	-25	-8.89	-62.88	-43.5	2.69	12.30	H
	12828	-33.59	-25	-8.59	-66.86	-43.5	2.89	12.79	H
	5130	-49.61	-25	-24.61	-68.11	-56.9	2.41	9.70	V
	7695	-41.95	-25	-16.95	-67.51	-51.5	2.37	11.92	V
	10260	-39.59	-25	-14.59	-67.07	-49.2	2.69	12.30	V

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4998	-48.74	-25	-23.74	-66.46	-56.1	2.34	9.70	H
	7506	-41.02	-25	-16.02	-68.22	-50.4	2.43	11.80	H
	10002	-28.23	-25	-3.23	-56.98	-37.73	2.70	12.20	H
	4998	-46.84	-25	-21.84	-64.69	-54.2	2.34	9.70	V
	7500	-41.53	-25	-16.53	-68.77	-50.9	2.43	11.80	V
	10002	-39.70	-25	-14.70	-67.15	-49.2	2.70	12.20	V
Middle	5058	-49.57	-25	-24.57	-67.43	-56.9	2.37	9.70	H
	7590	-41.75	-25	-16.75	-68.39	-51.2	2.40	11.85	H
	10122	-29.65	-25	-4.65	-58.35	-39.2	2.70	12.25	H
	5058	-49.77	-25	-24.77	-67.91	-57.1	2.37	9.70	V
	7590	-42.05	-25	-17.05	-68.41	-51.5	2.40	11.85	V
	10122	-39.15	-25	-14.15	-66.86	-48.7	2.70	12.25	V
Highest	5118	-49.60	-25	-24.60	-67.94	-56.9	2.40	9.70	H
	7680	-41.96	-25	-16.96	-67.88	-51.5	2.37	11.91	H
	10242	-33.50	-25	-8.50	-62.54	-43.1	2.69	12.30	H
	5118	-50.40	-25	-25.40	-68.82	-57.7	2.40	9.70	V
	7680	-41.86	-25	-16.86	-67.52	-51.4	2.37	11.91	V
	10242	-39.10	-25	-14.10	-67.07	-48.7	2.69	12.30	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-48.14	-25	-23.14	-65.89	-55.5	2.34	9.70	H
	7500	-41.03	-25	-16.03	-68.51	-50.4	2.43	11.80	H
	10002	-30.30	-25	-5.30	-59.09	-39.8	2.70	12.20	H
	5004	-47.74	-25	-22.74	-65.61	-55.1	2.34	9.70	V
	7500	-41.33	-25	-16.33	-68.45	-50.7	2.43	11.80	V
	10002	-39.20	-25	-14.20	-66.86	-48.7	2.70	12.20	V
Middle	5055	-48.57	-25	-23.57	-66.45	-55.9	2.37	9.70	H
	7584	-42.25	-25	-17.25	-68.94	-51.7	2.40	11.85	H
	10110	-30.95	-25	-5.95	-59.74	-40.5	2.70	12.24	H
	5055	-49.77	-25	-24.77	-67.56	-57.1	2.37	9.70	V
	7583	-42.25	-25	-17.25	-68.7	-51.7	2.40	11.85	V
	10110	-39.35	-25	-14.35	-66.92	-48.9	2.70	12.24	V
Highest	5112	-49.60	-25	-24.60	-67.97	-56.9	2.40	9.70	H
	7665	-41.18	-25	-16.18	-67.24	-50.7	2.38	11.90	H
	10224	-32.81	-25	-7.81	-61.77	-42.4	2.69	12.29	H
	5112	-49.60	-25	-24.60	-67.97	-56.9	2.40	9.70	V
	7665	-41.58	-25	-16.58	-67.35	-51.1	2.38	11.90	V
	10220	-39.61	-25	-14.61	-67.12	-49.2	2.69	12.29	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5004	-48.84	-25	-23.84	-66.52	-56.2	2.34	9.70	H
	7500	-41.03	-25	-16.03	-66.38	-50.4	2.43	11.80	H
	10002	-28.80	-25	-3.80	-57.5	-38.3	2.70	12.20	H
	5004	-47.64	-25	-22.64	-65.61	-55	2.34	9.70	V
	7500	-41.13	-25	-16.13	-68.36	-50.5	2.43	11.80	V
	10002	-39.20	-25	-14.20	-66.87	-48.7	2.70	12.20	V
Middle	5048	-48.46	-25	-23.46	-66.38	-55.8	2.36	9.70	H
	7576	-41.46	-25	-16.46	-68.26	-50.9	2.40	11.85	H
	10104	-31.25	-25	-6.25	-60.32	-40.8	2.70	12.24	H
	5052	-48.77	-25	-23.77	-66.66	-56.1	2.37	9.70	V
	7576	-41.76	-25	-16.76	-68.28	-51.2	2.40	11.85	V
	10104	-39.55	-25	-14.55	-67.14	-49.1	2.70	12.24	V
Highest	5100	-49.79	-25	-24.79	-68.15	-57.1	2.39	9.70	H
	7650	-41.99	-25	-16.99	-67.97	-51.5	2.38	11.89	H
	10206	-32.81	-25	-7.81	-61.64	-42.4	2.70	12.28	H
	5100	-49.79	-25	-24.79	-67.9	-57.1	2.39	9.70	V
	7650	-41.19	-25	-16.19	-67.21	-50.7	2.38	11.89	V
	10206	-39.51	-25	-14.51	-67.28	-49.1	2.70	12.28	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.