











Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

**Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**


**Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5710 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**


**Peak Output Power / PSD, 5710 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

Peak Output Power / PSD, 5710 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



Antenna A



Antenna B






Antenna C





Antenna D



Peak Output Power / PSD, 5720 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A**



Peak Output Power / PSD, 5720 MHz, Non HT/VHT20, 6 to 54 Mbps**Antenna A****Antenna B**

**Peak Output Power / PSD, 5720 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**


**Peak Output Power / PSD, 5720 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**


Peak Output Power / PSD, 5720 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps**Antenna A****Antenna B**

**Peak Output Power / PSD, 5720 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**



**Peak Output Power / PSD, 5720 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A**


Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**





Peak Output Power / PSD, 5720 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B**





Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**

**Peak Output Power / PSD, 5720 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**


**Peak Output Power / PSD, 5720 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**


Peak Output Power / PSD, 5720 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B****Antenna C****Antenna D**


**Peak Output Power / PSD, 5720 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**


Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2**Antenna A****Antenna B**


Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C**


**Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**




Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3**Antenna A****Antenna B****Antenna C**

Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**

**Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

**Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

Peak Output Power / PSD, 5720 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B**

**Peak Output Power / PSD, 5720 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

Peak Output Power / PSD, 5720 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1**Antenna A****Antenna B****Antenna C****Antenna D**



Conducted Spurious Emissions

15.407: For transmitters operating in the 5.25-5.35 and 5.47-5.725 GHz band: all emissions outside of the 5.25-5.35 and 5.47-5.725 GHz bands shall not exceed an EIRP of -27dBm/MHz.

Connect the antenna port(s) to the spectrum analyzer input. Place the radio in continuous transmit mode. Configure the spectrum analyzer as shown below (be sure to enter all losses between the transmitter output and the spectrum analyzer).

Span:	30 MHz-40 GHz
Reference Level:	20 dBm
Attenuation:	10 dB
Sweep Time:	10 s
Resolution Bandwidth:	1 MHz
Video Bandwidth:	3 MHz
Detector:	Peak
Trace:	Single
Marker:	Peak

Record the marker waveform peak to spur difference

Note: Channels 116 and 132 are not supported in this system. This system will not transmit on channels that overlap the 5600-5650 MHz TDWR band. Therefore requirements of KDB 443999 are met.



Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Spur Power (dBm)	Tx 2 Spur Power (dBm)	Tx 3 Spur Power (dBm)	Tx 4 Spur Power (dBm)	Total Conducted Spur (dBm)	Limit (dBm)	Margin (dB)
5500	Non HT/VHT20, 6 to 54 Mbps	1	5	-68.8				-63.8	-41.25	22.6
	Non HT/VHT20, 6 to 54 Mbps	2	5	-71.2	-71.4			-63.3	-41.25	22.0
	Non HT/VHT20, 6 to 54 Mbps	3	5	-65.1	-71.5	-71.5		-58.5	-41.25	17.2
	Non HT/VHT20, 6 to 54 Mbps	4	5	-65.4	-71.4	-64.9	-64.9	-55.0	-41.25	13.7
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	8	-71.2	-71.3			-60.2	-41.25	19.0
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	10	-65.3	-71.2	-71.4		-53.7	-41.25	12.5
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	11	-65.4	-71.4	-64.9	-64.9	-49.0	-41.25	7.7
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	5	-71.0				-66.0	-41.25	24.8
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	5	-71.2	-71.4			-63.3	-41.25	22.0
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	5	-71.2	-71.4			-63.3	-41.25	22.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	5	-64.4	-71.3	-71.2		-57.9	-41.25	16.6
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	5	-71.2	-71.4	-71.2		-61.5	-41.25	20.2
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	5	-71.2	-71.4	-71.2		-61.5	-41.25	20.2
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	5	-71.5	-71.4	-64.8	-64.5	-55.8	-41.25	14.6
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	5	-64.4	-71.3	-71.2	-64.8	-55.7	-41.25	14.5
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	5	-71.2	-71.3	-71.1	-71.4	-60.2	-41.25	19.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-71.2	-71.4			-60.3	-41.25	19.0
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-71.2	-71.4			-63.3	-41.25	22.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-65.1	-71.5	-64.6		-51.6	-41.25	10.3
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-71.2	-71.3	-71.1		-59.6	-41.25	18.4
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-71.2	-71.4	-71.2		-61.5	-41.25	20.2
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-71.4	-71.4	-64.7	-64.2	-49.6	-41.25	8.4
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-71.3	-71.4	-71.4	-64.5	-54.4	-41.25	13.2
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-71.2	-71.3	-71.1	-71.4	-59.0	-41.25	17.8
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	5	-71.2	-71.4			-63.3	-41.25	22.0
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	5	-71.2	-71.4	-71.2		-61.5	-41.25	20.2
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	5	-64.4	-71.3	-71.2	-64.8	-55.7	-41.25	14.5
5510	Non HT/VHT40, 6 to 54 Mbps	1	5	-71.4				-66.4	-41.25	25.2
	Non HT/VHT40, 6 to 54 Mbps	2	5	-71.5	-71.3			-63.4	-41.25	22.1
	Non HT/VHT40, 6 to 54 Mbps	3	5	-71.4	-71.4	-71.2		-61.6	-41.25	20.3
	Non HT/VHT40, 6 to 54 Mbps	4	5	-71.5	-71.4	-71.5	-71.2	-60.4	-41.25	19.1
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	5	-71.1				-66.1	-41.25	24.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	5	-71.4	-71.4			-63.4	-41.25	22.1
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	5	-71.4	-71.4			-63.4	-41.25	22.1



	HT/VHT40, M0 to M7, M0.1 to M9.1	3	5	-71.3	-63.3	-71.4		-57.1	-41.25	15.9
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	5	-71.3	-63.3	-71.4		-57.1	-41.25	15.9
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	5	-71.3	-63.3	-71.4		-57.1	-41.25	15.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	5	-65.0	-63.5	-71.5	-63.9	-54.1	-41.25	12.8
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	5	-65.0	-63.5	-71.5	-63.9	-54.1	-41.25	12.8
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	5	-65.0	-63.5	-71.5	-63.9	-54.1	-41.25	12.8
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-71.3	-63.3			-54.7	-41.25	13.4
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-71.4	-71.4			-63.4	-41.25	22.1
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-71.3	-63.7	-71.4		-52.6	-41.25	11.4
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-65.0	-63.5	-71.5		-54.0	-41.25	12.7
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-71.3	-63.3	-71.4		-57.1	-41.25	15.9
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-65.2	-63.5	-64.7	-63.6	-47.2	-41.25	5.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-71.3	-63.7	-71.4	-63.8	-52.0	-41.25	10.8
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-65.3	-63.6	-71.4	-63.8	-52.9	-41.25	11.7
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	5	-71.4	-71.4			-63.4	-41.25	22.1
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	5	-71.3	-63.3	-71.4		-57.1	-41.25	15.9
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	5	-65.0	-63.5	-71.5	-63.9	-54.1	-41.25	12.8
5530	Non HT/VHT80, 6 to 54 Mbps	1	5	-71.5				-66.5	-41.25	25.3
	Non HT/VHT80, 6 to 54 Mbps	2	5	-71.2	-71.6			-63.4	-41.25	22.1
	Non HT/VHT80, 6 to 54 Mbps	3	5	-71.5	-71.4	-71.5		-61.7	-41.25	20.4
	Non HT/VHT80, 6 to 54 Mbps	4	5	-65.3	-71.4	-65.0	-65.4	-55.1	-41.25	13.9
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	5	-71.3				-66.3	-41.25	25.1
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	5	-64.9	-71.4			-59.0	-41.25	17.8
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	5	-64.9	-71.4			-59.0	-41.25	17.8
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	5	-71.3	-71.0	-64.9		-58.2	-41.25	17.0
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	5	-71.3	-71.0	-64.9		-58.2	-41.25	17.0
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	5	-71.3	-71.0	-64.9		-58.2	-41.25	17.0
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	5	-65.0	-71.3	-65.0	-71.4	-56.1	-41.25	14.8
	HT/VHT80, M8 to M15, M0.2 to M9.2	4	5	-65.0	-71.3	-65.0	-71.4	-56.1	-41.25	14.8
	HT/VHT80, M16 to M23, M0.3 to M9.3	4	5	-65.0	-71.3	-65.0	-71.4	-56.1	-41.25	14.8
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-65.0	-71.3			-56.1	-41.25	14.8
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-64.9	-71.4			-59.0	-41.25	17.8
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-65.3	-67.2	-67.2		-51.9	-41.25	10.6
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-65.0	-71.3	-65.0		-54.7	-41.25	13.5
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-71.3	-71.0	-64.9		-58.2	-41.25	17.0
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-66.9	-66.9	-67.2	-67.2	-50.0	-41.25	8.8
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-65.3	-67.2	-67.2	-67.3	-52.6	-41.25	11.4
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-65.3	-71.3	-65.1	-65.8	-54.1	-41.25	12.8
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	5	-64.9	-71.4			-59.0	-41.25	17.8
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	5	-71.3	-71.0	-64.9		-58.2	-41.25	17.0



	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	5	-65.0	-71.3	-65.0	-71.4	-56.1	-41.25	14.8
5550	Non HT/VHT40, 6 to 54 Mbps	1	5	-71.2				-66.2	-41.25	25.0
	Non HT/VHT40, 6 to 54 Mbps	2	5	-71.5	-71.5			-63.5	-41.25	22.2
	Non HT/VHT40, 6 to 54 Mbps	3	5	-71.5	-71.6	-71.6		-61.8	-41.25	20.5
	Non HT/VHT40, 6 to 54 Mbps	4	5	-71.3	-64.0	-71.4	-63.0	-54.8	-41.25	13.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	5	-57.3				-52.3	-41.25	11.1
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	5	-71.5	-71.4			-63.4	-41.25	22.2
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	5	-71.5	-71.4			-63.4	-41.25	22.2
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	5	-71.7	-71.4	-71.6		-61.8	-41.25	20.5
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	5	-71.5	-71.6	-71.7		-61.8	-41.25	20.6
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	5	-71.5	-71.6	-71.7		-61.8	-41.25	20.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	5	-71.6	-63.2	-71.6	-63.5	-54.7	-41.25	13.5
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	5	-71.7	-71.4	-71.6	-71.4	-60.5	-41.25	19.3
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	5	-71.7	-71.4	-71.6	-71.4	-60.5	-41.25	19.3
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-71.7	-71.4			-60.5	-41.25	19.3
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-71.5	-71.4			-63.4	-41.25	22.2
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-65.1	-64.0	-64.8		-50.0	-41.25	8.8
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-71.4	-63.6	-71.6		-55.6	-41.25	14.3
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-71.5	-71.6	-71.7		-61.8	-41.25	20.6
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-64.9	-63.6	-64.8	-63.5	-47.1	-41.25	5.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-71.6	-63.2	-71.6	-63.5	-51.7	-41.25	10.5
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-71.4	-63.6	-71.6	-71.5	-55.7	-41.25	14.4
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	5	-71.5	-71.4			-63.4	-41.25	22.2
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	5	-71.5	-71.6	-71.7		-61.8	-41.25	20.6
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	5	-71.7	-71.4	-71.6	-71.4	-60.5	-41.25	19.3
5560	Non HT/VHT20, 6 to 54 Mbps	1	5	-71.0				-66.0	-41.25	24.8
	Non HT/VHT20, 6 to 54 Mbps	2	5	-71.6	-71.6			-63.6	-41.25	22.3
	Non HT/VHT20, 6 to 54 Mbps	3	5	-65.3	-71.8	-71.8		-58.7	-41.25	17.4
	Non HT/VHT20, 6 to 54 Mbps	4	5	-65.5	-71.8	-65.0	-65.0	-55.1	-41.25	13.8
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	8	-71.6	-71.6			-60.6	-41.25	19.3
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	10	-65.5	-72.0	-65.0		-52.0	-41.25	10.7
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	11	-65.5	-71.8	-65.0	-65.0	-49.1	-41.25	7.8
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	5	-71.1				-66.1	-41.25	24.9
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	5	-71.8	-71.4			-63.6	-41.25	22.3
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	5	-71.5	-71.2			-63.3	-41.25	22.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	5	-65.0	-71.7	-71.9		-58.5	-41.25	17.2
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	5	-71.8	-71.6	-71.9		-62.0	-41.25	20.7
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	5	-71.8	-71.4	-71.8		-61.9	-41.25	20.6
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	5	-71.9	-72.0	-65.1	-64.9	-56.2	-41.25	14.9



	HT/VHT20, M8 to M15, M0.2 to M9.2	4	5	-65.0	-71.7	-71.9	-64.9	-56.1	-41.25	14.9
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	5	-72.0	-71.8	-71.9	-64.7	-57.7	-41.25	16.5
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-71.8	-71.6			-60.7	-41.25	19.4
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-71.5	-71.2			-63.3	-41.25	22.1
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-71.9	-71.8	-65.0		-53.7	-41.25	12.4
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-72.0	-71.8	-71.9		-60.3	-41.25	19.1
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-71.8	-71.4	-71.8		-61.9	-41.25	20.6
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-65.5	-66.9	-65.1	-64.8	-48.5	-41.25	7.2
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-71.7	-71.9	-65.0	-64.9	-53.1	-41.25	11.9
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-72.0	-71.8	-71.9	-64.7	-56.5	-41.25	15.3
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	5	-71.5	-71.2			-63.3	-41.25	22.1
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	5	-71.8	-71.6	-71.9		-62.0	-41.25	20.7
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	5	-65.0	-71.7	-71.9	-64.9	-56.1	-41.25	14.9
5690	Non HT/VHT80, 6 to 54 Mbps	1	5	-54.1				-49.1	-41.25	7.9
	Non HT/VHT80, 6 to 54 Mbps	2	5	-71.8	-71.8			-63.8	-41.25	22.5
	Non HT/VHT80, 6 to 54 Mbps	3	5	-71.9	-71.8	-71.7		-62.0	-41.25	20.8
	Non HT/VHT80, 6 to 54 Mbps	4	5	-71.7	-72.1	-72.0	-72.1	-61.0	-41.25	19.7
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	5	-71.5				-66.5	-41.25	25.3
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	5	-72.1	-72.0			-64.0	-41.25	22.8
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	5	-72.1	-72.0			-64.0	-41.25	22.8
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	5	-63.6	-72.0	-71.9		-57.5	-41.25	16.2
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	5	-63.6	-72.0	-71.9		-57.5	-41.25	16.2
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	5	-63.6	-72.0	-71.9		-57.5	-41.25	16.2
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	5	-71.9	-64.5	-64.1	-72.1	-55.6	-41.25	14.4
	HT/VHT80, M8 to M15, M0.2 to M9.2	4	5	-71.9	-64.5	-64.1	-72.1	-55.6	-41.25	14.4
	HT/VHT80, M16 to M23, M0.3 to M9.3	4	5	-71.9	-64.5	-64.1	-72.1	-55.6	-41.25	14.4
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-71.9	-64.5			-55.8	-41.25	14.5
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-72.1	-72.0			-64.0	-41.25	22.8
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-65.7	-64.7	-64.4		-50.3	-41.25	9.1
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-65.6	-64.5	-64.5		-53.3	-41.25	12.0
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-63.6	-72.0	-71.9		-57.5	-41.25	16.2
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-65.6	-66.7	-66.3	-65.8	-49.1	-41.25	7.8
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-65.7	-64.4	-64.7	-65.4	-51.0	-41.25	9.7
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-65.6	-64.5	-64.5	-65.5	-52.8	-41.25	11.5
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	5	-72.1	-72.0			-64.0	-41.25	22.8
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	5	-63.6	-72.0	-71.9		-57.5	-41.25	16.2
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	5	-71.9	-64.5	-64.1	-72.1	-55.6	-41.25	14.4



5710	Non HT/VHT40, 6 to 54 Mbps	1	5	-66.7				-61.7	-41.25	20.5
	Non HT/VHT40, 6 to 54 Mbps	2	5	-70.2	-71.4			-62.7	-41.25	21.5
	Non HT/VHT40, 6 to 54 Mbps	3	5	-65.8	-64.2	-64.9		-55.1	-41.25	13.9
	Non HT/VHT40, 6 to 54 Mbps	4	5	-66.0	-64.0	-65.9	-65.0	-54.1	-41.25	12.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	5	-67.8				-62.8	-41.25	21.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	5	-65.3	-64.2			-56.7	-41.25	15.5
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	5	-65.3	-64.2			-56.7	-41.25	15.5
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	5	-65.6	-64.3	-64.9		-55.1	-41.25	13.9
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	5	-65.5	-63.9	-64.7		-54.9	-41.25	13.6
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	5	-65.5	-63.9	-64.7		-54.9	-41.25	13.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	5	-66.0	-64.7	-65.8	-65.5	-54.5	-41.25	13.2
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	5	-65.6	-64.3	-64.9	-65.5	-54.0	-41.25	12.8
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	5	-65.6	-64.3	-64.9	-65.5	-54.0	-41.25	12.8
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-65.6	-64.3			-53.9	-41.25	12.6
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-65.3	-64.2			-56.7	-41.25	15.5
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-66.3	-64.6	-66.0		-51.0	-41.25	9.7
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-65.7	-64.3	-65.7		-53.6	-41.25	12.4
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-65.5	-63.9	-64.7		-54.9	-41.25	13.6
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-66.3	-64.6	-65.9	-65.3	-48.5	-41.25	7.2
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-66.0	-64.7	-65.8	-65.5	-51.5	-41.25	10.2
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-65.7	-64.3	-65.7	-65.0	-52.9	-41.25	11.7
5720	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	5	-65.3	-64.2			-56.7	-41.25	15.5
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	5	-65.5	-63.9	-64.7		-54.9	-41.25	13.6
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	5	-65.6	-64.3	-64.9	-65.5	-54.0	-41.25	12.8
	Non HT/VHT20, 6 to 54 Mbps	1	5	-69.3				-64.3	-41.25	23.1
	Non HT/VHT20, 6 to 54 Mbps	2	5	-65.5	-70.8			-59.4	-41.25	18.1
	Non HT/VHT20, 6 to 54 Mbps	3	5	-66.3	-65.5	-65.7		-56.0	-41.25	14.8
	Non HT/VHT20, 6 to 54 Mbps	4	5	-65.8	-65.5	-65.9	-65.0	-54.5	-41.25	13.3
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	8	-65.6	-65.4			-54.5	-41.25	13.2
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	10	-66.4	-65.5	-65.8		-51.3	-41.25	10.1
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	11	-66.4	-67.3	-67.7	-66.6	-49.9	-41.25	8.7
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	5	-69.5				-64.5	-41.25	23.3
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	5	-65.5	-65.4			-57.4	-41.25	16.2
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	5	-64.9	-64.5			-56.7	-41.25	15.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	5	-66.1	-65.4	-65.7		-56.0	-41.25	14.7
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	5	-65.5	-65.4	-65.5		-55.7	-41.25	14.4
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	5	-65.5	-65.4	-65.5		-55.7	-41.25	14.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	5	-66.2	-67.6	-67.5	-66.6	-55.9	-41.25	14.7
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	5	-66.1	-65.4	-65.7	-65.6	-54.7	-41.25	13.4
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	5	-65.8	-65.2	-65.8	-65.0	-54.4	-41.25	13.2



HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-65.8	-65.2			-54.5	-41.25	13.2
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-64.9	-64.5			-56.7	-41.25	15.4
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-66.4	-65.2	-65.8		-51.2	-41.25	10.0
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-66.0	-65.4	-65.5		-54.1	-41.25	12.8
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-65.5	-65.4	-65.5		-55.7	-41.25	14.4
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-65.7	-67.5	-67.7	-66.4	-49.7	-41.25	8.5
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-66.4	-65.5	-65.7	-65.3	-51.7	-41.25	10.4
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-66.0	-65.4	-65.5	-65.1	-53.3	-41.25	12.0
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	5	-64.9	-64.5			-56.7	-41.25	15.4
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	5	-65.5	-65.4	-65.5		-55.7	-41.25	14.4
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	5	-66.1	-65.4	-65.7	-65.6	-54.7	-41.25	13.4



Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Spur Power (dBm)	Tx 2 Spur Power (dBm)	Tx 3 Spur Power (dBm)	Tx 4 Spur Power (dBm)	Total Conducted Spur (dBm)	Limit (dBm)	Margin (dB)
5500	Non HT/VHT20, 6 to 54 Mbps	1	5	-60.4				-55.4	-27	28.4
	Non HT/VHT20, 6 to 54 Mbps	2	5	-62.5	-63.6			-55.0	-27	28.0
	Non HT/VHT20, 6 to 54 Mbps	3	5	-62.9	-61.8	-61.5		-52.3	-27	25.3
	Non HT/VHT20, 6 to 54 Mbps	4	5	-61.2	-62.0	-61.4	-62.7	-50.8	-27	23.8
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	8	-61.3	-63.5			-51.3	-27	24.3
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	10	-62.0	-61.8	-62.6		-47.5	-27	20.5
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	11	-61.2	-62.0	-61.4	-62.7	-44.8	-27	17.8
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	5	-62.2				-57.2	-27	30.2
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	5	-63.2	-62.8			-55.0	-27	28.0
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	5	-63.2	-62.8			-55.0	-27	28.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	5	-61.6	-60.7	-64.0		-52.1	-27	25.1
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	5	-63.2	-62.8	-59.6		-51.8	-27	24.8
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	5	-63.2	-62.8	-59.6		-51.8	-27	24.8
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	5	-62.9	-62.0	-62.6	-63.5	-51.7	-27	24.7
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	5	-61.6	-60.7	-64.0	-63.7	-51.3	-27	24.3
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	5	-61.8	-61.7	-61.9	-62.9	-51.0	-27	24.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-63.2	-62.8			-52.0	-27	25.0
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-63.2	-62.8			-55.0	-27	28.0
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-64.4	-62.8	-61.6		-48.2	-27	21.2
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-61.8	-61.7	-61.9		-50.2	-27	23.2
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-63.2	-62.8	-59.6		-51.8	-27	24.8
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-63.4	-62.2	-63.4	-62.1	-45.7	-27	18.7
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-62.3	-62.5	-63.2	-63.4	-48.8	-27	21.8
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-61.8	-61.7	-61.9	-62.9	-49.8	-27	22.8
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	5	-63.2	-62.8			-55.0	-27	28.0
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	5	-63.2	-62.8	-59.6		-51.8	-27	24.8
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	5	-61.6	-60.7	-64.0	-63.7	-51.3	-27	24.3
5510	Non HT/VHT40, 6 to 54 Mbps	1	5	-64.0				-59.0	-27	32.0
	Non HT/VHT40, 6 to 54 Mbps	2	5	-61.9	-62.1			-54.0	-27	27.0
	Non HT/VHT40, 6 to 54 Mbps	3	5	-62.5	-60.3	-63.6		-52.1	-27	25.1
	Non HT/VHT40, 6 to 54 Mbps	4	5	-62.1	-62.4	-61.9	-62.7	-51.2	-27	24.2
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	5	-60.5				-55.5	-27	28.5
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	5	-62.5	-62.0			-54.2	-27	27.2
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	5	-62.5	-62.0			-54.2	-27	27.2



	HT/VHT40, M0 to M7, M0.1 to M9.1	3	5	-62.2	-63.2	-63.5		-53.2	-27	26.2
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	5	-62.2	-63.2	-63.5		-53.2	-27	26.2
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	5	-62.2	-63.2	-63.5		-53.2	-27	26.2
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	5	-62.2	-62.3	-61.8	-61.7	-51.0	-27	24.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	5	-62.2	-62.3	-61.8	-61.7	-51.0	-27	24.0
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	5	-62.2	-62.3	-61.8	-61.7	-51.0	-27	24.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-62.2	-63.2			-51.7	-27	24.7
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-62.5	-62.0			-54.2	-27	27.2
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-61.3	-61.3	-62.6		-47.1	-27	20.1
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-62.2	-62.3	-61.8		-50.5	-27	23.5
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-62.2	-63.2	-63.5		-53.2	-27	26.2
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-61.4	-63.2	-63.2	-63.1	-45.6	-27	18.6
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-61.3	-61.3	-62.6	-62.3	-47.8	-27	20.8
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-62.7	-62.7	-62.8	-61.9	-50.3	-27	23.3
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	5	-62.5	-62.0			-54.2	-27	27.2
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	5	-62.2	-63.2	-63.5		-53.2	-27	26.2
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	5	-62.2	-62.3	-61.8	-61.7	-51.0	-27	24.0
5530	Non HT/VHT80, 6 to 54 Mbps	1	5	-63.1				-58.1	-27	31.1
	Non HT/VHT80, 6 to 54 Mbps	2	5	-64.5	-59.7			-53.5	-27	26.5
	Non HT/VHT80, 6 to 54 Mbps	3	5	-63.7	-62.9	-63.4		-53.5	-27	26.5
	Non HT/VHT80, 6 to 54 Mbps	4	5	-63.3	-62.1	-61.9	-63.0	-51.5	-27	24.5
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	5	-63.1				-58.1	-27	31.1
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	5	-62.1	-62.3			-54.2	-27	27.2
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	5	-62.1	-62.3			-54.2	-27	27.2
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	5	-61.1	-62.0	-61.8		-51.8	-27	24.8
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	5	-61.1	-62.0	-61.8		-51.8	-27	24.8
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	5	-61.1	-62.0	-61.8		-51.8	-27	24.8
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	5	-62.2	-61.2	-63.4	-60.7	-50.7	-27	23.7
	HT/VHT80, M8 to M15, M0.2 to M9.2	4	5	-62.2	-61.2	-63.4	-60.7	-50.7	-27	23.7
	HT/VHT80, M16 to M23, M0.3 to M9.3	4	5	-62.2	-61.2	-63.4	-60.7	-50.7	-27	23.7
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-62.2	-61.2			-50.7	-27	23.7
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-62.1	-62.3			-54.2	-27	27.2
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-61.6	-63.5	-60.8		-47.3	-27	20.3
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-62.2	-61.2	-63.4		-50.6	-27	23.6
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-61.1	-62.0	-61.8		-51.8	-27	24.8
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-63.5	-60.9	-61.6	-60.6	-44.5	-27	17.5
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-61.6	-63.5	-60.8	-61.8	-47.8	-27	20.8
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-64.9	-62.3	-61.3	-62.4	-50.3	-27	23.3
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	5	-62.1	-62.3			-54.2	-27	27.2
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	5	-61.1	-62.0	-61.8		-51.8	-27	24.8



	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	5	-62.2	-61.2	-63.4	-60.7	-50.7	-27	23.7
5550	Non HT/VHT40, 6 to 54 Mbps	1	5	-61.8				-56.8	-27	29.8
	Non HT/VHT40, 6 to 54 Mbps	2	5	-62.1	-62.9			-54.5	-27	27.5
	Non HT/VHT40, 6 to 54 Mbps	3	5	-60.7	-62.9	-59.7		-51.1	-27	24.1
	Non HT/VHT40, 6 to 54 Mbps	4	5	-62.6	-62.6	-63.4	-61.5	-51.5	-27	24.5
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	5	-60.8				-55.8	-27	28.8
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	5	-61.2	-62.9			-54.0	-27	27.0
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	5	-61.2	-62.9			-54.0	-27	27.0
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	5	-62.4	-62.7	-62.4		-52.7	-27	25.7
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	5	-62.4	-60.4	-63.5		-52.1	-27	25.1
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	5	-62.4	-60.4	-63.5		-52.1	-27	25.1
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	5	-61.8	-61.3	-62.6	-63.1	-51.1	-27	24.1
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	5	-62.4	-62.7	-62.4	-62.3	-51.4	-27	24.4
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	5	-62.4	-62.7	-62.4	-62.3	-51.4	-27	24.4
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-62.4	-62.7			-51.5	-27	24.5
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-61.2	-62.9			-54.0	-27	27.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-61.6	-59.8	-61.3		-46.3	-27	19.3
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-61.2	-62.5	-62.5		-50.5	-27	23.5
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-62.4	-60.4	-63.5		-52.1	-27	25.1
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-59.4	-60.3	-60.0	-61.8	-43.3	-27	16.3
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-61.8	-61.3	-62.6	-63.1	-48.1	-27	21.1
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-61.2	-62.5	-62.5	-63.4	-50.1	-27	23.1
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	5	-61.2	-62.9			-54.0	-27	27.0
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	5	-62.4	-60.4	-63.5		-52.1	-27	25.1
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	5	-62.4	-62.7	-62.4	-62.3	-51.4	-27	24.4
5560	Non HT/VHT20, 6 to 54 Mbps	1	5	-62.3				-57.3	-27	30.3
	Non HT/VHT20, 6 to 54 Mbps	2	5	-64.8	-63.0			-55.8	-27	28.8
	Non HT/VHT20, 6 to 54 Mbps	3	5	-62.3	-61.1	-62.5		-52.2	-27	25.2
	Non HT/VHT20, 6 to 54 Mbps	4	5	-63.7	-63.6	-63.0	-63.3	-52.4	-27	25.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	8	-64.8	-63.0			-52.8	-27	25.8
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	10	-63.5	-63.2	-62.3		-48.4	-27	21.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	11	-63.7	-63.6	-63.0	-63.3	-46.4	-27	19.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	5	-63.4				-58.4	-27	31.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	5	-62.7	-62.5			-54.6	-27	27.6
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	5	-61.7	-62.0			-53.8	-27	26.8
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	5	-62.9	-62.6	-61.3		-52.4	-27	25.4
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	5	-63.3	-62.4	-63.3		-53.2	-27	26.2
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	5	-62.7	-62.5	-62.2		-52.7	-27	25.7
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	5	-62.1	-61.4	-62.7	-63.0	-51.2	-27	24.2




	HT/VHT20, M8 to M15, M0.2 to M9.2	4	5	-62.9	-62.6	-61.3	-62.1	-51.2	-27	24.2
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	5	-61.4	-62.5	-62.9	-61.1	-50.9	-27	23.9
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-63.3	-62.4			-51.8	-27	24.8
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-61.7	-62.0			-53.8	-27	26.8
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-61.1	-63.7	-63.1		-47.9	-27	20.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-61.4	-62.5	-62.9		-50.6	-27	23.6
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-62.7	-62.5	-62.2		-52.7	-27	25.7
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-62.8	-62.0	-63.8	-63.3	-45.9	-27	18.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-62.0	-62.1	-62.5	-62.8	-48.3	-27	21.3
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-61.4	-62.5	-62.9	-61.1	-49.7	-27	22.7
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	5	-61.7	-62.0			-53.8	-27	26.8
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	5	-63.3	-62.4	-63.3		-53.2	-27	26.2
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	5	-62.9	-62.6	-61.3	-62.1	-51.2	-27	24.2
5690	Non HT/VHT80, 6 to 54 Mbps	1	5	-63.2				-58.2	-27	31.2
	Non HT/VHT80, 6 to 54 Mbps	2	5	-63.9	-62.3			-55.0	-27	28.0
	Non HT/VHT80, 6 to 54 Mbps	3	5	-61.9	-61.4	-63.7		-52.5	-27	25.5
	Non HT/VHT80, 6 to 54 Mbps	4	5	-63.2	-63.4	-63.0	-62.8	-52.1	-27	25.1
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	5	-63.3				-58.3	-27	31.3
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	5	-62.7	-63.5			-55.1	-27	28.1
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	5	-62.7	-63.5			-55.1	-27	28.1
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	5	-63.0	-60.3	-63.2		-52.2	-27	25.2
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	5	-63.0	-60.3	-63.2		-52.2	-27	25.2
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	5	-63.0	-60.3	-63.2		-52.2	-27	25.2
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	5	-62.6	-63.5	-63.3	-62.4	-51.9	-27	24.9
	HT/VHT80, M8 to M15, M0.2 to M9.2	4	5	-62.6	-63.5	-63.3	-62.4	-51.9	-27	24.9
	HT/VHT80, M16 to M23, M0.3 to M9.3	4	5	-62.6	-63.5	-63.3	-62.4	-51.9	-27	24.9
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-62.6	-63.5			-52.0	-27	25.0
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-62.7	-63.5			-55.1	-27	28.1
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-62.8	-63.7	-63.8		-48.8	-27	21.8
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-61.6	-63.4	-62.4		-50.8	-27	23.8
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-63.0	-60.3	-63.2		-52.2	-27	25.2
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-62.6	-60.9	-62.9	-61.2	-44.8	-27	17.8
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-64.3	-63.2	-61.8	-61.8	-48.6	-27	21.6
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-61.6	-63.4	-62.4	-63.6	-50.5	-27	23.5
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	5	-62.7	-63.5			-55.1	-27	28.1
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	5	-63.0	-60.3	-63.2		-52.2	-27	25.2
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	5	-62.6	-63.5	-63.3	-62.4	-51.9	-27	24.9



5710	Non HT/VHT40, 6 to 54 Mbps	1	5	-61.8				-56.8	-27	29.8
	Non HT/VHT40, 6 to 54 Mbps	2	5	-63.0	-61.6			-54.2	-27	27.2
	Non HT/VHT40, 6 to 54 Mbps	3	5	-61.2	-63.8	-62.8		-52.7	-27	25.7
	Non HT/VHT40, 6 to 54 Mbps	4	5	-60.2	-62.1	-62.0	-61.9	-50.5	-27	23.5
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	5	-60.9				-55.9	-27	28.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	5	-60.6	-59.2			-51.8	-27	24.8
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	5	-60.6	-59.2			-51.8	-27	24.8
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	5	-63.4	-63.3	-63.4		-53.6	-27	26.6
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	5	-61.3	-61.6	-61.4		-51.7	-27	24.7
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	5	-61.3	-61.6	-61.4		-51.7	-27	24.7
	HT/VHT40, M0 to M7, M0.1 to M9.1	4	5	-63.5	-60.5	-62.3	-61.5	-50.8	-27	23.8
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	5	-63.4	-63.3	-63.4	-62.6	-52.1	-27	25.1
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	5	-63.4	-63.3	-63.4	-62.6	-52.1	-27	25.1
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-63.4	-63.3			-52.3	-27	25.3
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-60.6	-59.2			-51.8	-27	24.8
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-62.3	-62.9	-62.2		-47.9	-27	20.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-62.2	-61.3	-60.9		-49.9	-27	22.9
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-61.3	-61.6	-61.4		-51.7	-27	24.7
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-61.9	-62.9	-62.0	-61.8	-45.1	-27	18.1
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-63.5	-60.5	-62.3	-61.5	-47.8	-27	20.8
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-62.2	-61.3	-60.9	-62.2	-49.4	-27	22.4
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	5	-60.6	-59.2			-51.8	-27	24.8
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	5	-61.3	-61.6	-61.4		-51.7	-27	24.7
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	5	-63.4	-63.3	-63.4	-62.6	-52.1	-27	25.1
5720	Non HT/VHT20, 6 to 54 Mbps	1	5	-61.0				-56.0	-27	29.0
	Non HT/VHT20, 6 to 54 Mbps	2	5	-62.2	-63.1			-54.6	-27	27.6
	Non HT/VHT20, 6 to 54 Mbps	3	5	-62.1	-62.3	-61.7		-52.3	-27	25.3
	Non HT/VHT20, 6 to 54 Mbps	4	5	-60.9	-63.7	-61.0	-61.3	-50.6	-27	23.6
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	8	-61.6	-63.0			-51.2	-27	24.2
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	10	-63.3	-62.1	-62.4		-48.0	-27	21.0
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	11	-61.5	-60.1	-60.8	-62.1	-44.0	-27	17.0
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	5	-60.8				-55.8	-27	28.8
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	5	-63.2	-61.9			-54.5	-27	27.5
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	5	-61.8	-61.6			-53.7	-27	26.7
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	5	-61.5	-61.4	-61.4		-51.7	-27	24.7
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	5	-63.2	-61.9	-62.5		-52.7	-27	25.7
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	5	-63.2	-61.9	-62.5		-52.7	-27	25.7
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	5	-62.0	-60.5	-61.7	-62.1	-50.5	-27	23.5
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	5	-61.5	-61.4	-61.4	-62.1	-50.6	-27	23.6
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	5	-62.3	-62.5	-60.9	-64.3	-51.3	-27	24.3




HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-62.3	-62.5			-51.4	-27	24.4
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	5	-61.8	-61.6			-53.7	-27	26.7
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	10	-59.9	-61.8	-62.7		-46.7	-27	19.7
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	7	-62.9	-64.4	-61.0		-51.0	-27	24.0
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	5	-63.2	-61.9	-62.5		-52.7	-27	25.7
HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	11	-61.6	-63.5	-62.6	-61.7	-45.3	-27	18.3
HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-62.7	-61.5	-60.6	-62.1	-47.6	-27	20.6
HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	6	-62.9	-64.4	-61.0	-63.2	-50.5	-27	23.5
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	5	-61.8	-61.6			-53.7	-27	26.7
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	5	-63.2	-61.9	-62.5		-52.7	-27	25.7
HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	5	-61.5	-61.4	-61.4	-62.1	-50.6	-27	23.6

Conducted Spurs, All Antennas


**Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A**

**Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B**

**Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, Non HT/VHT20, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B**

**Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5500 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**


**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**


**Conducted Spurs Average, 5500 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**




**Conducted Spurs Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5500 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps**Antenna A**

**Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B**

**Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5510 MHz, Non HT/VHT40, 6 to 54 Mbps****Antenna A****Antenna B****Antenna C****Antenna D**

Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1**Antenna A**

**Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

Agilent Spectrum Analyzer - Setup 3a

Center Freq 9.015000000 GHz

Ref Offset 13.8 dB
Ref 0.00 dBm

Mkr2 11.000 GHz
-71.37 dBm

Start 30 MHz
#Res BW 1.0 MHz

#VBW 1.0 kHz

Stop 18.000 GHz
Sweep 14.0 s (1001 pts)

MNR	MODE	FREQ	dBm	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	5.610 GHz	-65.51 dBm			
2	N	11.000 GHz	-71.37 dBm			
3	N	16.500 GHz	-71.18 dBm			
4	N	5.223 GHz	-62.68 dBm			

Agilent Spectrum Analyzer - Sweep 1A

Center Freq 9.015000000 GHz

Ref Offset 13.8 dB
Ref 0.00 dBm

Mkr2 11.000 GHz
-71.37 dBm

Start 30 MHz
#Res BW 1.0 MHz

#VBW 1.0 kHz

Sweep 18.000 GHz
14.0 s (1001 pts)

MkR	MODE	FREQ	SQL	dB	V	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	5.510 GHz	-61.00 dBm			
2	N	1	f	11.000 GHz	-71.37 dBm			
3	N	1	f	16.500 GHz	-71.28 dBm			
4	N	1	f	5.222 GHz	-61.43 dBm			

This document is uncontrolled. Please refer to the electronic copy within EDCS for the most up to date version.
Cisco Systems, Inc. Company Confidential

**Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5510 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5510 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5510 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5510 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C**

**Conducted Spurs Average, 5510 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1****Antenna A****Antenna B****Antenna C****Antenna D**

**Conducted Spurs Average, 5530 MHz, Non HT/VHT80, 6 to 54 Mbps****Antenna A**