

BW	MCS Index	RB	RB Size	RB Offset	Low CH 502200	Mid CH 518598	High CH 534996	Max. Tune-up (dBm)
					Frequency 2511MHz	Frequency 2592.99MHz	Frequency 2674.98MHz	
30M	CP-OFDM QPSK	Outer	1	0	23.48	23.30	23.56	24
			1	77	22.91	22.72	23.08	24
			2	0	23.40	23.18	23.49	24
			2	76	22.99	22.85	23.16	24
			78	0	23.45	23.21	23.57	24
		Inner	1	1	24.96	24.79	25.13	26
			1	76	24.37	24.14	24.51	26
			39	19	25.02	24.88	25.16	26
	CP-OFDM 16QAM	Outer	1	0	23.19	22.90	23.31	24
			1	77	22.65	22.49	22.79	24
			2	0	23.27	23.03	23.37	24
			2	76	22.74	22.53	22.94	24
			78	0	23.47	23.21	23.57	24
		Inner	1	1	24.36	24.08	24.49	25
			1	76	23.93	23.73	24.00	25
			39	19	24.47	24.17	24.56	25
	CP-OFDM 64QAM	Outer	1	0	22.72	22.43	22.85	24
			1	77	22.20	22.11	22.29	24
			2	0	22.91	22.62	23.06	24
			2	76	22.46	22.22	22.60	24
			78	0	22.97	22.73	23.10	24
		Inner	1	1	22.65	22.44	22.82	24
			1	76	22.30	22.07	22.37	24
			39	19	22.86	22.75	23.08	24
	CP-OFDM 256QAM	Outer	1	0	19.65	19.39	19.72	21
			1	77	19.45	19.25	19.61	21
			2	0	19.78	19.54	19.93	21
			2	76	19.30	19.01	19.40	21
			78	0	19.95	19.69	20.03	21
		Inner	1	1	19.88	19.64	19.97	21
			1	76	19.24	19.18	19.32	21
			39	19	19.93	19.70	20.12	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 503202	Mid CH 518598	High CH 534000	Max. Tune-up (dBm)
					Frequency 2516.01MHz	Frequency 2592.99MHz	Frequency 2670MHz	
40M	CP-OFDM QPSK	Outer	1	0	23.50	23.24	23.61	24
			1	105	22.95	22.71	23.06	24
			2	0	23.43	23.19	23.52	24
			2	104	23.02	22.85	23.15	24
			106	0	23.47	23.21	23.57	24
		Inner	1	1	24.95	24.79	25.10	26
			1	104	24.40	24.16	24.52	26
			53	26	25.09	24.84	25.18	26
	CP-OFDM 16QAM	Outer	1	0	23.16	22.96	23.29	24
			1	105	22.71	22.52	22.81	24
			2	0	23.25	23.04	23.41	24
			2	104	22.75	22.56	22.87	24
			106	0	23.45	23.24	23.59	24
		Inner	1	1	24.37	24.08	24.50	25
			1	104	23.91	23.71	24.02	25
			53	26	24.45	24.20	24.60	25
	CP-OFDM 64QAM	Outer	1	0	22.65	22.47	22.81	24
			1	105	22.23	22.10	22.33	24
			2	0	22.85	22.64	23.01	24
			2	104	22.50	22.26	22.59	24
			106	0	22.97	22.76	23.13	24
		Inner	1	1	22.66	22.44	22.76	24
			1	104	22.31	22.12	22.34	24
			53	26	22.89	22.68	23.06	24
	CP-OFDM 256QAM	Outer	1	0	19.68	19.42	19.72	21
			1	105	19.48	19.18	19.59	21
			2	0	19.81	19.56	19.91	21
			2	104	19.27	19.07	19.34	21
			106	0	19.89	19.68	20.09	21
		Inner	1	1	19.86	19.60	19.98	21
			1	104	19.19	19.14	19.34	21
			53	26	19.91	19.73	20.07	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 504204	Mid CH 518598	High CH 532998	Max. Tune-up (dBm)
					Frequency 2521.02MHz	Frequency 2592.99MHz	Frequency 2664.99MHz	
50M	CP-OFDM QPSK	Outer	1	0	23.49	23.25	23.57	24
			1	132	22.96	22.69	23.08	24
			2	0	23.39	23.15	23.53	24
			2	131	23.03	22.81	23.16	24
			133	0	23.41	23.25	23.53	24
		Inner	1	1	24.98	24.76	25.17	26
			1	131	24.38	24.17	24.48	26
			67	33	25.03	24.85	25.19	26
	CP-OFDM 16QAM	Outer	1	0	23.13	22.96	23.28	24
			1	132	22.71	22.47	22.85	24
			2	0	23.25	22.99	23.35	24
			2	131	22.73	22.59	22.89	24
			133	0	23.44	23.21	23.60	24
		Inner	1	1	24.40	24.11	24.47	25
			1	131	23.89	23.73	24.00	25
			67	33	24.50	24.20	24.58	25
	CP-OFDM 64QAM	Outer	1	0	22.65	22.47	22.81	24
			1	132	22.19	22.10	22.27	24
			2	0	22.91	22.64	23.00	24
			2	131	22.46	22.28	22.59	24
			133	0	23.03	22.72	23.07	24
		Inner	1	1	22.62	22.43	22.78	24
			1	131	22.30	22.09	22.35	24
			67	33	22.86	22.74	23.04	24
	CP-OFDM 256QAM	Outer	1	0	19.67	19.43	19.73	21
			1	132	19.45	19.21	19.55	21
			2	0	19.80	19.58	19.89	21
			2	131	19.27	19.02	19.36	21
			133	0	19.94	19.65	20.09	21
		Inner	1	1	19.87	19.59	20.02	21
			1	131	19.25	19.17	19.28	21
			67	33	19.92	19.67	20.07	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 505200	Mid CH 518598	High CH 531996	Max. Tune-up (dBm)
					Frequency 2526MHz	Frequency 2592.99MHz	Frequency 2659.98MHz	
60M	CP-OFDM QPSK	Outer	1	0	23.48	23.30	23.56	24
			1	161	22.91	22.72	23.08	24
			2	0	23.40	23.18	23.49	24
			2	160	22.99	22.85	23.16	24
			162	0	23.45	23.21	23.57	24
		Inner	1	1	24.96	24.79	25.13	26
			1	160	24.37	24.14	24.51	26
			81	40	25.02	24.88	25.16	26
	CP-OFDM 16QAM	Outer	1	0	23.19	22.90	23.31	24
			1	161	22.65	22.49	22.79	24
			2	0	23.27	23.03	23.37	24
			2	160	22.74	22.53	22.94	24
			162	0	23.47	23.21	23.57	24
		Inner	1	1	24.36	24.08	24.49	25
			1	160	23.93	23.73	24.00	25
			81	40	24.47	24.17	24.56	25
	CP-OFDM 64QAM	Outer	1	0	22.72	22.43	22.85	24
			1	161	22.20	22.11	22.29	24
			2	0	22.91	22.62	23.06	24
			2	160	22.46	22.22	22.60	24
			162	0	22.97	22.73	23.10	24
		Inner	1	1	22.65	22.44	22.82	24
			1	160	22.30	22.07	22.37	24
			81	40	22.86	22.75	23.08	24
	CP-OFDM 256QAM	Outer	1	0	19.65	19.39	19.72	21
			1	161	19.45	19.25	19.61	21
			2	0	19.78	19.54	19.93	21
			2	160	19.30	19.01	19.40	21
			162	0	19.95	19.69	20.03	21
		Inner	1	1	19.88	19.64	19.97	21
			1	160	19.24	19.18	19.32	21
			81	40	19.93	19.70	20.12	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 507204	Mid CH 518598	High CH 529998	Max. Tune-up (dBm)
					Frequency 2536.02MHz	Frequency 2592.99MHz	Frequency 2649.99MHz	
80M	CP-OFDM QPSK	Outer	1	0	23.49	23.25	23.57	24
			1	216	22.96	22.69	23.08	24
			2	0	23.39	23.15	23.53	24
			2	215	23.03	22.81	23.16	24
			217	0	23.41	23.25	23.53	24
		Inner	1	1	24.98	24.76	25.17	26
			1	215	24.38	24.17	24.48	26
			109	54	25.03	24.85	25.19	26
	CP-OFDM 16QAM	Outer	1	0	23.13	22.96	23.28	24
			1	216	22.71	22.47	22.85	24
			2	0	23.25	22.99	23.35	24
			2	215	22.73	22.59	22.89	24
			217	0	23.44	23.21	23.60	24
		Inner	1	1	24.36	24.09	24.46	25
			1	215	23.87	23.70	24.06	25
			109	54	24.44	24.23	24.56	25
	CP-OFDM 64QAM	Outer	1	0	22.65	22.48	22.85	24
			1	216	22.21	22.13	22.26	24
			2	0	22.85	22.69	23.06	24
			2	215	22.47	22.25	22.53	24
			217	0	22.99	22.75	23.12	24
		Inner	1	1	22.62	22.43	22.79	24
			1	215	22.25	22.09	22.40	24
			109	54	22.86	22.74	23.04	24
	CP-OFDM 256QAM	Outer	1	0	19.61	19.43	19.78	21
			1	216	19.49	19.21	19.55	21
			2	0	19.75	19.58	19.95	21
			2	215	19.27	19.04	19.37	21
			217	0	19.94	19.65	20.10	21
		Inner	1	1	19.84	19.63	19.98	21
			1	215	19.23	19.13	19.34	21
			109	54	19.97	19.68	20.08	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 508200	Mid CH 518598	High CH 528996	Max. Tune-up (dBm)
					Frequency 2541MHz	Frequency 2592.99MHz	Frequency 2644.98MHz	
90M	CP-OFDM QPSK	Outer	1	0	23.53	23.28	23.54	24
			1	244	22.94	22.74	23.04	24
			2	0	23.42	23.22	23.50	24
			2	243	23.01	22.81	23.20	24
			245	0	23.48	23.24	23.53	24
		Inner	1	1	24.94	24.74	25.16	26
			1	243	24.43	24.15	24.50	26
			123	61	25.07	24.89	25.15	26
	CP-OFDM 16QAM	Outer	1	0	23.17	22.93	23.31	24
			1	244	22.67	22.53	22.84	24
			2	0	23.31	22.97	23.42	24
			2	243	22.71	22.57	22.90	24
			245	0	23.48	23.20	23.60	24
		Inner	1	1	24.41	24.11	24.43	25
			1	243	23.88	23.72	24.04	25
			123	61	24.50	24.18	24.57	25
	CP-OFDM 64QAM	Outer	1	0	22.67	22.41	22.85	24
			1	244	22.24	22.16	22.26	24
			2	0	22.86	22.62	23.02	24
			2	243	22.49	22.29	22.57	24
			245	0	23.03	22.69	23.14	24
		Inner	1	1	22.60	22.46	22.79	24
			1	243	22.30	22.06	22.41	24
			123	61	22.86	22.72	23.05	24
	CP-OFDM 256QAM	Outer	1	0	19.66	19.38	19.78	21
			1	244	19.51	19.19	19.58	21
			2	0	19.77	19.51	19.95	21
			2	243	19.31	19.07	19.33	21
			245	0	19.89	19.65	20.05	21
		Inner	1	1	19.89	19.61	20.01	21
			1	243	19.24	19.12	19.31	21
			123	61	19.93	19.67	20.11	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 509202	Mid CH 518598	High CH 528000	Max. Tune-up (dBm)
					Frequency 2546.01MHz	Frequency 2592.99MHz	Frequency 2640MHz	
100M	CP-OFDM QPSK	Outer	1	0	23.54	23.32	23.62	24
			1	272	22.98	22.77	23.10	24
			2	0	23.44	23.23	23.54	24
			2	271	23.07	22.86	23.21	24
			273	0	23.49	23.26	23.58	24
		Inner	1	1	25.02	24.81	25.18	26
			1	271	24.44	24.19	24.53	26
			137	68	25.10	24.90	25.21	26
	CP-OFDM 16QAM	Outer	1	0	23.21	22.98	23.33	24
			1	272	22.73	22.55	22.87	24
			2	0	23.33	23.05	23.43	24
			2	271	22.79	22.61	22.95	24
			273	0	23.51	23.26	23.62	24
		Inner	1	1	24.42	24.16	24.51	25
			1	271	23.94	23.75	24.08	25
			137	68	24.52	24.25	24.62	25
	CP-OFDM 64QAM	Outer	1	0	22.73	22.49	22.87	24
			1	272	22.25	22.18	22.34	24
			2	0	22.93	22.70	23.08	24
			2	271	22.51	22.30	22.61	24
			273	0	23.05	22.77	23.15	24
		Inner	1	1	22.68	22.50	22.84	24
			1	271	22.32	22.14	22.42	24
			137	68	22.94	22.76	23.10	24
	CP-OFDM 256QAM	Outer	1	0	19.69	19.44	19.80	21
			1	272	19.53	19.26	19.63	21
			2	0	19.83	19.59	19.97	21
			2	271	19.32	19.09	19.41	21
			273	0	19.96	19.73	20.11	21
		Inner	1	1	19.92	19.67	20.03	21
			1	271	19.26	19.19	19.36	21
			137	68	19.99	19.75	20.13	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 501204	Mid CH 518598	High CH 535998	Max. Tune-up (dBm)
					Frequency 2506.02MHz	Frequency 2592.99MHz	Frequency 2679.99MHz	
20M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	25.54	25.13	25.61	26
			1	50	24.95	24.57	24.97	26
			2	0	25.43	25.12	25.52	26
			2	49	25.04	24.65	25.12	26
			50	0	25.36	24.98	25.46	26
		Inner	1	1	26.09	25.74	26.15	27
			1	49	25.86	25.47	25.93	27
			25	12	26.36	26.04	26.42	27
	DFT-s-OFDM QPSK	Outer	1	0	25.36	24.94	25.46	26
			1	50	24.86	24.59	25.00	26
			2	0	25.38	24.91	25.46	26
			2	49	24.90	24.63	25.06	26
			50	0	25.28	24.87	25.37	26
		Inner	1	1	26.18	25.74	26.21	27
			1	49	25.86	25.52	26.01	27
			25	12	26.25	25.84	26.25	27
	DFT-s-OFDM 16QAM	Outer	1	0	24.06	23.68	24.18	25
			1	50	24.00	23.61	24.07	25
			2	0	24.33	23.92	24.42	25
			2	49	24.05	23.69	24.16	25
			50	0	24.40	23.93	24.48	25
		Inner	2	49	25.12	24.85	25.28	26
			25	12	24.75	24.28	24.83	26
			50	0	25.30	25.03	25.46	26
	DFT-s-OFDM 64QAM	Outer	1	0	23.85	23.44	23.94	25
			1	50	23.47	23.02	23.51	25
			2	0	23.56	23.17	23.71	25
			2	49	23.28	23.20	23.27	25
			50	0	23.86	23.47	23.91	25
		Inner	1	1	23.88	23.51	23.94	25
			1	49	23.56	23.17	23.61	25
			25	12	23.78	23.42	23.94	25
	DFT-s-OFDM 256QAM	Outer	1	0	21.69	21.27	21.72	23
			1	50	21.29	21.18	21.48	23
			2	0	21.67	21.23	21.72	23
			2	49	21.21	21.18	21.31	23
			50	0	21.89	21.50	21.99	23
		Inner	1	1	21.54	21.18	21.64	23
			1	49	21.47	21.04	21.59	23
			25	12	21.77	21.45	21.86	23

BW	MCS Index	RB	RB Size	RB Offset	Low CH 502200	Mid CH 518598	High CH 534996	Max. Tune-up (dBm)
					Frequency 2511MHz	Frequency 2592.99MHz	Frequency 2674.98MHz	
30M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	25.51	25.17	25.57	26
			1	77	24.89	24.57	25.03	26
			2	0	25.45	25.10	25.51	26
			2	76	24.98	24.71	25.12	26
			75	0	25.38	25.01	25.47	26
		Inner	1	1	26.04	25.74	26.18	27
			1	76	25.86	25.50	25.97	27
			36	18	26.30	26.03	26.41	27
	DFT-s-OFDM QPSK	Outer	1	0	25.36	24.94	25.45	26
			1	77	24.86	24.57	24.97	26
			2	0	25.34	24.97	25.41	26
			2	76	24.93	24.59	25.10	26
			75	0	25.27	24.88	25.34	26
		Inner	1	1	26.14	25.73	26.24	27
			1	76	25.91	25.58	25.95	27
			36	18	26.21	25.78	26.27	27
	DFT-s-OFDM 16QAM	Outer	1	0	24.12	23.70	24.22	25
			1	77	23.98	23.60	24.04	25
			2	0	24.33	23.91	24.45	25
			2	76	24.06	23.69	24.17	25
			75	0	24.34	23.97	24.44	25
		Inner	1	1	25.17	24.83	25.31	26
			1	76	24.75	24.29	24.79	26
			36	18	25.30	25.06	25.49	26
	DFT-s-OFDM 64QAM	Outer	1	0	23.84	23.45	23.88	25
			1	77	23.41	23.08	23.54	25
			2	0	23.57	23.20	23.69	25
			2	76	23.27	23.14	23.34	25
			75	0	23.86	23.47	23.91	25
		Inner	1	1	23.88	23.51	23.94	25
			1	76	23.56	23.17	23.61	25
			36	18	23.78	23.42	23.94	25
	DFT-s-OFDM 256QAM	Outer	1	0	21.69	21.27	21.72	23
			1	77	21.29	21.18	21.48	23
			2	0	21.67	21.23	21.72	23
			2	76	21.21	21.18	21.31	23
			75	0	21.89	21.50	21.99	23
		Inner	1	1	21.54	21.18	21.64	23
			1	76	21.46	21.06	21.58	23
			36	18	21.84	21.44	21.83	23

BW	MCS Index	RB	RB Size	RB Offset	Low CH 503202	Mid CH 518598	High CH 534000	Max. Tune-up (dBm)
					Frequency 2516.01MHz	Frequency 2592.99MHz	Frequency 2670MHz	
40M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	25.53	25.11	25.62	26
			1	105	24.93	24.56	25.01	26
			2	0	25.48	25.11	25.54	26
			2	104	25.01	24.71	25.11	26
			100	0	25.40	25.01	25.47	26
		Inner	1	1	26.03	25.74	26.15	27
			1	104	25.89	25.52	25.98	27
			50	25	26.37	25.99	26.43	27
	DFT-s-OFDM QPSK	Outer	1	0	25.33	25.00	25.43	26
			1	105	24.92	24.60	24.99	26
			2	0	25.32	24.98	25.45	26
			2	104	24.94	24.62	25.03	26
			100	0	25.25	24.91	25.36	26
		Inner	1	1	26.15	25.73	26.25	27
			1	104	25.89	25.56	25.97	27
			50	25	26.19	25.81	26.31	27
	DFT-s-OFDM 16QAM	Outer	1	0	24.05	23.74	24.18	25
			1	105	24.01	23.59	24.08	25
			2	0	24.27	23.93	24.40	25
			2	104	24.10	23.73	24.16	25
			100	0	24.34	24.00	24.47	25
		Inner	1	1	25.18	24.83	25.25	26
			1	104	24.76	24.34	24.76	26
			50	25	25.33	24.99	25.47	26
	DFT-s-OFDM 64QAM	Outer	1	0	23.87	23.48	23.88	25
			1	105	23.44	23.01	23.52	25
			2	0	23.60	23.22	23.67	25
			2	104	23.24	23.20	23.28	25
			100	0	23.80	23.46	23.97	25
		Inner	1	1	23.86	23.47	23.95	25
			1	104	23.51	23.13	23.63	25
			50	25	23.76	23.45	23.89	25
	DFT-s-OFDM 256QAM	Outer	1	0	21.62	21.28	21.75	23
			1	105	21.33	21.20	21.42	23
			2	0	21.60	21.26	21.73	23
			2	104	21.20	21.14	21.29	23
			100	0	21.89	21.50	22.00	23
		Inner	1	1	21.54	21.18	21.62	23
			1	104	21.42	21.07	21.58	23
			50	25	21.77	21.47	21.86	23

BW	MCS Index	RB	RB Size	RB Offset	Low CH 504204	Mid CH 518598	High CH 532998	Max. Tune-up (dBm)
					Frequency 2521.02MHz	Frequency 2592.99MHz	Frequency 2664.99MHz	
50M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	25.52	25.12	25.58	26
			1	132	24.94	24.54	25.03	26
			2	0	25.44	25.07	25.55	26
			2	131	25.02	24.67	25.12	26
			128	0	25.34	25.05	25.43	26
		Inner	1	1	26.06	25.71	26.22	27
			1	131	25.87	25.53	25.94	27
			64	32	26.31	26.00	26.44	27
	DFT-s-OFDM QPSK	Outer	1	0	25.30	25.00	25.42	26
			1	132	24.92	24.55	25.03	26
			2	0	25.32	24.93	25.39	26
			2	131	24.92	24.65	25.05	26
			128	0	25.24	24.88	25.37	26
		Inner	1	1	26.18	25.76	26.22	27
			1	131	25.87	25.58	25.95	27
			64	32	26.24	25.81	26.29	27
	DFT-s-OFDM 16QAM	Outer	1	0	24.05	23.74	24.18	25
			1	132	23.97	23.59	24.02	25
			2	0	24.33	23.93	24.39	25
			2	131	24.06	23.75	24.16	25
			128	0	24.40	23.96	24.41	25
		Inner	1	1	25.14	24.82	25.27	26
			1	131	24.75	24.31	24.77	26
			64	32	25.30	25.05	25.45	26
	DFT-s-OFDM 64QAM	Outer	1	0	23.86	23.49	23.89	25
			1	132	23.41	23.04	23.48	25
			2	0	23.59	23.24	23.65	25
			2	131	23.24	23.15	23.30	25
			128	0	23.85	23.43	23.97	25
		Inner	1	1	23.87	23.46	23.99	25
			1	131	23.57	23.16	23.57	25
			64	32	23.77	23.39	23.89	25
	DFT-s-OFDM 256QAM	Outer	1	0	21.67	21.23	21.75	23
			1	132	21.35	21.18	21.45	23
			2	0	21.62	21.19	21.73	23
			2	131	21.22	21.11	21.36	23
			128	0	21.85	21.51	21.96	23
		Inner	1	1	21.58	21.13	21.62	23
			1	131	21.43	21.04	21.58	23
			64	32	21.84	21.47	21.83	23

BW	MCS Index	RB	RB Size	RB Offset	Low CH 505200	Mid CH 518598	High CH 531996	Max. Tune-up (dBm)
					Frequency 2526MHz	Frequency 2592.99MHz	Frequency 2659.98MHz	
60M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	25.51	25.17	25.57	26
			1	161	24.89	24.57	25.03	26
			2	0	25.45	25.10	25.51	26
			2	160	24.98	24.71	25.12	26
			162	0	25.38	25.01	25.47	26
		Inner	1	1	26.04	25.74	26.18	27
			1	160	25.86	25.50	25.97	27
			81	40	26.30	26.03	26.41	27
	DFT-s-OFDM QPSK	Outer	1	0	25.36	24.94	25.45	26
			1	161	24.86	24.57	24.97	26
			2	0	25.34	24.97	25.41	26
			2	160	24.93	24.59	25.10	26
			162	0	25.27	24.88	25.34	26
		Inner	1	1	26.14	25.73	26.24	27
			1	160	25.91	25.58	25.95	27
			81	40	26.21	25.78	26.27	27
	DFT-s-OFDM 16QAM	Outer	1	0	24.12	23.70	24.22	25
			1	161	23.98	23.60	24.04	25
			2	0	24.33	23.91	24.45	25
			2	160	24.06	23.69	24.17	25
			162	0	24.34	23.97	24.44	25
		Inner	1	1	25.17	24.83	25.31	26
			1	160	24.75	24.29	24.79	26
			81	40	25.30	25.06	25.49	26
	DFT-s-OFDM 64QAM	Outer	1	0	23.84	23.45	23.88	25
			1	161	23.41	23.08	23.54	25
			2	0	23.57	23.20	23.69	25
			2	160	23.27	23.14	23.34	25
			162	0	23.86	23.47	23.91	25
		Inner	1	1	23.88	23.51	23.94	25
			1	160	23.56	23.17	23.61	25
			81	40	23.78	23.42	23.94	25
	DFT-s-OFDM 256QAM	Outer	1	0	21.69	21.27	21.72	23
			1	161	21.29	21.18	21.48	23
			2	0	21.67	21.23	21.72	23
			2	160	21.21	21.18	21.31	23
			162	0	21.89	21.50	21.99	23
		Inner	1	1	21.54	21.18	21.64	23
			1	160	21.46	21.06	21.58	23
			81	40	21.84	21.44	21.83	23

BW	MCS Index	RB	RB Size	RB Offset	Low CH 507204	Mid CH 518598	High CH 529998	Max. Tune-up (dBm)
					Frequency 2536.02MHz	Frequency 2592.99MHz	Frequency 2649.99MHz	
80M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	25.52	25.12	25.58	26
			1	216	24.94	24.54	25.03	26
			2	0	25.44	25.07	25.55	26
			2	215	25.02	24.67	25.12	26
			216	0	25.34	25.05	25.43	26
		Inner	1	1	26.06	25.71	26.22	27
			1	215	25.87	25.53	25.94	27
			108	54	26.31	26.00	26.44	27
	DFT-s-OFDM QPSK	Outer	1	0	25.30	25.00	25.42	26
			1	216	24.92	24.55	25.03	26
			2	0	25.32	24.93	25.39	26
			2	215	24.92	24.65	25.05	26
			216	0	25.24	24.88	25.37	26
		Inner	1	1	26.14	25.74	26.21	27
			1	215	25.85	25.55	26.01	27
			108	54	26.18	25.84	26.27	27
	DFT-s-OFDM 16QAM	Outer	1	0	24.05	23.75	24.22	25
			1	216	23.99	23.62	24.01	25
			2	0	24.27	23.98	24.45	25
			2	215	24.07	23.72	24.10	25
			216	0	24.36	23.99	24.46	25
		Inner	1	1	25.14	24.82	25.28	26
			1	215	24.70	24.31	24.82	26
			108	54	25.30	25.05	25.45	26
	DFT-s-OFDM 64QAM	Outer	1	0	23.80	23.49	23.94	25
			1	216	23.45	23.04	23.48	25
			2	0	23.54	23.24	23.71	25
			2	215	23.24	23.17	23.31	25
			216	0	23.85	23.43	23.98	25
		Inner	1	1	23.84	23.50	23.95	25
			1	215	23.55	23.12	23.63	25
			108	54	23.82	23.40	23.90	25
	DFT-s-OFDM 256QAM	Outer	1	0	21.64	21.21	21.75	23
			1	216	21.36	21.23	21.42	23
			2	0	21.63	21.19	21.69	23
			2	215	21.23	21.13	21.35	23
			216	0	21.88	21.53	21.94	23
		Inner	1	1	21.58	21.12	21.66	23
			1	215	21.41	21.08	21.55	23
			108	54	21.83	21.41	21.90	23

BW	MCS Index	RB	RB Size	RB Offset	Low CH 508200	Mid CH 518598	High CH 528996	Max. Tune-up (dBm)
					Frequency 2541MHz	Frequency 2592.99MHz	Frequency 2644.98MHz	
90M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	25.56	25.15	25.55	26
			1	244	24.92	24.59	24.99	26
			2	0	25.47	25.14	25.52	26
			2	243	25.00	24.67	25.16	26
			240	0	25.41	25.04	25.43	26
		Inner	1	1	26.02	25.69	26.21	27
			1	243	25.92	25.51	25.96	27
			120	60	26.35	26.04	26.40	27
	DFT-s-OFDM QPSK	Outer	1	0	25.34	24.97	25.45	26
			1	244	24.88	24.61	25.02	26
			2	0	25.38	24.91	25.46	26
			2	243	24.90	24.63	25.06	26
			240	0	25.28	24.87	25.37	26
		Inner	1	1	26.19	25.76	26.18	27
			1	243	25.86	25.57	25.99	27
			120	60	26.24	25.79	26.28	27
	DFT-s-OFDM 16QAM	Outer	1	0	24.07	23.68	24.22	25
			1	244	24.02	23.65	24.01	25
			2	0	24.28	23.91	24.41	25
			2	243	24.09	23.76	24.14	25
			240	0	24.40	23.93	24.48	25
		Inner	1	1	25.12	24.85	25.28	26
			1	243	24.75	24.28	24.83	26
			120	60	25.30	25.03	25.46	26
	DFT-s-OFDM 64QAM	Outer	1	0	23.85	23.44	23.94	25
			1	244	23.47	23.02	23.51	25
			2	0	23.56	23.17	23.71	25
			2	243	23.28	23.20	23.27	25
			240	0	23.80	23.43	23.93	25
		Inner	1	1	23.89	23.48	23.98	25
			1	243	23.56	23.11	23.60	25
			120	60	23.78	23.39	23.93	25
	DFT-s-OFDM 256QAM	Outer	1	0	21.68	21.21	21.76	23
			1	244	21.29	21.21	21.45	23
			2	0	21.66	21.19	21.74	23
			2	243	21.16	21.15	21.32	23
			240	0	21.90	21.49	21.99	23
		Inner	1	1	21.58	21.13	21.62	23
			1	243	21.43	21.04	21.58	23
			120	60	21.84	21.47	21.83	23

BW	MCS Index	RB	RB Size	RB Offset	Low CH 509202	Mid CH 518598	High CH 528000	Max. Tune-up (dBm)
					Frequency 2546.01MHz	Frequency 2592.99MHz	Frequency 2640MHz	
100M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	25.57	25.19	25.63	26
			1	272	24.96	24.62	25.05	26
			2	0	25.49	25.15	25.56	26
			2	271	25.06	24.72	25.17	26
			270	0	25.42	25.06	25.48	26
		Inner	1	1	26.10	25.76	26.23	27
			1	271	25.93	25.55	25.99	27
			135	67	26.38	26.05	26.46	27
	DFT-s-OFDM QPSK	Outer	1	0	25.38	25.02	25.47	26
			1	272	24.94	24.63	25.05	26
			2	0	25.40	24.99	25.47	26
			2	271	24.98	24.67	25.11	26
			270	0	25.31	24.93	25.39	26
		Inner	1	1	26.20	25.81	26.26	27
			1	271	25.92	25.60	26.03	27
			135	67	26.26	25.86	26.33	27
	DFT-s-OFDM 16QAM	Outer	1	0	24.13	23.76	24.24	25
			1	272	24.03	23.67	24.09	25
			2	0	24.35	23.99	24.47	25
			2	271	24.11	23.77	24.18	25
			270	0	24.42	24.01	24.49	25
		Inner	1	1	25.20	24.89	25.33	26
			1	271	24.77	24.36	24.84	26
			135	67	25.38	25.07	25.51	26
	DFT-s-OFDM 64QAM	Outer	1	0	23.88	23.50	23.96	25
			1	272	23.49	23.09	23.56	25
			2	0	23.62	23.25	23.73	25
			2	271	23.29	23.22	23.35	25
			270	0	23.87	23.51	23.99	25
		Inner	1	1	23.92	23.54	24.00	25
			1	271	23.58	23.18	23.65	25
			135	67	23.84	23.47	23.95	25
	DFT-s-OFDM 256QAM	Outer	1	0	21.70	21.29	21.77	23
			1	272	21.37	21.25	21.50	23
			2	0	21.68	21.27	21.75	23
			2	271	21.24	21.19	21.37	23
			270	0	21.93	21.55	22.01	23
		Inner	1	1	21.60	21.20	21.67	23
			1	271	21.49	21.12	21.60	23
			135	67	21.85	21.49	21.91	23

BW	MCS Index	RB	RB Size	RB Offset	Low CH 342500	Mid CH 349000	High CH 355500	Max. Tune-up (dBm)
					Frequency 1712.5MHz	Frequency 1745MHz	Frequency 1777.5MHz	
5M	CP-OFDM QPSK	Outer	1	0	20.91	20.81	20.94	22
			1	24	20.84	20.77	20.84	22
			2	0	20.82	20.82	20.91	22
			2	23	20.75	20.67	20.86	22
			25	0	20.97	20.90	21.06	22
		Inner	1	1	23.40	23.36	23.48	24
			1	23	23.49	23.41	23.57	24
			13	6	23.28	23.27	23.32	24
	CP-OFDM 16QAM	Outer	1	0	21.31	21.20	21.43	22
			1	24	21.11	21.15	21.26	22
			2	0	20.80	20.64	20.91	22
			2	23	20.53	20.57	20.68	22
			25	0	20.81	20.71	20.92	22
		Inner	1	1	22.00	21.87	21.99	23
			1	23	21.85	21.82	22.00	23
			13	6	21.78	21.68	21.77	23
	CP-OFDM 64QAM	Outer	1	0	20.13	20.06	20.27	21
			1	24	20.10	20.02	20.13	21
			2	0	20.47	20.37	20.54	21
			2	23	20.25	20.20	20.36	21
			25	0	20.53	20.37	20.64	21
		Inner	1	1	20.10	20.14	20.25	21
			1	23	20.19	20.03	20.30	21
			13	6	20.14	20.18	20.29	21
	CP-OFDM 256QAM	Outer	1	0	17.44	17.34	17.55	18
			1	24	17.30	17.16	17.33	18
			2	0	17.17	17.09	17.34	18
			2	23	17.15	17.09	17.10	18
			25	0	17.36	17.28	17.39	18
		Inner	1	1	17.45	17.39	17.53	18
			1	23	17.34	17.26	17.38	18
			13	6	17.24	17.19	17.42	18

BW	MCS Index	RB	RB Size	RB Offset	Low CH 343000	Mid CH 349000	High CH 355000	Max. Tune-up (dBm)
					Frequency 1715MHz	Frequency 1745MHz	Frequency 1775MHz	
10M	CP-OFDM QPSK	Outer	1	0	20.93	20.85	20.88	22
			1	51	20.80	20.74	20.86	22
			2	0	20.87	20.79	20.93	22
			2	50	20.72	20.67	20.86	22
			52	0	21.01	20.90	21.06	22
		Inner	1	1	23.36	23.30	23.55	24
			1	50	23.48	23.45	23.58	24
			26	13	23.27	23.22	23.34	24
	CP-OFDM 16QAM	Outer	1	0	21.31	21.21	21.39	22
			1	51	21.11	21.18	21.29	22
			2	0	20.78	20.67	20.84	22
			2	50	20.53	20.60	20.71	22
			52	0	20.79	20.72	20.90	22
		Inner	1	1	22.00	21.86	22.03	23
			1	50	21.90	21.86	21.94	23
			26	13	21.75	21.67	21.79	23
	CP-OFDM 64QAM	Outer	1	0	20.18	20.13	20.29	21
			1	51	20.07	20.03	20.14	21
			2	0	20.48	20.42	20.54	21
			2	50	20.23	20.21	20.36	21
			52	0	20.54	20.41	20.62	21
		Inner	1	1	20.11	20.13	20.28	21
			1	50	20.17	20.06	20.26	21
			26	13	20.14	20.21	20.29	21
	CP-OFDM 256QAM	Outer	1	0	17.43	17.35	17.56	18
			1	51	17.26	17.21	17.33	18
			2	0	17.16	17.12	17.34	18
			2	50	17.08	17.09	17.13	18
			52	0	17.35	17.24	17.45	18
		Inner	1	1	17.41	17.36	17.51	18
			1	50	17.30	17.25	17.36	18
			26	13	17.25	17.16	17.42	18

BW	MCS Index	RB	RB Size	RB Offset	Low CH 343500	Mid CH 349000	High CH 354500	Max. Tune-up (dBm)
					Frequency 1717.5MHz	Frequency 1745MHz	Frequency 1772.5MHz	
15M	CP-OFDM QPSK	Outer	1	0	20.88	20.85	20.90	22
			1	78	20.78	20.77	20.90	22
			2	0	20.84	20.80	20.90	22
			2	77	20.69	20.73	20.86	22
			79	0	20.99	20.93	21.07	22
		Inner	1	1	23.35	23.36	23.51	24
			1	77	23.49	23.44	23.61	24
			39	19	23.22	23.26	23.31	24
	CP-OFDM 16QAM	Outer	1	0	21.31	21.20	21.42	22
			1	78	21.11	21.13	21.23	22
			2	0	20.76	20.70	20.86	22
			2	77	20.56	20.53	20.72	22
			79	0	20.80	20.72	20.89	22
		Inner	1	1	21.96	21.86	22.02	23
			1	77	21.90	21.88	21.94	23
			39	19	21.74	21.62	21.79	23
	CP-OFDM 64QAM	Outer	1	0	20.19	20.08	20.31	21
			1	78	20.08	20.01	20.10	21
			2	0	20.47	20.36	20.57	21
			2	77	20.26	20.20	20.37	21
			79	0	20.47	20.41	20.60	21
		Inner	1	1	20.15	20.12	20.28	21
			1	77	20.19	20.04	20.26	21
			39	19	20.14	20.21	20.32	21
	CP-OFDM 256QAM	Outer	1	0	17.43	17.35	17.49	18
			1	78	17.24	17.22	17.36	18
			2	0	17.18	17.12	17.32	18
			2	77	17.14	17.03	17.17	18
			79	0	17.36	17.28	17.39	18
		Inner	1	1	17.45	17.39	17.53	18
			1	77	17.34	17.26	17.38	18
			39	19	17.24	17.19	17.42	18

BW	MCS Index	RB	RB Size	RB Offset	Low CH 344000	Mid CH 349000	High CH 354000	Max. Tune-up (dBm)
					Frequency 1720MHz	Frequency 1745MHz	Frequency 1770MHz	
20M	CP-OFDM QPSK	Outer	1	0	20.89	20.80	20.91	22
			1	105	20.83	20.74	20.90	22
			2	0	20.83	20.77	20.94	22
			2	104	20.73	20.69	20.86	22
			106	0	20.95	20.97	21.03	22
		Inner	1	1	23.37	23.33	23.55	24
			1	104	23.50	23.47	23.58	24
			53	26	23.23	23.23	23.34	24
	CP-OFDM 16QAM	Outer	1	0	21.25	21.26	21.39	22
			1	105	21.17	21.11	21.29	22
			2	0	20.74	20.66	20.84	22
			2	104	20.55	20.59	20.67	22
			106	0	20.77	20.72	20.92	22
		Inner	1	1	21.96	21.87	21.99	23
			1	104	21.84	21.85	22.00	23
			53	26	21.71	21.68	21.79	23
	CP-OFDM 64QAM	Outer	1	0	20.12	20.13	20.31	21
			1	105	20.09	20.03	20.07	21
			2	0	20.41	20.43	20.57	21
			2	104	20.27	20.23	20.30	21
			106	0	20.49	20.43	20.62	21
		Inner	1	1	20.12	20.11	20.25	21
			1	104	20.14	20.06	20.29	21
			53	26	20.14	20.20	20.28	21
	CP-OFDM 256QAM	Outer	1	0	17.39	17.39	17.55	18
			1	105	17.28	17.18	17.30	18
			2	0	17.15	17.16	17.34	18
			2	104	17.11	17.06	17.14	18
			106	0	17.35	17.24	17.46	18
		Inner	1	1	17.41	17.38	17.54	18
			1	104	17.33	17.21	17.40	18
			53	26	17.28	17.17	17.38	18

BW	MCS Index	RB	RB Size	RB Offset	Low CH 345000	Mid CH 349000	High CH 353000	Max. Tune-up (dBm)
					Frequency 1725MHz	Frequency 1745MHz	Frequency 1765MHz	
30M	CP-OFDM QPSK	Outer	1	0	20.93	20.83	20.88	22
			1	159	20.81	20.79	20.86	22
			2	0	20.86	20.84	20.91	22
			2	158	20.71	20.69	20.90	22
			160	0	21.02	20.96	21.03	22
		Inner	1	1	23.33	23.31	23.54	24
			1	158	23.55	23.45	23.60	24
			80	40	23.27	23.27	23.30	24
	CP-OFDM 16QAM	Outer	1	0	21.29	21.23	21.42	22
			1	159	21.13	21.17	21.28	22
			2	0	20.80	20.64	20.91	22
			2	158	20.53	20.57	20.68	22
			160	0	20.81	20.71	20.92	22
		Inner	1	1	22.01	21.89	21.96	23
			1	158	21.85	21.87	21.98	23
			80	40	21.77	21.63	21.80	23
	CP-OFDM 64QAM	Outer	1	0	20.14	20.06	20.31	21
			1	159	20.12	20.06	20.07	21
			2	0	20.42	20.36	20.53	21
			2	158	20.29	20.27	20.34	21
			160	0	20.53	20.37	20.64	21
		Inner	1	1	20.10	20.14	20.25	21
			1	158	20.19	20.03	20.30	21
			80	40	20.14	20.18	20.29	21
	CP-OFDM 256QAM	Outer	1	0	17.44	17.34	17.55	18
			1	159	17.30	17.16	17.33	18
			2	0	17.17	17.09	17.34	18
			2	158	17.15	17.09	17.10	18
			160	0	17.30	17.24	17.41	18
		Inner	1	1	17.46	17.36	17.57	18
			1	158	17.34	17.20	17.37	18
			80	40	17.24	17.16	17.41	18

BW	MCS Index	RB	RB Size	RB Offset	Low CH 346000	Mid CH 349000	High CH 352000	Max. Tune-up (dBm)
					Frequency 1730MHz	Frequency 1745MHz	Frequency 1760MHz	
40M	CP-OFDM QPSK	Outer	1	0	20.94	20.87	20.96	22
			1	215	20.85	20.82	20.92	22
			2	0	20.88	20.85	20.95	22
			2	214	20.77	20.74	20.91	22
			216	0	21.03	20.98	21.08	22
		Inner	1	1	23.41	23.38	23.56	24
			1	214	23.56	23.49	23.63	24
			108	54	23.30	23.28	23.36	24
	CP-OFDM 16QAM	Outer	1	0	21.33	21.28	21.44	22
			1	215	21.19	21.19	21.31	22
			2	0	20.82	20.72	20.92	22
			2	214	20.61	20.61	20.73	22
			216	0	20.84	20.77	20.94	22
		Inner	1	1	22.02	21.94	22.04	23
			1	214	21.91	21.90	22.02	23
			108	54	21.79	21.70	21.85	23
	CP-OFDM 64QAM	Outer	1	0	20.20	20.14	20.33	21
			1	215	20.13	20.08	20.15	21
			2	0	20.49	20.44	20.59	21
			2	214	20.31	20.28	20.38	21
			216	0	20.55	20.45	20.65	21
		Inner	1	1	20.18	20.18	20.30	21
			1	214	20.21	20.11	20.31	21
			108	54	20.22	20.22	20.34	21
	CP-OFDM 256QAM	Outer	1	0	17.47	17.40	17.57	18
			1	215	17.32	17.23	17.38	18
			2	0	17.23	17.17	17.36	18
			2	214	17.16	17.11	17.18	18
			216	0	17.37	17.32	17.47	18
		Inner	1	1	17.49	17.42	17.59	18
			1	214	17.36	17.27	17.42	18
			108	54	17.30	17.24	17.43	18

BW	MCS Index	RB	RB Size	RB Offset	Low CH 342500	Mid CH 349000	High CH 355500	Max. Tune-up (dBm)
					Frequency 1712.5MHz	Frequency 1745MHz	Frequency 1777.5MHz	
5M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	23.31	23.29	23.44	24
			1	24	23.26	23.27	23.36	24
			2	0	23.30	23.38	23.49	24
			2	23	23.24	23.24	23.45	24
			25	0	23.19	23.20	23.38	24
		Inner	1	1	23.55	23.59	23.73	24
			1	23	23.43	23.43	23.61	24
			12	6	23.53	23.60	23.67	24
	DFT-s-OFDM QPSK	Outer	1	0	23.41	23.38	23.63	24
			1	24	23.20	23.32	23.45	24
			2	0	23.39	23.31	23.60	24
			2	23	23.25	23.37	23.50	24
			25	0	23.14	23.12	23.35	24
		Inner	1	1	23.68	23.63	23.77	24
			1	23	23.46	23.51	23.71	24
			12	6	23.61	23.59	23.70	24
	DFT-s-OFDM 16QAM	Outer	1	0	21.90	21.91	22.14	23
			1	24	21.81	21.81	21.94	23
			2	0	21.81	21.79	21.98	23
			2	23	21.64	21.67	21.85	23
			25	0	21.74	21.66	21.95	23
		Inner	1	1	22.95	23.07	23.20	24
			1	23	22.88	22.80	23.09	24
			12	6	22.56	22.68	22.81	24
	DFT-s-OFDM 64QAM	Outer	1	0	21.30	21.28	21.51	23
			1	24	21.10	21.04	21.23	23
			2	0	21.28	21.28	21.55	23
			2	23	21.38	21.40	21.43	23
			25	0	21.26	21.26	21.39	23
		Inner	1	1	21.41	21.43	21.59	23
			1	23	21.22	21.22	21.36	23
			12	6	21.15	21.18	21.43	23
	DFT-s-OFDM 256QAM	Outer	1	0	19.27	19.24	19.43	21
			1	24	19.13	19.22	19.41	21
			2	0	19.30	19.25	19.48	21
			2	23	19.06	19.16	19.25	21
			25	0	19.20	19.20	19.42	21
		Inner	1	1	19.24	19.27	19.43	21
			1	23	19.20	19.16	19.44	21
			12	6	19.18	19.25	19.33	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 343000	Mid CH 349000	High CH 355000	Max. Tune-up (dBm)
					Frequency 1715MHz	Frequency 1745MHz	Frequency 1775MHz	
10M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	23.33	23.33	23.38	24
			1	51	23.22	23.24	23.38	24
			2	0	23.35	23.35	23.51	24
			2	50	23.21	23.24	23.45	24
			50	0	23.23	23.20	23.38	24
		Inner	1	1	23.51	23.53	23.80	24
			1	50	23.42	23.47	23.62	24
			25	12	23.52	23.55	23.69	24
	DFT-s-OFDM QPSK	Outer	1	0	23.41	23.39	23.59	24
			1	51	23.20	23.35	23.48	24
			2	0	23.37	23.34	23.53	24
			2	50	23.25	23.40	23.53	24
			50	0	23.12	23.13	23.33	24
		Inner	1	1	23.68	23.62	23.81	24
			1	50	23.51	23.55	23.65	24
			25	12	23.58	23.58	23.72	24
	DFT-s-OFDM 16QAM	Outer	1	0	21.95	21.98	22.16	23
			1	51	21.78	21.82	21.95	23
			2	0	21.82	21.84	21.98	23
			2	50	21.62	21.68	21.85	23
			50	0	21.75	21.70	21.93	23
		Inner	1	1	22.96	23.06	23.23	24
			1	50	22.86	22.83	23.05	24
			25	12	22.56	22.71	22.81	24
	DFT-s-OFDM 64QAM	Outer	1	0	21.29	21.29	21.52	23
			1	51	21.06	21.09	21.23	23
			2	0	21.27	21.31	21.55	23
			2	50	21.31	21.40	21.46	23
			50	0	21.25	21.22	21.45	23
		Inner	1	1	21.37	21.40	21.57	23
			1	50	21.18	21.21	21.34	23
			25	12	21.16	21.15	21.43	23
	DFT-s-OFDM 256QAM	Outer	1	0	19.24	19.21	19.43	21
			1	51	19.15	19.21	19.41	21
			2	0	19.30	19.27	19.43	21
			2	50	19.04	19.09	19.25	21
			50	0	19.23	19.19	19.42	21
		Inner	1	1	19.25	19.22	19.41	21
			1	50	19.20	19.16	19.43	21
			25	12	19.21	19.21	19.37	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 343500	Mid CH 349000	High CH 354500	Max. Tune-up (dBm)
					Frequency 1717.5MHz	Frequency 1745MHz	Frequency 1772.5MHz	
15M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	23.28	23.33	23.40	24
			1	78	23.20	23.27	23.42	24
			2	0	23.32	23.36	23.48	24
			2	77	23.18	23.30	23.45	24
			75	0	23.21	23.23	23.39	24
		Inner	1	1	23.50	23.59	23.76	24
			1	77	23.43	23.46	23.65	24
			36	18	23.47	23.59	23.66	24
	DFT-s-OFDM QPSK	Outer	1	0	23.41	23.38	23.62	24
			1	78	23.20	23.30	23.42	24
			2	0	23.35	23.37	23.55	24
			2	77	23.28	23.33	23.54	24
			75	0	23.13	23.13	23.32	24
		Inner	1	1	23.64	23.62	23.80	24
			1	77	23.51	23.57	23.65	24
			36	18	23.57	23.53	23.72	24
	DFT-s-OFDM 16QAM	Outer	1	0	21.96	21.93	22.18	23
			1	78	21.79	21.80	21.91	23
			2	0	21.81	21.78	22.01	23
			2	77	21.65	21.67	21.86	23
			75	0	21.68	21.70	21.91	23
		Inner	1	1	23.00	23.05	23.23	24
			1	77	22.88	22.81	23.05	24
			36	18	22.56	22.71	22.84	24
	DFT-s-OFDM 64QAM	Outer	1	0	21.29	21.29	21.45	23
			1	78	21.04	21.10	21.26	23
			2	0	21.29	21.31	21.53	23
			2	77	21.37	21.34	21.50	23
			75	0	21.26	21.26	21.39	23
		Inner	1	1	21.41	21.43	21.59	23
			1	77	21.22	21.22	21.36	23
			36	18	21.15	21.18	21.43	23
	DFT-s-OFDM 256QAM	Outer	1	0	19.27	19.24	19.43	21
			1	78	19.13	19.22	19.41	21
			2	0	19.30	19.25	19.48	21
			2	77	19.06	19.16	19.25	21
			75	0	19.20	19.20	19.42	21
		Inner	1	1	19.24	19.27	19.43	21
			1	77	19.19	19.18	19.43	21
			36	18	19.25	19.24	19.30	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 344000	Mid CH 349000	High CH 354000	Max. Tune-up (dBm)
					Frequency 1720MHz	Frequency 1745MHz	Frequency 1770MHz	
20M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	23.29	23.28	23.41	24
			1	105	23.25	23.24	23.42	24
			2	0	23.31	23.33	23.52	24
			2	104	23.22	23.26	23.45	24
			100	0	23.17	23.27	23.35	24
		Inner	1	1	23.52	23.56	23.80	24
			1	104	23.44	23.49	23.62	24
			50	25	23.48	23.56	23.69	24
	DFT-s-OFDM QPSK	Outer	1	0	23.35	23.44	23.59	24
			1	105	23.26	23.28	23.48	24
			2	0	23.33	23.33	23.53	24
			2	104	23.27	23.39	23.49	24
			100	0	23.10	23.13	23.35	24
		Inner	1	1	23.64	23.63	23.77	24
			1	104	23.45	23.54	23.71	24
			50	25	23.54	23.59	23.72	24
	DFT-s-OFDM 16QAM	Outer	1	0	21.89	21.98	22.18	23
			1	105	21.80	21.82	21.88	23
			2	0	21.75	21.85	22.01	23
			2	104	21.66	21.70	21.79	23
			100	0	21.70	21.72	21.93	23
		Inner	1	1	22.97	23.04	23.20	24
			1	104	22.83	22.83	23.08	24
			50	25	22.56	22.70	22.80	24
	DFT-s-OFDM 64QAM	Outer	1	0	21.25	21.33	21.51	23
			1	105	21.08	21.06	21.20	23
			2	0	21.26	21.35	21.55	23
			2	104	21.34	21.37	21.47	23
			100	0	21.25	21.22	21.46	23
		Inner	1	1	21.37	21.42	21.60	23
			1	104	21.21	21.17	21.38	23
			50	25	21.19	21.16	21.39	23
	DFT-s-OFDM 256QAM	Outer	1	0	19.22	19.18	19.46	21
			1	105	19.20	19.27	19.35	21
			2	0	19.26	19.21	19.45	21
			2	104	19.08	19.11	19.29	21
			100	0	19.19	19.23	19.37	21
		Inner	1	1	19.28	19.21	19.45	21
			1	104	19.14	19.20	19.40	21
			50	25	19.24	19.21	19.37	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 345000	Mid CH 349000	High CH 353000	Max. Tune-up (dBm)
					Frequency 1725MHz	Frequency 1745MHz	Frequency 1765MHz	
30M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	23.33	23.31	23.38	24
			1	159	23.23	23.29	23.38	24
			2	0	23.34	23.40	23.49	24
			2	158	23.20	23.26	23.49	24
			160	0	23.24	23.26	23.35	24
		Inner	1	1	23.48	23.54	23.79	24
			1	158	23.49	23.47	23.64	24
			80	40	23.52	23.60	23.65	24
	DFT-s-OFDM QPSK	Outer	1	0	23.39	23.41	23.62	24
			1	159	23.22	23.34	23.47	24
			2	0	23.39	23.31	23.60	24
			2	158	23.25	23.37	23.50	24
			160	0	23.14	23.12	23.35	24
		Inner	1	1	23.69	23.65	23.74	24
			1	158	23.46	23.56	23.69	24
			80	40	23.60	23.54	23.73	24
	DFT-s-OFDM 16QAM	Outer	1	0	21.91	21.91	22.18	23
			1	159	21.83	21.85	21.88	23
			2	0	21.76	21.78	21.97	23
			2	158	21.68	21.74	21.83	23
			160	0	21.74	21.66	21.95	23
		Inner	1	1	22.95	23.07	23.20	24
			1	158	22.88	22.80	23.09	24
			80	40	22.56	22.68	22.81	24
	DFT-s-OFDM 64QAM	Outer	1	0	21.30	21.28	21.51	23
			1	159	21.10	21.04	21.23	23
			2	0	21.28	21.28	21.55	23
			2	158	21.38	21.40	21.43	23
			160	0	21.20	21.22	21.41	23
		Inner	1	1	21.42	21.40	21.63	23
			1	158	21.22	21.16	21.35	23
			80	40	21.15	21.15	21.42	23
	DFT-s-OFDM 256QAM	Outer	1	0	19.26	19.18	19.47	21
			1	159	19.13	19.25	19.38	21
			2	0	19.29	19.21	19.50	21
			2	158	19.01	19.13	19.26	21
			160	0	19.21	19.19	19.42	21
		Inner	1	1	19.28	19.22	19.41	21
			1	158	19.16	19.16	19.43	21
			80	40	19.25	19.27	19.30	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 346000	Mid CH 349000	High CH 352000	Max. Tune-up (dBm)
					Frequency 1730MHz	Frequency 1745MHz	Frequency 1760MHz	
40M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	23.34	23.35	23.46	24
			1	215	23.27	23.32	23.44	24
			2	0	23.36	23.41	23.53	24
			2	214	23.26	23.31	23.50	24
			216	0	23.25	23.28	23.40	24
		Inner	1	1	23.56	23.61	23.81	24
			1	214	23.50	23.51	23.67	24
			108	54	23.55	23.61	23.71	24
	DFT-s-OFDM QPSK	Outer	1	0	23.43	23.46	23.64	24
			1	215	23.28	23.36	23.50	24
			2	0	23.41	23.39	23.61	24
			2	214	23.33	23.41	23.55	24
			216	0	23.17	23.18	23.37	24
		Inner	1	1	23.70	23.70	23.82	24
			1	214	23.52	23.59	23.73	24
			108	54	23.62	23.61	23.78	24
	DFT-s-OFDM 16QAM	Outer	1	0	21.97	21.99	22.20	23
			1	215	21.84	21.87	21.96	23
			2	0	21.83	21.86	22.03	23
			2	214	21.70	21.75	21.87	23
			216	0	21.76	21.74	21.96	23
		Inner	1	1	23.03	23.11	23.25	24
			1	214	22.90	22.88	23.10	24
			108	54	22.64	22.72	22.86	24
	DFT-s-OFDM 64QAM	Outer	1	0	21.33	21.34	21.53	23
			1	215	21.12	21.11	21.28	23
			2	0	21.34	21.36	21.57	23
			2	214	21.39	21.42	21.51	23
			216	0	21.27	21.30	21.47	23
		Inner	1	1	21.45	21.46	21.65	23
			1	214	21.24	21.23	21.40	23
			108	54	21.21	21.23	21.44	23
	DFT-s-OFDM 256QAM	Outer	1	0	19.28	19.26	19.48	21
			1	215	19.21	19.29	19.43	21
			2	0	19.31	19.29	19.51	21
			2	214	19.09	19.17	19.31	21
			216	0	19.24	19.25	19.44	21
		Inner	1	1	19.30	19.29	19.46	21
			1	214	19.22	19.24	19.45	21
			108	54	19.26	19.29	19.38	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 133100	Mid CH 136100	High CH 139100	Max. Tune-up (dBm)
					Frequency 665.5 MHz	Frequency 680.5 MHz	Frequency 695.5 MHz	
5M	CP-OFDM QPSK	Outer	1	0	20.37	20.13	20.03	21
			1	24	20.12	19.88	19.83	21
			2	0	20.23	20.02	19.98	21
			2	23	20.10	19.91	19.87	21
			25	0	21.24	21.11	20.96	22
		Inner	1	1	21.76	21.57	21.58	23
			1	23	21.60	21.42	21.32	23
			13	6	21.78	21.63	21.53	23
	CP-OFDM 16QAM	Outer	1	0	20.29	20.15	20.07	21
			1	24	20.18	19.97	19.94	21
			2	0	20.31	20.08	20.05	21
			2	23	20.02	19.91	19.78	21
			25	0	20.14	19.94	19.93	21
		Inner	1	1	21.52	21.26	21.16	22
			1	23	21.29	21.14	21.03	22
			13	6	21.32	21.05	21.00	22
	CP-OFDM 64QAM	Outer	1	0	19.67	19.52	19.46	20.5
			1	24	19.63	19.41	19.28	20.5
			2	0	19.81	19.57	19.49	20.5
			2	23	19.60	19.45	19.34	20.5
			25	0	19.88	19.60	19.56	20.5
		Inner	1	1	19.81	19.65	19.57	20.5
			1	23	19.80	19.52	19.49	20.5
			13	6	19.65	19.56	19.43	20.5
	CP-OFDM 256QAM	Outer	1	0	16.68	16.47	16.37	17.5
			1	24	16.49	16.28	16.19	17.5
			2	0	16.53	16.34	16.25	17.5
			2	23	16.45	16.23	16.11	17.5
			25	0	16.70	16.44	16.44	17.5
		Inner	1	1	16.71	16.46	16.49	17.5
			1	23	16.52	16.27	16.15	17.5
			13	6	16.72	16.50	16.50	17.5

BW	MCS Index	RB	RB Size	RB Offset	Low CH 133600	Mid CH 136100	High CH 138600	Max. Tune-up (dBm)
					Frequency 668 MHz	Frequency 680.5 MHz	Frequency 693 MHz	
10M	CP-OFDM QPSK	Outer	1	0	20.36	20.18	20.02	21
			1	51	20.07	19.91	19.83	21
			2	0	20.24	20.05	19.94	21
			2	50	20.06	19.95	19.87	21
			52	0	21.28	21.07	21.00	22
		Inner	1	1	21.74	21.60	21.54	23
			1	50	21.59	21.39	21.35	23
			26	13	21.77	21.66	21.50	23
	CP-OFDM 16QAM	Outer	1	0	20.35	20.09	20.10	21
			1	51	20.12	19.99	19.88	21
			2	0	20.33	20.12	20.07	21
			2	50	20.03	19.85	19.83	21
			52	0	20.17	19.94	19.90	21
		Inner	1	1	21.48	21.23	21.18	22
			1	50	21.33	21.16	21.01	22
			26	13	21.29	21.02	20.98	22
	CP-OFDM 64QAM	Outer	1	0	19.74	19.48	19.50	20.5
			1	51	19.64	19.42	19.30	20.5
			2	0	19.81	19.55	19.55	20.5
			2	50	19.60	19.39	19.35	20.5
			52	0	19.82	19.61	19.59	20.5
		Inner	1	1	19.84	19.66	19.61	20.5
			1	50	19.80	19.50	19.51	20.5
			26	13	19.65	19.57	19.47	20.5
	CP-OFDM 256QAM	Outer	1	0	16.66	16.43	16.36	17.5
			1	51	16.49	16.32	16.25	17.5
			2	0	16.51	16.30	16.29	17.5
			2	50	16.48	16.22	16.15	17.5
			52	0	16.71	16.48	16.38	17.5
		Inner	1	1	16.72	16.51	16.44	17.5
			1	50	16.51	16.28	16.19	17.5
			26	13	16.73	16.53	16.55	17.5

BW	MCS Index	RB	RB Size	RB Offset	Low CH 134100	Mid CH 136100	High CH 138100	Max. Tune-up (dBm)
					Frequency 670.5 MHz	Frequency 680.5 MHz	Frequency 690.5 MHz	
15M	CP-OFDM QPSK	Outer	1	0	20.41	20.16	20.00	21
			1	78	20.10	19.93	19.79	21
			2	0	20.26	20.09	19.95	21
			2	77	20.08	19.91	19.91	21
			79	0	21.31	21.10	20.96	22
		Inner	1	1	21.72	21.55	21.57	23
			1	77	21.65	21.40	21.34	23
			39	19	21.82	21.67	21.49	23
	CP-OFDM 16QAM	Outer	1	0	20.33	20.12	20.10	21
			1	78	20.14	20.03	19.93	21
			2	0	20.37	20.06	20.12	21
			2	77	20.00	19.89	19.79	21
			79	0	20.18	19.93	19.93	21
		Inner	1	1	21.53	21.26	21.12	22
			1	77	21.28	21.15	21.05	22
			39	19	21.32	21.03	20.99	22
	CP-OFDM 64QAM	Outer	1	0	19.69	19.46	19.50	20.5
			1	78	19.68	19.47	19.27	20.5
			2	0	19.76	19.55	19.51	20.5
			2	77	19.63	19.46	19.32	20.5
			79	0	19.88	19.57	19.63	20.5
		Inner	1	1	19.79	19.68	19.58	20.5
			1	77	19.80	19.49	19.55	20.5
			39	19	19.65	19.54	19.44	20.5
	CP-OFDM 256QAM	Outer	1	0	16.67	16.42	16.42	17.5
			1	78	16.55	16.26	16.22	17.5
			2	0	16.50	16.27	16.31	17.5
			2	77	16.49	16.28	16.08	17.5
			79	0	16.65	16.44	16.40	17.5
		Inner	1	1	16.73	16.48	16.48	17.5
			1	77	16.51	16.22	16.18	17.5
			39	19	16.73	16.50	16.54	17.5

BW	MCS Index	RB	RB Size	RB Offset	Low CH 134600	Mid CH 136100	High CH 137600	Max. Tune-up (dBm)
					Frequency 673 MHz	Frequency 680.5 MHz	Frequency 688 MHz	
20M	CP-OFDM QPSK	Outer	1	0	20.42	20.20	20.08	21
			1	105	20.14	19.96	19.85	21
			2	0	20.28	20.10	19.99	21
			2	104	20.14	19.96	19.92	21
			106	0	21.32	21.12	21.01	22
		Inner	1	1	21.80	21.62	21.59	23
			1	104	21.66	21.44	21.37	23
			53	26	21.85	21.68	21.55	23
	CP-OFDM 16QAM	Outer	1	0	20.37	20.17	20.12	21
			1	105	20.20	20.05	19.96	21
			2	0	20.39	20.14	20.13	21
			2	104	20.08	19.93	19.84	21
			106	0	20.21	19.99	19.95	21
		Inner	1	1	21.54	21.31	21.20	22
			1	104	21.34	21.18	21.09	22
			53	26	21.34	21.10	21.04	22
	CP-OFDM 64QAM	Outer	1	0	19.75	19.54	19.52	20.5
			1	105	19.69	19.49	19.35	20.5
			2	0	19.83	19.63	19.57	20.5
			2	104	19.65	19.47	19.36	20.5
			106	0	19.90	19.65	19.64	20.5
		Inner	1	1	19.87	19.72	19.63	20.5
			1	104	19.82	19.57	19.56	20.5
			53	26	19.73	19.58	19.49	20.5
	CP-OFDM 256QAM	Outer	1	0	16.70	16.48	16.44	17.5
			1	105	16.57	16.33	16.27	17.5
			2	0	16.56	16.35	16.33	17.5
			2	104	16.50	16.30	16.16	17.5
			106	0	16.72	16.52	16.46	17.5
		Inner	1	1	16.76	16.54	16.50	17.5
			1	104	16.53	16.29	16.23	17.5
			53	26	16.79	16.58	16.56	17.5

BW	MCS Index	RB	RB Size	RB Offset	Low CH 133100	Mid CH 136100	High CH 139100	Max. Tune-up (dBm)
					Frequency 665.5 MHz	Frequency 680.5 MHz	Frequency 695.5 MHz	
5M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	22.17	22.07	21.98	23
			1	24	22.00	21.90	21.86	23
			2	0	22.25	22.18	22.15	23
			2	23	22.17	22.12	22.09	23
			25	0	22.24	22.25	22.11	23
		Inner	1	1	23.28	23.23	23.25	24
			1	23	23.03	22.99	22.90	24
			12	6	23.33	23.32	23.23	24
	DFT-s-OFDM QPSK	Outer	1	0	22.16	22.16	22.09	23
			1	24	21.98	21.91	21.89	23
			2	0	22.24	22.15	22.13	23
			2	23	22.01	22.04	21.92	23
			25	0	22.32	22.26	22.26	23
		Inner	1	1	23.31	23.19	23.10	24
			1	23	23.11	23.10	23.00	24
			12	6	23.27	23.14	23.10	24
	DFT-s-OFDM 16QAM	Outer	1	0	21.21	21.20	21.15	22
			1	24	20.99	20.91	20.79	22
			2	0	21.19	21.09	21.02	22
			2	23	21.02	21.01	20.91	22
			25	0	21.29	21.15	21.12	22
		Inner	1	1	21.93	21.91	21.84	23
			1	23	21.86	21.72	21.70	23
			12	6	22.21	22.26	22.14	23
	DFT-s-OFDM 64QAM	Outer	1	0	20.77	20.70	20.61	21
			1	24	20.47	20.40	20.32	21
			2	0	20.57	20.52	20.44	21
			2	23	20.36	20.28	20.17	21
			25	0	20.73	20.61	20.62	21
		Inner	1	1	20.69	20.58	20.62	21
			1	23	20.52	20.41	20.30	21
			12	6	20.70	20.62	20.63	21
	DFT-s-OFDM 256QAM	Outer	1	0	20.32	20.18	20.22	21
			1	24	20.04	19.98	19.92	21
			2	0	20.68	20.55	20.61	21
			2	23	20.42	20.35	20.34	21
			25	0	20.72	20.68	20.64	21
		Inner	1	1	20.38	20.23	20.20	21
			1	23	20.07	19.98	20.03	21
			12	6	20.86	20.79	20.60	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 133600	Mid CH 136100	High CH 138600	Max. Tune-up (dBm)
					Frequency 668 MHz	Frequency 680.5 MHz	Frequency 693 MHz	
10M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	22.16	22.12	21.97	23
			1	51	21.95	21.93	21.86	23
			2	0	22.26	22.21	22.11	23
			2	50	22.13	22.16	22.09	23
			50	0	22.28	22.21	22.15	23
		Inner	1	1	23.26	23.26	23.21	24
			1	50	23.02	22.96	22.93	24
			25	12	23.32	23.35	23.20	24
	DFT-s-OFDM QPSK	Outer	1	0	22.22	22.10	22.12	23
			1	51	21.92	21.93	21.83	23
			2	0	22.26	22.19	22.15	23
			2	50	22.02	21.98	21.97	23
			50	0	22.35	22.26	22.23	23
		Inner	1	1	23.27	23.16	23.12	24
			1	50	23.15	23.12	22.98	24
			25	12	23.24	23.11	23.08	24
	DFT-s-OFDM 16QAM	Outer	1	0	21.28	21.16	21.19	22
			1	51	21.00	20.92	20.81	22
			2	0	21.19	21.07	21.08	22
			2	50	21.02	20.95	20.92	22
			50	0	21.23	21.16	21.15	22
		Inner	1	1	21.96	21.92	21.88	23
			1	50	21.86	21.70	21.72	23
			25	12	22.21	22.27	22.18	23
	DFT-s-OFDM 64QAM	Outer	1	0	20.75	20.66	20.60	21
			1	51	20.47	20.44	20.38	21
			2	0	20.55	20.48	20.48	21
			2	50	20.39	20.27	20.21	21
			50	0	20.74	20.65	20.56	21
		Inner	1	1	20.70	20.63	20.57	21
			1	50	20.51	20.42	20.34	21
			25	12	20.71	20.65	20.68	21
	DFT-s-OFDM 256QAM	Outer	1	0	20.34	20.22	20.19	21
			1	51	19.98	19.98	19.95	21
			2	0	20.73	20.59	20.60	21
			2	50	20.41	20.42	20.29	21
			50	0	20.76	20.67	20.67	21
		Inner	1	1	20.34	20.28	20.22	21
			1	50	20.10	20.00	20.03	21
			25	12	20.86	20.76	20.60	21

BW	MCS Index	RB	RB Size	RB Offset	Low CH 134100	Mid CH 136100	High CH 138100	Max. Tune-up (dBm)
					Frequency 670.5 MHz	Frequency 680.5 MHz	Frequency 690.5 MHz	
15M	DFT-s-OFDM Pi/2 BPSK	Outer	1	0	22.21	22.10	21.95	23
			1	78	21.98	21.95	21.82	23
			2	0	22.28	22.25	22.12	23
			2	77	22.15	22.12	22.13	23
			75	0	22.31	22.24	22.11	23
		Inner	1	1	23.24	23.21	23.24	24
			1	77	23.08	22.97	22.92	24
			36	18	23.37	23.36	23.19	24
	DFT-s-OFDM QPSK	Outer	1	0	22.20	22.13	22.12	23
			1	78	21.94	21.97	21.88	23
			2	0	22.30	22.13	22.20	23
			2	77	21.99	22.02	21.93	23
			75	0	22.36	22.25	22.26	23
		Inner	1	1	23.32	23.19	23.06	24
			1	77	23.10	23.11	23.02	24
			36	18	23.27	23.12	23.09	24
	DFT-s-OFDM 16QAM	Outer	1	0	21.23	21.14	21.19	22
			1	78	21.04	20.97	20.78	22
			2	0	21.14	21.07	21.04	22
			2	77	21.05	21.02	20.89	22
			75	0	21.29	21.12	21.19	22
		Inner	1	1	21.91	21.94	21.85	23
			1	77	21.86	21.69	21.76	23
			36	18	22.21	22.24	22.15	23
	DFT-s-OFDM 64QAM	Outer	1	0	20.76	20.65	20.66	21
			1	78	20.53	20.38	20.35	21
			2	0	20.54	20.45	20.50	21
			2	77	20.40	20.33	20.14	21
			75	0	20.68	20.61	20.58	21
		Inner	1	1	20.71	20.60	20.61	21
			1	77	20.51	20.36	20.33	21
			36	18	20.71	20.62	20.67	21
	DFT-s-OFDM 256QAM	Outer	1	0	20.33	20.16	20.23	21
			1	78	19.98	20.01	19.92	21
			2	0	20.72	20.55	20.62	21
			2	77	20.36	20.39	20.30	21
			75	0	20.77	20.66	20.67	21
		Inner	1	1	20.38	20.23	20.20	21
			1	77	20.07	19.98	20.03	21
			36	18	20.86	20.79	20.60	21