




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

198 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

199 of 275

Band26b_3MHz_64QAM_HCH_847.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.000	-29.12	-13	Pass
850	852	0.1	CHP	2	850.052	-50.76	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

200 of 275

Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.033	/	/	/	/	/	/
849	850	0.033	/	1	849.036	-28.78	-13	Pass
850	852	0.1	CHP	2	850.092	-38.09	-13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

201 of 275

4.3 B26b_5MHz

4.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	826.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	826.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
64QAM	826.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

202 of 275

4.3.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

203 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

204 of 275

Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.200	-37.10	-13	Pass
823	824	0.051	/	2	823.980	-27.53	-13	Pass
824	829	0.051	/	/	/	/	/	/




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

205 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

206 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

207 of 275

Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-31.67	-13	Pass
850	854	0.1	CHP	2	850.050	-49.33	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

208 of 275

Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	/	/	/	/	/	/
849	850	0.051	/	1	849.000	-27.23	-13	Pass
850	854	0.1	CHP	2	850.350	-35.57	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

209 of 275

Band26b_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

210 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

211 of 275

Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.730	-40.30	-13	Pass
823	824	0.051	/	2	824.000	-27.82	-13	Pass
824	829	0.051	/	/	/	/	/	/




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

212 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

213 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

214 of 275

Band26b_5MHz_16QAM_HCH_846.5MHz_RB_1_24_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

215 of 275

Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	/	/	/	/	/	/
849	850	0.051	/	1	849.000	-27.67	-13	Pass
850	854	0.1	CHP	2	850.350	-35.87	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

216 of 275

Band26b_5MHz_64QAM_LCH_826.5MHz_RB_1_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

217 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

218 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

219 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

220 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

221 of 275

Band26b_5MHz_64QAM_HCH_846.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.000	-34.14	-13	Pass
850	854	0.1	CHP	2	850.050	-50.57	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

222 of 275

Band26b_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	/	/	/	/	/	/
849	850	0.051	/	1	849.030	-31.74	-13	Pass
850	854	0.1	CHP	2	850.480	-35.54	-13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

223 of 275


4.4 B26b_10MHz

4.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	829	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	844	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	829	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	844	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
64QAM	829	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	844	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass



4.4.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

225 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

226 of 275

Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV



Frequency (MHz)								
Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	824	0.1	/	1	823.920	-33.18	-13	Pass
824	834	0.1	/	/	/	/	/	/




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

227 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

228 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

229 of 275

Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

230 of 275

Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.1	/	/	/	/	/	/
849	859	0.1	/	1	849.000	-33.89	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

231 of 275

Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

232 of 275

Band26b_10MHz_16QAM_LCH_829MHz_RB_1_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

233 of 275

Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	824	0.1	/	1	824.000	-34.04	-13	Pass
824	834	0.1	/	/	/	/	/	/




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

234 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

235 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

236 of 275

Band26b_10MHz_16QAM_HCH_844MHz_RB_1_49_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

237 of 275

Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.1	/	/	/	/	/	/
849	859	0.1	/	1	849.000	-33.28	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

238 of 275

Band26b_10MHz_64QAM_LCH_829MHz_RB_1_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

239 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

240 of 275

Band26b_10MHz_64QAM_LCH_829MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	824	0.1	/	1	823.940	-36.44	-13	Pass
824	834	0.1	/	/	/	/	/	/




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

241 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

242 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

243 of 275

Band26b_10MHz_64QAM_HCH_844MHz_RB_1_49_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

244 of 275





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

245 of 275

4.5 B26c_15MHz

4.5.1 Test Result

Band: 26c / Bandwidth: 15MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	821.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	831.5	1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
16QAM	821.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	831.5	1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
64QAM	821.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	831.5	1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

246 of 275

4.5.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

247 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

248 of 275

Band26c_15MHz_QPSK_LCH_821.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	812.860	-38.73	-13	Pass
813	814	0.149	/	2	813.970	-35.05	-20	Pass
814	829	0.149	/	/	/	/	/	/




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

249 of 275

Band26c_15MHz_QPSK_MCH_831.5MHz_RB_1_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

250 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

251 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

252 of 275

Band26c_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.149	/	/	/	/	/	/
849	850	0.149	/	1	849.030	-34.12	-13	Pass
850	864	0.1	/	2	850.050	-35.14	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

253 of 275

Band26c_15MHz_16QAM_LCH_821.5MHz_RB_1_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

254 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

255 of 275

Band26c_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	812.920	-36.98	-13	Pass
813	814	0.149	/	2	814.000	-35.95	-20	Pass
814	829	0.149	/	/	/	/	/	/




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

256 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

257 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

258 of 275

Band26c_15MHz_16QAM_HCH_841.5MHz_RB_1_74_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

259 of 275

Band26c_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.148	/	/	/	/	/	/
849	850	0.148	/	1	849.000	-34.74	-13	Pass
850	864	0.1	/	2	850.470	-35.32	-13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

260 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

261 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

262 of 275

Band26c_15MHz_64QAM_LCH_821.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
799	813	0.1	/	1	812.860	-39.30	-13	Pass
813	814	0.149	/	2	814.000	-33.36	-20	Pass
814	829	0.149	/	/	/	/	/	/




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

263 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

264 of 275






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

265 of 275

Band26c_15MHz_64QAM_HCH_841.5MHz_RB_1_74_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

266 of 275

Band26c_15MHz_64QAM_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.15	/	/	/	/	/	/
849	850	0.15	/	1	849.090	-36.55	-13	Pass
850	864	0.1	/	2	850.770	-36.57	-13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

267 of 275

5. Effective (Isotropic) Radiated Power Output Data

ANT1

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	ERP(dBm)	Limit(dBm)	Verdict
Band26	1.4MHz	QPSK	26797	1RB#0	23.50	23.91	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#2	23.45	23.86	38.45	PASS
Band26	1.4MHz	QPSK	26797	1RB#5	23.50	23.91	38.45	PASS
Band26	1.4MHz	QPSK	26797	6RB#0	22.55	22.96	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#0	23.49	23.9	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#2	23.65	24.06	38.45	PASS
Band26	1.4MHz	QPSK	26915	1RB#5	23.53	23.94	38.45	PASS
Band26	1.4MHz	QPSK	26915	6RB#0	22.59	23	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#0	23.48	23.89	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#2	23.48	23.89	38.45	PASS
Band26	1.4MHz	QPSK	27033	1RB#5	23.40	23.81	38.45	PASS
Band26	1.4MHz	QPSK	27033	6RB#0	22.53	22.94	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#0	22.85	23.26	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#2	22.77	23.18	38.45	PASS
Band26	1.4MHz	16QAM	26797	1RB#5	22.91	23.32	38.45	PASS
Band26	1.4MHz	16QAM	26797	6RB#0	21.60	22.01	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#0	22.85	23.26	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#2	22.95	23.36	38.45	PASS
Band26	1.4MHz	16QAM	26915	1RB#5	22.78	23.19	38.45	PASS
Band26	1.4MHz	16QAM	26915	6RB#0	21.75	22.16	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#0	22.78	23.19	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#2	22.89	23.3	38.45	PASS
Band26	1.4MHz	16QAM	27033	1RB#5	22.81	23.22	38.45	PASS
Band26	1.4MHz	16QAM	27033	6RB#0	21.62	22.03	38.45	PASS
Band26	1.4MHz	64QAM	26797	1RB#0	21.76	22.17	38.45	PASS
Band26	1.4MHz	64QAM	26797	1RB#2	21.80	22.21	38.45	PASS
Band26	1.4MHz	64QAM	26797	1RB#5	21.74	22.15	38.45	PASS



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

268 of 275

Band26	1.4MHz	64QAM	26797	6RB#0	20.55	20.96	38.45	PASS
Band26	1.4MHz	64QAM	26915	1RB#0	21.82	22.23	38.45	PASS
Band26	1.4MHz	64QAM	26915	1RB#2	21.87	22.28	38.45	PASS
Band26	1.4MHz	64QAM	26915	1RB#5	21.75	22.16	38.45	PASS
Band26	1.4MHz	64QAM	26915	6RB#0	20.61	21.02	38.45	PASS
Band26	1.4MHz	64QAM	27033	1RB#0	21.26	21.67	38.45	PASS
Band26	1.4MHz	64QAM	27033	1RB#2	21.21	21.62	38.45	PASS
Band26	1.4MHz	64QAM	27033	1RB#5	20.99	21.4	38.45	PASS
Band26	1.4MHz	64QAM	27033	6RB#0	20.07	20.48	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#0	23.63	24.04	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#8	23.70	24.11	38.45	PASS
Band26	3MHz	QPSK	26805	1RB#14	23.57	23.98	38.45	PASS
Band26	3MHz	QPSK	26805	15RB#0	22.67	23.08	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#0	23.58	23.99	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#8	23.69	24.1	38.45	PASS
Band26	3MHz	QPSK	26915	1RB#14	23.59	24	38.45	PASS
Band26	3MHz	QPSK	26915	15RB#0	22.68	23.09	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#0	23.56	23.97	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#8	23.58	23.99	38.45	PASS
Band26	3MHz	QPSK	27025	1RB#14	23.48	23.89	38.45	PASS
Band26	3MHz	QPSK	27025	15RB#0	22.62	23.03	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#0	22.82	23.23	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#8	23.00	23.41	38.45	PASS
Band26	3MHz	16QAM	26805	1RB#14	22.92	23.33	38.45	PASS
Band26	3MHz	16QAM	26805	15RB#0	21.68	22.09	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#0	22.99	23.4	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#8	23.09	23.5	38.45	PASS
Band26	3MHz	16QAM	26915	1RB#14	22.98	23.39	38.45	PASS
Band26	3MHz	16QAM	26915	15RB#0	21.72	22.13	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#0	22.91	23.32	38.45	PASS
Band26	3MHz	16QAM	27025	1RB#8	22.84	23.25	38.45	PASS



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

269 of 275

Band26	3MHz	16QAM	27025	1RB#14	22.69	23.1	38.45	PASS
Band26	3MHz	16QAM	27025	15RB#0	21.63	22.04	38.45	PASS
Band26	3MHz	64QAM	26805	1RB#0	21.82	22.23	38.45	PASS
Band26	3MHz	64QAM	26805	1RB#8	22.00	22.41	38.45	PASS
Band26	3MHz	64QAM	26805	1RB#14	21.77	22.18	38.45	PASS
Band26	3MHz	64QAM	26805	15RB#0	20.75	21.16	38.45	PASS
Band26	3MHz	64QAM	26915	1RB#0	21.87	22.28	38.45	PASS
Band26	3MHz	64QAM	26915	1RB#8	21.99	22.4	38.45	PASS
Band26	3MHz	64QAM	26915	1RB#14	21.88	22.29	38.45	PASS
Band26	3MHz	64QAM	26915	15RB#0	20.72	21.13	38.45	PASS
Band26	3MHz	64QAM	27025	1RB#0	21.88	22.29	38.45	PASS
Band26	3MHz	64QAM	27025	1RB#8	21.64	22.05	38.45	PASS
Band26	3MHz	64QAM	27025	1RB#14	21.14	21.55	38.45	PASS
Band26	3MHz	64QAM	27025	15RB#0	20.57	20.98	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#0	23.63	24.04	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#12	23.66	24.07	38.45	PASS
Band26	5MHz	QPSK	26815	1RB#24	23.61	24.02	38.45	PASS
Band26	5MHz	QPSK	26815	25RB#0	22.65	23.06	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#0	23.60	24.01	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#12	23.71	24.12	38.45	PASS
Band26	5MHz	QPSK	26915	1RB#24	23.64	24.05	38.45	PASS
Band26	5MHz	QPSK	26915	25RB#0	22.69	23.1	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#0	23.56	23.97	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#12	23.57	23.98	38.45	PASS
Band26	5MHz	QPSK	27015	1RB#24	23.54	23.95	38.45	PASS
Band26	5MHz	QPSK	27015	25RB#0	22.53	22.94	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#0	22.92	23.33	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#12	22.85	23.26	38.45	PASS
Band26	5MHz	16QAM	26815	1RB#24	22.83	23.24	38.45	PASS
Band26	5MHz	16QAM	26815	25RB#0	21.65	22.06	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#0	22.95	23.36	38.45	PASS



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

270 of 275

Band26	5MHz	16QAM	26915	1RB#12	22.90	23.31	38.45	PASS
Band26	5MHz	16QAM	26915	1RB#24	23.00	23.41	38.45	PASS
Band26	5MHz	16QAM	26915	25RB#0	21.73	22.14	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#0	22.87	23.28	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#12	22.89	23.3	38.45	PASS
Band26	5MHz	16QAM	27015	1RB#24	22.83	23.24	38.45	PASS
Band26	5MHz	16QAM	27015	25RB#0	21.66	22.07	38.45	PASS
Band26	5MHz	64QAM	26815	1RB#0	21.88	22.29	38.45	PASS
Band26	5MHz	64QAM	26815	1RB#12	21.92	22.33	38.45	PASS
Band26	5MHz	64QAM	26815	1RB#24	21.81	22.22	38.45	PASS
Band26	5MHz	64QAM	26815	25RB#0	20.72	21.13	38.45	PASS
Band26	5MHz	64QAM	26915	1RB#0	21.96	22.37	38.45	PASS
Band26	5MHz	64QAM	26915	1RB#12	21.81	22.22	38.45	PASS
Band26	5MHz	64QAM	26915	1RB#24	21.91	22.32	38.45	PASS
Band26	5MHz	64QAM	26915	25RB#0	20.72	21.13	38.45	PASS
Band26	5MHz	64QAM	27015	1RB#0	21.79	22.2	38.45	PASS
Band26	5MHz	64QAM	27015	1RB#12	21.79	22.2	38.45	PASS
Band26	5MHz	64QAM	27015	1RB#24	21.22	21.63	38.45	PASS
Band26	5MHz	64QAM	27015	25RB#0	20.67	21.08	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#0	23.57	23.98	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#24	23.65	24.06	38.45	PASS
Band26	10MHz	QPSK	26840	1RB#49	23.60	24.01	38.45	PASS
Band26	10MHz	QPSK	26840	50RB#0	22.63	23.04	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#0	23.59	24	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#24	23.58	23.99	38.45	PASS
Band26	10MHz	QPSK	26915	1RB#49	23.59	24	38.45	PASS
Band26	10MHz	QPSK	26915	50RB#0	22.60	23.01	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#0	23.59	24	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#24	23.59	24	38.45	PASS
Band26	10MHz	QPSK	26990	1RB#49	23.51	23.92	38.45	PASS
Band26	10MHz	QPSK	26990	50RB#0	22.55	22.96	38.45	PASS



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

271 of 275

Band26	10MHz	16QAM	26840	1RB#0	22.91	23.32	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#24	23.04	23.45	38.45	PASS
Band26	10MHz	16QAM	26840	1RB#49	22.99	23.4	38.45	PASS
Band26	10MHz	16QAM	26840	50RB#0	21.60	22.01	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#0	23.00	23.41	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#24	22.94	23.35	38.45	PASS
Band26	10MHz	16QAM	26915	1RB#49	22.89	23.3	38.45	PASS
Band26	10MHz	16QAM	26915	50RB#0	21.64	22.05	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#0	22.98	23.39	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#24	22.97	23.38	38.45	PASS
Band26	10MHz	16QAM	26990	1RB#49	22.92	23.33	38.45	PASS
Band26	10MHz	16QAM	26990	50RB#0	21.56	21.97	38.45	PASS
Band26	10MHz	64QAM	26840	1RB#0	22.00	22.41	38.45	PASS
Band26	10MHz	64QAM	26840	1RB#24	21.92	22.33	38.45	PASS
Band26	10MHz	64QAM	26840	1RB#49	21.78	22.19	38.45	PASS
Band26	10MHz	64QAM	26840	50RB#0	20.66	21.07	38.45	PASS
Band26	10MHz	64QAM	26915	1RB#0	21.80	22.21	38.45	PASS
Band26	10MHz	64QAM	26915	1RB#24	21.95	22.36	38.45	PASS
Band26	10MHz	64QAM	26915	1RB#49	21.82	22.23	38.45	PASS
Band26	10MHz	64QAM	26915	50RB#0	20.67	21.08	38.45	PASS
Band26	10MHz	64QAM	26990	1RB#0	21.90	22.31	38.45	PASS
Band26	10MHz	64QAM	26990	1RB#24	21.85	22.26	38.45	PASS
Band26	10MHz	64QAM	26990	1RB#49	21.36	21.77	38.45	PASS
Band26	10MHz	64QAM	26990	50RB#0	20.63	21.04	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#0	23.52	23.93	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#38	23.47	23.88	38.45	PASS
Band26	15MHz	QPSK	26865	1RB#74	23.39	23.8	38.45	PASS
Band26	15MHz	QPSK	26865	75RB#0	22.60	23.01	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#0	23.48	23.89	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#38	23.48	23.89	38.45	PASS
Band26	15MHz	QPSK	26915	1RB#74	23.38	23.79	38.45	PASS



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

272 of 275

Band26	15MHz	QPSK	26915	75RB#0	22.57	22.98	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#0	23.45	23.86	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#38	23.49	23.9	38.45	PASS
Band26	15MHz	QPSK	26965	1RB#74	23.35	23.76	38.45	PASS
Band26	15MHz	QPSK	26965	75RB#0	22.51	22.92	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#0	22.85	23.26	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#38	22.91	23.32	38.45	PASS
Band26	15MHz	16QAM	26865	1RB#74	22.81	23.22	38.45	PASS
Band26	15MHz	16QAM	26865	75RB#0	21.60	22.01	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#0	22.76	23.17	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#38	22.93	23.34	38.45	PASS
Band26	15MHz	16QAM	26915	1RB#74	22.72	23.13	38.45	PASS
Band26	15MHz	16QAM	26915	75RB#0	21.50	21.91	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#0	22.79	23.2	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#38	22.87	23.28	38.45	PASS
Band26	15MHz	16QAM	26965	1RB#74	22.74	23.15	38.45	PASS
Band26	15MHz	16QAM	26965	75RB#0	21.50	21.91	38.45	PASS
Band26	15MHz	64QAM	26865	1RB#0	21.70	22.11	38.45	PASS
Band26	15MHz	64QAM	26865	1RB#38	21.82	22.23	38.45	PASS
Band26	15MHz	64QAM	26865	1RB#74	21.72	22.13	38.45	PASS
Band26	15MHz	64QAM	26865	75RB#0	20.61	21.02	38.45	PASS
Band26	15MHz	64QAM	26915	1RB#0	21.75	22.16	38.45	PASS
Band26	15MHz	64QAM	26915	1RB#38	21.85	22.26	38.45	PASS
Band26	15MHz	64QAM	26915	1RB#74	21.73	22.14	38.45	PASS
Band26	15MHz	64QAM	26915	75RB#0	20.61	21.02	38.45	PASS
Band26	15MHz	64QAM	26965	1RB#0	21.73	22.14	38.45	PASS
Band26	15MHz	64QAM	26965	1RB#38	21.78	22.19	38.45	PASS
Band26	15MHz	64QAM	26965	1RB#74	21.22	21.63	38.45	PASS
Band26	15MHz	64QAM	26965	75RB#0	20.63	21.04	38.45	PASS



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

273 of 275

6. Field Strength of Spurious Radiation

Test Band = LTE Band26_15M_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.6800	43.54	-48.22	25.27	-74.67	-13.00	61.67	Horizontal
2	2474.5200	42.77	-47.32	27.23	-72.58	-13.00	59.58	Horizontal
3	3299.3600	42.18	-46.68	28.48	-71.28	-13.00	58.28	Horizontal
4	4124.2000	41.29	-45.91	29.40	-70.49	-13.00	57.49	Horizontal
5	4949.0400	41.16	-45.69	31.29	-68.50	-13.00	55.50	Horizontal
6	5773.8800	39.55	-44.64	32.65	-67.69	-13.00	54.69	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.6800	43.54	-48.22	25.27	-74.67	-13.00	61.67	Vertical
2	2474.5200	42.70	-47.32	27.23	-72.65	-13.00	59.65	Vertical
3	3299.3600	42.59	-46.68	28.48	-70.87	-13.00	57.87	Vertical
4	4124.2000	41.12	-45.91	29.40	-70.66	-13.00	57.66	Vertical
5	4949.0400	41.11	-45.69	31.29	-68.55	-13.00	55.55	Vertical
6	5773.8800	39.23	-44.64	32.65	-68.01	-13.00	55.01	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

274 of 275

Test Band = LTE Band26_15M_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.6800	42.88	-48.21	25.29	-75.30	-13.00	62.30	Horizontal
2	2489.5200	42.38	-47.29	27.27	-72.90	-13.00	59.90	Horizontal
3	3319.3600	42.82	-46.65	28.49	-70.60	-13.00	57.60	Horizontal
4	4149.2000	41.10	-45.93	29.46	-70.63	-13.00	57.63	Horizontal
5	4979.0400	40.98	-45.76	31.35	-68.69	-13.00	55.69	Horizontal
6	5805.8800	39.69	-44.68	32.66	-67.59	-13.00	54.59	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.6800	43.69	-48.21	25.29	-74.49	-13.00	61.49	Vertical
2	2489.5200	42.40	-47.29	27.27	-72.88	-13.00	59.88	Vertical
3	3319.3600	42.63	-46.65	28.49	-70.79	-13.00	57.79	Vertical
4	4149.2000	41.34	-45.93	29.46	-70.39	-13.00	57.39	Vertical
5	4979.0400	41.14	-45.76	31.35	-68.53	-13.00	55.53	Vertical
6	5805.8800	39.58	-44.68	32.66	-67.70	-13.00	54.70	Vertical



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

275 of 275

Test Band = LTE Band26_15M_ TM1

Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1669.6800	42.91	-48.20	25.30	-75.24	-13.00	62.24	Horizontal
2	2504.5200	43.04	-47.25	27.31	-72.17	-13.00	59.17	Horizontal
3	3339.3600	42.18	-46.62	28.50	-71.20	-13.00	58.20	Horizontal
4	4174.2000	40.73	-45.94	29.52	-70.96	-13.00	57.96	Horizontal
5	5009.0400	40.33	-45.77	31.42	-69.28	-13.00	56.28	Horizontal
6	5843.8800	39.93	-44.80	32.67	-67.46	-13.00	54.46	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1669.6800	43.42	-48.20	25.30	-74.73	-13.00	61.73	Vertical
2	2504.5200	42.92	-47.25	27.31	-72.29	-13.00	59.29	Vertical
3	3339.3600	42.52	-46.62	28.50	-70.86	-13.00	57.86	Vertical
4	4174.2000	41.20	-45.94	29.52	-70.49	-13.00	57.49	Vertical
5	5009.0400	40.68	-45.77	31.42	-68.93	-13.00	55.93	Vertical
6	5843.8800	40.31	-44.80	32.67	-67.08	-13.00	54.08	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

---End of Attachment---