




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

87 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 88 of 294

3. Peak-Average Ratio

3.1 B41_5MHz

3.1.1 Test Result


Band: 41 / Bandwidth: 5MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2498.5	25	0	7.38	<=13	Pass
	2593	25	0	7.65	<=13	Pass
	2687.5	25	0	7.46	<=13	Pass
16QAM	2498.5	25	0	8.02	<=13	Pass
	2593	25	0	8.08	<=13	Pass
	2687.5	25	0	8.32	<=13	Pass
64QAM	2498.5	25	0	8.55	<=13	Pass
	2593	25	0	8.67	<=13	Pass
	2687.5	25	0	8.74	<=13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

3.1.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Band41 5MHz QPSK MCH 2593MHz RB 25 0 NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 94 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 95 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 97 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 98 of 294

3.2 B41_10MHz

3.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2501	50	0	7.38	<=13	Pass
	2593	50	0	7.32	<=13	Pass
	2685	50	0	7.34	<=13	Pass
16QAM	2501	50	0	8.10	<=13	Pass
	2593	50	0	8.07	<=13	Pass
	2685	50	0	8.42	<=13	Pass
64QAM	2501	50	0	8.42	<=13	Pass
	2593	50	0	8.74	<=13	Pass
	2685	50	0	8.58	<=13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 99 of 294


3.2.2 Test Graph





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 102 of 294


Band41 10MHz 16QAM LCH 2501MHz RB 50 0 NTNV





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Band41 10MHz 64QAM LCH 2501MHz RB 50 0 NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 106 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 108 of 294

3.3 B41_15MHz

3.3.1 Test Result


Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2503.5	75	0	7.71	<=13	Pass
	2593	75	0	7.58	<=13	Pass
	2682.5	75	0	7.53	<=13	Pass
16QAM	2503.5	75	0	8.16	<=13	Pass
	2593	75	0	8.28	<=13	Pass
	2682.5	75	0	8.34	<=13	Pass
64QAM	2503.5	75	0	8.35	<=13	Pass
	2593	75	0	8.74	<=13	Pass
	2682.5	75	0	8.71	<=13	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


3.3.2 Test Graph





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 111 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 112 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 113 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 114 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 116 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 118 of 294

3.4 B41_20MHz

3.4.1 Test Result

Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2506	100	0	7.46	<=13	Pass
	2593	100	0	7.16	<=13	Pass
	2680	100	0	6.99	<=13	Pass
16QAM	2506	100	0	8.17	<=13	Pass
	2593	100	0	8.09	<=13	Pass
	2680	100	0	7.98	<=13	Pass
64QAM	2506	100	0	8.66	<=13	Pass
	2593	100	0	8.79	<=13	Pass
	2680	100	0	8.50	<=13	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 119 of 294

3.4.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 120 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 125 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 126 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

128 of 294

4. Spurious Emission & Band Edges

4.1 B41_5MHz

4.1.1 Test Result

Band: 41 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2498.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2593	1	0	Refer To Test Graph	Pass
	2687.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	2498.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2593	1	0	Refer To Test Graph	Pass
	2687.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
64QAM	2498.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2593	1	0	Refer To Test Graph	Pass
	2687.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 129 of 294


4.1.2 Test Graph





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 133 of 294

Band41 5MHz QPSK LCH 2498.5MHz RB 25 0 NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 134 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 137 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 140 of 294

Band41 5MHz QPSK HCH 2687.5MHz RB 1 24 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2682.5	2690	0.1	/	1	2690.000	-13.57	-10	Pass
2690	2691	0.1	/					
2691	2707.5	1	CHP	2	2696.525	-40.04	-25	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 141 of 294

Band41 5MHz QPSK HCH 2687.5MHz RB 25 0 NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 142 of 294

Band41 5MHz 16QAM LCH 2498.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2489.495	-40.77	-25	Pass
2495	2496	0.1	/	2	2495.526	-23.30	-13	Pass
2496	2503.5	0.1	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 143 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 146 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 147 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 148 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 150 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 154 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 155 of 294

Band41 5MHz 64QAM LCH 2498.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2489.495	-40.73	-25	Pass
2495	2496	0.1	/	2	2495.970	-20.93	-13	Pass
2496	2503.5	0.1	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 159 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 160 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 165 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 166 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 167 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

168 of 294

4.2 B41_10MHz

4.2.1 Test Result

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2501	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2685	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	2501	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2685	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
64QAM	2501	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2685	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 169 of 294

4.2.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 170 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 173 of 294

Band41 10MHz QPSK LCH 2501MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2492.774	-26.36	-13	Pass
2495	2496	0.2	/	2	2495.972	-27.59	-13	Pass
2496	2511	0.2	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 174 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 177 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 180 of 294

Band41 10MHz QPSK HCH 2685MHz RB 1 49 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.2	/	1	2690.450	-17.09	-10	Pass
2690	2691	0.2	/					
2691	2705	1	CHP	2	2701.400	-41.83	-25	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 181 of 294

Band41 10MHz QPSK HCH 2685MHz RB 50 0 NTV



Frequency (MHz)								
Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.2	/	1	2690.090	-28.41	-10	Pass
2690	2691	0.2	/					
2691	2705	1	CHP	2	2703.170	-34.46	-25	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 182 of 294

Band41 10MHz 16QAM LCH 2501MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2485.754	-48.42	-25	Pass
2495	2496	0.2	/	2	2495.998	-21.90	-13	Pass
2496	2511	0.2	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 185 of 294






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 186 of 294

Band41 10MHz 16QAM LCH 2501MHz RB 50 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2495	1	CHP	1	2493.632	-24.38	-13	Pass
2495	2496	0.2	/	2	2495.738	-28.77	-13	Pass
2496	2511	0.2	/	/	/	/	/	/



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001


Page: 187 of 294





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 190 of 294

