



Appendix B.19

LTE Band 71



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

2 of 220

1. Frequency Stability

1.1 B71_5MHz

1.1.1 Test Result

Band: 71 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	665.5	25	0	20	3.8	1.726	0.0026	-2.5 to 2.5	Pass
					4.0	1.164	0.0017	-2.5 to 2.5	Pass
					4.2	1.420	0.0021	-2.5 to 2.5	Pass
				-30	4.0	1.135	0.0017	-2.5 to 2.5	Pass
				-20	4.0	2.697	0.0041	-2.5 to 2.5	Pass
				-10	4.0	4.139	0.0062	-2.5 to 2.5	Pass
				0	4.0	1.186	0.0018	-2.5 to 2.5	Pass
				10	4.0	0.172	0.0003	-2.5 to 2.5	Pass
				30	4.0	1.029	0.0015	-2.5 to 2.5	Pass
				40	4.0	-0.006	0.0000	-2.5 to 2.5	Pass
				50	4.0	0.457	0.0007	-2.5 to 2.5	Pass
	680.5	25	0	20	3.8	1.121	0.0016	-2.5 to 2.5	Pass
					4.0	2.194	0.0032	-2.5 to 2.5	Pass
					4.2	0.491	0.0007	-2.5 to 2.5	Pass
				-30	4.0	1.650	0.0024	-2.5 to 2.5	Pass
				-20	4.0	0.306	0.0004	-2.5 to 2.5	Pass
				-10	4.0	1.075	0.0016	-2.5 to 2.5	Pass
				0	4.0	2.396	0.0035	-2.5 to 2.5	Pass
				10	4.0	0.912	0.0013	-2.5 to 2.5	Pass
				30	4.0	0.574	0.0008	-2.5 to 2.5	Pass
				40	4.0	0.470	0.0007	-2.5 to 2.5	Pass
				50	4.0	0.966	0.0014	-2.5 to 2.5	Pass
	695.5	25	0	20	3.8	2.212	0.0032	-2.5 to 2.5	Pass
					4.0	-0.819	-0.0012	-2.5 to 2.5	Pass
					4.2	0.132	0.0002	-2.5 to 2.5	Pass
				-30	4.0	-0.493	-0.0007	-2.5 to 2.5	Pass
				-20	4.0	1.138	0.0016	-2.5 to 2.5	Pass
				-10	4.0	0.949	0.0014	-2.5 to 2.5	Pass
				0	4.0	0.736	0.0011	-2.5 to 2.5	Pass
				10	4.0	2.523	0.0036	-2.5 to 2.5	Pass
				30	4.0	0.738	0.0011	-2.5 to 2.5	Pass
				40	4.0	0.551	0.0008	-2.5 to 2.5	Pass
				50	4.0	2.130	0.0031	-2.5 to 2.5	Pass
16QAM	665.5	25	0	20	3.8	1.082	0.0016	-2.5 to 2.5	Pass
					4.0	1.121	0.0017	-2.5 to 2.5	Pass
					4.2	2.288	0.0034	-2.5 to 2.5	Pass
				-30	4.0	0.692	0.0010	-2.5 to 2.5	Pass
				-20	4.0	1.866	0.0028	-2.5 to 2.5	Pass
				-10	4.0	2.551	0.0038	-2.5 to 2.5	Pass
				0	4.0	-0.071	-0.0001	-2.5 to 2.5	Pass
				10	4.0	-0.558	-0.0008	-2.5 to 2.5	Pass
				30	4.0	0.586	0.0009	-2.5 to 2.5	Pass
				40	4.0	0.514	0.0008	-2.5 to 2.5	Pass
				50	4.0	1.117	0.0017	-2.5 to 2.5	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

3 of 220

	680.5	25	0	20	3.8	-0.160	-0.0002	-2.5 to 2.5	Pass
					4.0	0.127	0.0002	-2.5 to 2.5	Pass
					4.2	1.696	0.0025	-2.5 to 2.5	Pass
				-30	4.0	0.718	0.0011	-2.5 to 2.5	Pass
				-20	4.0	-1.312	-0.0019	-2.5 to 2.5	Pass
				-10	4.0	0.428	0.0006	-2.5 to 2.5	Pass
				0	4.0	-0.346	-0.0005	-2.5 to 2.5	Pass
				10	4.0	0.435	0.0006	-2.5 to 2.5	Pass
				30	4.0	0.488	0.0007	-2.5 to 2.5	Pass
				40	4.0	1.412	0.0021	-2.5 to 2.5	Pass
				50	4.0	0.890	0.0013	-2.5 to 2.5	Pass
	695.5	25	0	20	3.8	2.254	0.0032	-2.5 to 2.5	Pass
					4.0	2.181	0.0031	-2.5 to 2.5	Pass
					4.2	0.769	0.0011	-2.5 to 2.5	Pass
				-30	4.0	1.758	0.0025	-2.5 to 2.5	Pass
				-20	4.0	3.802	0.0055	-2.5 to 2.5	Pass
				-10	4.0	2.924	0.0042	-2.5 to 2.5	Pass
				0	4.0	3.329	0.0048	-2.5 to 2.5	Pass
				10	4.0	3.415	0.0049	-2.5 to 2.5	Pass
				30	4.0	4.117	0.0059	-2.5 to 2.5	Pass
				40	4.0	2.035	0.0029	-2.5 to 2.5	Pass
				50	4.0	0.861	0.0012	-2.5 to 2.5	Pass
64QAM	665.5	25	0	20	3.8	0.064	0.0001	-2.5 to 2.5	Pass
					4.0	-0.149	-0.0002	-2.5 to 2.5	Pass
					4.2	-0.345	-0.0005	-2.5 to 2.5	Pass
				-30	4.0	0.057	0.0001	-2.5 to 2.5	Pass
				-20	4.0	0.433	0.0007	-2.5 to 2.5	Pass
				-10	4.0	2.292	0.0034	-2.5 to 2.5	Pass
				0	4.0	1.165	0.0018	-2.5 to 2.5	Pass
				10	4.0	-0.735	-0.0011	-2.5 to 2.5	Pass
				30	4.0	-0.673	-0.0010	-2.5 to 2.5	Pass
				40	4.0	0.945	0.0014	-2.5 to 2.5	Pass
				50	4.0	-1.911	-0.0029	-2.5 to 2.5	Pass
	680.5	25	0	20	3.8	0.585	0.0009	-2.5 to 2.5	Pass
					4.0	1.832	0.0027	-2.5 to 2.5	Pass
					4.2	0.847	0.0012	-2.5 to 2.5	Pass
				-30	4.0	0.855	0.0013	-2.5 to 2.5	Pass
				-20	4.0	1.151	0.0017	-2.5 to 2.5	Pass
				-10	4.0	-1.108	-0.0016	-2.5 to 2.5	Pass
				0	4.0	0.114	0.0002	-2.5 to 2.5	Pass
				10	4.0	1.117	0.0016	-2.5 to 2.5	Pass
				30	4.0	3.484	0.0051	-2.5 to 2.5	Pass
				40	4.0	2.066	0.0030	-2.5 to 2.5	Pass
				50	4.0	0.741	0.0011	-2.5 to 2.5	Pass
	695.5	25	0	20	3.8	3.011	0.0043	-2.5 to 2.5	Pass
					4.0	1.680	0.0024	-2.5 to 2.5	Pass
					4.2	1.741	0.0025	-2.5 to 2.5	Pass
				-30	4.0	0.257	0.0004	-2.5 to 2.5	Pass
				-20	4.0	1.752	0.0025	-2.5 to 2.5	Pass
				-10	4.0	2.253	0.0032	-2.5 to 2.5	Pass
				0	4.0	0.266	0.0004	-2.5 to 2.5	Pass
				10	4.0	0.393	0.0006	-2.5 to 2.5	Pass
				30	4.0	0.996	0.0014	-2.5 to 2.5	Pass
				40	4.0	1.609	0.0023	-2.5 to 2.5	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page: 4 of 220

				50	4.0	0.761	0.0011	-2.5 to 2.5	Pass
--	--	--	--	----	-----	-------	--------	-------------	------



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

5 of 220

1.2 B71_10MHz

1.2.1 Test Result

Band: 71 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	668	50	0	20	3.8	3.516	0.0053	-2.5 to 2.5	Pass
					4.0	2.027	0.0030	-2.5 to 2.5	Pass
					4.2	3.106	0.0046	-2.5 to 2.5	Pass
				-30	4.0	2.875	0.0043	-2.5 to 2.5	Pass
				-20	4.0	0.978	0.0015	-2.5 to 2.5	Pass
				-10	4.0	1.428	0.0021	-2.5 to 2.5	Pass
				0	4.0	1.043	0.0016	-2.5 to 2.5	Pass
				10	4.0	1.636	0.0024	-2.5 to 2.5	Pass
				30	4.0	3.498	0.0052	-2.5 to 2.5	Pass
				40	4.0	1.488	0.0022	-2.5 to 2.5	Pass
				50	4.0	-0.789	-0.0012	-2.5 to 2.5	Pass
	680.5	50	0	20	3.8	0.027	0.0000	-2.5 to 2.5	Pass
					4.0	0.304	0.0004	-2.5 to 2.5	Pass
					4.2	0.296	0.0004	-2.5 to 2.5	Pass
				-30	4.0	0.919	0.0014	-2.5 to 2.5	Pass
				-20	4.0	0.156	0.0002	-2.5 to 2.5	Pass
				-10	4.0	-0.474	-0.0007	-2.5 to 2.5	Pass
				0	4.0	0.731	0.0011	-2.5 to 2.5	Pass
				10	4.0	2.492	0.0037	-2.5 to 2.5	Pass
				30	4.0	2.659	0.0039	-2.5 to 2.5	Pass
				40	4.0	0.628	0.0009	-2.5 to 2.5	Pass
				50	4.0	1.679	0.0025	-2.5 to 2.5	Pass
	693	50	0	20	3.8	0.957	0.0014	-2.5 to 2.5	Pass
					4.0	0.571	0.0008	-2.5 to 2.5	Pass
					4.2	0.932	0.0013	-2.5 to 2.5	Pass
				-30	4.0	2.590	0.0037	-2.5 to 2.5	Pass
				-20	4.0	1.472	0.0021	-2.5 to 2.5	Pass
				-10	4.0	-0.417	-0.0006	-2.5 to 2.5	Pass
				0	4.0	1.042	0.0015	-2.5 to 2.5	Pass
				10	4.0	1.877	0.0027	-2.5 to 2.5	Pass
				30	4.0	2.564	0.0037	-2.5 to 2.5	Pass
				40	4.0	1.142	0.0016	-2.5 to 2.5	Pass
				50	4.0	1.353	0.0020	-2.5 to 2.5	Pass
16QAM	668	50	0	20	3.8	1.155	0.0017	-2.5 to 2.5	Pass
					4.0	-1.159	-0.0017	-2.5 to 2.5	Pass
					4.2	1.913	0.0029	-2.5 to 2.5	Pass
				-30	4.0	0.633	0.0009	-2.5 to 2.5	Pass
				-20	4.0	-0.107	-0.0002	-2.5 to 2.5	Pass
				-10	4.0	1.341	0.0020	-2.5 to 2.5	Pass
				0	4.0	0.445	0.0007	-2.5 to 2.5	Pass
				10	4.0	1.171	0.0018	-2.5 to 2.5	Pass
				30	4.0	1.307	0.0020	-2.5 to 2.5	Pass
				40	4.0	2.259	0.0034	-2.5 to 2.5	Pass
				50	4.0	-1.092	-0.0016	-2.5 to 2.5	Pass
	680.5	50	0	20	3.8	2.309	0.0034	-2.5 to 2.5	Pass
					4.0	1.742	0.0026	-2.5 to 2.5	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

6 of 220

					4.2	1.791	0.0026	-2.5 to 2.5	Pass
				-30	4.0	1.668	0.0025	-2.5 to 2.5	Pass
				-20	4.0	1.869	0.0027	-2.5 to 2.5	Pass
				-10	4.0	2.632	0.0039	-2.5 to 2.5	Pass
				0	4.0	0.164	0.0002	-2.5 to 2.5	Pass
				10	4.0	0.649	0.0010	-2.5 to 2.5	Pass
				30	4.0	-0.049	-0.0001	-2.5 to 2.5	Pass
				40	4.0	1.653	0.0024	-2.5 to 2.5	Pass
				50	4.0	1.941	0.0029	-2.5 to 2.5	Pass
	693	50	0	20	3.8	0.433	0.0006	-2.5 to 2.5	Pass
					4.0	-0.611	-0.0009	-2.5 to 2.5	Pass
					4.2	0.240	0.0003	-2.5 to 2.5	Pass
				-30	4.0	1.246	0.0018	-2.5 to 2.5	Pass
				-20	4.0	2.284	0.0033	-2.5 to 2.5	Pass
				-10	4.0	1.382	0.0020	-2.5 to 2.5	Pass
				0	4.0	3.340	0.0048	-2.5 to 2.5	Pass
				10	4.0	2.657	0.0038	-2.5 to 2.5	Pass
				30	4.0	1.493	0.0022	-2.5 to 2.5	Pass
				40	4.0	0.502	0.0007	-2.5 to 2.5	Pass
64QAM	668	50	0	20	3.8	-0.969	-0.0015	-2.5 to 2.5	Pass
					4.0	0.865	0.0013	-2.5 to 2.5	Pass
					4.2	0.518	0.0008	-2.5 to 2.5	Pass
				-30	4.0	-1.474	-0.0022	-2.5 to 2.5	Pass
				-20	4.0	-0.502	-0.0008	-2.5 to 2.5	Pass
				-10	4.0	-0.013	0.0000	-2.5 to 2.5	Pass
				0	4.0	-0.389	-0.0006	-2.5 to 2.5	Pass
				10	4.0	-0.157	-0.0002	-2.5 to 2.5	Pass
				30	4.0	1.636	0.0024	-2.5 to 2.5	Pass
				40	4.0	1.646	0.0025	-2.5 to 2.5	Pass
	680.5	50	0	20	3.8	2.227	0.0033	-2.5 to 2.5	Pass
					4.0	2.115	0.0031	-2.5 to 2.5	Pass
					4.2	-0.744	-0.0011	-2.5 to 2.5	Pass
				-30	4.0	0.699	0.0010	-2.5 to 2.5	Pass
				-20	4.0	1.095	0.0016	-2.5 to 2.5	Pass
				-10	4.0	1.693	0.0025	-2.5 to 2.5	Pass
				0	4.0	1.442	0.0021	-2.5 to 2.5	Pass
				10	4.0	1.332	0.0020	-2.5 to 2.5	Pass
				30	4.0	2.217	0.0033	-2.5 to 2.5	Pass
				40	4.0	3.060	0.0045	-2.5 to 2.5	Pass
	693	50	0	20	3.8	0.328	0.0005	-2.5 to 2.5	Pass
					4.0	0.781	0.0011	-2.5 to 2.5	Pass
					4.2	1.034	0.0015	-2.5 to 2.5	Pass
				-30	4.0	1.011	0.0015	-2.5 to 2.5	Pass
				-20	4.0	1.849	0.0027	-2.5 to 2.5	Pass
				-10	4.0	0.535	0.0008	-2.5 to 2.5	Pass
				0	4.0	0.598	0.0009	-2.5 to 2.5	Pass
				10	4.0	-0.147	-0.0002	-2.5 to 2.5	Pass
				30	4.0	-0.168	-0.0002	-2.5 to 2.5	Pass
				40	4.0	0.964	0.0014	-2.5 to 2.5	Pass
				50	4.0	1.532	0.0022	-2.5 to 2.5	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

7 of 220

1.3 B71_15MHz

1.3.1 Test Result

Band: 71 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	670.5	75	0	20	3.8	2.955	0.0044	-2.5 to 2.5	Pass
					4.0	-0.197	-0.0003	-2.5 to 2.5	Pass
					4.2	3.146	0.0047	-2.5 to 2.5	Pass
				-30	4.0	0.592	0.0009	-2.5 to 2.5	Pass
				-20	4.0	0.374	0.0006	-2.5 to 2.5	Pass
				-10	4.0	1.223	0.0018	-2.5 to 2.5	Pass
				0	4.0	2.146	0.0032	-2.5 to 2.5	Pass
				10	4.0	0.323	0.0005	-2.5 to 2.5	Pass
				30	4.0	0.670	0.0010	-2.5 to 2.5	Pass
				40	4.0	0.648	0.0010	-2.5 to 2.5	Pass
				50	4.0	1.427	0.0021	-2.5 to 2.5	Pass
	680.5	75	0	20	3.8	2.331	0.0034	-2.5 to 2.5	Pass
					4.0	1.290	0.0019	-2.5 to 2.5	Pass
					4.2	-1.080	-0.0016	-2.5 to 2.5	Pass
				-30	4.0	1.238	0.0018	-2.5 to 2.5	Pass
				-20	4.0	0.715	0.0011	-2.5 to 2.5	Pass
				-10	4.0	-0.186	-0.0003	-2.5 to 2.5	Pass
				0	4.0	-0.826	-0.0012	-2.5 to 2.5	Pass
				10	4.0	1.307	0.0019	-2.5 to 2.5	Pass
				30	4.0	0.064	0.0001	-2.5 to 2.5	Pass
				40	4.0	0.292	0.0004	-2.5 to 2.5	Pass
				50	4.0	-1.100	-0.0016	-2.5 to 2.5	Pass
	690.5	75	0	20	3.8	0.396	0.0006	-2.5 to 2.5	Pass
					4.0	1.021	0.0015	-2.5 to 2.5	Pass
					4.2	-0.325	-0.0005	-2.5 to 2.5	Pass
				-30	4.0	1.818	0.0026	-2.5 to 2.5	Pass
				-20	4.0	0.356	0.0005	-2.5 to 2.5	Pass
				-10	4.0	1.686	0.0024	-2.5 to 2.5	Pass
				0	4.0	-0.237	-0.0003	-2.5 to 2.5	Pass
				10	4.0	1.194	0.0017	-2.5 to 2.5	Pass
				30	4.0	0.361	0.0005	-2.5 to 2.5	Pass
				40	4.0	1.606	0.0023	-2.5 to 2.5	Pass
				50	4.0	1.121	0.0016	-2.5 to 2.5	Pass
16QAM	670.5	75	0	20	3.8	2.197	0.0033	-2.5 to 2.5	Pass
					4.0	2.590	0.0039	-2.5 to 2.5	Pass
					4.2	-0.274	-0.0004	-2.5 to 2.5	Pass
				-30	4.0	0.831	0.0012	-2.5 to 2.5	Pass
				-20	4.0	2.162	0.0032	-2.5 to 2.5	Pass
				-10	4.0	1.123	0.0017	-2.5 to 2.5	Pass
				0	4.0	0.746	0.0011	-2.5 to 2.5	Pass
				10	4.0	1.864	0.0028	-2.5 to 2.5	Pass
				30	4.0	-1.065	-0.0016	-2.5 to 2.5	Pass
				40	4.0	2.014	0.0030	-2.5 to 2.5	Pass
				50	4.0	0.990	0.0015	-2.5 to 2.5	Pass
	680.5	75	0	20	3.8	2.498	0.0037	-2.5 to 2.5	Pass
					4.0	0.201	0.0003	-2.5 to 2.5	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

8 of 220

					4.2	-1.124	-0.0017	-2.5 to 2.5	Pass
				-30	4.0	0.810	0.0012	-2.5 to 2.5	Pass
				-20	4.0	-1.154	-0.0017	-2.5 to 2.5	Pass
				-10	4.0	0.366	0.0005	-2.5 to 2.5	Pass
				0	4.0	-0.382	-0.0006	-2.5 to 2.5	Pass
				10	4.0	0.723	0.0011	-2.5 to 2.5	Pass
				30	4.0	-1.257	-0.0018	-2.5 to 2.5	Pass
				40	4.0	0.191	0.0003	-2.5 to 2.5	Pass
				50	4.0	0.469	0.0007	-2.5 to 2.5	Pass
	690.5	75	0	20	3.8	2.095	0.0030	-2.5 to 2.5	Pass
					4.0	2.648	0.0038	-2.5 to 2.5	Pass
					4.2	2.563	0.0037	-2.5 to 2.5	Pass
				-30	4.0	-0.736	-0.0011	-2.5 to 2.5	Pass
				-20	4.0	1.478	0.0021	-2.5 to 2.5	Pass
				-10	4.0	1.114	0.0016	-2.5 to 2.5	Pass
				0	4.0	0.162	0.0002	-2.5 to 2.5	Pass
				10	4.0	0.791	0.0011	-2.5 to 2.5	Pass
				30	4.0	0.814	0.0012	-2.5 to 2.5	Pass
				40	4.0	0.757	0.0011	-2.5 to 2.5	Pass
				50	4.0	-1.435	-0.0021	-2.5 to 2.5	Pass
64QAM	670.5	75	0	20	3.8	0.680	0.0010	-2.5 to 2.5	Pass
					4.0	1.921	0.0029	-2.5 to 2.5	Pass
					4.2	1.423	0.0021	-2.5 to 2.5	Pass
				-30	4.0	2.456	0.0037	-2.5 to 2.5	Pass
				-20	4.0	1.493	0.0022	-2.5 to 2.5	Pass
				-10	4.0	0.877	0.0013	-2.5 to 2.5	Pass
				0	4.0	0.763	0.0011	-2.5 to 2.5	Pass
				10	4.0	0.212	0.0003	-2.5 to 2.5	Pass
				30	4.0	0.661	0.0010	-2.5 to 2.5	Pass
				40	4.0	2.780	0.0041	-2.5 to 2.5	Pass
				50	4.0	1.477	0.0022	-2.5 to 2.5	Pass
	680.5	75	0	20	3.8	-0.769	-0.0011	-2.5 to 2.5	Pass
					4.0	-0.082	-0.0001	-2.5 to 2.5	Pass
					4.2	-1.624	-0.0024	-2.5 to 2.5	Pass
				-30	4.0	-0.130	-0.0002	-2.5 to 2.5	Pass
				-20	4.0	-1.249	-0.0018	-2.5 to 2.5	Pass
				-10	4.0	-0.756	-0.0011	-2.5 to 2.5	Pass
				0	4.0	0.416	0.0006	-2.5 to 2.5	Pass
				10	4.0	-0.193	-0.0003	-2.5 to 2.5	Pass
				30	4.0	0.475	0.0007	-2.5 to 2.5	Pass
				40	4.0	1.458	0.0021	-2.5 to 2.5	Pass
				50	4.0	1.839	0.0027	-2.5 to 2.5	Pass
	690.5	75	0	20	3.8	-0.515	-0.0007	-2.5 to 2.5	Pass
					4.0	-0.177	-0.0003	-2.5 to 2.5	Pass
					4.2	0.182	0.0003	-2.5 to 2.5	Pass
				-30	4.0	0.343	0.0005	-2.5 to 2.5	Pass
				-20	4.0	-0.798	-0.0012	-2.5 to 2.5	Pass
				-10	4.0	0.359	0.0005	-2.5 to 2.5	Pass
				0	4.0	0.870	0.0013	-2.5 to 2.5	Pass
				10	4.0	0.169	0.0002	-2.5 to 2.5	Pass
				30	4.0	1.086	0.0016	-2.5 to 2.5	Pass
				40	4.0	0.558	0.0008	-2.5 to 2.5	Pass
				50	4.0	0.912	0.0013	-2.5 to 2.5	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

9 of 220

1.4 B71_20MHz

1.4.1 Test Result

Band: 71 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	673	100	0	20	3.8	1.102	0.0016	-2.5 to 2.5	Pass
					4.0	1.726	0.0026	-2.5 to 2.5	Pass
					4.2	-0.897	-0.0013	-2.5 to 2.5	Pass
				-30	4.0	3.086	0.0046	-2.5 to 2.5	Pass
				-20	4.0	0.351	0.0005	-2.5 to 2.5	Pass
				-10	4.0	2.106	0.0031	-2.5 to 2.5	Pass
				0	4.0	-0.602	-0.0009	-2.5 to 2.5	Pass
				10	4.0	0.730	0.0011	-2.5 to 2.5	Pass
				30	4.0	2.798	0.0042	-2.5 to 2.5	Pass
				40	4.0	2.059	0.0031	-2.5 to 2.5	Pass
				50	4.0	-0.087	-0.0001	-2.5 to 2.5	Pass
	683	100	0	20	3.8	-0.525	-0.0008	-2.5 to 2.5	Pass
					4.0	-0.784	-0.0011	-2.5 to 2.5	Pass
					4.2	-0.548	-0.0008	-2.5 to 2.5	Pass
				-30	4.0	0.316	0.0005	-2.5 to 2.5	Pass
				-20	4.0	-1.703	-0.0025	-2.5 to 2.5	Pass
				-10	4.0	-0.737	-0.0011	-2.5 to 2.5	Pass
				0	4.0	-0.502	-0.0007	-2.5 to 2.5	Pass
				10	4.0	0.510	0.0007	-2.5 to 2.5	Pass
				30	4.0	-0.648	-0.0009	-2.5 to 2.5	Pass
				40	4.0	0.263	0.0004	-2.5 to 2.5	Pass
				50	4.0	0.094	0.0001	-2.5 to 2.5	Pass
	688	100	0	20	3.8	2.149	0.0031	-2.5 to 2.5	Pass
					4.0	0.514	0.0007	-2.5 to 2.5	Pass
					4.2	0.759	0.0011	-2.5 to 2.5	Pass
				-30	4.0	1.346	0.0020	-2.5 to 2.5	Pass
				-20	4.0	1.226	0.0018	-2.5 to 2.5	Pass
				-10	4.0	0.135	0.0002	-2.5 to 2.5	Pass
				0	4.0	-0.966	-0.0014	-2.5 to 2.5	Pass
				10	4.0	-0.113	-0.0002	-2.5 to 2.5	Pass
				30	4.0	-0.513	-0.0007	-2.5 to 2.5	Pass
				40	4.0	0.256	0.0004	-2.5 to 2.5	Pass
				50	4.0	0.747	0.0011	-2.5 to 2.5	Pass
16QAM	673	100	0	20	3.8	2.367	0.0035	-2.5 to 2.5	Pass
					4.0	0.213	0.0003	-2.5 to 2.5	Pass
					4.2	1.902	0.0028	-2.5 to 2.5	Pass
				-30	4.0	1.213	0.0018	-2.5 to 2.5	Pass
				-20	4.0	1.230	0.0018	-2.5 to 2.5	Pass
				-10	4.0	-0.410	-0.0006	-2.5 to 2.5	Pass
				0	4.0	0.659	0.0010	-2.5 to 2.5	Pass
				10	4.0	0.882	0.0013	-2.5 to 2.5	Pass
				30	4.0	-0.245	-0.0004	-2.5 to 2.5	Pass
				40	4.0	1.796	0.0027	-2.5 to 2.5	Pass
				50	4.0	0.678	0.0010	-2.5 to 2.5	Pass
	683	100	0	20	3.8	0.458	0.0007	-2.5 to 2.5	Pass
					4.0	1.836	0.0027	-2.5 to 2.5	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

10 of 220

					4.2	-0.097	-0.0001	-2.5 to 2.5	Pass
				-30	4.0	0.584	0.0009	-2.5 to 2.5	Pass
				-20	4.0	0.331	0.0005	-2.5 to 2.5	Pass
				-10	4.0	-0.567	-0.0008	-2.5 to 2.5	Pass
				0	4.0	-0.013	0.0000	-2.5 to 2.5	Pass
				10	4.0	0.037	0.0001	-2.5 to 2.5	Pass
				30	4.0	-0.139	-0.0002	-2.5 to 2.5	Pass
				40	4.0	1.147	0.0017	-2.5 to 2.5	Pass
				50	4.0	0.416	0.0006	-2.5 to 2.5	Pass
	688	100	0	20	3.8	0.270	0.0004	-2.5 to 2.5	Pass
					4.0	-0.469	-0.0007	-2.5 to 2.5	Pass
					4.2	1.288	0.0019	-2.5 to 2.5	Pass
				-30	4.0	0.031	0.0000	-2.5 to 2.5	Pass
				-20	4.0	0.502	0.0007	-2.5 to 2.5	Pass
				-10	4.0	0.284	0.0004	-2.5 to 2.5	Pass
				0	4.0	0.753	0.0011	-2.5 to 2.5	Pass
				10	4.0	0.361	0.0005	-2.5 to 2.5	Pass
				30	4.0	0.120	0.0002	-2.5 to 2.5	Pass
				40	4.0	1.359	0.0020	-2.5 to 2.5	Pass
64QAM	673	100	0	20	3.8	0.832	0.0012	-2.5 to 2.5	Pass
					4.0	1.020	0.0015	-2.5 to 2.5	Pass
					4.2	0.227	0.0003	-2.5 to 2.5	Pass
				-30	4.0	0.034	0.0001	-2.5 to 2.5	Pass
				-20	4.0	0.974	0.0014	-2.5 to 2.5	Pass
				-10	4.0	1.162	0.0017	-2.5 to 2.5	Pass
				0	4.0	1.280	0.0019	-2.5 to 2.5	Pass
				10	4.0	0.775	0.0012	-2.5 to 2.5	Pass
				30	4.0	0.335	0.0005	-2.5 to 2.5	Pass
				40	4.0	0.373	0.0006	-2.5 to 2.5	Pass
	683	100	0	20	3.8	0.324	0.0005	-2.5 to 2.5	Pass
					4.0	0.775	0.0011	-2.5 to 2.5	Pass
					4.2	0.761	0.0011	-2.5 to 2.5	Pass
				-30	4.0	1.387	0.0020	-2.5 to 2.5	Pass
				-20	4.0	-1.188	-0.0017	-2.5 to 2.5	Pass
				-10	4.0	0.658	0.0010	-2.5 to 2.5	Pass
				0	4.0	-0.455	-0.0007	-2.5 to 2.5	Pass
				10	4.0	1.892	0.0028	-2.5 to 2.5	Pass
				30	4.0	-0.259	-0.0004	-2.5 to 2.5	Pass
				40	4.0	-0.336	-0.0005	-2.5 to 2.5	Pass
	688	100	0	20	3.8	1.278	0.0019	-2.5 to 2.5	Pass
					4.0	0.962	0.0014	-2.5 to 2.5	Pass
					4.2	0.413	0.0006	-2.5 to 2.5	Pass
				-30	4.0	-1.583	-0.0023	-2.5 to 2.5	Pass
				-20	4.0	0.310	0.0005	-2.5 to 2.5	Pass
				-10	4.0	-1.023	-0.0015	-2.5 to 2.5	Pass
				0	4.0	-1.463	-0.0021	-2.5 to 2.5	Pass
				10	4.0	0.600	0.0009	-2.5 to 2.5	Pass
				30	4.0	0.138	0.0002	-2.5 to 2.5	Pass
				40	4.0	0.246	0.0004	-2.5 to 2.5	Pass
				50	4.0	-1.078	-0.0016	-2.5 to 2.5	Pass



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

11 of 220

2. 99% & 26dB Bandwidth


2.1 Band71_OBW

2.1.1 Test Result

Band: 71 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	665.5	25	0	4.540	/	Pass
		680.5	25	0	4.540	/	Pass
		695.5	25	0	4.568	/	Pass
	16QAM	665.5	25	0	4.565	/	Pass
		680.5	25	0	4.544	/	Pass
		695.5	25	0	4.547	/	Pass
	64QAM	665.5	25	0	4.554	/	Pass
		680.5	25	0	4.535	/	Pass
		695.5	25	0	4.547	/	Pass
10	QPSK	668	50	0	9.054	/	Pass
		680.5	50	0	9.038	/	Pass
		693	50	0	9.052	/	Pass
	16QAM	668	50	0	9.055	/	Pass
		680.5	50	0	9.029	/	Pass
		693	50	0	9.049	/	Pass
	64QAM	668	50	0	9.037	/	Pass
		680.5	50	0	9.006	/	Pass
		693	50	0	9.066	/	Pass
15	QPSK	670.5	75	0	13.586	/	Pass
		680.5	75	0	13.542	/	Pass
		690.5	75	0	13.585	/	Pass
	16QAM	670.5	75	0	13.589	/	Pass
		680.5	75	0	13.505	/	Pass
		690.5	75	0	13.603	/	Pass
	64QAM	670.5	75	0	13.552	/	Pass
		680.5	75	0	13.558	/	Pass
		690.5	75	0	13.612	/	Pass
20	QPSK	673	100	0	18.061	/	Pass
		683	100	0	18.065	/	Pass
		688	100	0	18.087	/	Pass
	16QAM	673	100	0	17.990	/	Pass
		683	100	0	18.063	/	Pass
		688	100	0	18.095	/	Pass
	64QAM	673	100	0	17.993	/	Pass
		683	100	0	18.064	/	Pass
		688	100	0	18.094	/	Pass



2.1.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

13 of 220





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

14 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

15 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

16 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

17 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

18 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

19 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

20 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

21 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

22 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

23 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

24 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

25 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

26 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

27 of 220

Band71_10MHz_64QAM_LCH_668MHz_RB_50_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

28 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

29 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

30 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

31 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

32 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

33 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

34 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

35 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

36 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

37 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

38 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

39 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

40 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

41 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

42 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

43 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

44 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

45 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

46 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

47 of 220





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

48 of 220

2.2 Band71_XDB

2.2.1 Test Result

Band: 71 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	665.5	25	0	5.045	/	Pass
		680.5	25	0	5.029	/	Pass
		695.5	25	0	5.053	/	Pass
	16QAM	665.5	25	0	5.059	/	Pass
		680.5	25	0	5.047	/	Pass
		695.5	25	0	5.056	/	Pass
	64QAM	665.5	25	0	5.068	/	Pass
		680.5	25	0	5.047	/	Pass
		695.5	25	0	5.070	/	Pass
10	QPSK	668	50	0	10.026	/	Pass
		680.5	50	0	9.968	/	Pass
		693	50	0	10.004	/	Pass
	16QAM	668	50	0	9.943	/	Pass
		680.5	50	0	9.937	/	Pass
		693	50	0	10.002	/	Pass
	64QAM	668	50	0	9.941	/	Pass
		680.5	50	0	9.949	/	Pass
		693	50	0	9.950	/	Pass
15	QPSK	670.5	75	0	15.000	/	Pass
		680.5	75	0	14.925	/	Pass
		690.5	75	0	15.033	/	Pass
	16QAM	670.5	75	0	14.923	/	Pass
		680.5	75	0	14.828	/	Pass
		690.5	75	0	14.873	/	Pass
	64QAM	670.5	75	0	14.888	/	Pass
		680.5	75	0	14.909	/	Pass
		690.5	75	0	15.051	/	Pass
20	QPSK	673	100	0	19.793	/	Pass
		683	100	0	19.864	/	Pass
		688	100	0	19.953	/	Pass
	16QAM	673	100	0	19.661	/	Pass
		683	100	0	19.710	/	Pass
		688	100	0	19.935	/	Pass
	64QAM	673	100	0	19.788	/	Pass
		683	100	0	19.904	/	Pass
		688	100	0	19.714	/	Pass




SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

49 of 220

2.2.2 Test Graph






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

50 of 220





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

51 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

52 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

53 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

54 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

55 of 220

Band71_5MHz_64QAM_LCH_665.5MHz_RB_25_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

56 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

57 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

58 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

59 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

60 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

61 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

62 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

63 of 220

Band71_10MHz_16QAM_HCH_693MHz_RB_50_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

64 of 220

Band71_10MHz_64QAM_LCH_668MHz_RB_50_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

65 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

66 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

67 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

68 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

69 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

70 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

71 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

72 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

73 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

74 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

75 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

76 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

77 of 220

Band71_20MHz_QPSK_MCH_683MHz_RB_100_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

78 of 220

Band71_20MHz_QPSK_HCH_688MHz_RB_100_0_NTNV






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

79 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

80 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

81 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

82 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

83 of 220






SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

84 of 220





SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

SUWI-TRF-RF A001

Page:

85 of 220

3. Peak-Average Ratio

3.1 B71_5MHz

3.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	25	0	5.24	<=13	Pass
	680.5	25	0	5.33	<=13	Pass
	695.5	25	0	5.37	<=13	Pass
16QAM	665.5	25	0	5.99	<=13	Pass
	680.5	25	0	6.06	<=13	Pass
	695.5	25	0	6.06	<=13	Pass
64QAM	665.5	25	0	6.59	<=13	Pass
	680.5	25	0	6.63	<=13	Pass
	695.5	25	0	6.60	<=13	Pass