







Mode	9																																																																																																															
	SHF																																																																																																															
	U-NII-3_5725~5850_802.11a_CH149_5745MHz																																																																																																															
ANT	SISO																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak	 Site : 03CH11-HY Condition: PEAK(UNII) 1m SHF_00993_231124 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 38881.31</td><td>58.18</td><td>74.00</td><td>-15.82</td><td>39.13</td><td>43.47</td><td>36.36</td><td>51.24</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 38881.31</td><td>48.55</td><td>54.00</td><td>-5.45</td><td>29.50</td><td>43.47</td><td>36.36</td><td>51.24</td><td>-9.54</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 38881.31	58.18	74.00	-15.82	39.13	43.47	36.36	51.24	-9.54	--	--	PEAK	2 38881.31	48.55	54.00	-5.45	29.50	43.47	36.36	51.24	-9.54	--	--	AVERAGE	 Site : 03CH11-HY Condition: PEAK(UNII) 1m SHF_00993_231124 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 39839.78</td><td>59.84</td><td>74.00</td><td>-14.16</td><td>38.84</td><td>44.70</td><td>35.62</td><td>49.78</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 39839.78</td><td>49.54</td><td>54.00</td><td>-4.46</td><td>28.54</td><td>44.70</td><td>35.62</td><td>49.78</td><td>-9.54</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 39839.78	59.84	74.00	-14.16	38.84	44.70	35.62	49.78	-9.54	--	--	PEAK	2 39839.78	49.54	54.00	-4.46	28.54	44.70	35.62	49.78	-9.54	--	--	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 38881.31	58.18	74.00	-15.82	39.13	43.47	36.36	51.24	-9.54	--	--	PEAK																																																																																																					
2 38881.31	48.55	54.00	-5.45	29.50	43.47	36.36	51.24	-9.54	--	--	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1 39839.78	59.84	74.00	-14.16	38.84	44.70	35.62	49.78	-9.54	--	--	PEAK																																																																																																					
2 39839.78	49.54	54.00	-4.46	28.54	44.70	35.62	49.78	-9.54	--	--	AVERAGE																																																																																																					
38.6G ~40G Avg	 Site : 03CH11-HY Condition: AVG_54 1m SHF_00993_231124 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 1m SHF_00993_231124 VERTICAL																																																																																																														



Mode	10																																																																																																																																																																																					
	LF																																																																																																																																																																																					
	U-NII-3_5725~5850_802.11a_CH149_5745MHz																																																																																																																																																																																					
ANT	SISO																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
QP/ Peak	Site : 03CH11-HY Condition: QP 3m Bilog_35414_241005 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.00</td><td>21.42</td><td>40.00</td><td>-18.58</td><td>28.96</td><td>24.34</td><td>0.50</td><td>32.46</td><td>0.08 -- -- Peak</td></tr><tr><td>2</td><td>210.42</td><td>21.88</td><td>43.50</td><td>-21.62</td><td>37.51</td><td>14.83</td><td>1.73</td><td>32.32</td><td>0.13 -- -- Peak</td></tr><tr><td>3</td><td>264.74</td><td>20.65</td><td>46.00</td><td>-25.35</td><td>31.00</td><td>19.57</td><td>1.99</td><td>32.05</td><td>0.14 -- -- Peak</td></tr><tr><td>4</td><td>465.53</td><td>22.81</td><td>46.00</td><td>-23.19</td><td>28.77</td><td>23.23</td><td>2.75</td><td>32.05</td><td>0.11 -- -- Peak</td></tr><tr><td>5</td><td>749.74</td><td>29.36</td><td>46.00</td><td>-16.64</td><td>28.69</td><td>28.43</td><td>3.57</td><td>31.53</td><td>0.20 -- -- Peak</td></tr><tr><td>6</td><td>949.56</td><td>32.49</td><td>46.00</td><td>-13.51</td><td>28.30</td><td>30.91</td><td>4.07</td><td>31.00</td><td>0.21 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.00	21.42	40.00	-18.58	28.96	24.34	0.50	32.46	0.08 -- -- Peak	2	210.42	21.88	43.50	-21.62	37.51	14.83	1.73	32.32	0.13 -- -- Peak	3	264.74	20.65	46.00	-25.35	31.00	19.57	1.99	32.05	0.14 -- -- Peak	4	465.53	22.81	46.00	-23.19	28.77	23.23	2.75	32.05	0.11 -- -- Peak	5	749.74	29.36	46.00	-16.64	28.69	28.43	3.57	31.53	0.20 -- -- Peak	6	949.56	32.49	46.00	-13.51	28.30	30.91	4.07	31.00	0.21 -- -- Peak	Site : 03CH11-HY Condition: QP 3m Bilog_35414_241005 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>80.44</td><td>26.11</td><td>40.00</td><td>-13.89</td><td>44.11</td><td>13.36</td><td>0.91</td><td>32.32</td><td>0.05 -- -- Peak</td></tr><tr><td>2</td><td>96.93</td><td>36.35</td><td>43.50</td><td>-7.15</td><td>51.99</td><td>15.64</td><td>1.07</td><td>32.39</td><td>0.04 -- -- Peak</td></tr><tr><td>3</td><td>260.86</td><td>19.13</td><td>46.00</td><td>-26.87</td><td>29.34</td><td>19.74</td><td>1.98</td><td>32.08</td><td>0.15 -- -- Peak</td></tr><tr><td>4</td><td>474.26</td><td>24.27</td><td>46.00</td><td>-21.73</td><td>30.23</td><td>23.31</td><td>2.78</td><td>32.16</td><td>0.11 -- -- Peak</td></tr><tr><td>5</td><td>754.59</td><td>30.04</td><td>46.00</td><td>-15.96</td><td>29.34</td><td>28.45</td><td>3.58</td><td>31.53</td><td>0.20 -- -- Peak</td></tr><tr><td>6</td><td>948.59</td><td>33.12</td><td>46.00</td><td>-12.88</td><td>29.00</td><td>30.85</td><td>4.07</td><td>31.01</td><td>0.21 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	80.44	26.11	40.00	-13.89	44.11	13.36	0.91	32.32	0.05 -- -- Peak	2	96.93	36.35	43.50	-7.15	51.99	15.64	1.07	32.39	0.04 -- -- Peak	3	260.86	19.13	46.00	-26.87	29.34	19.74	1.98	32.08	0.15 -- -- Peak	4	474.26	24.27	46.00	-21.73	30.23	23.31	2.78	32.16	0.11 -- -- Peak	5	754.59	30.04	46.00	-15.96	29.34	28.45	3.58	31.53	0.20 -- -- Peak	6	948.59	33.12	46.00	-12.88	29.00	30.85	4.07	31.01	0.21 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	30.00	21.42	40.00	-18.58	28.96	24.34	0.50	32.46	0.08 -- -- Peak																																																																																																																																																																													
2	210.42	21.88	43.50	-21.62	37.51	14.83	1.73	32.32	0.13 -- -- Peak																																																																																																																																																																													
3	264.74	20.65	46.00	-25.35	31.00	19.57	1.99	32.05	0.14 -- -- Peak																																																																																																																																																																													
4	465.53	22.81	46.00	-23.19	28.77	23.23	2.75	32.05	0.11 -- -- Peak																																																																																																																																																																													
5	749.74	29.36	46.00	-16.64	28.69	28.43	3.57	31.53	0.20 -- -- Peak																																																																																																																																																																													
6	949.56	32.49	46.00	-13.51	28.30	30.91	4.07	31.00	0.21 -- -- Peak																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	80.44	26.11	40.00	-13.89	44.11	13.36	0.91	32.32	0.05 -- -- Peak																																																																																																																																																																													
2	96.93	36.35	43.50	-7.15	51.99	15.64	1.07	32.39	0.04 -- -- Peak																																																																																																																																																																													
3	260.86	19.13	46.00	-26.87	29.34	19.74	1.98	32.08	0.15 -- -- Peak																																																																																																																																																																													
4	474.26	24.27	46.00	-21.73	30.23	23.31	2.78	32.16	0.11 -- -- Peak																																																																																																																																																																													
5	754.59	30.04	46.00	-15.96	29.34	28.45	3.58	31.53	0.20 -- -- Peak																																																																																																																																																																													
6	948.59	33.12	46.00	-12.88	29.00	30.85	4.07	31.01	0.21 -- -- Peak																																																																																																																																																																													



Appendix C. Duty Cycle Plots

Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
802.11a	98.57	-	-	10Hz
5GHz 802.11n HT20	98.36	-	-	10Hz
5GHz 802.11n HT40	96.72	944	1.059	1.1kHz

