


2		1	
REVISIONS			
ZONE	LTR	DESCRIPTION	DATE
			APPR.

NOTES: UNLESS OTHERWISE SPECIFIED:
1. RESISTANCE VALUES ARE IN OHMS.


HIGHEST REFERENCE DESIGNATION
ANT2 C155 D4 FL4 J1 L20 P1 R70 T1 TP20 U15
REFERENCE DESIGNATIONS NOT USED
C00 C08 C91 C111-113 C117 C119-122 C124 C127 C131-150 D1-3 FL1-3 L7-8 L11-15 L19 R56 R58-64 R66-67 R70 R72 R75-77
REFERENCE DESIGNATIONS NOT POPULATED
C11-12 C20 C32 C43 C55 C58 C95-96 C102 C152 L4 R2 R6 R13-14 R21 R29 R34 R36-40 R55 R73-74 R78 U3 U9

	REF DES	NVRAM		
		VALUE	ISL37101P-20 (PARALLEL FLASH)	ISL37101P-10 (SERIAL EEPROM)
MD6	R73	10K	NO POP	POP
MD7	R37	10K	NO POP	NO POP
MD8	R18	10K	POP	NO POP
MD9	R74	10K	NO POP	POP
MD10	R78	10K	NO POP	POP
MD11	R17	10K	POP	NO POP
MD12	R38	10K	NO POP	NO POP
MD13	R39	10K	NO POP	NO POP
MD14	R40	10K	NO POP	NO POP
MD15	R55	10K	NO POP	NO POP
	U2	AM29LV010B	POP	NO POP
	U9	24LC08B/ST	NO POP	POP
	C1	0.1UF	POP	NO POP
	C12	0.1UF	NO POP	POP
	R2	1K	NO POP	POP

ACTIONTEC	
TITLE: 802C13	REV: 1B1
ENGINEER: 1	DATE: 1
DRAWN BY: 1	SHEET: 1 OF 3



REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPR.



ACTIONTEC	
TITLE: 802CI3	REV: 1B
ENGINEER:	DATE:
DRAWN BY:	SHEET: 3 OF 3