

1. Technical Specifications

Interface Ports

	R3010UW
Internet (WAN)	1x 10Base-T Ethernet port
Network (LAN)	- 1x 10/100 Base-T Ethernet port - 1x USB port - Integrated 802.11b wireless networking
PC Card	1x PCMCIA expansion slot for additional home networking applications

Standards Compliance

RFC 2516

IEEE 802.3 10 BASE-T Ethernet

IEEE 802.3u 100 BASE-Tx Fast Ethernet

USB 1.1/1.0

IEEE 802.11b

Protocols Supported

RFC 2516 (PPPoE)

TCP

IP, UDP

NAT, PAT

DHCP (client, server)

DNS (client)

TFTP (client, server)

FTP, Telnet, HTTP

SMTP, POP3

VPN Support

L2TP, PPTP (all pass-through)

Security

IP Masquerading (NAT)

Web site blocking

Web service blocking

Internet activity logging

Setup and Management

Web based

Maximum Computer Users Supported

253

Minimum System Requirements

Microsoft Windows 98 / 98SE / ME / 2000 / XP

TCP/IP network protocol installed

Internet Explorer 4.0 (or newer) or Netscape 4.0 (or newer)

Package Contents

Actiontec Cable/DSL Router

Power supply

Quick start guide and user manual

Ethernet network cable (RJ 45)

USB cable

Installation CD

RENO_JR R3010UW SPECIFICATION

R3010UW is based on Virata Network processor, Realtek Ethernet PHY and Intersil 802.11b technology.

R3010UW has one Ethernet port connected to WAN, one Ethernet LAN port, build in 802.11b wireless LAN port and one USB slave port, also has one PCMCIA slot for custom flexible configuration.