

Company: Actiontec Electronics Inc.

Test of: T3200M

To: FCC CFR 47 Part 15.247 (DTS) & IC RSS-247

Report No.: ATEC14-U5\_Master Rev A

**TEST REPORT**



**TEST REPORT**  
FROM  
**MiCOM Labs**  
*opening wireless markets*

Test of: T3200M

to

To: FCC CFR 47 Part 15.247 (DTS) & IC RSS-247

Test Report Serial No.: ATEC14-U5\_Master Rev A

As a result of the 6 Mbyte FCC file size limitation potentially large test reports require to be split into smaller components. This document is the Master document controlling Addendum reports as listed below. This Master document combined with the Addendums demonstrate compliance to the standard.

<b>Master Document Number</b>	<b>Addendum Reports</b>
ATEC14-U5_Master Rev A	ATEC14-U5_Conducted
	ATEC14-U5_Radiated
	ATEC14-U2 (FCC Part 15B & ICES_003)

This report supersedes: NONE

Applicant: Actiontec Electronics Inc.  
760 N Mary Avenue  
Sunnyvale, California 94085  
USA

Product Function: Wireless 802.11ac Bonded VDSL2  
Modem Gateway with MoCA 2.0

Issue Date: 1st April 2016

**This Test Report is Issued Under the Authority of:**

**MiCOM Labs, Inc.**  
575 Boulder Court  
Pleasanton California 94566  
USA  
Phone: +1 (925) 462-0304  
Fax: +1 (925) 462-0306  
[www.micomlabs.com](http://www.micomlabs.com)



TESTING CERT #2381.01

MiCOM Labs is an ISO 17025 Accredited Testing Laboratory

## Table of Contents

1. ACCREDITATION, LISTINGS & RECOGNITION .....	4
1.1. Testing Accreditation .....	4
1.2. Recognition.....	5
1.3. Product Certification .....	6
2. DOCUMENT HISTORY .....	7
3. TEST RESULT CERTIFICATE .....	8
4. REFERENCES AND MEASUREMENT UNCERTAINTY .....	9
4.1. Normative References.....	9
4.2. Test and Uncertainty Procedure.....	10
5. PRODUCT DETAILS AND TEST CONFIGURATIONS.....	11
5.1. Technical Details .....	11
5.2. Scope Of Test Program.....	12
5.3. Equipment Model(s) and Serial Number(s).....	13
5.4. Antenna Details .....	13
5.5. Cabling and I/O Ports .....	13
5.6. Test Configurations .....	14
5.7. Equipment Modifications .....	14
5.8. Deviations from the Test Standard.....	14
6. TEST SUMMARY.....	15
7. TEST EQUIPMENT CONFIGURATION(S) .....	16
7.1. Conducted .....	16
7.2. Radiated Spurious Emission Test Set-up > 1 GHz .....	18
7.3. ac Wireline Emission Test Set-up .....	21
8. MEASUREMENT AND PRESENTATION OF TEST DATA .....	22
9. .....	22

---

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.

## **1. ACCREDITATION, LISTINGS & RECOGNITION**

### **1.1. Testing Accreditation**

MiCOM Labs, Inc. is an accredited Electrical testing laboratory per the international standard ISO/IEC 17025:2005. The company is accredited by the American Association for Laboratory Accreditation (A2LA) [www.a2la.org](http://www.a2la.org) test laboratory number 2381.01. MiCOM Labs test schedule is available at the following URL; <http://www.a2la.org/scopepdf/2381-01.pdf>



---

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.



**Title:** Actiontec Electronics Inc. T3200M  
**To:** FCC CFR 47 Part 15.247 (DTS) & IC RSS-247  
**Serial #:** ATEC14-U5\_Master Rev A  
**Issue Date:** 1<sup>st</sup> April 2016  
**Page:** 5 of 23

## 1.2. Recognition

MiCOM Labs, Inc has widely recognized wireless testing capabilities. Our international recognition includes Conformity Assessment Body designation by APEC MRA countries. MiCOM Labs test reports are accepted globally.

Country	Recognition Body	Status	Phase	Identification No.
USA	Federal Communications Commission (FCC)	TCB	-	US0159 Listing #: 102167
Canada	Industry Canada (IC)	FCB	APEC MRA 2	US0159 Listing #: 4143A-2 4143A-3
Japan	MIC (Ministry of Internal Affairs and Communication)	CAB	APEC MRA 2	RCB 210
	VCCI	--	--	A-0012
Europe	European Commission	NB	EU MRA	NB 2280
Australia	Australian Communications and Media Authority (ACMA)	CAB	APEC MRA 1	US0159
Hong Kong	Office of the Telecommunication Authority (OFTA)	CAB	APEC MRA 1	
Korea	Ministry of Information and Communication Radio Research Laboratory (RRL)	CAB	APEC MRA 1	
Singapore	Infocomm Development Authority (IDA)	CAB	APEC MRA 1	
Taiwan	National Communications Commission (NCC) Bureau of Standards, Metrology and Inspection (BSMI)	CAB	APEC MRA 1	
Vietnam	Ministry of Communication (MIC)	CAB	APEC MRA 1	

EU MRA – European Union Mutual Recognition Agreement.

NB – Notified Body

APEC MRA – Asia Pacific Economic Community Mutual Recognition Agreement. Recognition agreement under which test lab is accredited to regulatory standards of the APEC member countries.

Phase I - recognition for product testing

Phase II – recognition for both product testing and certification

---

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.

### **1.3. Product Certification**

MiCOM Labs, Inc. is an accredited Product Certification Body per the international standard ISO/IEC 17065:2012. The company is accredited by the American Association for Laboratory Accreditation (A2LA) [www.a2la.org](http://www.a2la.org) test laboratory number 2381.02. MiCOM Labs test schedule is available at the following URL; <http://www.a2la.org/scopepdf/2381-02.pdf>



### **Accredited Product Certification Body**

A2LA has accredited

**MICOM LABS**

Pleasanton, CA

This product certification body is accredited in accordance with the recognized International Standard ISO/IEC 17065:2012 Requirements for bodies certifying products, processes and services. This accreditation demonstrates technical competence for a defined scope and the operation of a management system.

Presented this 4<sup>th</sup> day of February 2016.



Senior Director of Quality & Communications  
For the Accreditation Council  
Certificate Number 2381.02  
Valid to November 30, 2017



*For the product certification schemes to which this accreditation applies, please refer to the organization's Product Certification Scope of Accreditation.*

United States of America – Telecommunication Certification Body (TCB)

Industry Canada – Certification Body, CAB Identifier – US0159

Europe – Notified Body (NB), NB Identifier – 2280

Japan – Recognized Certification Body (RCB), RCB Identifier - 210

---

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.



**Title:** Actiontec Electronics Inc. T3200M  
**To:** FCC CFR 47 Part 15.247 (DTS) & IC RSS-247  
**Serial #:** ATEC14-U5\_Master Rev A  
**Issue Date:** 1<sup>st</sup> April 2016  
**Page:** 7 of 23

## 2. DOCUMENT HISTORY

Document History		
Revision	Date	Comments
Draft	22 <sup>nd</sup> March 2016	
Rev A	1st April 2016	Initial release.

Released Document History			
Master Revision	Addendum Revision	Date	Comments
Rev A	Rev A Conducted	1st April 2016	Initial release.
	Rev A Radiated	1st April 2016	Initial release.
	Rev A FCC Part 15B & ICES-003	1st April 2016	Initial release.

In the above table the latest report revision will replace all earlier versions.

---

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.



**Title:** Actiontec Electronics Inc. T3200M  
**To:** FCC CFR 47 Part 15.247 (DTS) & IC RSS-247  
**Serial #:** ATEC14-U5\_Master Rev A  
**Issue Date:** 1<sup>st</sup> April 2016  
**Page:** 8 of 23

### 3. TEST RESULT CERTIFICATE

**Manufacturer:** Actiontec Electronics Inc.  
760 N Mary Avenue  
Sunnyvale  
California 94085 USA

**Model:** T3200M  
**Type Of Equipment:** 802.11 ab/g/n/ac

**S/N's:** GTBA6040400218  
GTBA6040400221

**Test Date(s):** 29th Feb. – 8th March 2016

**Tested By:** MiCOM Labs, Inc.  
575 Boulder Court  
Pleasanton  
California 94566 USA

**Telephone:** +1 925 462 0304  
**Fax:** +1 925 462 0306

**Website:** [www.micomlabs.com](http://www.micomlabs.com)

#### STANDARD(S)

FCC CFR 47 Part 15.247 (DTS) & IC Rss-247

#### TEST RESULTS

EQUIPMENT COMPLIES


MiCOM Labs, Inc. tested the equipment mentioned in accordance with the requirements set forth in the above standards. Test results indicate that the equipment tested is capable of demonstrating compliance with the requirements as documented within this report.

#### Notes:

1. This document reports conditions under which testing was conducted and the results of testing performed.
2. Details of test methods used have been recorded and kept on file by the laboratory.
3. Test results apply only to the item(s) tested.

**Approved & Released for MiCOM Labs, Inc. by:**

  
Graeme Grieve  
Quality Manager MiCOM Labs, Inc.

  
Gordon Hurst  
President & CEO MiCOM Labs, Inc.



TESTING CERT #2381.01

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.

## 4. REFERENCES AND MEASUREMENT UNCERTAINTY

### 4.1. Normative References

REF.	PUBLICATION	YEAR	TITLE
I	KDB 662911	Oct 31 2013	Guidance for measurement of output emission of devices that employ single transmitter with multiple outputs or systems with multiple transmitters operating simultaneously in the same frequency band
II	KDB 558074 D01 v03r03	9th June 2015	Guidance for performing compliance measurements on Digital Transmission Systems (DTS) operating under section 15.247.
III	A2LA	June 2015	R105 - Requirement's When Making Reference to A2LA Accreditation Status
IV	ANSI C63.10	2013	American National Standard for Testing Unlicensed Wireless Devices
V	ANSI C63.4	2014	American National Standards for Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz
VI	CISPR 22	2008	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement
VII	ETSI TR 100 028	2001-12	Parts 1 and 2 Electromagnetic compatibility and Radio Spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics
VIII	FCC 47 CFR Part 15.247	2014	Radio Frequency Devices; Subpart C – Intentional Radiators
IX	ICES-003	Issue 5 2012	Spectrum Management and Telecommunications; Interference-Causing Equipment Standard. Information Technology Equipment (ITE) – Limits and methods of measurement.
X	M 3003	Edition 3 Nov. 2012	Expression of Uncertainty and Confidence in Measurements
XI	RSS-247 Issue 1	May 2015	Digital Transmission Systems (DTSs), Frequency Hopping System (FHSs) and Licence-Exempt Local Area Network (LE-LEN) Devices
XII	RSS-Gen Issue 4	November 2014	General Requirements and Information for the Certification of Radiocommunication Equipment
XIII	KDB 644545 D03 v01	August 14th 2014	Guidance for IEEE 802.11ac New Rules
XIV	FCC 47 CFR Part 2.1033	2014	FCC requirements and rules regarding photographs and test setup diagrams.

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.

#### **4.2. Test and Uncertainty Procedure**

Conducted and radiated emission measurements were conducted in accordance with American National Standards Institute ANSI C63.4, listed in the Normative References section of this report.

Measurement uncertainty figures are calculated in accordance with ETSI TR 100 028 Parts 1 and 2.

Measurement uncertainties stated are based on a standard uncertainty multiplied by a coverage factor  $k = 2$ , providing a level of confidence of approximately 95 % in accordance with UKAS document M 3003 listed in the Normative References section of this report.

## 5. PRODUCT DETAILS AND TEST CONFIGURATIONS

### 5.1. Technical Details

Details	Description
Purpose:	Test of the Actiontec Electronics Inc. T3200M to FCC CFR 47 Part 15.247 (DTS) and IC RSS-247. Radio Frequency Devices; Subpart C – Intentional Radiators
Applicant:	Actiontec Electronics Inc. 760 N Mary Avenue, Sunnyvale California 94085 USA
Manufacturer:	As Applicant
Laboratory performing the tests:	MiCOM Labs, Inc. 575 Boulder Court, Pleasanton California 94566 USA
Test report reference number:	ATEC14-U3 Rev A
Date EUT received:	29 February 2016
Standard(s) applied:	FCC CFR 47 Part 15.247 (DTS) & IC RSS-247
Dates of test (from - to):	29th Feb. – 8th March 2016
No of Units Tested:	2
Type of Equipment:	802.11 a/b/g/n/ac
Product Family Name:	Actiontec
Model(s):	T3200M
Location for use:	Indoor
Declared Frequency Range(s):	2400 - 2483.5 MHz;
Primary function of equipment:	Wireless 802.11ac Bonded VDSL2 Modem Gateway with MoCA 2.0
Secondary function of equipment:	Residential Gateway
Type of Modulation:	OFDM
EUT Modes of Operation:	802.11b; 802.11g; 802.11n HT-20; 802.11n HT-40;
Declared Nominal Output Power (Ave):	2400 – 2483.5 MHz: +29 dBm;
Transmit/Receive Operation:	Transceiver - Half Duplex
Rated Input Voltage and Current:	AC/ DC adaptor (adaptor sold with unit) 12Vdc
Operating Temperature Range:	Declared Range 0°C to 45°C
ITU Emission Designator:	802.11b: 12M2D1D 802.11g: 16M6D1D 802.11n HT-20: 17M9D1D 802.11n HT-40: 36M4D1D
Equipment Dimensions:	57.2mm x 184.2mm x 241.3mm / 2.3" x 7.3" x 9.5" (W x D x H)
Weight:	0.95 pounds
Hardware Rev:	AM1
Software Rev:	31.164L.02update7HW

---

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.

## 5.2. Scope Of Test Program


### Actiontec Electronics Inc. T3200M

The scope of the test program was to test the Actiontec Electronics Inc T3200M, Wireless 802.11ac Bonded VDSL2 Modem Gateway with MoCA 2.0 configurations in the frequency ranges 2400 to 2483.5 MHz; for compliance against the following specification:

#### FCC CFR 47 Part 15 Subpart C 15.247 (DTS)

Radio Frequency Devices; Subpart C – Intentional Radiators

#### Actiontec Electronics Inc. T3200M



#### The following Product Information was submitted by ActionTec Electronics

The 2.4GHz radios use the BCM43602 RFIC which is pin compatibles with the BCM4360 2.4 GHz RFIC. The only difference is an additional offload core to provide more processing on the RFIC and relieve the host SoC of some processing. The RF sections are identical. Actiontec seems the BCM43602 as the worst case and reserves the option to downgrade to the BCM4360 for customers that do not require the BCM43602 under the same FCC or IC ID.

---

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.



**Title:** Actiontec Electronics Inc. T3200M  
**To:** FCC CFR 47 Part 15.247 (DTS) & IC RSS-247  
**Serial #:** ATEC14-U5\_Master Rev A  
**Issue Date:** 1<sup>st</sup> April 2016  
**Page:** 13 of 23

### **5.3. Equipment Model(s) and Serial Number(s)**

Type	Description	Manufacturer	Model	Serial no.	Delivery Date
EUT	Wireless 802.11ac Bonded VDSL2 Modem Gateway with MoCA 2.0	T3200M	T3200M	GTBA6040400218	29 Feb 2016
EUT	Wireless 802.11ac Bonded VDSL2 Modem Gateway with MoCA 2.0	T3200M	T3200M	GTBA6040400221	29 Feb 2016

### **5.4. Antenna Details**

Type	Manufacturer	Model	Family	Gain (dBi)	BF Gain	Dir BW	X-Pol	Frequency Band (MHz)
integral	Galtronics	Custom PCB SMT	Dipole	3.0	-	360	-	2400 - 2483.5
BF Gain - Beamforming Gain								
Dir BW - Directional BeamWidth								
X-Pol - Cross Polarization								

### **5.5. Cabling and I/O Ports**

Port Type	Max Cable Length	# Of Ports	Screened	Conn Type	Data Type
Ethernet	100 (4xLAN)	4	N	RJ-45	Packet Data
Ethernet	100 (4xWLAN)	4	N	RJ-45	Packet Data
USB	15m (USB 3.0)	1	Y	USB	Digital

---

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.

## 5.6. Test Configurations

Results for the following configurations are provided in this report:

Operational Mode(s) (802.11a/b/g/n/ac)	Data Rate with Highest Power MBit/s	Channel Frequency (MHz)		
		Low	Mid	High
<b>2400 - 2483.5 MHz</b>				
802.11b	1.00	2412.00	2437.00	2462.00
802.11g	6.00	2412.00	2437.00	2462.00
802.11n HT-20	6.50	2412.00	2437.00	2462.00
802.11n HT-40	13.50	2422.00	2437.00	2452.00

## 5.7. Equipment Modifications

The following modifications were required to bring the equipment into compliance:

1. NONE

## 5.8. Deviations from the Test Standard

The following deviations from the test standard were required in order to complete the test program:

1. NONE

## **6. TEST SUMMARY**

### List of Measurements

Test Header	Result
Conducted Results	See report ATEC14-U5_Conducted
15.247(a)(2) 6 dB & 99% Bandwidth	Complies
15.247(b), 15.31(e) Conducted Output Power	Complies
15.247(d) Emissions	Complies
(1) Conducted Emissions	Complies
(i) Conducted Spurious Emissions	Complies
(ii) Conducted Band-Edge Emissions	Complies
15.247(e) Power Spectral Density	Complies
Radiated Emissions	See report ATEC14-U5_Radiated
(i) 15.205 Restricted Band Emissions	Complies
(ii) 15.205 Restricted Band-Edge Emissions	Complies
Digital Emissions	See Report ATEC-U2 Part 15B & ICES-003
15.209 Digital Emissions	Complies
AC Wireline Emissions	See Report ATEC-U2 Part 15B & ICES-003
15.207 AC Wireline Emissions	Complies


## **7. TEST EQUIPMENT CONFIGURATION(S)**

### **7.1. Conducted**

Conducted RF Emission Test Set-up(s)

The following tests were performed using the conducted test set-up shown in the diagram below.

1. 6 dB & 99% Bandwidth
2. Average Output Power
3. Power Spectral Density- Average
4. Conducted Low Band-Edge Emission - Average
5. Conducted Spurious Emissions - Average
6. Conducted High Band-Edge Emission - Average



A full system calibration was performed on the test station and any resulting system losses (or gains) were taken into account in the production of all final measurement data.



**Title:** Actiontec Electronics Inc. T3200M  
**To:** FCC CFR 47 Part 15.247 (DTS) & IC RSS-247  
**Serial #:** ATEC14-U5\_Master Rev A  
**Issue Date:** 1<sup>st</sup> April 2016  
**Page:** 17 of 23

Asset#	Description	Manufacturer	Model#	Serial#	Calibration Due Date
127	Power Supply	HP	6674A	US36370530	Cal when used
158	Barometer/Thermometer	Control Company	4196	E2846	01 Dec 2016
248	Resistance Thermometer	Thermotronics	GR2105-02	9340 #1	21 Oct 2016
287	Rohde & Schwarz 40 GHz Receiver	Rhode & Schwarz	ESIB40	100201	27 Aug 2016
376	USB 10MHz - 18GHz Average Power Sensor	Agilent	U2000A	MY51440005	23 Oct 2016
378	Rohde & Schwarz 40 GHz Receiver with Generator	Rhode & Schwarz	ESIB40	100107/040	04 Aug 2016
381	4x4 RF Switch Box	MiCOM Labs	MiTest RF Switch Box	MIC002	18 Jun 2016
419	Laptop with Labview Software	Lenova	W520	TS02	Not Required
420	USB to GPIB Interface	National Instruments	GPIB-USB HS	1346738	Not Required
435	USB Wideband Power Sensor	Boonton	55006	8730	31 Jul 2016
440	USB Wideband Power Sensor	Boonton	55006	9178	25 Sep 2016
441	USB Wideband Power Sensor	Boonton	55006	9179	25 Sep 2016
442	USB Wideband Power Sensor	Boonton	55006	9181	25 Sep 2016
445	PoE Injector	D-Link	DPE-101GL	QTAH1E2000625	Not Required
460	Dell Computer	Dell	Optiplex330	BC944G1	Not Required
461	Spectrum Analyzer	Agilent	E4440A	MY46185537	13 Aug 2016
74	Environmental Chamber Chamber 3	Tenney	TTC	12808-1	30 Sep 2016
RF#2 GPIB#1	GPIB cable to Power Supply	HP	GPIB	None	Not Required
RF#2 SMA#1	EUT to Mitest box port 1	Flexco	SMA Cable port1	None	18 Jun 2016
RF#2 SMA#2	EUT to Mitest box port 2	Flexco	SMA Cable port2	None	18 Jun 2016
RF#2 SMA#3	EUT to Mitest box port 3	Flexco	SMA Cable port3	None	18 Jun 2016
RF#2 SMA#4	EUT to Mitest box port 4	Flexco	SMA Cable port4	None	18 Jun 2016
RF#2 SMA#SA	Mitest box to SA	Flexco	SMA Cable SA	None	18 Jun 2016
RF#2 USB#1	USB Cable to Mitest Box	Dynex	USB Cable	None	Not Required

---

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.


## 7.2. Radiated Spurious Emission Test Set-up > 1 GHz

The following tests were performed using the radiated test set-up shown in the diagram below.

10.7 Radiated Spurious Emissions (1 – 10 GHz)

10.8 Radiated Digital Emissions (0.03 – 1 GHz)

### Radiated Emission Measurement Setup



Asset#	Description	Manufacturer	Model#	Serial#	Calibration Due Date
--------	-------------	--------------	--------	---------	----------------------

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.



**Title:** Actiontec Electronics Inc. T3200M  
**To:** FCC CFR 47 Part 15.247 (DTS) & IC RSS-247  
**Serial #:** ATEC14-U5\_Master Rev A  
**Issue Date:** 1<sup>st</sup> April 2016  
**Page:** 19 of 23

158	Barometer/Thermometer	Control Company	4196	E2846	01 Dec 2016
170	Video System Controller for Semi Anechoic Chamber	Panasonic	WV-CY101	04R08507	Not Required
287	Rohde & Schwarz 40 GHz Receiver	Rhode & Schwarz	ESIB40	100201	27 Aug 2016
301	5470 to 5725 MHz Notch Filter	Microtronics	RBC50704	001	18 Aug 2016
302	5150 to 5350 MHz Notch Filter	Microtronics	BRC50703	002	18 Aug 2016
303	5725 to 5875 MHz Notch filter	Microtronics	BRC50705	003	18 Aug 2016
330	Variac 0-280 Vac	Staco Energy Co	3PN1020B	0546	Cal when used
336	Active loop Ant 10kHz to 30 MHz	EMCO	EMCO 6502	00060498	23 Sep 2016
338	Sunol 30 to 3000 MHz Antenna	Sunol	JB3	A052907	15 Aug 2016
341	900MHz Notch Filter	EWT	EWT-14-0199	H1	18 Aug 2016
342	2.4 GHz Notch Filter	EWT	EWT-14-0203	H1	18 Aug 2016
343	5.15 GHz Notch Filter	EWT	EWT-14-0200	H1	18 Aug 2016
344	5.35 GHz Notch Filter	EWT	EWT-14-0201	H1	18 Aug 2016
345	5.46 GHz Notch Filter	EWT	EWT-14-0202	H1	18 Aug 2016
346	1.6 TO 10GHz High Pass Filter	EWT	EWT-57-0112	H1	18 Aug 2016
373	26III RMS Multimeter	Fluke	Fluke 26 series III	76080720	26 Oct 2016
377	Band Rejection Filter 5150 to 5880MHz	Microtronics	BRM50716	034	18 Aug 2016
378	Rohde & Schwarz 40 GHz Receiver with Generator	Rhode & Schwarz	ESIB40	100107/040	04 Aug 2016
393	DC - 1050 MHz Low Pass Filter	Microcircuits	VLFX-1050	N/A	08 Oct 2016
396	2.4 GHz Notch Filter	Microtronics	BRM50701	001	18 Aug 2016
397	Amp 10 - 2500MHz	MiCOM Labs	Amp 10 - 2500 MHz	NA	24 Apr 2016
399	ETS 1-18 GHz Horn Antenna	ETS	3117	00154575	10 Oct 2016
406	Amplifier for Radiated Emissions	MiCOM Labs	40dB 1 to 18GHz Amp	0406	28 May 2016
410	Desktop Computer	Dell	Inspiron 620	WS38	Not Required
411	Mast/Turntable Controller	Sunol Sciences	SC98V	060199-1D	Not Required
412	USB to GPIB Interface	National Instruments	GPIB-USB HS	11B8DC2	Not Required
413	Mast Controller	Sunol Science	TWR95-4	030801-3	Not Required
414	DC Power Supply 0-60V	HP	6274	1029A01285	Cal when used

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.



**Title:** Actiontec Electronics Inc. T3200M  
**To:** FCC CFR 47 Part 15.247 (DTS) & IC RSS-247  
**Serial #:** ATEC14-U5\_Master Rev A  
**Issue Date:** 1<sup>st</sup> April 2016  
**Page:** 20 of 23

415	Turntable Controller	Sunol Sciences	Turntable Controller	None	Not Required
416	Gigabit ethernet filter	ETS-Lingren	Gigafoil 260366	None	Not Required
447	Rad Emissions Test Software	MiCOM	Rad Emissions Test Software Version 1.0.73	447	Not Required
462	Schwarzbeck cable from Antenna to Amplifier.	Schwarzbeck	AK 9513	462	25 Apr 2016
463	Schwarzbeck cable from Amplifier to Bulkhead.	Schwarzbeck	AK 9513	463	25 Apr 2016
464	Schwarzbeck cable from Bulkhead to Receiver	Schwarzbeck	AK 9513	464	25 Apr 2016
465	Low Pass Filter DC-1000 MHz	Mini-Circuits	NLP-1200+	VUU01901402	18 Aug 2016
466	Low Pass Filter DC-1500 MHz	Mini-Circuits	NLP-1750+	VUU10401438	18 Aug 2016
467	2495 to 2650 MHz notch filter	MicroTronics	BRM50709	011	18 Aug 2016
468	Low pass filter	Mini Circuits	SLP-550	None	18 Aug 2016
469	Low pass filter	Mini Circuit	SLP-1000	None	18 Aug 2016
470	High Pass filter	Mini Circuits	SHP-700	None	18 Aug 2016
476	Low Pass dc-2200MHz filter	Mini Circuits	15542 NLP-2400+	VUU13801345	18 Aug 2016
480	Cable - Bulkhead to Amp	SRC Haverhill	157-157-3050360	480	11 Aug 2016
481	Cable - Bulkhead to Receiver	SRC Haverhill	151-151-3050787	481	11 Aug 2016
482	Cable - Amp to Antenna	SRC Haverhill	157-157-3051574	482	11 Aug 2016
502	Test Software for Radiated Emissions	EMISoft	Vasona	Version 5 Build 59	Not Required
87	Uninterruptible Power Supply	Falcon Electric	ED2000-1/2LC	F3471 02/01	Cal when used
CC05	Confidence Check	MiCOM	CC05	None	02 Jun 2016
VLF-1700	Low pass filter DC-1700 MHz	Mini Circuits	VLF-1700	None	25 Apr 2016

---


This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.

### 7.3. ac Wireline Emission Test Set-up

The following tests were performed using the conducted test set-up shown in the diagram below.

1. Section 6.1.3 ac Wireline Conducted Emissions

#### Conducted Test Set-Up Pictorial Representation



Measurement set up for ac Wireline Conducted Emissions Test

Asset#	Description	Manufacturer	Model#	Serial#	Calibration Due Date
158	Barometer/Thermometer	Control Company	4196	E2846	01 Dec 2016
184	Pulse Limiter	Rhode & Schwarz	ESH3Z2	357.8810.52	13 Apr 2016
190	LISN (two-line V-network)	Rhode & Schwarz	ESH3Z5	836679/006	29 Oct 2016
287	Rohde & Schwarz 40 GHz Receiver	Rhode & Schwarz	ESIB40	100201	27 Aug 2016
307	BNC-CABLE	Megaphase	1689 1GVT4	15F50B002	13 Apr 2016
316	Dell desktop computer workstation with Vasona	Dell	Desktop	WS04	Not Required
351	Data Impedance Stabilization Network	Teseq	ISN T800	24809	30 Nov 2016
372	AC Variable PS	California Instruments	1251P	L06951	Cal when used
378	Rohde & Schwarz 40 GHz Receiver with Generator	Rhode & Schwarz	ESIB40	100107/040	04 Aug 2016
388	LISN (3 Phase) 9kHz - 30MHz	Rhode & Schwarz	ESH2-Z5	892107/022	30 Oct 2016
ADAPT SMA#1	SMA Cable	Megaphase	SMA Cable #1	None	13 Aug 2016
CCEMC01	Confidence Check.	MiCOM	CCEMC01	None	13 Apr 2016

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.

## **8. MEASUREMENT AND PRESENTATION OF TEST DATA**

The measurement and graphical data presented in this test report was generated automatically using state-of-the-art technology creating an easy to read report structure. Numerical measurement data is separated from supporting graphical data (plots) through hyperlinks. Numerical measurement data can be reviewed without scrolling through numerous graphical pages to arrive at the next data matrix.

Plots have been relegated into the Appendix 'Graphical Data'.

Test and report automation was performed by [MiTest](#). [MiTest](#) is an automated test system developed by MiCOM Labs. [MiTest](#) is the first cloud based modular test system enabling end-to-end automation of regulatory compliance testing for conducted RF testing.



The MiCOM Labs "[MiTest](#)" Automated Test System" (Patent Pending)

---

This test report may be reproduced in full only. The document may only be updated by MiCOM Labs personnel. All changes will be noted in the Document History section of the report.



575 Boulder Court  
Pleasanton, California 94566, USA  
Tel: +1 (925) 462 0304  
Fax: +1 (925) 462 0306  
[www.micomlabs.com](http://www.micomlabs.com)