TEST REPORT



Certification # 1367-01

Laboratory ID	Submitter ID
PRODUCT SAFETY ENGINEERING, INC.	Kidder Industrial Limited
12955 Bellamy Brothers Boulevard	1455 Monterey Pass Road
Dade City, Florida 33525 USA	Suite 102
PH (352) 588-2209 FX (352) 588-2544	Monterey Park, CA 91754
Report Issue Date: 10 MA 02	Test Report Number: 02F171T
Sample S/N: Norte	Model Designation: 9003T
Sample Receipt Date: March 15, 2002	Product Description: Remote Transmitter
Sample Test Date: see data sheets	Marketing Approval
Description of non-standard test method or test practice:	None
Estimated Measurement Uncertainty: Not Applicable	
Special limitations of use: None	
Traceability: reference standards of measurement have standards traceable to the NIST.	e been calibrated by a competent body using
According to testing performed at Product Safety Engineering, Inc., the above compatibility requirements defined in regulations indicated on page (3) of the model(s) identified above. It is the manufacturer's responsibility to assure the identical electrical and mechanical characteristics.	test report. The test results contained herein relate only to the
As the responsible EMC Project Engineer, I hereby declare that the equipmer on page (3) of the test report.	at tested as specified above conforms to the requirements indicated
Signature Walk Tolks Name	David Foerstner
Title Engineering Group Leader Date	19MAy Ø2
Reviewed by: Approved Signatory	10 MAy \$2 Date 10 mg \$2

This report may only be reproduced in full with written permission from Product Safety Engineering, Inc.

Test Report Number 02F171T

DIRECTORY - EMISSIONS

A \	Do como mándio m		Page(\$)
A)	Documentation		
	Test report Directory Test Regulations General Remarks Test-setups (Photos)		1 - 10 2 3 10 11 - 12
B)	Test data		
	Conducted emissions Radiated emissions Radiated emissions Interference power Equivalent Radiated emissions Antenna Disturbance Voltage	10/150 kHz - 30 MHz 10 kHz - 30 MHz 30 MHz - 1000 MHz 30 MHz - 300 MHz 1 GHz - 18 GHz 30 MHz - 1,000 MHz	5, 9 5, 9 6, 9 6, 9 7, 9 7,9
C)	Appendix A		
	Test Equipment Calibration Information Test Data Sheets		A2 A3 - A5
D)	Appendix B		
	System Under Test Description		B2 - B4
E)	Appendix C		
	Measurement Protocol		C1 - C2

EMISSIONS TEST REGULATIONS:

The emissions tests were performed according to following regulations:

□ - EN 50081-1 : 1992		
□ - EN 50081-2 : 1995		
□ - EN 55011 : 1998 / A1:1999	□ - Group 1	□ - Group 2
	□ - Class A	□ - Class B
□ - EN 55013 : 1990 / A12:1994 / A13:1996		
□ - EN 55014 : 1993 /A1:1997	□ - Household applia	nces and similar
	□ - Portable tools	
	□ - Semiconductor de	evices
□ - EN 55022 : 1998	□ - Class A	□ - Class B
□ -AS/NZS 3548:1995	□ - Class A	□ - Class B
□ - ICES-003	□ - Class A	□ - Class B

■ - Certification
□ - Verification

□ - Class A

□ - Class A

□ - Class A

□ - Declaration of Conformity

- Class B

□ - Class B

□ - Class B

□ - FCC Part 18

□ - CNS 13438

□ - VCCI: 1999

■ - FCC Part 15

Environmental conditions durin	g testing:		
	LAB	OATS	
Temperature: *		:	
Relative Humidity: **		<u> </u>	
* The ambient temperature during the testing ** The humidity levels during the testing	sting was within the range was within the range of (e of (50° - 104° F) unless i 10% - 90%) relative humid	ndicted above. lity unless indicated above
Power supply system	:12 Volts	OC Hz <u>INTERNAL</u>	BATTERY_
Sign Explanations:			
□ - not applicable ■ - applicable			

Emissions Test Conditions: CONDUCTED EMISSIONS (Interference Voltage)

The CONDUCTED EMISSIONS (INTERFERENCE VOLTAGE) measurements were performed at the following test location:

- Test not applicable

- □ Darby Test Site (Open Area Test Site)
- □ Darby Laboratory

Test equipment used:

	Model Number	Manufacturer	Description	Serial Number
-	8028-50	Solar	50 Ω LISN	829012, 829022
-	3825/2	Solar	50 Ω LISN	924840
-	EMC-30	Electro-Metrics	EMI Receiver	191
-	8566B	Hewlett-Packard	Spectrum Analyzer	2421A00526
-	85650A	Hewlett-Packard	Quasi-Peak Adapter	2043A00209
-	85662A	Hewlett Packard	Analyzer Display	2403A07352
-	8028-50	Solar	50 Ω LISN	903725, 903726
-	FCC-TLISN-T4	Fisher Custom Com.	Telecom ISN	20072

Emissions Test Conditions: RADIATED EMISSIONS (Magnetic Field)

The RADIATED EMISSIONS (MAGNETIC FIELD) measurements were performed at the following test location:

- □ Darby Test Site (Open Area Test Site)
- __

-

at a test distance of:

- □ 3 meters
- □ 30 meters

■ - Test not applicable

Test equipment used:

	Model Number	Manufacturer	Description	Serial Number
□ -	96005	Eaton	Log Periodic Antenna	1099
□-	BIA-25	Electro-Metrics	Biconical Antenna	4283
-	8566B	Hewlett-Packard	Spectrum Analyzer	2421A00526
□ -	85662A	Hewlett-Packard	Analyzer Display	2403A07352
□ -	85650A	Hewlett-Packard	Quasi-Peak Adapter	2043A00209
-	ALR-30M	Electro-Metrics	Loop Antenna	824
□ -	8447D	Hewlett Packard	Preamplifier	2944A06832
□ <u>-</u>	EMC-30	Electro-Metrics	EMI Receiver	191

Emissions Test Conditions: RADIATED EMISSIONS (Electric Field)

The RADIATED EMISSIONS (ELECTRIC FIELD) measurements, in the frequency range of 30 MHz-1000 MHz, were tested in a horizontal and vertical polarization at the following test location:

□ - Test not applicable

- - Darby Site (Open Area Test Site)
- □ Darby Lab

. - -

at a test distance of:

- - 3 meters
- □ 10 meters
- □ 30 meters

Test equipment used:

	Model Number	Manufacturer	Description	Serial Number
. 🖷 🕳	96005	Eaton	Log Periodic Antenna	1099
■ -	BIA-25	Electro-Metrics	Biconical Antenna	4283
■ -	8566B	Hewlett-Packard	Spectrum Analyzer	2421A00526
■ -	85662A	Hewlett-Packard	Analyzer Display	2403A07352
■ -	85650A	Hewlett-Packard	Quasi-Peak Adapter	2043A00209
.	8447D	Hewlett-Packard	Preamplifier (26dB)	2944A06832
-	EMC-30	Electro-Metrics	EMI Receiver	191
-	8568B	Hewlett Packard	Spectrum Analyzer	2407A03213
-	85650A	Hewlett Packard	Quasi-Peak Adapter	2043A00358
-	85662A	Hewlett Packard	Analyzer Display	2340A05806
□ -	LPA30	Electro-Metrics	Log Periodic	2280
□ -	BIA 30	Electro-Metrics	Biconical Antenna	3852

Emissions Test Conditions): INTERFERENCE POWER

The INTERFERENCE POWER measurements were performed by using the absorbing clamp on the mains and interface cables in the frequency range 30 MHz - 300 MHz at the following test location:

Test not applicable

□ - Darby Lab

□ •

Test equipment used:

	Model Number	Manufacturer	Description	Serial Number
□ -	MDS-21	Rhode&Schwarz	Absorbing Clamp	8608447020
-	8566B	Hewlett-Packard	Spectrum Analyzer	2421A00526
-	85662A	Hewlett-Packard	Analyzer Display	2403A07352
-	85650A	Hewlett-Packard	Quasi-Peak Adapter	2043A00209
-	8447D	Hewlett-Packard	Amplifier (26 dB)	2944A06832
-	EMC-30	Electro-Metrics	EMI Receiver	191

Test Report Number 02F171T

The EQUIVALENT RADIATED EMISSIONS measurements in the frequency range 1 GHz - 5 GHz were performed in a horizontal and vertical polarization at the following test location:

- - Darby Test Site (Open Area Test Site)
- **-**
- **-**
- **-**

at a test distance of:

- □ 1 meters
- - 3 meters
- □ 10 meters

Test not applicable

Test equipment used:

	Model Number	Manufacturer	Description	Serial Number
■ -	8566B	Hewlett-Packard	Spectrum Analyzer	2421A00526
■ -	85662A	Hewlett-Packard	Analyzer Display	2403A07352
	85650A	Hewlett-Packard	Quasi-Peak Adapter	2043A00209
= -	8449B	Hewlett-Packard	Preamplifier	3008A00320
	3115	Electro-Mechanics	Double Ridge Guide Horn	3810

The ANTENNA TERMINAL DISTURBANCE VOLTAGE in the frequency range 30 MHz - 1,000 MHz were performed.

- □ Darby Test Site (Open Area Test Site)
- □ Laboratory
- **-**
- □ -

- Test not applicable

	Model Number	Manufacturer	Description	Serial Number
-	2F9-3C4-3C5	Wavecom	UHF PAL TV Modulator	185879
-	2F1-3C4-3C5	Wavecom	VHF PAL TV Modulator	157728
-	A-8000	IFR	Spectrum Analyzer	1306
-	8648B	Hewlett-Packard	Signal Generator	3623A01433
□ -	8648B	Hewlett-Packard	Signal Generator	3623A01477
-	LMV-182A	Leader	RMS Milli-Voltmeter	8010091
-	3202	Krhon-Hite	Active filter	5899
□-	FMT115	Leaming	FM Modulator	NONE
-	371	UDT	Optical power meter	06657
-	TSG95	Tektronix	PAL video / Audio generator	B028883
Π-			· ·	

Equipment Under Test (EUT) Test Operation Mode - Emission tests :
The device under test was operated under the following conditions during emissions testing:
□ - Standby
□ - Test program (H - Pattern)
□ - Test program (color bar)
□ - Test program (customer specific)
■ - Practice operation
□ - Normal Operating Mode
Configuration of the device under test:
■ - See System Under Test Information in Appendix B
Rationale for EUT setup / configuration:

Emission Test Results:

Remarks:

Conducted emissions 450 kHz - 30	MHz			
The requirements are	□ - MET	□ - N	OT MET	
Minimum limit margin Remarks:	dB	at	MHz	
Radiated emissions (magnetic field)) 10 kHz - 30 MHz			
The requirements are	□ - MET	□ - N	OT MET	
Minimum limit margin Remarks:	dB	at	MHz	
Radiated emissions (electric field)	30 MHz - 1000 MHz			
The requirements are	■ - MET	□ - N	ОТ МЕТ	
Minimum limit margin Remarks:	4.3 dB	at 8	887.8 MHz	
Interference Power at the mains an	d interface cables 30 MHz - 30	0 MHz		
The requirements are	□ - MET	□ - N	OT MET	
Minimum limit margin Remarks:	dB	at	MHz	
Radiated emissions 1 GHz - 2.5 GH	Z			
The requirements are	■ - MET	□ - N	ОТ МЕТ	
Minimum limit margin Remarks:	0.2 dB	at 1	1.773 GHz	
Antenna Terminal Disturbance Vo	ltage 30 MHz - 1,000 MHz			
The requirements are	□ - MET	□ - N	OT MET	
Minimum limit margin	dB	at	MHz	

GENERAL REMARKS:

The EUT was tested per ANSI C63.4-1992 paragraph 13.1.4.1 in (3) orthogonal planes. Radiated emissions were investigated from (30) MHz through (5) Ghz. We elected to demonstrate compliance while utilizing a quasi-peak detector rather than calculate the average level because this device can be used in conjunction with various infrared remote controls and therefore no repeatable pulse train, for the purpose of calculation, could be established. All testing was performed with a fresh battery.

The EUT meets the requirements of 15.231 as follows:

- 1) It manually transmits a control signal and deactivates within (5) seconds of release.
- 2) The bandwith of emission is less than (0.25%) of the center frequency as shown in the bandwith plot on page A5. The maximum allowed bandwith was calculated to be (0.0025 X 444,000,000 Hz = 1,110,000 Hz). The measured bandwith was (627,000 Hz).

The EUT meets the requirements of 15.205.

SUMMARY:

The requirements	s according	to the	technical	l regul	ations	are
------------------	-------------	--------	-----------	---------	--------	-----

- met

□ - not met.

The device under test does

- - fulfill the general approval requirements mentioned on page 3.
- □ not fulfill the general approval requirements mentioned on page 3.

Testing Start Date

April 02, 2002

Testing End Date:

April 02, 2002

Test Report Number 02F171T

Test-setup photo(s): Conducted emission 450/150 kHz - 30 MHz

N/A

APPENDIX

A

Test Equipment Calibration Information

&

Test Data Sheets

TEST EQUIPMENT CALIBRATION INFORMATION

Manufacturer	Model	Description	Serial Number	Çal Due
Hewlett Packard	8566B	Spectrum Analyzer	2421A00526	09/04/02
Hewlett Packard	85662A	Display	2403A07352	09/04/02
Hewlett Packard	85650A	Quasi-Peak Adapter	2043A00209	09/04/02
Hewlett Packard	8447D	Preamp 0.1 - 1,000 MHz	2944A06832	10/17/02
Hewlett Packard	8568B	Spectrum Analyzer	2407A03213	08/20/02
Hewlett Packard	85662A	Display	2340A05806	08/20/02
Hewlett Packard	85650A	Quasi-Peak Adapter	2043A00358	08/20/02
Hewlett Packard	8447D	Preamp 0.1 - 1,000 MHz	2944A06901	07/25/02
Hewlett Packard	8447D	Preamp 0.1 - 1,000 MHz	1937A03247	07/04/02
Hewlett Packard	8449B	Preamp 1 - 26.5 GHz	3008A00320	11/30/02
Hewlett Packard	8648B	Signal Generator	3443U00312	05/13/02
Hewlett Packard	8672A	Signal Generator	2211A02426	12/06/02
Eaton	96005	Log Periodic Antenna	1099	11/29/02
Electro-Metrics	LPA 30	Log Periodic Antenna	2280	11/06/02
Electro-Metrics	BIA 30	Biconical Antenna	3852	10/30/02
Electro-Metrics	BIA 25	Biconical Antenna	4283	12/15/02
Electro-Mechanics	3115	Double Ridge Guide Ant.	3810	11/07/03
Electro-Metrics	ALR30M	Magnetic Loop Antenna	824	11/29/02
Solar	8012	LISN	924840	01/04/03
Solar	8028	LISN	829012/809022	12/12/02
Solar	8028	LISN	903725/903726	11/20/02
Schwartzbeck	MDS-21	Absorbing Clamp	02581	11/28/01
Leader	LFG1310	Function Generator	8060233	03/09/02
Holaday Ind.	HI 4422	Isotropic Probe	90310	04/26/02
IFR Systems	A-8000	Spectrum Analyzer	1306	06/08/02
Fischer Custom	F-33-1	RF Current Probe	360	09/08/01
Electro-Metrics	EMC-30	EMI Receiver	191	03/29/02
Boonton	4220A	RF Power Meter	204103AA	11/13/02
Boonton	51011	RF Power Meter	28823	11/13/02


PRODUCT EMISSIONS

	CODUCT SAFETY	ENGINEERING	Data File	e: R)	E200	TRANSMI	TTER FCC-B	04-02-02
No	EMISSION FREQUENCY MHz		SUREMENTS dlim mode db		SITE HGT	, and the same and the same and !	CORR FACTOR dB	COMMENTS
1 2 	443.456 887.770	81.1 56.2 - 61.1 56.9	24.9 PK -4.3 QP	V	350 150	180	-7.3 2.1	

Kidder RE 200 Transmitter

Measured @ 3 Meters

Frequency (GHz)	Spec Limit (dBµV/M)	Measurement (dBμV/M)	Δ Limit	Polarity	Height (cm)
1.330	61.1	53.4	-7.7	Vertical	100
1.773	61.1	60.9	-0.2	Vertical	100
2.221	61.1	51.6	-9.5	Vertical	100



APPENDIX

B

System Under Test Description

DEVICE TYPE: EUT, KIDDER RE200 REMOTE TRANSMITTER

DEVICE TYPE: JVC IR REMOTE CONTROL RM-C457

INTERFACE CABLES ************

DEVICE TYPE: SHIELD:	NONE
LENGTH:	
CONNECTOR TYPE	
PORT:	
*******	************************

DEVICE TYPE: N/A
SHIELD:
LENGTH:
CONNECTOR TYPE:

APPENDIX

C

Measurement Protocol

The test methodology followed during the collection of the data included within this technical report was ANSI C63.4:1992.

The EUT was powered from internal battery during the collection of data included within.

The data is compared to the FCC Part 15 Class B limits.

The "EMI" instrumentation is capable of calculating the final emission level based on the following formula:

Level at the receiver $(dB\mu V)$ + Antenna Correction Factor (dB/M) + Cable Loss (dB) - Preamp Gain (dB) = Actual Level in $dB\mu V/M$.

The sample calculation below is based on the actual test data collected:

 Observed Level
 61.8 dBμV

 ACF
 + 17.7 dB/M

 Cable Loss
 + 2.7 dB

 Preamp Gain
 - 26.0 dB

 Actual Level
 56.2 dBμV/M
 @ 443.5 MHz

Please have a company official review this report and sign.