



daphne_liang

梁鈺如

2005/02/24 01:18 PM

副本抄送 : Mike Kuo <MKUO@CCSEMC.com>

主旨 : 回信 : LEE HI-TECH ENTERPRISE CO.,LTD, FCC ID: LWN9311F226, Assessment NO.: AN05T4493, Notice#1--Updated(0224) 

Dear Lucy:

Please find the following reply for updated(0224).

****Please note that our client request to show this "Frequency Band": 425MHz ~ 435MHz on the grant!!**

And if still have any problems, please connect with me.

BEST REGARDS

Daphne Liang / 梁鈺如 2/24/2005
Certification Team Leader / R&D and Certification Dept.

=====

Compliance Certification Services Inc.
Rm.258, Bldg.17, No.195, Sec.4, Chung
Hsing Rd., Chutung, Hsinchu, Taiwan, R.O.C.
Tel: 886-3-5913555 / Fax: 886-3-5825720
E-mail: daphne_liang@ccsemc.com.tw
URL: <http://www.ccsemc.com.tw>
lucy_tsai

Mike Kuo

2005/01/25 19:43

收件人 : daphne_liang@ccsemc

副本抄送 : Mike Kuo <MKUO@CCSEMC.com>

主旨 : LEE HI-TECH ENTERPRISE CO.,LTD, FCC ID: LWN9311F226, Assessment NO.: AN05T4493, Notice#1

Dear Daphne,

Please address the following issues asap.

Question#1: The test report indicated that there are model series in the filing. The model difference table shows some are using double speed pushbutton: 3003.0451, some are using single speed pushbutton: B3w-4050. But the test report does not show which model was tested and emission conditions of the other model. Please clearly indicate which model is selected for final tests and the preliminary test procedures employed to determine the worst case.

2/24 Ans: Please find the attached for updated: F22-6D_Justification letter(0224).

Question#2: As indicated in the test report, there are two fundamental frequencies (425.19 MHz and 434.78MHz). Please inform how to determine which fundamental frequency will be used. Is this device capable of operating in range of frequencies or fixed frequencies.

2/24 Ans: Please note that our client request to show this "Frequency Band": 425MHz-435MHz on the grant!!(Please also see the attached for updated: F22-6D_Report_TX(FRF)0224)

Question#3: Based upon the test report, the peak reading can comply with average limits. Average reading is not necessary. However, if average reading is reported, then the average reading must be calculated from peak reading with duty factor correction. Please make necessary changes.

2/24 Ans: Please find the attached for updated: F22-6D_Report_TX(FRF)0224.

Question #4: Based upon FCC15.231(b)(2), the limits on the field strength of emission, as shown in the above table, based on the average value of the measured emissions. Please correct section 3.6 accordingly.

2/24 Ans: Please find the attached for updated: F22-6D_Report_TX(FRF)0224.

Question #5: As indicated in ANSI C63.4 section 6.2.1.1, for stand alone device, the device shall be placed on the center of tabletop. Based upon the test setup photos, the EUT is placed on the edge of tabletop, please address this measurement procedure issue.

2/24 Ans: Please find the attached for updated: F22-6D_Setup Photo(0224).

Question#6: Please remove the receiver from the external photos.

2/24 Ans: Please find the attached for updated: F22-6D_Ext Photo(0224).

Question #7:Page 12 of user manual: 4. After 3 minutes of non-operation, transmitter will send out an emergency stop signal to the receiver. When this occurs, one must turn the magnetic key counter-clockwise to the "OFF" position, then turn the key clockwise to the "ON" position, and press "Start" pushbutton to turn on the power.

Note: When setting is on "E.U. standard" Power-on Mode, the transmitter is in the continuous mode.

Since predetermine interval is not allowed, please address how this device comply with 15.231 requirement. Please explain the statement in Note, what is the meaning of "continuous mode".

2/24 Ans: Please find the attached for updated: F22-6D_User manual(0224).

Best Regards,

Mike Kuo



F22-6D_Justification letter(0224).pdf



F22-6D_Ext Photo_TX(FCC)0224.pdf



F22-6D_Report(FRF)_TX(0224).pdf



F22-6D_Setup Photo(0224).pdf



F22-6D_User manual(0224).pdf

The items indicated above must be submitted before processing can continue

on the above referenced application. Failure to provide the requested information within 30 days of the original e-mail date may result in application dismissal and forfeiture of the filing fee. Also, please note that partial responses increase processing time and should not be submitted. Any questions about the content of this correspondence should be directed to the e-mail address listed below the name of the sender.

This e-mail transmission is confidential and intended solely for being reviewed by the recipient(s) identified above. If you are not an identified recipient, please ensure that this communication remains confidential and promptly return it to the sender. Please contact immediately by phone (Tel: 886-2-2299-9720) for any problem with this transmission, Thank you for your attention.

This e-mail transmission is confidential and intended solely for being reviewed by the recipient(s) identified above. If you are not an identified recipient, please ensure that this communication remains confidential and promptly return it to the sender. Please contact immediately by phone (Tel: 886-2-2299-9720) for any problem with this transmission, Thank you for your attention.