

## Photo Report on setups

# Industrial WLAN Access Point / Client SCALANCE W700 / MSAX MSAX65-W1-M12-E2

FCC ID: LYHMSAX65V1  
IC: 267AA-MSAX65V1

**Test Report Reference:** MDE\_SIEM\_1911\_FCC\_01\_02\_03\_04\_Photo\_Report

### Test Laboratory:

7layers GmbH  
Borsigstrasse 11  
40880 Ratingen  
Germany



#### Note:

The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.

#### 7layers GmbH

Borsigstraße 11  
40880 Ratingen, Germany  
T +49 (0) 2102 749 0  
F +49 (0) 2102 749 350

#### Geschäftsführer/

Managing Directors:

Frank Spiller  
Bernhard Retka  
Alexandre Norré-Oudard

Registergericht/registered:


Düsseldorf HRB 75554  
USt-Id.-Nr./VAT-No. DE203159652  
Steuer-Nr./TAX-No. 147/5869/0385

a Bureau Veritas  
Group Company


[www.7layers.com](http://www.7layers.com)




**Photo 1:** Test setup for conducted emissions measurements at AC Port, computer peripheral setup



**Photo 2:** Test setup for conducted emissions measurements at AC Port, rear side view, computer peripheral setup




**Photo 3:** Test setup for radiated emissions measurements in semi-anechoic chamber (30 MHz to 1 GHz), front side view, computer peripheral setup




**Photo 4:** Test setup for radiated emissions measurements in semi-anechoic chamber (30 MHz to 1 GHz), rear side view [computer peripheral setup]






**Photo 5:** Test setup for radiated emissions measurements in semi-anechoic chamber with floor absorbers, (1 GHz to 18 GHz), front side view, computer peripheral setup



**Photo 5:** Test setup for radiated emissions measurements in semi-anechoic chamber with floor absorbers, (1 GHz to 18 GHz), rear side view [computer peripheral setup]



**Photo 6:** Test setup for radiated emissions measurements in semi-anechoic chamber (9 kHz to 30 MHz), rear side view, [Setup S04\_AJ01]



**Photo 8:** Test setup for radiated emissions measurements in semi-anechoic chamber (30 MHz to 1 GHz), right side view, [Setup S04\_AJ01]






**Photo 8:** Test setup for radiated emissions measurements in fully -anechoic chamber (1 GHz to 26 GHz), right side view, [Setup S04\_AJ01 ]



**Photo 9:** Test setup for radiated emissions measurements in fully -anechoic chamber (1 GHz to 26 GHz), right side view, [Setup S03\_AJ01]



**Photo 10:** Test setup for radiated emissions measurements in fully anechoic chamber (1 GHz to 26 GHz), right side view, [Setup S02\_AJ01]



**Photo 11:** Test setup for radiated emissions measurements in fully anechoic chamber (26 GHz to 40 GHz), right side view, [Setup S04\_AJ01]