


Transmitter Maximum Conducted Output Power (continued)

Results: 802.11ac / HT80 / MCS1 / SISO / Port 1 / PWL 12 / 9 dBi Antenna Port 1



Top Channel

Result: **Pass**


Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS8 / SISO / Port 1 / PWL 9 / 9 dBi Antenna**

Channel	Conducted Power(dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Bottom	3.4	4.1	7.5	21	13.5	Complied

De Facto EIRP Limit Comparison

Channel	Corrected Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	7.5	9	16.5	30	13.5	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS8 / SISO / Port 1 / PWL 9 / 9 dBi Antenna Port 1****Bottom Channel****Result: Pass**


Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS8 / SISO / Port 1 / PWL 12 / 9 dBi Antenna**

Channel	Conducted Power(dBm)	Duty Cycle Correction (dB)	Corrected Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
Top	6.8	4.1	10.9	21	10.1	Complied

De Facto EIRP Limit Comparison

Channel	Corrected Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Top	10.9	9	19.9	30	10.1	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS8 / SISO / Port 1 / PWL 12 / 9 dBi Antenna Port 1****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 48Mbit / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna**


Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	5.5	1.5	7.0	6.1	1.5	7.6


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	7.0	7.6	10.3	21.0	10.7	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	10.3	9	19.3	30.0	10.7	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 48Mbit / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 1****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 48Mbit / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 2****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 48Mbit / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna**




Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom+1	11.4	1.5	12.9	10.4	1.5	11.9
Middle	11.7	1.5	13.2	10.5	1.5	12.0
Top	11.0	1.5	12.5	10.2	1.5	11.7




Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom+1	12.9	11.9	15.4	21.0	5.6	Complied
Middle	13.2	12.0	15.7	21.0	5.3	Complied
Top	12.5	11.7	15.1	21.0	5.9	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom+1	15.4	9	24.4	30.0	5.6	Complied
Middle	15.7	9	24.7	30.0	5.3	Complied
Top	15.1	9	24.1	30.0	5.9	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 48Mbit / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 1****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 48Mbit / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 2****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 54Mbit / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna**


Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	5.3	1.7	7.0	5.9	1.7	7.6


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	7.0	7.6	10.3	21.0	10.7	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	10.3	9	19.3	30.0	10.7	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 54Mbit / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 1****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 54Mbit / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 2****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 54Mbit / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna**




Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom+1	11.2	1.7	12.9	10.2	1.7	11.9
Middle	11.5	1.7	13.2	10.4	1.7	12.1
Top	10.8	1.7	12.5	10.0	1.7	11.7




Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom+1	12.9	11.9	15.4	21.0	5.6	Complied
Middle	13.2	12.1	15.7	21.0	5.3	Complied
Top	12.5	11.7	15.1	21.0	5.9	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom+1	15.4	9	24.4	30.0	5.6	Complied
Middle	15.7	9	24.7	30.0	5.3	Complied
Top	15.1	9	24.1	30.0	5.9	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 54Mbit / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 1****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 54Mbit / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 2****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS0 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna**


Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	7.2	0.5	7.7	7.4	0.5	7.9


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	7.7	7.9	10.8	21.0	10.2	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	10.8	9	19.8	30.0	10.2	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS0 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 1****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS0 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 2****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS0 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna**




Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom+1	12.9	0.5	13.4	12.1	0.5	12.6
Middle	13.2	0.5	13.7	12.4	0.5	12.9
Top	12.7	0.5	13.2	12.1	0.5	12.6




Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom+1	13.4	12.6	16.0	21.0	5.0	Complied
Middle	13.7	12.9	16.3	21.0	4.7	Complied
Top	13.2	12.6	15.9	21.0	5.1	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom+1	16.0	9	25.0	30.0	5.0	Complied
Middle	16.3	9	25.3	30.0	4.7	Complied
Top	15.9	9	24.9	30.0	5.1	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS0 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 1****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS0 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 2****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS4 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna**


Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	5.9	1.6	7.5	6.5	1.6	8.1


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	7.5	8.1	10.8	21.0	10.2	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	10.8	9	19.8	30.0	10.2	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS4 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 1****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS4 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 2****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS4 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna**




Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom+1	11.8	1.6	13.4	10.9	1.6	12.5
Middle	12.1	1.6	13.7	11.0	1.6	12.6
Top	11.4	1.6	13.0	10.7	1.6	12.3




Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom+1	13.4	12.5	16.0	21.0	5.0	Complied
Middle	13.7	12.6	16.2	21.0	4.8	Complied
Top	13.0	12.3	15.7	21.0	5.3	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom+1	16.0	9	25.0	30.0	5.0	Complied
Middle	16.2	9	25.2	30.0	4.8	Complied
Top	15.7	9	24.7	30.0	5.3	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS4 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 1****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS4 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 2****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS0 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna**


Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	6.9	0.5	7.4	7.2	0.5	7.7


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	7.4	7.7	10.6	21.0	10.4	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	10.6	9	19.6	30.0	10.4	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS0 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 1****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS0 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 2****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS0 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna**




Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom+1	12.4	0.5	12.9	11.5	0.5	12.0
Middle	12.9	0.5	13.4	12.1	0.5	12.6
Top	12.4	0.5	12.9	11.8	0.5	12.3




Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom+1	12.9	12.0	15.5	20.9	5.4	Complied
Middle	13.4	12.6	16.0	20.9	4.9	Complied
Top	12.9	12.3	15.6	20.9	5.3	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom+1	15.5	9	24.5	29.9	5.4	Complied
Middle	16.0	9	25.0	29.9	4.9	Complied
Top	15.6	9	24.6	29.9	5.3	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS0 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 1****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS0 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 2****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS4 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna**


Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	5.0	1.9	6.9	5.7	1.9	7.6


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	6.9	7.6	10.3	21.0	10.7	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	10.3	9	19.3	30.0	10.7	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS4 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 1****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS4 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 2****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS4 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna**




Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom+1	10.0	1.9	11.9	9.0	1.9	10.9
Middle	11.2	1.9	13.1	10.1	1.9	12.0
Top	10.6	1.9	12.5	9.8	1.9	11.7




Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom+1	11.9	10.9	14.4	21.0	6.6	Complied
Middle	13.1	12.0	15.6	21.0	5.4	Complied
Top	12.5	11.7	15.1	21.0	5.9	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom+1	14.4	9	23.4	30.0	6.6	Complied
Middle	15.6	9	24.6	30.0	5.4	Complied
Top	15.1	9	24.1	30.0	5.9	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS4 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 1****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT20 / MCS4 / MIMO / Port 1+2 / PWL 18 / 9 dBi Antenna / Port 2****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT40 / MCS7 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna**




Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	4.3	3.5	7.8	4.8	3.5	8.3
Middle	4.8	3.5	8.3	3.5	3.5	7.0
Top	4.9	3.5	8.4	3.1	3.5	6.6




Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	7.8	8.3	11.1	21.0	9.9	Complied
Middle	8.3	7.0	10.7	21.0	10.3	Complied
Top	8.4	6.6	10.6	21.0	10.4	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	11.1	9	20.1	30.0	9.9	Complied
Middle	10.7	9	19.7	30.0	10.3	Complied
Top	10.6	9	19.6	30.0	10.4	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT40 / MCS7 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 1****Bottom Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT40 / MCS7 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 2****Bottom Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT40 / MCS7 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna**




Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	3.6	2.7	6.3	4.1	2.7	6.8
Middle	4.3	2.7	7.0	2.8	2.7	5.5
Top	4.1	2.7	6.8	2.3	2.7	5.0




Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	6.3	6.8	9.6	21.0	11.4	Complied
Middle	7.0	5.5	9.3	21.0	11.7	Complied
Top	6.8	5.0	9.0	21.0	12.0	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	9.6	9	18.6	30.0	11.4	Complied
Middle	9.3	9	18.3	30.0	11.7	Complied
Top	9.0	9	18.0	30.0	12.0	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT40 / MCS7 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 1****Bottom Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT40 / MCS7 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 2****Bottom Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS5 / MIMO / Port 1+2 / PWL 9 / 9 dBi Antenna**


Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	-1.6	3.2	1.6	-0.4	3.2	2.8


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	1.6	2.8	5.3	21.0	15.7	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	5.3	9	14.3	30.0	15.7	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS5 / MIMO / Port 1+2 / PWL 9 / 9 dBi Antenna / Port 1****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS5 / MIMO / Port 1+2 / PWL 9 / 9 dBi Antenna / Port 2****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS5 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna**


Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Top	0.3	3.2	3.5	-1.2	3.2	2.0


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Top	3.5	2.0	5.8	21.0	15.2	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Top	5.8	9	14.8	30.0	15.2	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS5 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 1****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS5 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 2****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS9 / MIMO / Port 1+2 / PWL 9 / 9 dBi Antenna**


Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	-2.1	4.6	2.5	-0.9	4.6	3.7


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	2.5	3.7	6.2	21.0	14.8	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	6.2	9	15.2	30.0	14.8	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS9 / MIMO / Port 1+2 / PWL 9 / 9 dBi Antenna / Port 1****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS9 / MIMO / Port 1+2 / PWL 9 / 9 dBi Antenna / Port 2****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS9 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna**


Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Top	-0.1	4.6	4.5	-1.7	4.6	2.9


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Port 1+2 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Top	4.5	2.9	6.8	21.0	14.2	Complied

De Facto EIRP Limit Comparison

Channel	Port 1+2 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Top	6.8	9	15.8	30.0	14.2	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS9 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 1****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11ac / HT80 / MCS9 / MIMO / Port 1+2 / PWL 12 / 9 dBi Antenna / Port 2****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 12Mbit / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna**

Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	5.8	0.7	6.5	6.5	0.7	7.2

Channel	Port 3 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 3 Corrected Conducted Power (dBm)
Bottom	5.0	0.7	5.7


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Corrected Conducted Power Port 3(dBm)	Port 1+2+3 Combined Conducted Power (dBm)
Bottom	6.5	7.2	5.7	11.3


Channel	Port 1+2+3 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	11.3	20.9	9.6	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2+3 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	11.3	9	20.3	29.9	9.6	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 12Mbit / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 1****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 12Mbit / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 2****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 12Mbit / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 3****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 12Mbit / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna**

Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom+1	9.3	0.7	10.0	8.2	0.7	8.9
Middle	9.6	0.7	10.3	8.3	0.7	9.0
Top	9.4	0.7	10.1	7.4	0.7	8.1

Channel	Port 3 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 3 Corrected Conducted Power (dBm)
Bottom+1	8.0	0.7	8.7
Middle	8.3	0.7	9.0
Top	7.8	0.7	8.5




Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Corrected Conducted Power Port 3(dBm)	Port 1+2+3 Combined Conducted Power (dBm)
Bottom+1	10.0	8.9	8.7	14.0
Middle	10.3	9.0	9.0	14.2
Top	10.1	8.1	8.5	13.8




Channel	Port 1+2+3 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom+1	14.0	20.8	6.8	Complied
Middle	14.2	20.9	6.7	Complied
Top	13.8	20.8	7.0	Complied




Transmitter Maximum Conducted Output Power (continued)**De Facto EIRP Limit Comparison**

Channel	Port 1+2+3 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom+1	14.0	9	23.0	29.8	6.8	Complied
Middle	14.2	9	23.2	29.9	6.7	Complied
Top	13.8	9	22.8	29.8	7.0	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 12Mbit / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna / Port 1****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 12Mbit / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna / Port 2****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 12Mbit / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna / Port 3****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 9Mbit / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna**

Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	6.5	0.4	6.9	6.9	0.4	7.3

Channel	Port 3 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 3 Corrected Conducted Power (dBm)
Bottom	5.6	0.4	6.0


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Corrected Conducted Power Port 3(dBm)	Port 1+2+3 Combined Conducted Power (dBm)
Bottom	6.9	7.3	6.0	11.5


Channel	Port 1+2+3 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	11.5	20.9	9.4	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2+3 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	11.5	9	20.5	29.9	9.4	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 9Mbit / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 1****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 9Mbit / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 2****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 9Mbit / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 3****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 9Mbit / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna**

Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom+1	9.9	0.4	10.3	8.7	0.4	9.1
Middle	10.2	0.4	10.6	8.8	0.4	9.2
Top	9.8	0.4	10.2	8.0	0.4	8.4

Channel	Port 3 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 3 Corrected Conducted Power (dBm)
Bottom+1	8.6	0.4	9.0
Middle	8.9	0.4	9.3
Top	8.2	0.4	8.6




Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Corrected Conducted Power Port 3(dBm)	Port 1+2+3 Combined Conducted Power (dBm)
Bottom+1	10.3	9.1	9.0	14.3
Middle	10.6	9.2	9.3	14.5
Top	10.2	8.4	8.6	13.9




Channel	Port 1+2+3 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom+1	14.3	20.8	6.5	Complied
Middle	14.5	20.9	6.4	Complied
Top	13.9	20.9	7.0	Complied




Transmitter Maximum Conducted Output Power (continued)**De Facto EIRP Limit Comparison**

Channel	Port 1+2+3 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom+1	14.3	9	23.3	29.8	6.5	Complied
Middle	14.5	9	23.5	29.9	6.4	Complied
Top	13.9	9	22.9	29.9	7.0	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 9Mbit / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna / Port 1****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 9Mbit / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna / Port 2****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11a / 20 MHz / 9Mbit / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna / Port 3****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS3 / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna**

Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	3.7	1.3	5.0	4.8	1.3	6.1

Channel	Port 3 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 3 Corrected Conducted Power (dBm)
Bottom	2.8	1.3	4.1


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Corrected Conducted Power Port 3(dBm)	Port 1+2+3 Combined Conducted Power (dBm)
Bottom	5.0	6.1	4.1	9.9


Channel	Port 1+2+3 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	9.9	21.0	11.1	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2+3 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	9.9	9	18.9	30.0	11.1	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS3 / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 1****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS3 / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 2****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS3 / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 3****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS3 / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna**

Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom+1	9.0	1.3	10.3	8.1	1.3	9.4
Middle	9.2	1.3	10.5	8.2	1.3	9.5
Top	8.7	1.3	10.0	6.7	1.3	8.0

Channel	Port 3 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 3 Corrected Conducted Power (dBm)
Bottom+1	7.5	1.3	8.8
Middle	7.8	1.3	9.1
Top	7.1	1.3	8.4




Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Corrected Conducted Power Port 3(dBm)	Port 1+2+3 Combined Conducted Power (dBm)
Bottom+1	10.3	9.4	8.8	14.3
Middle	10.5	9.5	9.1	14.5
Top	10.0	8.0	8.4	13.7




Channel	Port 1+2+3 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom+1	14.3	21.0	6.7	Complied
Middle	14.5	21.0	6.5	Complied
Top	13.7	21.0	7.3	Complied




Transmitter Maximum Conducted Output Power (continued)**De Facto EIRP Limit Comparison**

Channel	Port 1+2+3 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom+1	14.3	9	23.3	30.0	6.7	Complied
Middle	14.5	9	23.5	30.0	6.5	Complied
Top	13.7	9	22.7	30.0	7.3	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS3 / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna / Port 1****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS3 / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna / Port 2****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS3 / MIMO / Port 1+2+3 / PVL 16 / 9 dBi Antenna / Port 3****Bottom+1 Channel****Middle Channel****Top Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS7 / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna**

Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom	1.6	2.0	3.6	2.8	2.0	4.8

Channel	Port 3 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 3 Corrected Conducted Power (dBm)
Bottom	0.8	2.0	2.8


Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Corrected Conducted Power Port 3(dBm)	Port 1+2+3 Combined Conducted Power (dBm)
Bottom	3.6	4.8	2.8	8.6


Channel	Port 1+2+3 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom	8.6	21.0	12.4	Complied


De Facto EIRP Limit Comparison

Channel	Port 1+2+3 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom	8.6	9	17.6	30.0	12.4	Complied

Result: Pass

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS7 / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 1****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS7 / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 2****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS7 / MIMO / Port 1+2+3 / PWL 13 / 9 dBi Antenna / Port 3****Bottom Channel****Result: Pass**

Transmitter Maximum Conducted Output Power (continued)**Results: 802.11n / HT20 / MCS7 / MIMO / Port 1+2+3 / PWL 16 / 9 dBi Antenna**

Channel	Port 1 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 1 Corrected Conducted Power (dBm)	Port 2 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 2 Corrected Conducted Power (dBm)
Bottom+1	7.7	2.0	9.7	7.0	2.0	9.0
Middle	8.0	2.0	10.0	7.1	2.0	9.1
Top	7.2	2.0	9.2	5.2	2.0	7.2

Channel	Port 3 Conducted Power (dBm)	Duty Cycle Correction (dB)	Port 3 Corrected Conducted Power (dBm)
Bottom+1	6.3	2.0	8.3
Middle	6.7	2.0	8.7
Top	5.6	2.0	7.6

Channel	Corrected Conducted Power Port 1(dBm)	Corrected Conducted Power Port 2(dBm)	Corrected Conducted Power Port 3(dBm)	Port 1+2+3 Combined Conducted Power (dBm)
Bottom+1	9.7	9.0	8.3	13.8
Middle	10.0	9.1	8.7	14.1
Top	9.2	7.2	7.6	12.9

Channel	Port 1+2+3 Combined Conducted Power (dBm)	Conducted Power Limit (dBm)	Margin (dB)	Result
Bottom+1	13.8	21.0	7.2	Complied
Middle	14.1	21.0	6.9	Complied
Top	12.9	21.0	8.1	Complied

Transmitter Maximum Conducted Output Power (continued)**De Facto EIRP Limit Comparison**

Channel	Port 1+2+3 Combined Conducted Power (dBm)	Directional Antenna Gain (dBi)	EIRP (dBm)	De Facto EIRP Limit (dBm)	Margin (dB)	Result
Bottom+1	13.8	9	22.8	30.0	7.2	Complied
Middle	14.1	9	23.1	30.0	6.9	Complied
Top	12.9	9	21.9	30.0	8.1	Complied

Result: Pass