

Intertek Testing Services NA Inc.

EXHIBIT 5

PRODUCT LABELLING

5.0 Product Labelling

The label and label location are attached.

5.1 Label Artwork

Figure 5.1 Label

An engineering drawing of the label which will be permanently affixed to the unit is shown on the following page.


This label will be attached to the unit at the location shown in Exhibit 5.2.

DURO-TEST
58 116111
Not for use in lighting devices controlled by a dimmer / Ne pas utiliser dans des appareils d'éclairage commandés par un gradateur
FCC ID: M64-DT4
Spiralux™ 23W • 120V • 2700K • 50/60Hz • 350ma • Prod# 116111
UL1993 LR10160

DURO-TEST
58 116111
Not for use in lighting devices controlled by a dimmer / Ne pas utiliser dans des appareils d'éclairage commandés par un gradateur
FCC ID: M64-DT4
Spiralux™ 23W • 120V • 2700K • 50/60Hz • 350ma • Prod# 116111
UL1993 LR10160

5.2 Label Location

Figure 5.2 Label Location



DURO-TEST
85
114111 • Prod # 114111 • 350ma • 50/60Hz • 2700K • 120V • 23W
Spiralux™
FCC ID: A64-DT4
UL1993 LR16180
Not for use in lighting devices controlled by a dimmer / Ne pas utiliser dans des appareils d'éclairage commandés par un variateur

DURO-TEST
85
114111 • Prod # 114111 • 350ma • 50/60Hz • 2700K • 120V • 23W
Spiralux™
FCC ID: A64-DT4
UL1993 LR16180
Not for use in lighting devices controlled by a dimmer / Ne pas utiliser dans des appareils d'éclairage commandés par un variateur

DURO-TEST
85
114111 • Prod # 114111 • 350ma • 50/60Hz • 2700K • 120V • 23W
Spiralux™
FCC ID: A64-DT4
UL1993 LR16180
Not for use in lighting devices controlled by a dimmer / Ne pas utiliser dans des appareils d'éclairage commandés par un variateur