




Mode	802.11b	Channel	6
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2369.66	28.53	20.68	49.21	54	-4.79	AVG
		2389.04	41.2	20.65	61.85	74	-12.15	PK
	@	2437	85.58	20.99	106.57	N/A	N/A	PK
	@	2437	81.88	20.99	102.87	N/A	N/A	AVG
		2488.22	39.66	21.26	60.92	74	-13.08	PK
		2493.54	28.53	21.28	49.81	54	-4.19	AVG
	*	4874	47.19	2.69	49.88	74	-24.12	PK
	*	7311	33.4	10.59	43.99	74	-30.01	PK
Vertical		2354.65	40.46	20.7	61.16	74	-12.84	PK
		2389.23	30.03	20.65	50.68	54	-3.32	AVG
	@	2437	94.59	20.99	115.58	N/A	N/A	PK
	@	2437	90.82	20.99	111.81	N/A	N/A	AVG
		2483.66	29.12	21.24	50.36	54	-3.64	AVG
		2492.21	40.59	21.26	61.85	74	-12.15	PK
	*	4874	42.68	2.69	45.37	74	-28.63	PK
	*	7311	33.4	10.59	43.99	74	-30.01	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11b	Channel	11
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	85.69	21.15	106.84	N/A	N/A	PK
	@	2462	83	21.15	104.15	N/A	N/A	AVG
		2484.23	40.17	21.24	61.41	74	-12.59	PK
		2484.42	28.63	21.24	49.87	54	-4.13	AVG
	*	4924	45.07	2.75	47.82	74	-26.18	PK
	*	7386	33.85	10.73	44.58	74	-29.42	PK
Vertical	@	2462	94.35	21.15	115.5	N/A	N/A	PK
	@	2462	90.66	21.15	111.81	N/A	N/A	AVG
		2484.23	28.89	21.24	50.13	54	-3.87	AVG
		2490.31	40.41	21.26	61.67	74	-12.33	PK
	*	4924	43.83	2.75	46.58	74	-27.42	PK
	*	7386	33.29	10.73	44.02	74	-29.98	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000


Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1




Mode	802.11g	Channel	1
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2359.4	40.22	20.69	60.91	74	-13.09	PK
		2389.42	29.35	20.65	50	54	-4	AVG
	@	2412	86.77	20.75	107.52	N/A	N/A	PK
	@	2412	79.06	20.75	99.81	N/A	N/A	AVG
Vertical		2383.72	41.76	20.67	62.43	74	-11.57	PK
		2389.99	33.17	20.65	53.82	54	-0.18	AVG
	@	2412	94.57	20.75	115.32	N/A	N/A	PK
	@	2412	86.69	20.75	107.44	N/A	N/A	AVG




Mode	802.11g	Channel	6
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2363.58	40.56	20.7	61.26	74	-12.74	PK
		2378.78	28.58	20.67	49.25	54	-4.75	AVG
	@	2437	86.35	20.99	107.34	N/A	N/A	PK
	@	2437	79.24	20.99	100.23	N/A	N/A	AVG
		2490.5	28.65	21.26	49.91	54	-4.09	AVG
		2497.53	41.22	21.3	62.52	74	-11.48	PK
Vertical		2349.71	41.23	20.71	61.94	74	-12.06	PK
		2389.99	29.8	20.65	50.45	54	-3.55	AVG
	@	2437	94.99	20.99	115.98	N/A	N/A	PK
	@	2437	86.45	20.99	107.44	N/A	N/A	AVG
		2484.42	29	21.24	50.24	54	-3.76	AVG
		2489.93	39.73	21.26	60.99	74	-13.01	PK



Mode	802.11g	Channel	11
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	86.1	21.15	107.25	N/A	N/A	PK
	@	2462	78.8	21.15	99.95	N/A	N/A	AVG
		2483.66	29.1	21.24	50.34	54	-3.66	AVG
		2485.18	40.73	21.24	61.97	74	-12.03	PK
Vertical	@	2462	94.38	21.15	115.53	N/A	N/A	PK
	@	2462	87.19	21.15	108.34	N/A	N/A	AVG
		2483.66	30.85	21.24	52.09	54	-1.91	AVG
		2483.85	42.52	21.24	63.76	74	-10.24	PK



Mode	802.11ac(VHT20)	Channel	1
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2333.37	40.34	19.39	59.73	74	-14.27	PK
		2389.8	29.63	19.19	48.82	54	-5.18	AVG
	@	2412	87.28	19.15	106.43	N/A	N/A	PK
	@	2412	78.36	19.15	97.51	N/A	N/A	AVG
	*	4824	43.85	2.63	46.48	74	-27.52	PK
Vertical		2388.85	34.27	19.2	53.47	54	-0.53	AVG
		2389.8	43.54	19.19	62.73	74	-11.27	PK
	@	2412	96.12	19.15	115.27	N/A	N/A	PK
	@	2412	87.9	19.15	107.05	N/A	N/A	AVG
	*	4824	43.85	2.63	46.48	74	-27.52	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ac(VHT20)	Channel	2
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2347.43	40.76	19.4	60.16	74	-13.84	PK
		2389.61	29.34	19.19	48.53	54	-5.47	AVG
	@	2417	87.8	19.16	106.96	N/A	N/A	PK
	@	2417	79.47	19.16	98.63	N/A	N/A	AVG
	*	4834	43.81	2.63	46.44	74	-27.56	PK
	*	7251	33.97	10.68	44.65	74	-29.35	PK
Vertical		2387.14	46.83	19.21	66.04	74	-7.96	PK
		2389.99	34.45	19.19	53.64	54	-0.36	AVG
	@	2417	96.72	19.16	115.88	N/A	N/A	PK
	@	2417	89	19.16	108.16	N/A	N/A	AVG
	*	4834	43.48	2.63	46.11	74	-27.89	PK
	*	7251	33.23	10.68	43.91	74	-30.09	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ac(VHT20)	Channel	6
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2324.44	28.8	19.37	48.17	54	-5.83	AVG
		2341.35	41.06	19.4	60.46	74	-13.54	PK
	@	2437	88.69	19.19	107.88	N/A	N/A	PK
	@	2437	79.92	19.19	99.11	N/A	N/A	AVG
		2484.99	28.65	19.2	47.85	54	-6.15	AVG
		2495.25	40.99	19.2	60.19	74	-13.81	PK
	*	4874	42.76	2.66	45.42	74	-28.58	PK
	*	7311	33.18	10.57	43.75	74	-30.25	PK
Vertical		2361.87	41.66	19.35	61.01	74	-12.99	PK
		2389.42	30.75	19.19	49.94	54	-4.06	AVG
	@	2437	99	19.19	118.19	N/A	N/A	PK
	@	2437	89.81	19.19	109	N/A	N/A	AVG
		2483.85	41.08	19.2	60.28	74	-13.72	PK
		2483.85	30.51	19.2	49.71	54	-4.29	AVG
	*	4874	41.28	2.66	43.94	74	-30.06	PK
	*	7311	33.22	10.57	43.79	74	-30.21	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1

TX, 802.11ac(VHT20) (Ch 6)
Radiated Spurious Emission, Horizontal

TX, 802.11ac(VHT20) (Ch 6)
Radiated Spurious Emission, Vertical

TX, 802.11ac(VHT20) (Ch 6)
Band Edge (Average), Horizontal

TX, 802.11ac(VHT20) (Ch 6)
Band Edge (Average), Vertical

TX, 802.11ac(VHT20) (Ch 6)
Band Edge (Peak), Horizontal

TX, 802.11ac(VHT20) (Ch 6)
Band Edge (Peak), Vertical


Mode	802.11ac(VHT20)	Channel	10
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2457	86.07	19.21	105.28	N/A	N/A	PK
	@	2457	77.56	19.21	96.77	N/A	N/A	AVG
		2483.66	28.81	19.2	48.01	54	-5.99	AVG
		2485.75	39.28	19.2	58.48	74	-15.52	PK
	*	4914	40.62	2.71	43.33	74	-30.67	PK
	*	7371	33.89	10.66	44.55	74	-29.45	PK
Vertical	@	2457	95.91	19.21	115.12	N/A	N/A	PK
	@	2457	86.89	19.21	106.1	N/A	N/A	AVG
		2484.04	32.62	19.2	51.82	54	-2.18	AVG
		2484.8	42.9	19.2	62.1	74	-11.9	PK
	*	4914	40.65	2.71	43.36	74	-30.64	PK
	*	7371	33.19	10.66	43.85	74	-30.15	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ac(VHT20)	Channel	11
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	83.24	19.21	102.45	N/A	N/A	PK
	@	2462	75.06	19.21	94.27	N/A	N/A	AVG
		2483.85	40.24	19.2	59.44	74	-14.56	PK
		2483.85	29.12	19.2	48.32	54	-5.68	AVG
	*	4924	38.96	2.72	41.68	74	-32.32	PK
	*	7386	33.45	10.71	44.16	74	-29.84	PK
Vertical	@	2462	92.17	19.21	111.38	N/A	N/A	PK
	@	2462	83.95	19.21	103.16	N/A	N/A	AVG
		2483.66	32.91	19.2	52.11	54	-1.89	AVG
		2484.61	43.84	19.2	63.04	74	-10.96	PK
	*	4924	40.47	2.72	43.19	74	-30.81	PK
	*	7386	33.14	10.71	43.85	74	-30.15	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948


Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1




Mode	802.11ac(VHT40)	Channel	3
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2328.05	40.45	19.38	59.83	74	-14.17	PK
		2389.99	29.27	19.19	48.46	54	-5.54	AVG
	@	2422	80.08	19.17	99.25	N/A	N/A	PK
	@	2422	71.45	19.17	90.62	N/A	N/A	AVG
Vertical		2389.04	44.67	19.2	63.87	74	-10.13	PK
		2389.8	34.35	19.19	53.54	54	-0.46	AVG
	@	2422	89.92	19.17	109.09	N/A	N/A	PK
	@	2422	81.17	19.17	100.34	N/A	N/A	AVG


TX, 802.11ac(VHT40) (Ch 3)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 3)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 3)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 3)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	4
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2384.1	40.51	19.23	59.74	74	-14.26	PK
		2389.42	30.14	19.19	49.33	54	-4.67	AVG
	@	2427	81.22	19.17	100.39	N/A	N/A	PK
	@	2427	72.33	19.17	91.5	N/A	N/A	AVG
Vertical		2389.23	43.85	19.2	63.05	74	-10.95	PK
		2389.99	34.56	19.19	53.75	54	-0.25	AVG
	@	2427	90.75	19.17	109.92	N/A	N/A	PK
	@	2427	82.16	19.17	101.33	N/A	N/A	AVG


TX, 802.11ac(VHT40) (Ch 4)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 4)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 4)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 4)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	6
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2352.56	40.6	19.4	60	74	-14	PK
		2389.99	29.43	19.19	48.62	54	-5.38	AVG
	@	2437	84.1	19.19	103.29	N/A	N/A	PK
	@	2437	75.12	19.19	94.31	N/A	N/A	AVG
		2483.85	29.77	19.2	48.97	54	-5.03	AVG
		2492.02	39.93	19.2	59.13	74	-14.87	PK
Vertical		2389.8	43.96	19.19	63.15	74	-10.85	PK
		2389.99	34.36	19.19	53.55	54	-0.45	AVG
	@	2437	93.85	19.19	113.04	N/A	N/A	PK
	@	2437	85.67	19.19	104.86	N/A	N/A	AVG
		2484.23	32.31	19.2	51.51	54	-2.49	AVG
		2484.61	42.13	19.2	61.33	74	-12.67	PK


TX, 802.11ac(VHT40) (Ch 6)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 6)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 6)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 6)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	8
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2447	81.27	19.21	100.48	N/A	N/A	PK
	@	2447	72.55	19.21	91.76	N/A	N/A	AVG
		2484.23	29.39	19.2	48.59	54	-5.41	AVG
		2492.59	39.86	19.2	59.06	74	-14.94	PK
Vertical	@	2447	90.85	19.21	110.06	N/A	N/A	PK
	@	2447	82.41	19.21	101.62	N/A	N/A	AVG
		2483.85	32.85	19.2	52.05	54	-1.95	AVG
		2485.94	44.5	19.2	63.7	74	-10.3	PK


TX, 802.11ac(VHT40) (Ch 8)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 8)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 8)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 8)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT40)	Channel	9
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2452	79.83	19.21	99.04	N/A	N/A	PK
	@	2452	70.94	19.21	90.15	N/A	N/A	AVG
		2483.66	29.14	19.2	48.34	54	-5.66	AVG
		2484.42	40.17	19.2	59.37	74	-14.63	PK
Vertical	@	2452	88.99	19.21	108.2	N/A	N/A	PK
	@	2452	80.62	19.21	99.83	N/A	N/A	AVG
		2483.66	33.84	19.2	53.04	54	-0.96	AVG
		2485.75	45.23	19.2	64.43	74	-9.57	PK


TX, 802.11ac(VHT40) (Ch 9)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT40) (Ch 9)
Band Edge (Average), Vertical



TX, 802.11ac(VHT40) (Ch 9)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT40) (Ch 9)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	1
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2389.8	40.55	20.65	61.2	74	-12.8	PK
		2389.99	29.72	20.65	50.37	54	-3.63	AVG
	@	2412	86.34	20.75	107.09	N/A	N/A	PK
	@	2412	77.32	20.75	98.07	N/A	N/A	AVG
Vertical		2389.61	45.45	20.65	66.1	74	-7.9	PK
		2389.99	33.2	20.65	53.85	54	-0.15	AVG
	@	2412	94.38	20.75	115.13	N/A	N/A	PK
	@	2412	86	20.75	106.75	N/A	N/A	AVG


TX, 802.11be(EHT20) (Ch 1)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 1)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 1)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 1)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	2
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2351.23	40.65	19.4	60.05	74	-13.95	PK
		2389.61	29.24	19.19	48.43	54	-5.57	AVG
	@	2417	87.87	19.16	107.03	N/A	N/A	PK
	@	2417	79.19	19.16	98.35	N/A	N/A	AVG
Vertical		2389.8	45.17	19.19	64.36	74	-9.64	PK
		2389.99	34.04	19.19	53.23	54	-0.77	AVG
	@	2417	98.78	19.16	117.94	N/A	N/A	PK
	@	2417	88.74	19.16	107.9	N/A	N/A	AVG


TX, 802.11be(EHT20) (Ch 2)
Band Edge (Average), Horizontal



TX, 802.11be(EHT20) (Ch 2)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 2)
Band Edge (Peak), Horizontal



TX, 802.11be(EHT20) (Ch 2)
Band Edge (Peak), Vertical

