

Note:

- a. The resolution bandwidth and video bandwidth of test receiver/spectrum analyzer is 120kHz for Quasi-peak detection (QP) at frequency below 1GHz.
- b. The resolution bandwidth of test receiver/spectrum analyzer is 1 MHz and the video bandwidth is 3 MHz for Peak detection (PK) at frequency above 1GHz.
- c. The resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is $\geq 1/T$ (Duty cycle < 98%) or 10Hz (Duty cycle $\geq 98\%$) for Average detection (AV) at frequency above 1GHz.

Peak

Frequency	RBW	VBW
9 kHz~150 kHz	200 Hz	600 Hz
150 kHz~30 MHz	10 kHz	30 kHz
30 MHz~1 GHz	120 kHz	360 kHz
Above 1GHz	1 MHz	3 MHz

Average for above 1GHz

RBW	VBW
1MHz	Refer to section 6.6 for duty cycle.

- d. All modes of operation were investigated (includes all external accessories) and the worst-case emissions are reported, the other emission levels were low against the limit.
- e. Test data of Result value (dBuV/m) = Reading value (dBuV/m) + Correction Factor (dB/m).
- f. Test data of Margin(dB) = Result value (dBuV/m) - Limit value (dBuV/m).
- g. Test data of Correction Factor (dB/m) = Antenna Factor (dBuV/m) + Cable Loss (dB) - Preamp Factor (dB).
- h. Test data of Notation "@" = Fundamental Frequency
- i. Test data of Notation "*" = Only required peak limit or the peak result under 20 dB above and complies with AVG limit, AVG result is deemed to comply with AVG limit.

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

Test Setup

<Frequency Range 9 kHz ~ 30 MHz>



<Frequency Range 30 MHz ~ 1 GHz >



Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

<Frequency Range above 1 GHz>



For the actual test configuration, please refer to the Setup Configurations.

Test Data

Above 1 GHz

Mode	802.11a	Channel	36
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5059.85	41.4	19.55	60.95	74	-13.05	PK
		5116.55	29.37	19.71	49.08	54	-4.92	AVG
	@	5180	82.68	19.69	102.37	N/A	N/A	PK
	@	5180	75.51	19.69	95.2	N/A	N/A	AVG
	*	10360	30.78	17.8	48.58	68.2	-19.62	PK
Vertical		5148.75	42.57	19.78	62.35	74	-11.65	PK
		5149.8	32.05	19.78	51.83	54	-2.17	AVG
	@	5180	93.24	19.69	112.93	N/A	N/A	PK
	@	5180	85.66	19.69	105.35	N/A	N/A	AVG
	*	10360	30.59	17.8	48.39	68.2	-19.81	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	44
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5000.7	29.57	15.79	45.36	54	-8.64	AVG
		5004.9	41.78	15.79	57.57	74	-16.43	PK
	@	5220	86.6	16.36	102.96	N/A	N/A	PK
	@	5220	78.91	16.36	95.27	N/A	N/A	AVG
	*	10440	30.88	18.15	49.03	68.2	-19.17	PK
Vertical		5087.5	41.33	15.86	57.19	74	-16.81	PK
		5144.2	29.46	16.06	45.52	54	-8.48	AVG
	@	5220	97.55	16.36	113.91	N/A	N/A	PK
	@	5220	89.45	16.36	105.81	N/A	N/A	AVG
	*	10440	30.35	18.15	48.5	68.2	-19.7	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 44)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 44)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 44)
Band Edge (Average), Vertical



TX, 802.11a (Ch 44)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 44)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	48
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5000	29.59	15.79	45.38	54	-8.62	AVG
		5105.7	42.02	15.89	57.91	74	-16.09	PK
	@	5240	85.18	16.38	101.56	N/A	N/A	PK
	@	5240	78.67	16.38	95.05	N/A	N/A	AVG
	*	10480	29.72	18.28	48	68.2	-20.2	PK
Vertical		5023.8	41.82	15.8	57.62	74	-16.38	PK
		5146.3	29.36	16.06	45.42	54	-8.58	AVG
	@	5240	96.49	16.38	112.87	N/A	N/A	PK
	@	5240	88.41	16.38	104.79	N/A	N/A	AVG
	*	10480	30.25	18.28	48.53	68.2	-19.67	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	52
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	86.41	16.37	102.78	N/A	N/A	PK
	@	5260	78.02	16.37	94.39	N/A	N/A	AVG
		5456.7	39.13	16.91	56.04	74	-17.96	PK
		5457	27.34	16.91	44.25	54	-9.75	AVG
	*	10520	29.64	18.32	47.96	68.2	-20.24	PK
Vertical	@	5260	96.26	16.37	112.63	N/A	N/A	PK
	@	5260	88.84	16.37	105.21	N/A	N/A	AVG
		5458.2	39.12	16.91	56.03	74	-17.97	PK
		5459.7	27.51	16.92	44.43	54	-9.57	AVG
	*	10520	29.97	18.32	48.29	68.2	-19.91	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	60
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	86.26	16.29	102.55	N/A	N/A	PK
	@	5300	79.27	16.29	95.56	N/A	N/A	AVG
		5353.2	40.02	16.4	56.42	74	-17.58	PK
		5457.6	27.3	16.91	44.21	54	-9.79	AVG
	*	10600	30.84	18.24	49.08	74	-24.92	PK
Vertical	@	5300	96.99	16.29	113.28	N/A	N/A	PK
	@	5300	87.69	16.29	103.98	N/A	N/A	AVG
		5350.5	28.13	16.39	44.52	54	-9.48	AVG
		5445	39.72	16.87	56.59	74	-17.41	PK
	*	10600	31.04	18.24	49.28	74	-24.72	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan


Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 60)

Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 60)

Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 60)

Band Edge (Average), Horizontal




TX, 802.11a (Ch 60)

Band Edge (Average), Vertical




TX, 802.11a (Ch 60)

Band Edge (Peak), Horizontal



TX, 802.11a (Ch 60)

Band Edge (Peak), Vertical



Mode	802.11a	Channel	64
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	81.53	19.17	100.7	N/A	N/A	PK
	@	5320	74.33	19.17	93.5	N/A	N/A	AVG
		5445.9	39.31	19.87	59.18	74	-14.82	PK
		5459.1	27.45	19.94	47.39	54	-6.61	AVG
	*	10640	30.59	18.36	48.95	74	-25.05	PK
Vertical	@	5320	92.82	19.17	111.99	N/A	N/A	PK
	@	5320	83.41	19.17	102.58	N/A	N/A	AVG
		5350.2	30.61	19.29	49.9	54	-4.1	AVG
		5350.5	41.43	19.29	60.72	74	-13.28	PK
	*	10640	31.29	18.36	49.65	74	-24.35	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	100
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5426.6	40.11	19.77	59.88	74	-14.12	PK
		5459.85	27.37	19.94	47.31	54	-6.69	AVG
		5463	38.46	19.96	58.42	68.2	-9.78	PK
	@	5500	81.1	20.12	101.22	N/A	N/A	PK
	@	5500	73.39	20.12	93.51	N/A	N/A	AVG
	*	11000	30.32	18.55	48.87	74	-25.13	PK
Vertical		5401.05	39.35	19.62	58.97	74	-15.03	PK
		5459.85	27.81	19.94	47.75	54	-6.25	AVG
		5470	40.22	19.99	60.21	68.2	-7.99	PK
	@	5500	92.78	20.12	112.9	N/A	N/A	PK
	@	5500	83.83	20.12	103.95	N/A	N/A	AVG
	*	11000	30.64	18.55	49.19	74	-24.81	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	116
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5453.2	39.27	16.91	56.18	74	-17.82	PK
		5454.95	27.37	16.91	44.28	54	-9.72	AVG
		5469.65	39.4	16.95	56.35	68.2	-11.85	PK
	@	5580	83.18	16.72	99.9	N/A	N/A	PK
	@	5580	76.88	16.72	93.6	N/A	N/A	AVG
		5729.35	39.03	16.83	55.86	68.2	-12.34	PK
	*	11160	29.68	18.92	48.6	74	-25.4	PK
Vertical		5401.05	39.32	16.62	55.94	74	-18.06	PK
		5453.2	27.59	16.91	44.5	54	-9.5	AVG
		5461.6	38.2	16.92	55.12	68.2	-13.08	PK
	@	5580	93.85	16.72	110.57	N/A	N/A	PK
	@	5580	85.82	16.72	102.54	N/A	N/A	AVG
		5740.55	39.17	16.89	56.06	68.2	-12.14	PK
	*	11160	32.68	18.92	51.6	74	-22.4	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 116)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 116)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 116)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 116)
Band Edge (Average), Vertical



TX, 802.11a (Ch 116)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 116)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	140
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5454.6	41.6	19.92	61.52	74	-12.48	PK
		5458.8	27.29	19.93	47.22	54	-6.78	AVG
		5462.3	38.63	19.94	58.57	68.2	-9.63	PK
	@	5700	79.94	19.97	99.91	N/A	N/A	PK
	@	5700	70.22	19.97	90.19	N/A	N/A	AVG
		5746.5	40.34	20.41	60.75	68.2	-7.45	PK
	*	11400	29.46	19.29	48.75	74	-25.25	PK
Vertical		5405.95	39.86	19.65	59.51	74	-14.49	PK
		5457.75	27.52	19.93	47.45	54	-6.55	AVG
		5468.6	38.46	19.98	58.44	68.2	-9.76	PK
	@	5700	91.25	19.97	111.22	N/A	N/A	PK
	@	5700	82.55	19.97	102.52	N/A	N/A	AVG
		5726.9	39.81	20.23	60.04	68.2	-8.16	PK
	*	11400	30.42	19.29	49.71	74	-24.29	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1




Mode	802.11a	Channel	144
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	*	11440	30.98	19.39	50.37	74	-23.63	PK
Vertical	*	11440	29.86	19.39	49.25	74	-24.75	PK



Mode	802.11a	Channel	149
------	---------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5615.5	39.82	16.75	56.57	68.2	-11.63	PK
		5668	39.29	16.78	56.07	81.56	-25.49	PK
	@	5745	83.34	16.92	100.26	N/A	N/A	PK
	*	11490	29.67	19.53	49.2	74	-24.8	PK
Vertical		5581	40.26	16.73	56.99	68.2	-11.21	PK
		5660	39.85	16.81	56.66	75.63	-18.97	PK
	@	5745	95.66	16.92	112.58	N/A	N/A	PK
	*	11490	30.62	19.53	50.15	74	-23.85	PK




Mode	802.11a	Channel	157
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5645.5	39.77	16.83	56.6	68.2	-11.6	PK
		5652.5	39.42	16.83	56.25	70.06	-13.81	PK
	@	5785	82.93	17.42	100.35	N/A	N/A	PK
		5900	40.19	18.1	58.29	86.66	-28.37	PK
		6017.5	40.01	18.02	58.03	68.2	-10.17	PK
	*	11570	29.69	19.04	48.73	74	-25.27	PK
Vertical		5590	40.12	16.72	56.84	68.2	-11.36	PK
		5689	39.64	16.7	56.34	97.09	-40.75	PK
	@	5785	94.48	17.42	111.9	N/A	N/A	PK
		5907	40.96	18.07	59.03	81.48	-22.45	PK
		5985.5	39.3	17.98	57.28	68.2	-10.92	PK
	*	11570	29.99	19.04	49.03	74	-24.97	PK


TX, 802.11a (Ch 157)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 157)
Radiated Spurious Emission, Vertical



TX, 802.11a (Ch 157)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 157)
Band Edge (Peak), Vertical




Mode	802.11a	Channel	165
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	81.58	17.69	99.27	N/A	N/A	PK
		5917.5	39.79	18.04	57.83	73.73	-15.9	PK
		5982	39.66	17.97	57.63	68.2	-10.57	PK
	*	11650	30.1	18.77	48.87	74	-25.13	PK
Vertical	@	5825	96.35	17.69	114.04	N/A	N/A	PK
		5899.5	40.41	18.1	58.51	87.03	-28.52	PK
		5972.5	39.96	17.97	57.93	68.2	-10.27	PK
	*	11650	29.98	18.77	48.75	74	-25.25	PK


TX, 802.11a (Ch 165)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 165)
Radiated Spurious Emission, Vertical



TX, 802.11a (Ch 165)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 165)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	36
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5121.8	29.3	19.72	49.02	54	-4.98	AVG
		5123.9	41.63	19.73	61.36	74	-12.64	PK
	@	5180	83.75	19.69	103.44	N/A	N/A	PK
	@	5180	77.18	19.69	96.87	N/A	N/A	AVG
Vertical		5141.75	41.54	19.76	61.3	74	-12.7	PK
		5149.8	30.57	19.78	50.35	54	-3.65	AVG
	@	5180	92.78	19.69	112.47	N/A	N/A	PK
	@	5180	85.17	19.69	104.86	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 36)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	44
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5093.1	41.74	19.66	61.4	74	-12.6	PK
		5137.2	29.28	19.75	49.03	54	-4.97	AVG
	@	5220	80.72	19.5	100.22	N/A	N/A	PK
	@	5220	72.35	19.5	91.85	N/A	N/A	AVG
Vertical		5095.2	41.84	19.66	61.5	74	-12.5	PK
		5122.5	29.32	19.72	49.04	54	-4.96	AVG
	@	5220	91.46	19.5	110.96	N/A	N/A	PK
	@	5220	83.65	19.5	103.15	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Peak), Horizontal




TX, 802.11ac(VHT20) (Ch 44)
Band Edge (Peak), Vertical




Mode	802.11ac(VHT20)	Channel	48
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5039.2	41.28	19.43	60.71	74	-13.29	PK
		5134.75	29.22	19.74	48.96	54	-5.04	AVG
	@	5240	79.52	19.36	98.88	N/A	N/A	PK
	@	5240	72.46	19.36	91.82	N/A	N/A	AVG
Vertical		5071.75	29.38	19.59	48.97	54	-5.03	AVG
		5074.55	42.24	19.59	61.83	74	-12.17	PK
	@	5240	92.02	19.36	111.38	N/A	N/A	PK
	@	5240	83.34	19.36	102.7	N/A	N/A	AVG


TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Average), Horizontal



TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Average), Vertical



TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Peak), Horizontal



TX, 802.11ac(VHT20) (Ch 48)
Band Edge (Peak), Vertical

