




Mode	802.11a	Channel	113
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5888	41.09	21.29	62.38	88.2	-25.82	PK
		5904.8	28.04	21.28	49.32	68.2	-18.88	AVG
	@	6515	53.64	23.62	77.26	N/A	N/A	PK
	@	6515	47.44	23.62	71.06	N/A	N/A	AVG
		7187.2	39.57	26.44	66.01	88.2	-22.19	PK
		7222.2	27.87	26.61	54.48	68.2	-13.72	AVG
	*	13030	29.06	21.33	50.39	88.2	-37.81	PK
Vertical		5878.2	40.58	21.28	61.86	88.2	-26.34	PK
		5882.4	28.05	21.28	49.33	68.2	-18.87	AVG
	@	6515	71.5	23.62	95.12	N/A	N/A	PK
	@	6515	61.95	23.62	85.57	N/A	N/A	AVG
		7204	40.87	26.55	67.42	88.2	-20.78	PK
		7223.6	27.87	26.62	54.49	68.2	-13.71	AVG
	*	13030	28.81	21.33	50.14	88.2	-38.06	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004814 (17-EM-F0980) V1.1

TX, 802.11a (Ch 113)
Radiated Spurious Emission, Horizontal

TX, 802.11a (Ch 113)
Radiated Spurious Emission, Vertical

TX, 802.11a (Ch 113)
Band Edge (Average), Horizontal

TX, 802.11a (Ch 113)
Band Edge (Average), Vertical

TX, 802.11a (Ch 113)
Band Edge (Peak), Horizontal

TX, 802.11a (Ch 113)
Band Edge (Peak), Vertical


Mode	802.11a	Channel	117
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5844.6	41.47	21.23	62.7	88.2	-25.5	PK
		5900.6	28.04	21.3	49.34	68.2	-18.86	AVG
	@	6535	53.63	23.64	77.27	N/A	N/A	PK
	@	6535	46.73	23.64	70.37	N/A	N/A	AVG
		7201.2	40.56	26.53	67.09	88.2	-21.11	PK
		7218	27.89	26.6	54.49	68.2	-13.71	AVG
	*	13070	28.89	21.45	50.34	88.2	-37.86	PK
Vertical		5874	28.11	21.27	49.38	68.2	-18.82	AVG
		5900.6	40.03	21.3	61.33	88.2	-26.87	PK
	@	6535	71.18	23.64	94.82	N/A	N/A	PK
	@	6535	61.74	23.64	85.38	N/A	N/A	AVG
		7128.4	40.45	26.13	66.58	88.2	-21.62	PK
		7220.8	27.91	26.6	54.51	68.2	-13.69	AVG
	*	13070	28.58	21.45	50.03	88.2	-38.17	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004814 (17-EM-F0980) V1.1

TX, 802.11a (Ch 117)
Radiated Spurious Emission, Horizontal

TX, 802.11a (Ch 117)
Radiated Spurious Emission, Vertical

TX, 802.11a (Ch 117)
Band Edge (Average), Horizontal

TX, 802.11a (Ch 117)
Band Edge (Average), Vertical

TX, 802.11a (Ch 117)
Band Edge (Peak), Horizontal

TX, 802.11a (Ch 117)
Band Edge (Peak), Vertical


Mode	802.11a	Channel	149
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBUV)	Correct (dB/m)	Result (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Remark
Horizontal		5846	39.62	21.24	60.86	88.2	-27.34	PK
		5900.6	28.1	21.3	49.4	68.2	-18.8	AVG
	@	6695	51.03	23.99	75.02	N/A	N/A	PK
	@	6695	43.73	23.99	67.72	N/A	N/A	AVG
		7216.6	27.95	26.59	54.54	68.2	-13.66	AVG
		7218	40.22	26.6	66.82	88.2	-21.38	PK
	*	13390	28.62	22.82	51.44	74	-22.56	PK
Vertical		5858.6	40.42	21.27	61.69	88.2	-26.51	PK
		5896.4	28.07	21.3	49.37	68.2	-18.83	AVG
	@	6695	70.01	23.99	94	N/A	N/A	PK
	@	6695	61.75	23.99	85.74	N/A	N/A	AVG
		7218	27.87	26.6	54.47	68.2	-13.73	AVG
		7223.6	39.7	26.62	66.32	88.2	-21.88	PK
	*	13390	28.45	22.82	51.27	74	-22.73	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004814 (17-EM-F0980) V1.1

TX, 802.11a (Ch 149)
Radiated Spurious Emission, Horizontal

TX, 802.11a (Ch 149)
Radiated Spurious Emission, Vertical

TX, 802.11a (Ch 149)
Band Edge (Average), Horizontal

TX, 802.11a (Ch 149)
Band Edge (Average), Vertical

TX, 802.11a (Ch 149)
Band Edge (Peak), Horizontal

TX, 802.11a (Ch 149)
Band Edge (Peak), Vertical


Mode	802.11a	Channel	181
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5892.2	39.68	21.29	60.97	88.2	-27.23	PK
		5909	28.12	21.28	49.4	68.2	-18.8	AVG
	@	6855	53.28	24.5	77.78	N/A	N/A	PK
	@	6855	45.73	24.5	70.23	N/A	N/A	AVG
		7138.2	40.26	26.15	66.41	88.2	-21.79	PK
		7219.4	27.86	26.6	54.46	68.2	-13.74	AVG
	*	13710	29.39	23.59	52.98	88.2	-35.22	PK
Vertical		5904.8	40.01	21.28	61.29	88.2	-26.91	PK
		5916	28.06	21.28	49.34	68.2	-18.86	AVG
	@	6855	69.76	24.5	94.26	N/A	N/A	PK
	@	6855	61.54	24.5	86.04	N/A	N/A	AVG
		7199.8	39.52	26.53	66.05	88.2	-22.15	PK
		7222.2	27.85	26.61	54.46	68.2	-13.74	AVG
	*	13710	29.35	23.59	52.94	88.2	-35.26	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004814 (17-EM-F0980) V1.1

TX, 802.11a (Ch 181)
Radiated Spurious Emission, Horizontal

TX, 802.11a (Ch 181)
Radiated Spurious Emission, Vertical

TX, 802.11a (Ch 181)
Band Edge (Average), Horizontal

TX, 802.11a (Ch 181)
Band Edge (Average), Vertical

TX, 802.11a (Ch 181)
Band Edge (Peak), Horizontal

TX, 802.11a (Ch 181)
Band Edge (Peak), Vertical


Mode	802.11a	Channel	185
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBUV)	Correct (dB/m)	Result (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Remark
Horizontal		5897.8	28.01	21.3	49.31	68.2	-18.89	AVG
		5903.4	40.96	21.3	62.26	88.2	-25.94	PK
	@	6875	53.5	24.55	78.05	N/A	N/A	PK
	@	6875	47.06	24.55	71.61	N/A	N/A	AVG
		7194.2	40.17	26.49	66.66	88.2	-21.54	PK
		7225	27.92	26.62	54.54	68.2	-13.66	AVG
	*	13750	29.09	23.71	52.8	88.2	-35.4	PK
Vertical		5886.6	28.06	21.29	49.35	68.2	-18.85	AVG
		5892.2	40.4	21.29	61.69	88.2	-26.51	PK
	@	6875	70.77	24.55	95.32	N/A	N/A	PK
	@	6875	62.21	24.55	86.76	N/A	N/A	AVG
		7191.4	39.77	26.47	66.24	88.2	-21.96	PK
		7223.6	27.92	26.62	54.54	68.2	-13.66	AVG
	*	13750	29.9	23.71	53.61	88.2	-34.59	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004814 (17-EM-F0980) V1.1

TX, 802.11a (Ch 185)
Radiated Spurious Emission, Horizontal

TX, 802.11a (Ch 185)
Radiated Spurious Emission, Vertical

TX, 802.11a (Ch 185)
Band Edge (Average), Horizontal

TX, 802.11a (Ch 185)
Band Edge (Average), Vertical

TX, 802.11a (Ch 185)
Band Edge (Peak), Horizontal

TX, 802.11a (Ch 185)
Band Edge (Peak), Vertical


Mode	802.11a	Channel	209
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	6995	54.47	25.26	79.73	N/A	N/A	PK
	@	6995	46.48	25.26	71.74	N/A	N/A	AVG
		7219.4	39.43	26.6	66.03	88.2	-22.17	PK
		7225	27.9	26.62	54.52	68.2	-13.68	AVG
	*	13990	29.67	24.58	54.25	88.2	-33.95	PK
Vertical	@	6995	70.73	25.26	95.99	N/A	N/A	PK
	@	6995	62.37	25.26	87.63	N/A	N/A	AVG
		7204	39.76	26.55	66.31	88.2	-21.89	PK
		7223.6	27.86	26.62	54.48	68.2	-13.72	AVG
	*	13990	30.39	24.58	54.97	88.2	-33.23	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004814 (17-EM-F0980) V1.1



Mode	802.11a	Channel	229
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	7095	51.34	26	77.34	N/A	N/A	PK
	@	7095	42.34	26	68.34	N/A	N/A	AVG
		7216.6	39.61	26.59	66.2	88.2	-22	PK
		7218	27.87	26.6	54.47	68.2	-13.73	AVG
	*	14190	29.8	25.5	55.3	88.2	-32.9	PK
Vertical	@	7095	66.76	26	92.76	N/A	N/A	PK
	@	7095	59.42	26	85.42	N/A	N/A	AVG
		7213.8	40.16	26.58	66.74	88.2	-21.46	PK
		7219.4	27.94	26.6	54.54	68.2	-13.66	AVG
	*	14190	29.79	25.5	55.29	88.2	-32.91	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004814 (17-EM-F0980) V1.1

TX, 802.11a (Ch 229)
Radiated Spurious Emission, Horizontal

TX, 802.11a (Ch 229)
Radiated Spurious Emission, Vertical

TX, 802.11a (Ch 229)
Band Edge (Average), Horizontal

TX, 802.11a (Ch 229)
Band Edge (Average), Vertical

TX, 802.11a (Ch 229)
Band Edge (Peak), Horizontal

TX, 802.11a (Ch 229)
Band Edge (Peak), Vertical


Mode	802.11a	Channel	233
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	7115	54.06	26.08	80.14	N/A	N/A	PK
	@	7115	47.81	26.08	73.89	N/A	N/A	AVG
		7125	45.61	26.11	71.72	88.2	-16.48	PK
		7125	38.49	26.11	64.6	68.2	-3.6	AVG
	*	14230	29.84	25.65	55.49	88.2	-32.71	PK
Vertical	@	7115	69.35	26.08	95.43	N/A	N/A	PK
	@	7115	62.69	26.08	88.77	N/A	N/A	AVG
		7125	55.74	26.11	81.85	88.2	-6.35	PK
		7125	38.72	26.11	64.83	68.2	-3.37	AVG
	*	14230	29.55	25.65	55.2	88.2	-33	PK







Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948


Doc No: Form-ULID-004814 (17-EM-F0980) V1.1

TX, 802.11a (Ch 233)
Radiated Spurious Emission, Horizontal

TX, 802.11a (Ch 233)
Radiated Spurious Emission, Vertical

TX, 802.11a (Ch 233)
Band Edge (Average), Horizontal

TX, 802.11a (Ch 233)
Band Edge (Average), Vertical

TX, 802.11a (Ch 233)
Band Edge (Peak), Horizontal

TX, 802.11a (Ch 233)
Band Edge (Peak), Vertical



Mode	802.11be(EHT20)	Channel	2
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5889.4	41.17	21.29	62.46	88.2	-25.74	PK
		5924.4	29.14	21.26	50.4	68.2	-17.8	AVG
	@	5935	47.48	21.26	68.74	N/A	N/A	PK
	@	5935	34.34	21.26	55.6	N/A	N/A	AVG
Vertical		5924.4	44.73	21.26	65.99	88.2	-22.21	PK
		5924.4	39.69	21.26	60.95	68.2	-7.25	AVG
	@	5935	59.72	21.26	80.98	N/A	N/A	PK
	@	5935	49.55	21.26	70.81	N/A	N/A	AVG


TX, 802.11be(EHT20) (Ch 2)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 2)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 2)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 2)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	1
------	-----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5893.6	28.1	21.29	49.39	68.2	-18.81	AVG
		5897.8	40.16	21.3	61.46	88.2	-26.74	PK
	@	5955	60.71	21.25	81.96	N/A	N/A	PK
	@	5955	49.59	21.25	70.84	N/A	N/A	AVG
Vertical		5903.4	40.13	21.3	61.43	88.2	-26.77	PK
		5906.2	28.1	21.29	49.39	68.2	-18.81	AVG
	@	5955	74.22	21.25	95.47	N/A	N/A	PK
	@	5955	64.98	21.25	86.23	N/A	N/A	AVG


TX, 802.11be(EHT20) (Ch 1)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 1)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 1)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 1)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	45
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5893.6	28.05	21.29	49.34	68.2	-18.86	AVG
		5914.6	39.39	21.27	60.66	88.2	-27.54	PK
	@	6175	57.2	21.92	79.12	N/A	N/A	PK
	@	6175	44.89	21.92	66.81	N/A	N/A	AVG
Vertical		5906.2	39.26	21.29	60.55	88.2	-27.65	PK
		5914.6	28.08	21.27	49.35	68.2	-18.85	AVG
	@	6175	74.56	21.92	96.48	N/A	N/A	PK
	@	6175	63.37	21.92	85.29	N/A	N/A	AVG


TX, 802.11be(EHT20) (Ch 45)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 45)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 45)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 45)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	93
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5920.2	28	21.27	49.27	68.2	-18.93	AVG
		5923	40.68	21.27	61.95	88.2	-26.25	PK
	@	6415	53.47	23.1	76.57	N/A	N/A	PK
	@	6415	47.5	23.1	70.6	N/A	N/A	AVG
		7169	40.09	26.31	66.4	88.2	-21.8	PK
		7220.8	27.88	26.6	54.48	68.2	-13.72	AVG
Vertical		5830.6	41.13	21.16	62.29	88.2	-25.91	PK
		5890.8	28.06	21.29	49.35	68.2	-18.85	AVG
	@	6415	72.88	23.1	95.98	N/A	N/A	PK
	@	6415	62.67	23.1	85.77	N/A	N/A	AVG
		7198.4	39.67	26.52	66.19	88.2	-22.01	PK
		7215.2	27.93	26.58	54.51	68.2	-13.69	AVG


TX, 802.11be(EHT20) (Ch 93)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 93)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 93)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 93)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	97
------	-----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5883.8	39.73	21.28	61.01	88.2	-27.19	PK
		5907.6	28.07	21.28	49.35	68.2	-18.85	AVG
	@	6435	58.01	23.2	81.21	N/A	N/A	PK
	@	6435	48.09	23.2	71.29	N/A	N/A	AVG
		7212.4	40.37	26.57	66.94	88.2	-21.26	PK
		7225	27.99	26.62	54.61	68.2	-13.59	AVG
Vertical		5864.2	40.14	21.27	61.41	88.2	-26.79	PK
		5914.6	28.01	21.27	49.28	68.2	-18.92	AVG
	@	6435	72.39	23.2	95.59	N/A	N/A	PK
	@	6435	63.61	23.2	86.81	N/A	N/A	AVG
		7205.4	39.36	26.55	65.91	88.2	-22.29	PK
		7223.6	27.87	26.62	54.49	68.2	-13.71	AVG


TX, 802.11be(EHT20) (Ch 97)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 97)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 97)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 97)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	105
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5882.4	40.67	21.28	61.95	88.2	-26.25	PK
		5893.6	28.03	21.29	49.32	68.2	-18.88	AVG
	@	6475	58.13	23.44	81.57	N/A	N/A	PK
	@	6475	48.97	23.44	72.41	N/A	N/A	AVG
		7176	39.78	26.37	66.15	88.2	-22.05	PK
		7223.6	27.78	26.62	54.4	68.2	-13.8	AVG
Vertical		5897.8	28.01	21.3	49.31	68.2	-18.89	AVG
		5909	40.99	21.28	62.27	88.2	-25.93	PK
	@	6475	72.76	23.44	96.2	N/A	N/A	PK
	@	6475	63.41	23.44	86.85	N/A	N/A	AVG
		7213.8	40.79	26.58	67.37	88.2	-20.83	PK
		7225	27.95	26.62	54.57	68.2	-13.63	AVG


TX, 802.11be(EHT20) (Ch 105)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 105)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 105)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 105)
Band Edge (Peak), Vertical



Mode	802.11be(EHT20)	Channel	113
------	-----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5900.6	40.18	21.3	61.48	88.2	-26.72	PK
		5907.6	28.09	21.28	49.37	68.2	-18.83	AVG
	@	6515	57.58	23.62	81.2	N/A	N/A	PK
	@	6515	47.29	23.62	70.91	N/A	N/A	AVG
		7184.4	39.78	26.43	66.21	88.2	-21.99	PK
		7223.6	27.88	26.62	54.5	68.2	-13.7	AVG
Vertical		5876.8	41.08	21.28	62.36	88.2	-25.84	PK
		5893.6	27.99	21.29	49.28	68.2	-18.92	AVG
	@	6515	72.28	23.62	95.9	N/A	N/A	PK
	@	6515	62.4	23.62	86.02	N/A	N/A	AVG
		7192.8	40.66	26.48	67.14	88.2	-21.06	PK
		7225	27.9	26.62	54.52	68.2	-13.68	AVG




Mode	802.11be(EHT20)	Channel	117
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5886.6	40.97	21.29	62.26	88.2	-25.94	PK
		5896.4	28	21.3	49.3	68.2	-18.9	AVG
	@	6535	55.39	23.64	79.03	N/A	N/A	PK
	@	6535	45.83	23.64	69.47	N/A	N/A	AVG
		7174.6	40.4	26.36	66.76	88.2	-21.44	PK
		7220.8	27.88	26.6	54.48	68.2	-13.72	AVG
Vertical		5841.8	40.01	21.22	61.23	88.2	-26.97	PK
		5890.8	28.03	21.29	49.32	68.2	-18.88	AVG
	@	6535	72.21	23.64	95.85	N/A	N/A	PK
	@	6535	61.91	23.64	85.55	N/A	N/A	AVG
		7177.4	39.76	26.37	66.13	88.2	-22.07	PK
		7222.2	27.9	26.61	54.51	68.2	-13.69	AVG


TX, 802.11be(EHT20) (Ch 117)
Band Edge (Average), Horizontal




TX, 802.11be(EHT20) (Ch 117)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 117)
Band Edge (Peak), Horizontal




TX, 802.11be(EHT20) (Ch 117)
Band Edge (Peak), Vertical




Mode	802.11be(EHT20)	Channel	149
------	-----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5897.8	39.67	21.3	60.97	88.2	-27.23	PK
		5903.4	28.02	21.3	49.32	68.2	-18.88	AVG
	@	6695	51.84	23.99	75.83	N/A	N/A	PK
	@	6695	40.16	23.99	64.15	N/A	N/A	AVG
		7184.4	40.8	26.43	67.23	88.2	-20.97	PK
		7223.6	27.85	26.62	54.47	68.2	-13.73	AVG
Vertical		5867	39.64	21.27	60.91	88.2	-27.29	PK
		5897.8	28.04	21.3	49.34	68.2	-18.86	AVG
	@	6695	70.18	23.99	94.17	N/A	N/A	PK
	@	6695	60.81	23.99	84.8	N/A	N/A	AVG
		7134	40.72	26.14	66.86	88.2	-21.34	PK
		7225	27.8	26.62	54.42	68.2	-13.78	AVG


TX, 802.11be(EHT20) (Ch 149)
Band Edge (Average), Horizontal



TX, 802.11be(EHT20) (Ch 149)
Band Edge (Average), Vertical



TX, 802.11be(EHT20) (Ch 149)
Band Edge (Peak), Horizontal



TX, 802.11be(EHT20) (Ch 149)
Band Edge (Peak), Vertical

