



Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 5MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 14:54:04


HIGHER BAND EDGE



Date: 19 APR 2018 14:57:42


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 5MHz / 16QAM / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 14:55:19


HIGHER BAND EDGE



Date: 19 APR 2018 14:56:28


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 10MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 14:53:18


HIGHER BAND EDGE



Date: 19 APR 2018 14:50:17


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 10MHz / 16QAM / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 14:52:10


HIGHER BAND EDGE



Date: 19 APR 2018 14:51:15


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 15MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 14:46:01


HIGHER BAND EDGE



Date: 19 APR 2018 14:49:20


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 15 MHz / 16QAM / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 14:47:22


HIGHER BAND EDGE



Date: 19 APR 2018 14:48:00


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 20MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19.APR.2018 14:44:54


HIGHER BAND EDGE



Date: 19.APR.2018 14:40:32


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 20MHz / 16QAM / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 14:47:22

HIGHER BAND EDGE




Date: 19 APR 2018 14:48:00

Report No.: T170908D07-A-RP6


LTE Band 5

CHANNEL BANDWIDTH: 1.4MHz / QPSK / 1 RB ALLOCATED

LOWER BAND EDGE




HIGHER BAND EDGE




Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 1.4MHz / 16QAM / 1 RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:24:46


HIGHER BAND EDGE



Date: 19 APR 2018 17:26:39


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 3MHz / QPSK / 1 RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:22:22


HIGHER BAND EDGE



Date: 19 APR 2018 17:20:54


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 3MHz / 16QAM / 1 RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:22:53


HIGHER BAND EDGE



Date: 19 APR 2018 17:20:32


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 5MHz / QPSK / 1 RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:16:54


HIGHER BAND EDGE



Date: 19 APR 2018 17:18:29


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 5MHz / 16QAM / 1 RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:16:31


HIGHER BAND EDGE



Date: 19 APR 2018 17:18:51


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 10MHz / QPSK / 1 RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:13:14


HIGHER BAND EDGE



Date: 19 APR 2018 17:11:40


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 10MHz / 16QAM / 1 RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:13:26


HIGHER BAND EDGE



Date: 19 APR 2018 17:11:16


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 1.4MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE




Date: 19 APR 2018 17:25:21

HIGHER BAND EDGE




Date: 19 APR 2018 17:25:56

Report No.: T170908D07-A-RP6

**CHANNEL BANDWIDTH: 1.4MHz / 16QAM / 100% RB ALLOCATED
LOWER BAND EDGE**


Date: 19 APR 2018 17:24:17

HIGHER BAND EDGE

Date: 19 APR 2018 17:27:05


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 3MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:21:58


HIGHER BAND EDGE



Date: 19 APR 2018 17:21:16


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 3MHz / 16QAM / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:23:21


HIGHER BAND EDGE



Date: 19 APR 2018 17:20:14


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 5MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:17:19


HIGHER BAND EDGE



Date: 19 APR 2018 17:18:07


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 5MHz / 16QAM / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:16:03


HIGHER BAND EDGE



Date: 19 APR 2018 17:19:19


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 10MHz / QPSK / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:12:44


HIGHER BAND EDGE



Date: 19 APR 2018 17:12:04


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 10MHz / 16QAM / 100% RB ALLOCATED LOWER BAND EDGE



Date: 19 APR 2018 17:14:06

HIGHER BAND EDGE



Date: 19 APR 2018 17:10:49

8.7 CONDUCTED SPURIOUS EMISSIONS

Limits

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB. The limit of emission equal to -13dBm

Test Procedures

1. The EUT was set up for the maximum peak power with LTE link data modulation. The power was measured with Spectrum Analyzer. All measurements were done at 3 channels (low, middle and high operational frequency range.).
2. The conducted spurious emission used the power splitter via EUT RF power connector between simulation base station and spectrum analyzer.
3. When the spectrum scanned from 30MHz to 3GHz, it shall be connected to the band reject filter attenuated the carried frequency. The spectrum set $\text{RB}=1\text{MHz}$, $\text{VB}=3\text{MHz}$.
4. When the spectrum scanned from 3GHz to 20GHz, it shall be connected to the high pass filter attenuated the carried frequency. The spectrum set $\text{RB}=1\text{MHz}$, $\text{VB}=3\text{MHz}$.


Report No.: T170908D07-A-RP6

Test Results


LTE Band 2

CHANNEL BANDWIDTH: 1.4MHz / QPSK

CH Low



CH Mid






Report No.: T170908D07-A-RP6

Page: 122 / 194

Rev.: 03

CH High




Date: 19 APR 2018 15:08:47

Report No.: T170908D07-A-RP6


CHANNEL BANDWIDTH: 1.4MHz / 16QAM

CH Low




Date: 19 APR 2018 15:09:51

CH Mid



Date: 19 APR 2018 15:10:36


CH High



Date: 19 APR 2018 15:08:02


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 3MHz / QPSK CH Low




Date: 19 APR 2018 15:12:52

CH Mid



Date: 19 APR 2018 15:11:30


CH High



Date: 19 APR 2018 15:13:17


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 3MHz / 16QAM CH Low



Date: 19 APR 2018 15:12:28

CH Mid



Date: 19 APR 2018 15:12:01




Report No.: T170908D07-A-RP6

Page: 128 / 194

Rev.: 03


CH High



Date: 19 APR 2018 15:13:35


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 5MHz / QPSK CH Low



Date: 19 APR 2018 15:17:06

CH Mid



Date: 19 APR 2018 15:15:11




Report No.: T170908D07-A-RP6

Page: 130 / 194

Rev.: 03


CH High



Date: 19 APR 2018 15:14:41


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 5MHz / 16QAM CH Low



Date: 19 APR 2018 15:16:48

CH Mid



Date: 19 APR 2018 15:15:26




Report No.: T170908D07-A-RP6

Page: 132 / 194

Rev.: 03


CH High



Date: 19 APR 2018 15:14:05


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 10MHz / QPSK CH Low




Date: 19 APR 2018 15:17:35

CH Mid



Date: 19 APR 2018 15:18:35


CH High



Date: 19 APR 2018 15:18:35


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 10MHz / 16QAM CH Low




Date: 19 APR 2018 15:17:56

CH Mid



Date: 19 APR 2018 15:18:18


CH High



Date: 19 APR 2018 15:19:14


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 15MHz / QPSK CH Low



Date: 19 APR 2018 15:21:21

CH Mid



Date: 19 APR 2018 15:20:24




Report No.: T170908D07-A-RP6

Page: 138 / 194

Rev.: 03


CH High



Date: 19 APR 2018 15:20:04


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 15MHz / 16QAM CH Low




Date: 19 APR 2018 15:21:05

CH Mid



Date: 19 APR 2018 15:20:43


CH High



Date: 19 APR 2018 15:19:43


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 20MHz / QPSK CH Low




Date: 19 APR 2018 15:22:50

CH Mid



Date: 19 APR 2018 15:23:58


CH High



Date: 19 APR 2018 15:24:18


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 20MHz / 16QAM CH Low



Date: 19 APR 2018 15:23:14

CH Mid



Date: 19 APR 2018 15:23:36




Report No.: T170908D07-A-RP6

Page: 144 / 194

Rev.: 03

CH High




Date: 19 APR 2018 15:24:35

Report No.: T170908D07-A-RP6


LTE Band 5

CHANNEL BANDWIDTH: 1.4MHz / QPSK

CH Low



CH Mid






Report No.: T170908D07-A-RP6

Page: 146 / 194

Rev.: 03


CH High



Date: 19 APR 2018 16:53:37


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 1.4MHz / 16QAM CH Low



Date: 19 APR 2018 16:51:53

CH Mid



Date: 19 APR 2018 16:52:54




Report No.: T170908D07-A-RP6

Page: 148 / 194


Rev.: 03

CH High




Date: 19 APR 2018 16:53:15

Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 3MHz / QPSK
CH Low

Date: 19 APR 2018 16:54:14

CH Mid

Date: 19 APR 2018 16:55:12




Report No.: T170908D07-A-RP6

Page: 150 / 194

Rev.: 03


CH High



Date: 19 APR 2018 16:55:31


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 3MHz / 16QAM CH Low



Date: 19 APR 2018 16:54:31


CH Mid



Date: 19 APR 2018 16:54:51


Report No.: T170908D07-A-RP6

CH High




Date: 19 APR 2018 16:55:54

Report No.: T170908D07-A-RP6


CHANNEL BANDWIDTH: 5MHz / QPSK
CH Low

Date: 19 APR 2018 16:58:05

CH Mid

Date: 19 APR 2018 16:57:10


CH High



Date: 19 APR 2018 16:56:47


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 5MHz / 16QAM CH Low




Date: 19 APR 2018 16:57:46

CH Mid



Date: 19 APR 2018 16:57:28


CH High



Date: 19 APR 2018 16:56:21


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 10MHz / QPSK CH Low




Date: 19 APR 2018 16:58:38

CH Mid



Date: 19 APR 2018 16:59:41


CH High



Date: 19 APR 2018 17:00:00


Report No.: T170908D07-A-RP6

CHANNEL BANDWIDTH: 10MHz / 16QAM CH Low




Date: 19 APR 2018 16:59:01

CH Mid



Date: 19 APR 2018 16:59:22

CH High



Date: 19 APR 2018 17:00:20


8.8 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

LIMIT


The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB. The limit of emission equal to -13dBm

Test Configuration


Below 1 GHz



Above 1 GHz



Substituted Method Test Set-up



TEST PROCEDURE

1. According to KDB 971168 D01 Power Meas License Digital Systems. Section 5.8 and TIA-603-E Section 2.2.12.
2. The EUT was placed on a turntable
 - (1) Below 1G : 0.8m
 - (2) Above 1G : 0.8m
 - (3) EUT set 3m from the receiving antenna
 - (4) The table was rotated 360 degrees of the highest spurious emission to determine the position.
3. Set the spectrum analyzer , RBW=1MHz, VBW=3MHz.
4. A horn antenna was driven by a signal generator.
5. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission

$$\text{ERP} = \text{S.G. output (dBm)} + \text{Antenna Gain (dBi)} - \text{Cable (dB)} - 2.15$$

$$\text{EIRP} = \text{S.G. output (dBm)} + \text{Antenna Gain (dBi)} - \text{Cable (dB)}$$

For test result, the S.G. value is including antenna gain and cable loss.

TEST RESULTS

Refer to the attached tabular data sheets.

Report No.: T170908D07-A-RP6

Test Results

Below 1GHz

LTE Band 2 / BW: 20MHz / QPSK / RB =1, RB Offset = 0

Operation Mode: Tx / Mid CH


Test Date: December 1, 2017

Temperature: 22°C

Tested by: Ivan Wang

Humidity: 54% RH

Polarity: Ver.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
202.1750	-76.37	4.24	-72.13	-13.00	-59.13	V
396.1750	-79.97	7.28	-72.69	-13.00	-59.69	V
519.8500	-77.32	6.82	-70.50	-13.00	-57.50	V
631.4000	-70.18	0.22	-69.96	-13.00	-56.96	V
740.5250	-72.5	1.74	-70.76	-13.00	-57.76	V
837.5250	-71.87	1.2	-70.67	-13.00	-57.67	V

Note: We selected worst case to performed test, The results can be meet other mode.


Operation Mode: Tx / Mid CH

Test Date: December 1, 2017

Temperature: 22°C

Tested by: Ivan Wang

Humidity: 54% RH

Polarity: Hor.


Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
129.4250	-74.01	1.04	-72.97	-13.00	-59.97	H
199.7500	-76.35	4.1	-72.25	-13.00	-59.25	H
282.2000	-79.4	7.08	-72.32	-13.00	-59.32	H
456.8000	-77.58	7.02	-70.56	-13.00	-57.56	H
665.3500	-71.65	1.52	-70.13	-13.00	-57.13	H
844.8000	-71.77	1.18	-70.59	-13.00	-57.59	H

Note: We selected worst case to performed test, The results can be meet other mode.

LTE Band 2 / BW: 20MHz / 16QAM / RB =1, RB Offset = 0

Operation Mode: Tx / Mid CH

Test Date:

December 1, 2017

Temperature: 22°C


Tested by:

Ivan Wang

Humidity: 54% RH

Polarity:

Ver.




Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
143.9750	-73.68	0.84	-72.84	-13.00	-59.84	V
277.3500	-80.37	7.13	-73.24	-13.00	-60.24	V
439.8250	-79.35	7.1	-72.25	-13.00	-59.25	V
527.1250	-76.91	6.83	-70.08	-13.00	-57.08	V
670.2000	-72.12	1.6	-70.52	-13.00	-57.52	V
859.3500	-72	1.22	-70.78	-13.00	-57.78	V

Note: We selected worst case to performed test, The results can be meet other mode.

Operation Mode: Tx / Mid CH
Temperature: 22°C
Humidity: 54% RH

Test Date: December 1, 2017
Tested by: Ivan Wang
Polarity: Hor.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
129.4250	-74.38	1.04	-73.34	-13.00	-60.34	H
199.7500	-76.42	4.1	-72.32	-13.00	-59.32	H
277.3500	-80.06	7.13	-72.93	-13.00	-59.93	H
447.1000	-78.57	7.06	-71.51	-13.00	-58.51	H
551.3750	-76.32	6.62	-69.70	-13.00	-56.70	H
767.2000	-73.22	1.54	-71.68	-13.00	-58.68	H

Note: We selected worst case to performed test, The results can be meet other mode.

Above 1GHz

LTE Band 2 / BW: 20MHz / QPSK RB =1, RB Offset = 0

Operation Mode: Tx / Low CH

Test Date:

December 1, 2017

Temperature: 22°C


Tested by:

Ivan Wang

Humidity: 54% RH

Polarity:

Ver.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3702.000	-49.48	12.54	-36.94	-13.00	-23.94	V
5550.000	-58.16	12.88	-45.28	-13.00	-32.28	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.



Report No.: T170908D07-A-RP6

Page: 168 / 194

Rev.: 03

Operation Mode: Tx / Low CH


Test Date: December 1, 2017

Temperature: 22°C

Tested by: Ivan Wang

Humidity: 54% RH

Polarity: Hor.




Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3702.000	-53.06	12.54	-40.52	-13.00	-27.52	H
5550.000	-49.4	12.88	-36.52	-13.00	-23.52	H
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Operation Mode: Tx / Mid CH
Temperature: 22°C
Humidity: 54% RH

Test Date: December 1, 2017
Tested by: Ivan Wang
Polarity: Ver.



Frequency (MHz)	S.G. (dBm)	Ant. Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3740.000	-52.28	12.55	-39.73	-13.00	-26.73	V
5610.000	-55.28	12.86	-42.42	-13.00	-29.42	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.




Report No.: T170908D07-A-RP6

Page: 170 / 194
Rev.: 03

Operation Mode: Tx / Mid CH
Temperature: 22°C
Humidity: 54% RH

Test Date: December 1, 2017
Tested by: Ivan Wang
Polarity: Hor.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3740.000	-51.76	12.55	-39.21	-13.00	-26.21	H
5610.000	-47.55	12.86	-34.69	-13.00	-21.69	H
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.




Report No.: T170908D07-A-RP6

Page: 171 / 194
Rev.: 03

Operation Mode: Tx / High CH
Temperature: 22°C
Humidity: 54% RH

Test Date: December 1, 2017
Tested by: Ivan Wang
Polarity: Ver.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3779.000	-50.6	12.56	-38.04	-13.00	-25.04	V
5676.000	-61.72	12.83	-48.89	-13.00	-35.89	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.


Operation Mode: Tx / High CH

Test Date: December 1, 2017

Temperature: 22°C

Tested by: Ivan Wang

Humidity: 54% RH

Polarity: Hor.


Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3779.000	-53.88	12.56	-41.32	-13.00	-28.32	H
5676.000	-62.05	12.83	-49.22	-13.00	-36.22	H
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

LTE Band 2 / BW: 20MHz / 16QAM / RB =1, RB Offset = 0
Operation Mode: Tx / Low CH

Test Date:

December 1, 2017

Temperature: 22°C


Tested by:

Ivan Wang

Humidity: 54% RH

Polarity:

Ver.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3702.000	-53.13	12.54	-40.59	-13.00	-27.59	V
5550.000	-56.52	12.88	-43.64	-13.00	-30.64	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.



Report No.: T170908D07-A-RP6

Page: 174 / 194

Rev.: 03

Operation Mode: Tx / Low CH

Test Date:

December 1, 2017

Temperature: 22°C


Tested by:

Ivan Wang

Humidity: 54% RH

Polarity:

Hor.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3702.000	-52.76	12.54	-40.22	-13.00	-27.22	H
5550.000	-48.57	12.88	-35.69	-13.00	-22.69	H
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.


Operation Mode: Tx / Mid CH

Test Date: December 1, 2017

Temperature: 22°C

Tested by: Ivan Wang

Humidity: 54% RH

Polarity: Ver.


Frequency (MHz)	S.G. (dBm)	Ant. Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3740.000	-47.47	12.55	-34.92	-13.00	-21.92	V
5610.000	-51.83	12.86	-38.97	-13.00	-25.97	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.




Report No.: T170908D07-A-RP6

Page: 176 / 194
Rev.: 03

Operation Mode: Tx / Mid CH
Temperature: 22°C
Humidity: 54% RH

Test Date: December 1, 2017
Tested by: Ivan Wang
Polarity: Hor.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3740.000	-49.92	12.55	-37.37	-13.00	-24.37	H
5610.000	-46.5	12.86	-33.64	-13.00	-20.64	H
N/A						

Remark:


1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.



Report No.: T170908D07-A-RP6

Operation Mode: Tx / High CH
Temperature: 22°C
Humidity: 54% RH

Test Date: December 1, 2017
Tested by: Ivan Wang
Polarity: Ver.




Frequency (MHz)	S.G. (dBm)	Ant. Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3779.000	-50.42	12.56	-37.86	-13.00	-24.86	V
5676.000	-61.2	12.83	-48.37	-13.00	-35.37	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Operation Mode: Tx / High CH
Temperature: 22°C
Humidity: 54% RH

Test Date: December 1, 2017
Tested by: Ivan Wang
Polarity: Hor.



Frequency (MHz)	S.G. (dBm)	Ant. Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
3779.000	-54.99	12.56	-42.43	-13.00	-29.43	H
5676.000	-61.56	12.83	-48.73	-13.00	-35.73	H
N/A						

Remark:

- Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Report No.: T170908D07-A-RP6

Test Results

Below 1GHz

LTE Band 5 / BW: 10MHz / QPSK / RB =1, RB Offset = 0

Operation Mode: Tx / Mid CH

Test Date:

December 5, 2017

Temperature: 21°C


Tested by:

Ivan Wang

Humidity: 52% RH

Polarity:

Ver.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
119.7250	-69.89	0.89	-69.00	-13.00	-56.00	V
287.0500	-78.79	7.03	-71.76	-13.00	-58.76	V
401.0250	-76.34	7.29	-69.05	-13.00	-56.05	V
534.4000	-75.83	6.83	-69.00	-13.00	-56.00	V
662.9250	-72.25	1.49	-70.76	-13.00	-57.76	V
832.6750	-59.58	1.21	-58.37	-13.00	-45.37	V


Operation Mode: Tx / Mid CH

Test Date: December 5, 2017

Temperature: 21°C

Tested by: Ivan Wang

Humidity: 52% RH

Polarity: Hor.


Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
49.4000	-65.13	-2.56	-67.69	-13.00	-54.69	H
122.1500	-61.97	0.93	-61.04	-13.00	-48.04	H
270.0750	-72.71	7.2	-65.51	-13.00	-52.51	H
401.0250	-71.93	7.29	-64.64	-13.00	-51.64	H
665.3500	-71.87	1.52	-70.35	-13.00	-57.35	H
832.6750	-61.25	1.21	-60.04	-13.00	-47.04	H

Report No.: T170908D07-A-RP6

LTE Band 5 / BW: 10MHz / 16QAM / RB =1, RB Offset = 0
Operation Mode: Tx / Mid CH

Test Date:

December 5, 2017

Temperature: 21°C


Tested by:

Ivan Wang

Humidity: 52% RH

Polarity:

Ver.



Frequency (MHz)	S.G. (dBm)	Ant. Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
122.1500	-68.53	0.93	-67.60	-13.00	-54.60	V
282.2000	-77.66	7.08	-70.58	-13.00	-57.58	V
401.0250	-75.6	7.29	-68.31	-13.00	-55.31	V
536.8250	-76.41	6.84	-69.57	-13.00	-56.57	V
621.7000	-69.66	-0.33	-69.99	-13.00	-56.99	V
832.6750	-58.31	1.21	-57.10	-13.00	-44.10	V

Report No.: T170908D07-A-RP6


Operation Mode: Tx / Mid CH I

Test Date: December 5, 2017

Temperature: 21°C

Tested by: Ivan Wang

Humidity: 52% RH

Polarity: Hor.


Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
59.1000	-52.74	-1.39	-54.13	-13.00	-41.13	H
111.4800	-58.79	0.56	-58.23	-13.00	-45.23	H
196.8400	-65.35	4.1	-61.25	-13.00	-48.25	H
279.2900	-70.23	7.11	-63.12	-13.00	-50.12	H
357.8600	-72.22	7.13	-65.09	-13.00	-52.09	H
600.3600	-50.82	-1.56	-52.38	-13.00	-39.38	H

Above 1GHz

LTE Band 5 / BW: 10 MHz / QPSK / RB =1, RB Offset = 0

Operation Mode: Tx / Low CH

Test Date:

December 5, 2017

Temperature: 21°C


Tested by:

Ivan Wang

Humidity: 52% RH

Polarity:

Ver.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1658.000	-55.21	1.52	-53.69	-13.00	-40.69	V
2487.000	-55.1	1.84	-53.26	-13.00	-40.26	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.




Report No.: T170908D07-A-RP6

Page: 184 / 194
Rev.: 03

Operation Mode: Tx / Low CH
Temperature: 21°C
Humidity: 52% RH

Test Date: December 5, 2017
Tested by: Ivan Wang
Polarity: Hor.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1658.000	-54.82	1.52	-53.30	-13.00	-40.30	H
2487.000	-53.95	1.84	-52.11	-13.00	-39.11	H
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.




Report No.: T170908D07-A-RP6

Page: 185 / 194
Rev.: 03

Operation Mode: Tx / Mid CH
Temperature: 21°C
Humidity: 52% RH

Test Date: December 5, 2017
Tested by: Ivan Wang
Polarity: Ver.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1672.000	-54.74	1.52	-53.22	-13.00	-40.22	V
2508.000	-56.99	2	-54.99	-13.00	-41.99	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.




Report No.: T170908D07-A-RP6

Page: 186 / 194
Rev.: 03

Operation Mode: Tx / Mid CH
Temperature: 21°C
Humidity: 52% RH

Test Date: December 5, 2017
Tested by: Ivan Wang
Polarity: Hor.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1672.000	-55.18	1.52	-53.66	-13.00	-40.66	H
2508.000	-55.97	2	-53.97	-13.00	-40.97	H
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.




Report No.: T170908D07-A-RP6

Page: 187 / 194
Rev.: 03

Operation Mode: Tx / High CH
Temperature: 21°C
Humidity: 52% RH

Test Date: December 5, 2017
Tested by: Ivan Wang
Polarity: Ver.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1688.000	-55.23	1.51	-53.72	-13.00	-40.72	V
2532.000	-56.75	2.45	-54.30	-13.00	-41.30	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.




Report No.: T170908D07-A-RP6

Page: 188 / 194
Rev.: 03

Operation Mode: Tx / High CH
Temperature: 21°C
Humidity: 52% RH

Test Date: December 5, 2017
Tested by: Ivan Wang
Polarity: Hor.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1688.000	-55.46	1.51	-53.95	-13.00	-40.95	H
2532.000	-57.28	2.45	-54.83	-13.00	-41.83	H
N/A						

Remark:

2. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

LTE Band 5 / BW: 10MHz / 16QAM / RB =1, RB Offset = 0
Operation Mode: Tx / Low CH

Test Date:

December 5, 2017

Temperature: 21°C


Tested by:

Ivan Wang

Humidity: 52% RH

Polarity:

Ver.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1658.000	-55.12	1.52	-53.60	-13.00	-40.60	V
2487.000	-55.11	1.84	-53.27	-13.00	-40.27	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.




Report No.: T170908D07-A-RP6

Page: 190 / 194
Rev.: 03

Operation Mode: Tx / Low CH
Temperature: 21°C
Humidity: 52% RH

Test Date: December 5, 2017
Tested by: Ivan Wang
Polarity: Hor.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1658.000	-54.48	1.52	-52.96	-13.00	-39.96	H
2487.000	-55.87	1.84	-54.03	-13.00	-41.03	H
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.


Operation Mode: Tx / Mid CH

Test Date: December 5, 2017

Temperature: 21°C

Tested by: Ivan Wang

Humidity: 52% RH

Polarity: Ver.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1670.000	-54.65	1.52	-53.13	-13.00	-40.13	V
2508.000	-56.63	2	-54.63	-13.00	-41.63	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

Operation Mode: Tx / Mid CH
Temperature: 21°C
Humidity: 52% RH

Test Date: December 5, 2017
Tested by: Ivan Wang
Polarity: Hor.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1670.000	-55	1.52	-53.48	-13.00	-40.48	H
2508.000	-57.26	2	-55.26	-13.00	-42.26	H
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.




Report No.: T170908D07-A-RP6

Page: 193 / 194
Rev.: 03

Operation Mode: Tx / High CH
Temperature: 21°C
Humidity: 52% RH

Test Date: December 5, 2017
Tested by: Ivan Wang
Polarity: Ver.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1688.000	-55.14	1.51	-53.63	-13.00	-40.63	V
2532.000	-56.91	2.45	-54.46	-13.00	-41.46	V
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.




Report No.: T170908D07-A-RP6

Page: 194 / 194
Rev.: 03

Operation Mode: Tx / High CH
Temperature: 21°C
Humidity: 52% RH

Test Date: December 5, 2017
Tested by: Ivan Wang
Polarity: Hor.



Frequency (MHz)	S.G. (dBm)	Ant.Gain (dBi)	Emission level (dBm)	Limit (dBm)	Margin (dB)	Antenna Polarization (V/H)
1688.000	-54.64	1.51	-53.13	-13.00	-40.13	H
2532.000	-57.04	2.45	-54.59	-13.00	-41.59	H
N/A						

Remark:

1. Measuring frequencies from 1 GHz to the 10th harmonic of highest fundamental frequency.

- End of Test Report -