

TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.23 mW/g, SAR (10g): 0.818 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.01 mW/g, SAR (10g): 0.670 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.47 mW/g, SAR (10g): 0.980 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.16 mW/g, SAR (10g): 0.773 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.30 mW/g, SAR (10g): 0.872 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.25 mW/g, SAR (10g): 0.827 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.676 mW/g, SAR (10g): 0.471 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Ear/15degree Tilt Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.606 mW/g, SAR (10g): 0.417 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Ear/15degree Tilt Position

Test Date -- 10/10/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.619 mW/g, SAR (10g): 0.430 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Ear/15degree Tilt Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.435 mW/g, SAR (10g): 0.302 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Ear/15degree Tilt Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.787 mW/g, SAR (10g): 0.538 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Ear/15degree Tilt Position

Test Date -- 10/10/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.512 mW/g, SAR (10g): 0.356 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery

Conducted Power = 24.5dBm; Left Head Phantom, Ear/15degree Tilt Position

Test Date -- 10/10/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.986 mW/g, SAR (10g): 0.672 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.785 mW/g, SAR (10g): 0.528 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.22 mW/g, SAR (10g): 0.833 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.916 mW/g, SAR (10g): 0.623 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.01 mW/g, SAR (10g): 0.687 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.964 mW/g, SAR (10g): 0.653 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch Position

Test Date -- 10/10/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.467 mW/g, SAR (10g): 0.328 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Ear/15degree Tilt Position

Test Date -- 10/10/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.344 mW/g, SAR (10g): 0.241 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Ear/15degree Tilt Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.701 mW/g, SAR (10g): 0.487 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Ear/15degree Tilt Position


Test Date -- 10/10/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01
Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0
SAR (1g): 0.497 mW/g, SAR (10g): 0.347 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500
Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery
Conducted Power = 24.5dBm; Right Head Phantom, Ear/15degree Tilt Position
Test Date -- 10/10/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.583 mW/g, SAR (10g): 0.405 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Ear/15degree Tilt Position

Test Date -- 10/10/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Head SAR

Generic Twin Phantom; Right Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.637 mW/g, SAR (10g): 0.438 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500


Cellular CDMA Mode, Ch.0777 [848.31MHz]; Standard Battery

Conducted Power = 24.5dBm; Right Head Phantom, Ear/15degree Tilt Position

Test Date -- 10/10/2001



SAR_{Tot} [mW/g]



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.852 mW/g, SAR (10g): 0.616 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.5dBm; Spacing = 2.0cm from Flat Phantom to EUT, NO BeltClip/NO Holster

Test Date -- 10/11/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.797 mW/g, SAR (10g): 0.581 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.5dBm; Spacing = 2.0cm from Flat Phantom to EUT, NO BeltClip/NO Holster

Test Date -- 10/11/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.969 mW/g, SAR (10g): 0.696 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.5dBm; Spacing = 2.0cm from Flat Phantom to EUT, NO BeltClip/NO Holster

Test Date -- 10/11/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.870 mW/g, SAR (10g): 0.626 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.5dBm; Spacing = 2.0cm from Flat Phantom to EUT, NO BeltClip/NO Holster

Test Date -- 10/11/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.926 mW/g, SAR (10g): 0.665 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.5dBm; Spacing = 2.0cm from Flat Phantom to EUT, NO BeltClip/NO Holster

Test Date -- 10/11/2001



TELSON FCC ID: MC6TDC6500 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 55.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.954 mW/g, SAR (10g): 0.688 mW/g

TELSON Cellular CDMA only phone Model:TDC-6500

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Flat Phantom; Standard Battery

Conducted Power = 24.5dBm; Spacing = 2.0cm from Flat Phantom to EUT, NO BeltClip/NO Holster

Test Date -- 10/11/2001

