

# ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

## INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT AND INDUSTRY CANADA RSS 210 CLASS II PC REPORT

OF

**Product Name of Host:** Tablet Computer  
**Brand Name of Host:** acer  
**Model No. of Host:** P0KCC  
**Marketing Name of Host:** SW3-013  
**Product Name of Module:** 802.11abgn+BT4.0 module  
**Brand Name of Module:** FOXCONN  
**Model No. of Module:** T77H462  
**Model Difference:** N/A  
**FCC ID:** MCLT77H462  
**IC:** 2878D-T77H462  
**Report No.:** E2/2015/10015  
**Issue Date:** Mar. 04, 2015  
**FCC Rule Part:** §15.247, Cat: DSS  
**IC Rule Part:** RSS-210 issue 8 :2010, Annex 8  
**Prepared for:** HON HAI PRECISION IND. CO., LTD  
5F-1, 5 Hsin-An Road, Hsinchu Science-Based  
Industrial Park, Taiwan, R.O.C.  
SGS Taiwan Ltd.  
**Prepared by:** Electronics & Communication Laboratory  
No.2, Keji 1st Rd., Guishan Township, Taoyuan  
County, Taiwan 333



**Note:** This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## VERIFICATION OF COMPLIANCE

**Applicant:** HON HAI PRECISION IND. CO., LTD  
5F-1, 5 Hsin-An Road, Hsinchu Science-Based Industrial Park, Taiwan,  
R.O.C.

**Product Name of Host:** Tablet Computer  
**Brand Name of Host:** acer

**Model No. of Host:** P0KCC

**Marketing Name of Host:** SW3-013

**Product Name of Module:** 802.11abgn+BT4.0 module

**Brand Name of Module:** FOXCONN

**Model No. of Module:** T77H462

**Model Difference:** N/A

**FCC ID:** MCLT77H462

**IC:** 2878D-T77H462

**File Number:** E2/2015/10015

**Date of test:** Jan. 15, 2015 ~ Mar. 03, 2015

**Date of EUT Received:** Jan. 15, 2015

**We hereby certify that:**

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.4:2009 and RSS-Gen. issue 3. The energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15.247 and IC RSS 210 issue 8: 2010 Annex 8.

The test results of this report relate only to the tested sample identified in this report.

**Test By:**

Jazz Huang

**Date:**

Mar. 04, 2015

Jazz Huang / Sr. Engineer

**Prepared By:**

Tiffany Kao

**Date:**

Mar. 04, 2015

Tiffany Kao / Clerk

**Approved By:**

Jim Chang

**Date:**

Mar. 04, 2015

Jim Chang / Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

## Version

| Version No. | Date          | Description                  |
|-------------|---------------|------------------------------|
| 00          | Mar. 04, 2015 | Initial creation of document |
|             |               |                              |
|             |               |                              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## Table of Contents

|                                                 |           |
|-------------------------------------------------|-----------|
| <b>1. GENERAL INFORMATION.....</b>              | <b>5</b>  |
| 1.1. Product description.....                   | 5         |
| 1.2. Related Submittal(s) / Grant (s) .....     | 6         |
| 1.3. Test Methodology.....                      | 6         |
| 1.4. Test Facility .....                        | 6         |
| 1.5. Special Accessories .....                  | 6         |
| 1.6. Equipment Modifications.....               | 6         |
| <b>2. SYSTEM TEST CONFIGURATION.....</b>        | <b>7</b>  |
| 2.1. EUT Configuration.....                     | 7         |
| 2.2. EUT Exercise .....                         | 7         |
| 2.3. Test Procedure .....                       | 7         |
| 2.4. Configuration of Tested System.....        | 8         |
| <b>3. SUMMARY OF TEST RESULTS.....</b>          | <b>8</b>  |
| <b>4. DESCRIPTION OF TEST MODES.....</b>        | <b>9</b>  |
| <b>5. MEASUREMENT UNCERTAINTY .....</b>         | <b>10</b> |
| <b>6. PEAK OUTPUT POWER MEASUREMENT .....</b>   | <b>11</b> |
| 6.1. Standard Applicable .....                  | 11        |
| 6.2. Measurement Equipment Used .....           | 11        |
| 6.3. Test Set-up:.....                          | 12        |
| 6.4. Measurement Procedure:.....                | 12        |
| 6.5. Measurement Result.....                    | 13        |
| <b>7. SPURIOUS RADIATED EMISSION TEST .....</b> | <b>19</b> |
| 7.1. Standard Applicable .....                  | 19        |
| 7.2. Measurement Equipment Used: .....          | 20        |
| 7.3. Test SET-UP:.....                          | 21        |
| 7.4. Measurement Procedure:.....                | 22        |
| 7.5. Field Strength Calculation.....            | 23        |
| 7.6. Measurement Result:.....                   | 23        |
| <b>8. ANTENNA REQUIREMENT.....</b>              | <b>34</b> |
| 8.1. Standard Applicable .....                  | 34        |
| 8.2. Antenna Connected Construction .....       | 34        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 1. GENERAL INFORMATION

### 1.1. Product description

|                             |                                                                                                                                                                          |                                                                                        |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Product Name:               | Tablet Computer                                                                                                                                                          |                                                                                        |
| Brand Name:                 |                                                                                         |                                                                                        |
| Model No.:                  | P0KCC                                                                                                                                                                    |                                                                                        |
| Marketing Name of Host:     | SW3-013                                                                                                                                                                  |                                                                                        |
| Hardware Version:           | R1.1                                                                                                                                                                     |                                                                                        |
| Software Version:           | Win8.1                                                                                                                                                                   |                                                                                        |
| Model No. for BT Module:    | T77H462                                                                                                                                                                  |                                                                                        |
| Module FCC ID:              | MCLT77H462                                                                                                                                                               |                                                                                        |
| Module IC:                  | 2878D-T77H462                                                                                                                                                            |                                                                                        |
| Scope:                      | The test report covers the radiated emissions requirements of the standards referenced in the report to allow system level approval of the module in this specific host. |                                                                                        |
| Class II Permissive change: | 802.11abgn+BT4.0 module (T77H462) card INSTALLED IN AN Tablet Computer                                                                                                   |                                                                                        |
| Data Cable:                 | Model No.: N/A, Supplier: N/A                                                                                                                                            |                                                                                        |
| Power Supply:               | 3.75Vdc form Rechargeable Li-ion Battery or 5.35Vdc from adapter                                                                                                         |                                                                                        |
|                             | Battery:                                                                                                                                                                 | Model No.: AP15A3R, Supplier: SANYO                                                    |
|                             | Adapter:                                                                                                                                                                 | 1. Model No.:PA-1100-25, Supplier: LITEON<br>2. Model No.: ADP-10HW A, Supplier: DELTA |

#### Bluetooth:

|                      |                                   |
|----------------------|-----------------------------------|
| Bluetooth Version    | Bluetooth V4.0 dual mode +HS      |
| Frequency Range      | 2402 – 2480MHz                    |
| Channel number       | 79 channels max.                  |
| Rated Power          | 4.86dBm (Peak)                    |
| Modulation type      | GFSK + $\pi/4$ DQPSK + 8DPSK      |
| Antenna Designation: | PIFA Antenna; Gain: 1.16dBi (Aux) |
| Type of Emission:    | 1M24F1D                           |

The EUT is compliance with Bluetooth V4.0+HS standard.

This test report applies for Bluetooth function.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

## 1.2. Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for **FCC ID: MCLT77H462** filing to comply with Section 15.247 of the FCC Part 15, Subpart C Rules and **IC: 2878D-T77H462** filing to comply with Industry Canada RSS-210 issue 8: 2010 Annex 8.

## 1.3. Test Methodology

Both conducted and radiated testing was performed according to the procedures in ANSI C63.4:2009. Radiated testing was performed at an antenna to EUT distance 3 meters. Tested in accordance with FCC Public Notice DA 00-705 – Filing and Measurement Guidelines for Frequency Hopping Spread Spectrum Systems

## 1.4. Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan Township, Taoyuan County, Taiwan 333 which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4:2009. FCC Registration Number is: 990257. Canada Registration Number: 4620A-4.

## 1.5. Special Accessories

There is no special accessory used while test was conducted.

## 1.6. Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 2. SYSTEM TEST CONFIGURATION

### 2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 2.2. EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

### 2.3. Test Procedure

#### 2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. According to the general criterion in Section 7.1 of ANSI C63.4:2009. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz, and the measurement procedure 7.3 in ANSI 63.4:2009 is followed to carry out the test. The CISPR Quasi-Peak and Average detector mode is employed according to §15.107

#### 2.3.2 Radiated Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13 and of ANSI C63.4:2009 and DA 00-705.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 2.4. Configuration of Tested System

**Fig. 2-1 Radiated Emission & Conducted (Antenna Port) Configuration**



**Table 2-1 Equipment Used in Tested System**

| Item | Equipment               | Mfr/Brand | Model/Type No. | Series No. | Data Cable | Power Cord |
|------|-------------------------|-----------|----------------|------------|------------|------------|
| 1.   | Bluetooth Test Software | N/A       | N/A            | N/A        | N/A        | N/A        |
| 2.   | Bluetooth Test Set      | Anritsu   | MT8852B        | 6k00006107 | N/A        | N/A        |

## 3. SUMMARY OF TEST RESULTS

| FCC/IC Rules                                                             | Description Of Test | Result    |
|--------------------------------------------------------------------------|---------------------|-----------|
| §15.247(b)(1)<br>RSS-210 issue<br>8, §A8.4(2)                            | Peak Output Power   | Compliant |
| §15.247(d)<br>§15.209(a) (f)<br>RSS-Gen §7.2.5<br>RSS-210 issue 8, §A8.5 | Spurious Emission   | Compliant |
| §15.203,<br>RSS- Gen issue §7.1.2                                        | Antenna Requirement | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group



#### 4. DESCRIPTION OF TEST MODES

The EUT has been tested under operating condition. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

Channel Low, Mid and High with highest rated data rate were chosen as worst case for full testing. The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for Bluetooth Transmitter for channel Low, Mid and High the worst case E2 position was reported.

Channel Low: channel 1 at 2402MHz

Channel Mid: channel 39 at 2441MHz

Channel High: channel 78 at 2480MHz

In comparison with BR and EDR mode, emission carried out by EDR is chosen as the most representative measurement to perform measurement of radiated spurious emission pursuant to Part 15C of 2480MHz. Modulation, EDR, is selected to be performed for 100 kHz Bandwidth Band Edge, due to its characteristics of wider bandwidth.

Data type being used to conduct the measurement:

DH1/DH3/DH5 (GFSK) with 1Mbps

2DH1/2DH3/2DH5 ( $\Pi/4$  DQPSK) with 2Mbps

3DH1/3DH3/3DH5 (8DPSK) with 3Mbps

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 5. MEASUREMENT UNCERTAINTY

| Test Items                                   | Uncertainty              |
|----------------------------------------------|--------------------------|
| AC Power Line Conducted Emission             | +/- 2.586 dB             |
| Peak Output Power                            | +/- 1.55 dB              |
| 20dB Bandwidth<br>&<br>99% Power Bandwidth   | +/- 123.36 Hz            |
| 100 KHz Bandwidth Of<br>Frequency Band Edges | +/- 1.55 dB              |
| Frequency Separation                         | +/- 123.36 Hz            |
| Number of hopping frequency                  | +/- 123.36 Hz            |
| Time of Occupancy                            | +/- 123.36 Hz            |
| Temperature                                  | +/- 0.8 °C               |
| Humidity                                     | +/- 4.7 %                |
| DC / AC Power Source                         | DC= +/- 1%, AC= +/- 0.2% |

### Radiated Spurious Emission:

|                                                              |                            |
|--------------------------------------------------------------|----------------------------|
| Measurement uncertainty<br>(Polarization : <b>Vertical</b> ) | 30MHz - 180MHz: +/- 3.37dB |
|                                                              | 180MHz -417MHz: +/- 3.19dB |
|                                                              | 0.417GHz-1GHz: +/- 3.19dB  |
|                                                              | 1GHz - 18GHz: +/- 4.04dB   |
|                                                              | 18GHz - 40GHz: +/- 4.04dB  |

|                                                                |                            |
|----------------------------------------------------------------|----------------------------|
| Measurement uncertainty<br>(Polarization : <b>Horizontal</b> ) | 30MHz - 167MHz: +/- 4.22dB |
|                                                                | 167MHz -500MHz: +/- 3.44dB |
|                                                                | 0.5GHz-1GHz: +/- 3.39dB    |
|                                                                | 1GHz - 18GHz: +/- 4.08dB   |
|                                                                | 18GHz - 40GHz: +/- 4.08dB  |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 6. PEAK OUTPUT POWER MEASUREMENT

### 6.1. Standard Applicable

According to §15.247(b)(1), for frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 hopping channels, The Limit: 1Watt. For all other frequency hopping systems in the 2400 – 2483.5MHz band: The Limit: 0.125 Watts.

According to RSS-210 issue 8,§A8.4(2), For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 hopping channels, the maximum conducted output power shall not exceed 1 W. For all other frequency hopping systems, the maximum peak conducted output power shall not exceed 0.125 W.

### 6.2. Measurement Equipment Used

| SGS Conducted Room |           |                |               |            |            |
|--------------------|-----------|----------------|---------------|------------|------------|
| EQUIPMENT TYPE     | MFR       | MODEL NUMBER   | SERIAL NUMBER | LAST CAL.  | CAL DUE.   |
| Spectrum Analyzer  | Agilent   | N9010A         | MY53400256    | 10/15/2014 | 10/14/2015 |
| Power Meter        | Anritsu   | ML2496A        | 1326001       | 06/21/2014 | 06/20/2015 |
| Power Sensor       | Anritsu   | MA2411B        | 1315048       | 06/21/2014 | 06/20/2015 |
| Power Sensor       | Anritsu   | MA2411B        | 1315049       | 06/21/2014 | 06/20/2015 |
| Coaxial Cable 30cm | WOKEN     | 00100A1F1A195C | RF01          | 12/19/2014 | 12/18/2015 |
| DC Block           | PASTERNAK | PE8210         | RF29          | 12/19/2014 | 12/18/2015 |
| Splitter           | RF-LAMBDA | RFLT2W1G18G    | RF35          | 12/19/2014 | 12/18/2015 |
| Attenuator         | WOKEN     | 218FS-10       | RF23          | 12/19/2014 | 12/18/2015 |
| DC Power Supply    | Agilent   | E3640A         | MY53140006    | 05/31/2014 | 05/30/2015 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

### 6.3. Test Set-up:



### 6.4. Measurement Procedure:

1. Place the EUT on the table and set it in transmitting mode.
2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. (Max Hold, Detector = Peak, RBW  $\geq$  20dB bandwidth)
3. Record the max. reading.
4. Repeat above procedures until all default test channel is completed.

**NOTE:** cable loss as 5.4dB that offsets in the spectrum.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 6.5. Measurement Result

### BR mode (GFSK):

| Frequency (MHz) | Reading Power (dBm) | Output Power (W) | Limit (W) |
|-----------------|---------------------|------------------|-----------|
| 2402.00         | 4.59                | 0.00288          | 0.125     |
| 2441.00         | <b>4.86</b>         | 0.00306          | 0.125     |
| 2480.00         | 4.48                | 0.00281          | 0.125     |

### EDR mode ( $\pi/4$ DQPSK):

| Frequency (MHz) | Reading Power (dBm) | Output Power (W) | Limit (W) |
|-----------------|---------------------|------------------|-----------|
| 2402.00         | 3.69                | 0.00234          | 0.125     |
| 2441.00         | 3.96                | 0.00249          | 0.125     |
| 2480.00         | 3.26                | 0.00212          | 0.125     |

### EDR mode (8DPSK):

| Frequency (MHz) | Reading Power (dBm) | Output Power (W) | Limit (W) |
|-----------------|---------------------|------------------|-----------|
| 2402.00         | 4.32                | 0.00270          | 0.125     |
| 2441.00         | 4.44                | 0.00278          | 0.125     |
| 2480.00         | 3.65                | 0.00232          | 0.125     |

\*Note: offset 4.38dB.

\*Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

## Peak Power Output Data Plot (CH Low) (BR mode GFSK)



## Peak Power Output Data Plot (CH Mid) (BR mode GFSK)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488


[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## Peak Power Output Data Plot (CH High) (BR mode GFSK)



## Peak Power Output Data Plot (CH Low) (EDR mode $\pi/4$ DQPSK)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)


Member of SGS Group



## Peak Power Output Data Plot (CH Mid) (EDR mode $\pi/4$ DQPSK)



## Peak Power Output Data Plot (CH High) (EDR mode $\pi/4$ DQPSK)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)


Member of SGS Group



## Peak Power Output Data Plot (CH Low) (EDR mode 8DPSK)



## Peak Power Output Data Plot (CH Mid) (EDR mode 8DPSK)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## Peak Power Output Data Plot (CH High) (EDR mode 8DPSK)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 7. SPURIOUS RADIATED EMISSION TEST

### 7.1. Standard Applicable

According to §15.247(d),

Emission at antenna port:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB.

#### Radiated Spurious Emission

Attenuation below the general limits specified in § 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

According to RSS-Gen §7.2.5 and RSS-210 issue 8, §A8.5, In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated device is operating, the radio frequency power that is produced shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under section A8.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in Tables 5 and 6 is not required. In addition, radiated emissions which fall in the restricted bands of Table 3 must also comply with the radiated emission limits specified in Tables 5 and 6 of RSS-GEN.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 7.2. Measurement Equipment Used:

### 7.2.1. Radiated emission:

| 966 Chamber       |                 |                                |                  |            |            |
|-------------------|-----------------|--------------------------------|------------------|------------|------------|
| EQUIPMENT TYPE    | MFR             | MODEL NUMBER                   | SERIAL NUMBER    | LAST CAL.  | CAL DUE.   |
| EMI Test Receiver | R&S             | ESU 40                         | 100363           | 04/12/2014 | 04/11/2015 |
| Loop Antenna      | ETS-Lindgren    | 6502                           | 00143303         | 12/09/2014 | 12/08/2015 |
| Broadband Antenna | TESEQ           | CBL 6112D                      | 35240            | 12/05/2014 | 12/04/2015 |
| Horn Antenna      | ETS-Lindgren    | 3117                           | 00143272         | 12/08/2014 | 12/07/2015 |
| Horn Antenna      | ETS-Lindgren    | 3160-09                        | 00117911         | 11/13/2014 | 11/12/2015 |
| Horn Antenna      | ETS-Lindgren    | 3160-10                        | 00117783         | 11/13/2014 | 11/12/2015 |
| Pre Amplifier     | EMC Instruments | EMC330                         | 980096           | 12/19/2014 | 12/18/2015 |
| Pre Amplifier     | EMC Instruments | EMC0011830                     | 980199           | 12/19/2014 | 12/18/2015 |
| Pre Amplifier     | R&S             | SCU-18                         | 10204            | 12/19/2014 | 12/18/2015 |
| Pre Amplifier     | R&S             | SCU-26                         | 100780           | 12/19/2014 | 12/18/2015 |
| Coaxial Cable     | Huber+Suhner    | RG 214/U                       | 966Rx 9K-30M     | 12/19/2014 | 12/18/2015 |
| Coaxial Cable     | Huber+Suhner    | RG 214/U<br>SUCOFLEX<br>104    | 966Rx 30M-3G     | 12/19/2014 | 12/18/2015 |
| Coaxial Cable     | Huber+Suhner    | SUCOFLEX<br>104                | 966Rx 1G-18G     | 12/19/2014 | 12/18/2015 |
| Coaxial Cable     | Huber+Suhner    | mini 141-12<br>SUCOFLEX<br>104 | 966Rx<br>18G-40G | 12/19/2014 | 12/18/2015 |
| Coaxial Cable     | Huber+Suhner    | SUCOFLEX<br>104                | 966Tx<br>30M-18G | 12/19/2014 | 12/18/2015 |
| Coaxial Cable     | Huber+Suhner    | SUCOFLEX<br>102                | 966Tx<br>18G-40G | 12/19/2014 | 12/18/2015 |
| Attenuator        | WOKEN           | 218FS-10                       | RF27             | 12/19/2014 | 12/18/2015 |
| Site NSA          | SGS             | 966 Chamber<br>C               | SAC-C            | 03/05/2014 | 03/05/2015 |
| Site VSWR         | SGS             | 966 Chamber<br>C               | SAC-C            | 04/10/2014 | 04/09/2015 |
| DC Power Supply   | HOLA            | DP-3003                        | D7070035         | 05/31/2014 | 05/30/2015 |
| Controller        | MF              | MF-7802                        | N/A              | N.C.R.     | N.C.R.     |
| Antenna Master    | MF              | N/A                            | N/A              | N.C.R.     | N.C.R.     |
| Turn Table        | MF              | N/A                            | N/A              | N.C.R.     | N.C.R.     |
| Test Software     | World-Pallas    | Dr. E                          | V 3.0 Lite       | N.C.R.     | N.C.R.     |

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


### 7.3. Test SET-UP:

#### 7.3.1. Radiated emission:

##### (A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



##### (B) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

#### 7.4. Measurement Procedure:

##### Radiated Emission:

1. The EUT was placed on a turn table which is 0.8m above ground plane.
2. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
3. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
4. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made “while keeping the antenna in the ‘cone of radiation’ from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response.” is still within the 3dB illumination BW of the measurement antenna.
5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
7. Repeat above procedures until all frequency of the interest measured were complete.

Auxiliary Procedure (Setting on Spectrum to capture the reading of emission level):

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for  $f \geq 1$  GHz, 100 kHz for  $f < 1$  GHz

VBW  $\geq$  RBW

Sweep = auto

Detector function = peak

Trace = max hold

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 7.5. Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

|                           |                                            |
|---------------------------|--------------------------------------------|
| Where FS = Field Strength | CL = Cable Attenuation Factor (Cable Loss) |
| RA = Reading Amplitude    | AG = Amplifier Gain                        |
| AF = Antenna Factor       |                                            |

Remark:

1. The limit of the emission level is expressed in dBuV/m, which converts  $20 \cdot \log(\mu V/m)$
2. Factor(dB) = Antenna Factor(dB $\mu$ V/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

## 7.6. Measurement Result:

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Note: For the tabular table as presents below, “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency. “E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

### 7.6.1 Radiated Emission – Band Edge: (Worst: BR mode) Hopping mode

|                       |               |                          |                     |
|-----------------------|---------------|--------------------------|---------------------|
| Operation Band        | :BR           | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2402 MHz     | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :Bandedge LOW | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plan      | Measurement Antenna Pol. | :VERTICAL           |

| Freq.   | Detector | Note    | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------|---------------|--------|--------|--------|--------|
|         | Mode     |         | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2390.00 | Peak     | E       | 42.78         | 6.36   | 49.14  | 74.00  | -24.86 |
| 2390.00 | Average  | E       | 32.41         | 6.36   | 38.77  | 54.00  | -15.23 |

|                       |               |                          |                     |
|-----------------------|---------------|--------------------------|---------------------|
| Operation Band        | :BR           | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2402 MHz     | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :Bandedge LOW | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plan      | Measurement Antenna Pol. | :HORIZONTAL         |

| Freq.   | Detector | Note    | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------|---------------|--------|--------|--------|--------|
|         | Mode     |         | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2390.00 | Peak     | E       | 43.15         | 6.36   | 49.51  | 74.00  | -24.49 |
| 2390.00 | Average  | E       | 32.59         | 6.36   | 38.95  | 54.00  | -15.05 |

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we’ve employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group



|                       |                |                          |                     |
|-----------------------|----------------|--------------------------|---------------------|
| Operation Band        | :BR            | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2480 MHz      | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :Bandedge HIGH | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plan       | Measurement Antenna Pol. | :VERTICAL           |

| Freq.   | Detector | Note    | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------|---------------|--------|--------|--------|--------|
|         | Mode     |         | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2483.50 | Peak     | E       | 49.10         | 7.14   | 56.24  | 74.00  | -17.76 |
| 2483.50 | Average  | E       | 34.11         | 7.14   | 41.25  | 54.00  | -12.75 |

|                       |                |                          |                     |
|-----------------------|----------------|--------------------------|---------------------|
| Operation Band        | :BR            | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2480 MHz      | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :Bandedge HIGH | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plan       | Measurement Antenna Pol. | :HORIZONTAL         |

| Freq.   | Detector | Note    | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------|---------------|--------|--------|--------|--------|
|         | Mode     |         | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2483.50 | Peak     | E       | 49.98         | 7.14   | 57.11  | 74.00  | -16.89 |
| 2483.50 | Average  | E       | 33.78         | 7.14   | 40.92  | 54.00  | -13.08 |

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we’ve employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

### Band Edge: (Worst: BR mode) Non-Hopping mode

|                       |               |                          |                     |
|-----------------------|---------------|--------------------------|---------------------|
| Operation Band        | :BR           | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2402 MHz     | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :Bandedge LOW | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plan      | Measurement Antenna Pol. | :VERTICAL           |

| Freq.   | Detector | Note    | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------|---------------|--------|--------|--------|--------|
|         | Mode     |         | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2390.00 | Peak     | E       | 42.51         | 6.36   | 48.86  | 74.00  | -25.14 |
| 2390.00 | Average  | E       | 32.45         | 6.36   | 38.81  | 54.00  | -15.19 |

|                       |               |                          |                     |
|-----------------------|---------------|--------------------------|---------------------|
| Operation Band        | :BR           | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2402 MHz     | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :Bandedge LOW | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plan      | Measurement Antenna Pol. | :HORIZONTAL         |

| Freq.   | Detector | Note    | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------|---------------|--------|--------|--------|--------|
|         | Mode     |         | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2390.00 | Peak     | E       | 42.44         | 6.36   | 48.79  | 74.00  | -25.21 |
| 2390.00 | Average  | E       | 32.63         | 6.36   | 38.99  | 54.00  | -15.01 |

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we’ve employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

|                       |                |                          |                     |
|-----------------------|----------------|--------------------------|---------------------|
| Operation Band        | :BR            | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2480 MHz      | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :Bandedge HIGH | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plan       | Measurement Antenna Pol. | :VERTICAL           |

| Freq.   | Detector | Note    | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------|---------------|--------|--------|--------|--------|
|         | Mode     |         | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2483.50 | Peak     | E       | 49.82         | 7.14   | 56.96  | 74.00  | -17.04 |
| 2483.50 | Average  | E       | 42.32         | 7.14   | 49.46  | 54.00  | -4.54  |

|                       |                |                          |                     |
|-----------------------|----------------|--------------------------|---------------------|
| Operation Band        | :BR            | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2480 MHz      | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :Bandedge HIGH | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plan       | Measurement Antenna Pol. | :HORIZONTAL         |

| Freq.   | Detector | Note    | Spectrum      | Factor | Actual | Limit  | Margin |
|---------|----------|---------|---------------|--------|--------|--------|--------|
|         | Mode     |         | Reading Level |        | FS     | @3m    |        |
| MHz     | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 2483.50 | Peak     | E       | 51.16         | 7.14   | 58.30  | 74.00  | -15.70 |
| 2483.50 | Average  | E       | 43.62         | 7.14   | 50.76  | 54.00  | -3.24  |

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we’ve employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 7.6.2 Radiated Spurious Emission Measurement Result (worst case BR mode)

|                       |           |                          |                     |
|-----------------------|-----------|--------------------------|---------------------|
| Operation Band        | :BR       | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2402 MHz | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :TX LOW   | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plane | Measurement Antenna Pol. | :VERTICAL           |

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.    | Detector | Note    | Spectrum      | Factor | Actual   | Limit    | Margin |
|----------|----------|---------|---------------|--------|----------|----------|--------|
|          | Mode     |         | Reading Level |        | FS       | @3m      |        |
| MHz      | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV / m | dBμV / m | dB     |
| 35.82    | Peak     | S       | 52.41         | -16.34 | 36.07    | 40.00    | -3.93  |
| 40.67    | Peak     | S       | 51.02         | -19.43 | 31.59    | 40.00    | -8.41  |
| 71.71    | Peak     | S       | 57.25         | -27.63 | 29.62    | 40.00    | -10.38 |
| 96.93    | Peak     | S       | 51.74         | -24.36 | 27.38    | 43.50    | -16.12 |
| 155.13   | Peak     | S       | 47.84         | -22.82 | 25.02    | 43.50    | -18.48 |
| 238.55   | Peak     | S       | 45.57         | -21.28 | 24.28    | 46.00    | -21.72 |
| 4804.00  | Peak     | H       | 40.56         | 0.23   | 40.79    | 74.00    | -33.21 |
| 4804.00  | Average  | H       | 31.62         | 0.23   | 31.85    | 54.00    | -22.15 |
| 7206.00  | Peak     | H       | -             |        |          |          |        |
| 9608.00  | Peak     | H       | -             |        |          |          |        |
| 12010.00 | Peak     | H       | -             |        |          |          |        |
| 14412.00 | Peak     | H       | -             |        |          |          |        |
| 16814.00 | Peak     | H       | -             |        |          |          |        |
| 19216.00 | Peak     | H       | -             |        |          |          |        |
| 21618.00 | Peak     | H       | -             |        |          |          |        |
| 24020.00 | Peak     | H       | -             |        |          |          |        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

|                       |           |                          |                     |
|-----------------------|-----------|--------------------------|---------------------|
| Operation Band        | :BR       | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2402 MHz | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :TX LOW   | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plane | Measurement Antenna Pol. | :HORIZONTAL         |

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.    | Detector | Note    | Spectrum      | Factor | Actual   | Limit    | Margin |
|----------|----------|---------|---------------|--------|----------|----------|--------|
|          | Mode     |         | Reading Level |        | FS       | @3m      |        |
| MHz      | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV / m | dBμV / m | dB     |
| 71.71    | Peak     | S       | 55.81         | -27.63 | 28.19    | 40.00    | -11.81 |
| 96.93    | Peak     | S       | 45.08         | -24.36 | 20.71    | 43.50    | -22.79 |
| 159.01   | Peak     | S       | 49.21         | -23.10 | 26.12    | 43.50    | -17.38 |
| 193.93   | Peak     | S       | 49.12         | -23.82 | 25.30    | 43.50    | -18.20 |
| 224.97   | Peak     | S       | 52.90         | -22.67 | 30.23    | 46.00    | -15.77 |
| 838.01   | Peak     | S       | 39.88         | -9.05  | 30.83    | 46.00    | -15.17 |
| 4804.00  | Peak     | H       | 43.33         | 0.23   | 43.56    | 74.00    | -30.44 |
| 4804.00  | Average  | H       | 36.58         | 0.23   | 36.81    | 54.00    | -17.19 |
| 7206.00  | Peak     | H       | -             |        |          |          |        |
| 9608.00  | Peak     | H       | -             |        |          |          |        |
| 12010.00 | Peak     | H       | -             |        |          |          |        |
| 14412.00 | Peak     | H       | -             |        |          |          |        |
| 16814.00 | Peak     | H       | -             |        |          |          |        |
| 19216.00 | Peak     | H       | -             |        |          |          |        |
| 21618.00 | Peak     | H       | -             |        |          |          |        |
| 24020.00 | Peak     | H       | -             |        |          |          |        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

|                       |           |                          |                     |
|-----------------------|-----------|--------------------------|---------------------|
| Operation Band        | :BR       | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2441 MHz | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :TX MID   | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plane | Measurement Antenna Pol. | :VERTICAL           |

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.    | Detector | Note    | Spectrum      | Factor | Actual   | Limit    | Margin |
|----------|----------|---------|---------------|--------|----------|----------|--------|
|          | Mode     |         | Reading Level |        | FS       | @3m      |        |
| MHz      | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV / m | dBμV / m | dB     |
| 40.67    | Peak     | S       | 51.20         | -19.43 | 31.76    | 40.00    | -8.24  |
| 71.71    | Peak     | S       | 57.29         | -27.63 | 29.66    | 40.00    | -10.34 |
| 96.93    | Peak     | S       | 56.53         | -24.36 | 32.17    | 43.50    | -11.33 |
| 155.13   | Peak     | S       | 48.68         | -22.82 | 25.86    | 43.50    | -17.64 |
| 222.06   | Peak     | S       | 46.84         | -22.86 | 23.98    | 46.00    | -22.02 |
| 788.54   | Peak     | S       | 40.04         | -9.87  | 30.17    | 46.00    | -15.83 |
| 4882.00  | Peak     | H       | 40.46         | 0.06   | 40.51    | 74.00    | -33.49 |
| 4882.00  | Average  | H       | 32.81         | 0.06   | 32.87    | 54.00    | -21.13 |
| 7323.00  | Peak     | H       | -             |        |          |          |        |
| 9764.00  | Peak     | H       | -             |        |          |          |        |
| 12205.00 | Peak     | H       | -             |        |          |          |        |
| 14646.00 | Peak     | H       | -             |        |          |          |        |
| 17087.00 | Peak     | H       | -             |        |          |          |        |
| 19528.00 | Peak     | H       | -             |        |          |          |        |
| 21969.00 | Peak     | H       | -             |        |          |          |        |
| 24410.00 | Peak     | H       | -             |        |          |          |        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

|                       |           |                          |                     |
|-----------------------|-----------|--------------------------|---------------------|
| Operation Band        | :BR       | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2441 MHz | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :TX MID   | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plane | Measurement Antenna Pol. | :HORIZONTAL         |

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.    | Detector | Note    | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------|---------------|--------|--------|--------|--------|
|          | Mode     |         | Reading Level |        | FS     | @3m    |        |
| MHz      | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 61.04    | Peak     | S       | 54.67         | -28.42 | 26.25  | 40.00  | -13.75 |
| 71.71    | Peak     | S       | 55.46         | -27.63 | 27.83  | 40.00  | -12.17 |
| 155.13   | Peak     | S       | 47.58         | -22.82 | 24.76  | 43.50  | -18.74 |
| 185.20   | Peak     | S       | 50.11         | -24.26 | 25.85  | 43.50  | -17.65 |
| 226.91   | Peak     | S       | 52.28         | -22.53 | 29.75  | 46.00  | -16.25 |
| 304.51   | Peak     | S       | 42.52         | -19.04 | 23.48  | 46.00  | -22.52 |
| 4882.00  | Peak     | H       | 40.66         | 0.06   | 40.72  | 74.00  | -33.28 |
| 4882.00  | Average  | H       | 34.20         | 0.06   | 34.26  | 54.00  | -19.74 |
| 7244.00  | Peak     | S       | 43.32         | 4.60   | 47.92  | 74.00  | -26.08 |
| 7244.00  | Average  | S       | 31.33         | 4.60   | 35.93  | 54.00  | -18.07 |
| 7323.00  | Peak     | H       | -             |        |        |        |        |
| 9764.00  | Peak     | H       | -             |        |        |        |        |
| 12205.00 | Peak     | H       | -             |        |        |        |        |
| 14646.00 | Peak     | H       | -             |        |        |        |        |
| 17087.00 | Peak     | H       | -             |        |        |        |        |
| 19528.00 | Peak     | H       | -             |        |        |        |        |
| 21969.00 | Peak     | H       | -             |        |        |        |        |
| 24410.00 | Peak     | H       | -             |        |        |        |        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

|                       |           |                          |                     |
|-----------------------|-----------|--------------------------|---------------------|
| Operation Band        | :BR       | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2480 MHz | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :TX HIGH  | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plan  | Measurement Antenna Pol. | :VERTICAL           |

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.    | Detector | Note    | Spectrum      | Factor | Actual   | Limit    | Margin |
|----------|----------|---------|---------------|--------|----------|----------|--------|
|          | Mode     |         | Reading Level |        | FS       | @3m      |        |
| MHz      | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV / m | dBμV / m | dB     |
| 40.67    | Peak     | S       | 51.58         | -19.43 | 32.15    | 40.00    | -7.85  |
| 71.71    | Peak     | S       | 56.44         | -27.63 | 28.81    | 40.00    | -11.19 |
| 100.81   | Peak     | S       | 64.41         | -23.69 | 40.72    | 43.50    | -2.78  |
| 102.75   | Peak     | S       | 63.08         | -23.39 | 39.69    | 43.50    | -3.81  |
| 118.27   | Peak     | S       | 54.10         | -21.60 | 32.50    | 43.50    | -11.00 |
| 237.58   | Peak     | S       | 46.18         | -21.41 | 24.78    | 46.00    | -21.22 |
| 4960.00  | Peak     | H       | 40.16         | 0.03   | 40.19    | 74.00    | -33.81 |
| 4960.00  | Average  | H       | 32.29         | 0.03   | 32.32    | 54.00    | -21.68 |
| 7440.00  | Peak     | H       | -             |        |          |          |        |
| 9920.00  | Peak     | H       | -             |        |          |          |        |
| 12400.00 | Peak     | H       | -             |        |          |          |        |
| 14880.00 | Peak     | H       | -             |        |          |          |        |
| 17360.00 | Peak     | H       | -             |        |          |          |        |
| 19840.00 | Peak     | H       | -             |        |          |          |        |
| 22320.00 | Peak     | H       | -             |        |          |          |        |
| 24800.00 | Peak     | H       | -             |        |          |          |        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group



|                       |           |                          |                     |
|-----------------------|-----------|--------------------------|---------------------|
| Operation Band        | :BR       | Test Date                | :2015-02-24         |
| Fundamental Frequency | :2480 MHz | Temp./Humi.              | :25.4 deg_C / 57 RH |
| Operation Mode        | :TX HIGH  | Engineer                 | :Vito               |
| EUT Pol.              | :E2 Plan  | Measurement Antenna Pol. | :HORIZONTAL         |

Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)

Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

Note : “F” : denotes Fundamental Frequency. ; “H” : denotes Harmonic Frequency.

“E” : denotes Band Edge Frequency. ; “S” : denotes Spurious Frequency.

“---” : denotes Noise Floor.

| Freq.    | Detector | Note    | Spectrum      | Factor | Actual   | Limit    | Margin |
|----------|----------|---------|---------------|--------|----------|----------|--------|
|          | Mode     |         | Reading Level |        | FS       | @3m      |        |
| MHz      | PK/QP/AV | F/H/E/S | dBμV          | dB     | dBμV / m | dBμV / m | dB     |
| 71.71    | Peak     | S       | 55.70         | -27.63 | 28.07    | 40.00    | -11.93 |
| 145.43   | Peak     | S       | 52.76         | -22.29 | 30.46    | 43.50    | -13.04 |
| 155.13   | Peak     | S       | 51.06         | -22.82 | 28.24    | 43.50    | -15.26 |
| 224.97   | Peak     | S       | 52.74         | -22.67 | 30.07    | 46.00    | -15.93 |
| 754.59   | Peak     | S       | 39.96         | -9.99  | 29.97    | 46.00    | -16.03 |
| 784.66   | Peak     | S       | 40.36         | -9.99  | 30.36    | 46.00    | -15.64 |
| 4960.00  | Peak     | H       | 41.44         | 0.03   | 41.48    | 74.00    | -32.52 |
| 4960.00  | Average  | H       | 33.00         | 0.03   | 33.03    | 54.00    | -20.97 |
| 7440.00  | Peak     | H       | -             |        |          |          |        |
| 9920.00  | Peak     | H       | -             |        |          |          |        |
| 12400.00 | Peak     | H       | -             |        |          |          |        |
| 14880.00 | Peak     | H       | -             |        |          |          |        |
| 17360.00 | Peak     | H       | -             |        |          |          |        |
| 19840.00 | Peak     | H       | -             |        |          |          |        |
| 22320.00 | Peak     | H       | -             |        |          |          |        |
| 24800.00 | Peak     | H       | -             |        |          |          |        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group

## 8. ANTENNA REQUIREMENT

### 8.1. Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to RSS-GEN 7.1.2, a transmitter can only be sold or operated with antennas with which it was certified. A transmitter may be certified with multiple antenna types. An antenna type comprises antennas having similar in-band and out-of-band radiation patterns. Testing shall be performed using the highest-gain antenna of each combination of transmitter and antenna type for which certification is being sought, with the transmitter output power set at the maximum level. Any antenna of the same type and having equal or lesser gain as an antenna that had been successfully tested for certification with the transmitter, will also be considered certified with the transmitter, and may be used and marketed with the transmitter. The manufacturer shall include with the application for certification a list of acceptable antenna types to be used with the transmitter.

When a measurement at the antenna connector is used to determine RF output power, the effective gain of the device's antenna shall be stated, based on measurement or on data from the antenna manufacturer. Any antenna gain in excess of 6 dBi (6 dB above isotropic gain) shall be added to the measured RF output power before using the power limits specified in RSS-210 or RSS-310 for devices of RF output powers of 10 milliwatts or less. For devices of output powers greater than 10 milliwatts, except devices subject to RSS-210 Annex 8 (Frequency Hopping and Digital Modulation Systems Operating in the 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz Bands) or RSS-210 Annex 9 (Local Area Network Devices), the total antenna gain shall be added to the measured RF output power before using the specified power limits. For devices subject to RSS-210 Annex 8 or Annex 9, the antenna gain shall not be added.

### 8.2. Antenna Connected Construction

The directional gains of antenna used for transmitting is 1.16dBi, and the antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at [www.sgs.com/terms\\_e-document.htm](http://www.sgs.com/terms_e-document.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.tw.sgs.com](http://www.tw.sgs.com)

Member of SGS Group