



Antennas, All
See specifications at end of document.

Close Up Views Where Labels Are Present



Yagi Antenna



Panel Antenna



Monopole Antenna, Long



Monopole Antenna, Short

Note that the short 0 dBi $\frac{1}{4}$ wave antennas have no imprinted information.

Antenna Manufacturer and Model	Specifications
Kathrein-Scala P/N: TY-900 Yagi Antenna	Frequency range 890–960 MHz Radiation Pattern Directional Peak Gain 12 dBi VSWR < 1.5:1 maximum Weight (approx.) 1.4kg Impedance 50 Ω Dimensions (L x W x H) 584 x 178 mm
Source: www.kathrein-scala.com	

Antenna Manufacturer and Model	Specifications
Laird P/N: PA9-12 Flat Panel Antenna	Frequency range 902-928 MHz Radiation Pattern Directional Peak Gain 12 dBi VSWR 1.5:1 Weight (approx.) 1.36 kg Dimensions (L x W x H) 411 x 373 x 36 mm
Source: http://www.lairdtech.com	

Antenna Manufacturer and Model	Specifications
Laird P/N: FG9023 Fiberglass base station antennas	Frequency range 902-928 MHz Radiation Pattern Omnidirectional Peak Gain 5.15dBi VSWR < 2:1 Max Weight (approx.) < 1 lbs Impedance 50 Ω Height 23-3/8" Diameter 1.310"
Source: http://www.lairdtech.com	

Antenna Manufacturer and Model	Specifications
Laird P/N: Phantom Phantom® Antenna	Frequency range 902-928 MHz Radiation Pattern Omnidirectional Peak Gain 3 dB-M.E.G. VSWR < 2:1 Weight (approx.) 0.173 lb Impedance 50 Ω Height 2¾" Diameter 1.438"
Source: http://www.lairdtech.com	

Antenna Manufacturer and Model	Specifications
Radiotronics P/N: ANT-915-03A	Frequency range 902-928 MHz Radiation Pattern Omnidirectional Gain 0 dBi
Source: http://www.radiotronics.com	

Antenna Manufacturer and Model		Specifications	
Skywave P/N: 11-1118-A		Frequency range	902-928 MHz
		Radiation Pattern	Omnidirectional
		Gain	0 dBi
		VSWR	2:1
		Height	44 mm
		Diameter	7.6 mm
Source: http://www.skywaveantennas.com			
