

NOTES

HARLEY-DAVIDSON SMART SECURITY SYSTEM

Components

The Harley-Davidson Smart Security System (H-DSSS) consists of a Hands-Free Security Module (HFSM) and a hands-free antenna mounted on the motorcycle, and a hands-free Fob **carried** by the rider/passenger.

After parking the motorcycle, turn the ignition key to OFF and the Smart Security System will automatically **arm** within five seconds. While armed, the starter and ignition are disabled and the rider may leave the motorcycle knowing that the module will activate an alarm if someone tampers with the ignition or attempts to move the motorcycle.

If the fob is present, the module will automatically **disarm** when the ignition key is turned to IGNITION or ACCESS.

NOTE

Do not relocate the module or the antenna on the motorcycle.

Options

Several options are available for the Harley-Davidson Smart Security System from the Harley-Davidson Genuine Motor Accessories and Motor Parts catalog. Options include:

- Smart Siren and Smart Siren II.
- Security Pager and Security Pager Receiver II.
- Replacement Fobs.

See a Harley-Davidson dealer for details.

ANTITHEFT SYSTEM

Operation

The motorcycle is equipped with a GPS antitheft system. When subscribed to a monitoring service, the antitheft feature can be used to assist in the recovery of your motorcycle.

The antitheft system monitors the location of the motorcycle using signals from GPS satellites. The location of the motorcycle is periodically communicated to your monitoring service center.

When a theft event is reported, the monitoring service center can track the location of the motorcycle, and can send a remote alarm signal to the antitheft system causing the turn signals to flash and siren to sound. The motorcycle will be unable to start on the next startup attempt and will be unable to start until the

service provider resets the system. For safety reasons, the motorcycle will not shut off when it is already running.

The antitheft system works together with the features of the Hands Free Security System. When a theft event occurs while the security system is armed, the system will operate as described in HANDS-FREE SECURITY MODULE, Harley-Davidson Smart Security System.

Contact your service provider for additional details on monitoring services.

Tampering

If the tracking module or the HFSM is tampered with or removed from the vehicle, the motorcycle cannot be started (the starter and ignition circuits may be disabled). The tracking module siren will sound if the security system is armed.

The tracking module will continue to operate for a period of time while the module is removed from the motorcycle or the battery is disconnected.

Activation

The antitheft module is installed and ready for service from the factory. You must subscribe with a DENATRAN certified service provider for GPS monitoring and remote alarm services.

To deactivate service, simply terminate your subscription with the monitoring service provider.

Reporting an Event

If the motorcycle is stolen, immediately report it to the law enforcement authorities at the location where the theft occurred. Provide the vehicle identification number (VIN) and proof of ownership.

Indicate that the motorcycle is equipped with an antitheft tracking module, and provide the name of the monitoring service provider. Contact your service provider and indicate any further details as needed.

Change of Address or Ownership

When moving to a new residence or when buying or selling a motorcycle equipped with an antitheft system, contact the department of transit to update the registration on the vehicle and contact the monitoring service provider to activate/deactivate monitoring services as needed.

FCC REGULATIONS

FCC ID: L2C0027TR IC ID: 3432A-0027TR

FCC ID: L2C0028TR IC ID: 3432A-0028TR