

APPENDIX C: LABEL INFORMATION

Please refer to the following pages for a label sample and the label location.

ECO NUMBER	SYM	REVISION	BY	CHECKED
	1	CHGD. APPROVAL CODES.	T.R.B. 11/12/03	M.R. 11/12/03
	2	ADD VEGA ADDRESS, HART	GBS 11/17/03	M.R. 11/17/03
	3	CORRECTED TEXT	GBS 11/18/03	M.R. 11/18/03
	4	363mA was 360mA & 1.7W was 1.64W	GBS 12/06/03	M.R. 12/06/03
	5	ADDED PRESSURE TABLE.	T.R.B. 05/29/04	T.D. 05/29/04
	6	ADDED PS68 FCC ID #	T.R.B. 05/29/04	K.G. 05/29/04

NOTES:

1) LABEL WILL READ:

OHMART/VEGA
4241 ALLENDORF DR.
CINCINNATI, OH 45209 USA
FOR OHMART/VEGA MANUF. PRODUCT.

OR

VEGA GRIESHABER KG
77757 SCHILTACH, GERMANY
FOR VEGA MANUF. PRODUCT.

- 2) 1 = VEGAPULS 61.*F
2 = VEGAPULS 62.*F
3 = VEGAPULS 63.*F
5 = VEGAPULS 65.*F
6 = VEGAPULS 66.*F
8 = VEGAPULS 68.*F

3) THIS LABEL IS NOT APPLICABLE FOR INSTRUMENTS WHICH INCLUDE THE EXPLOSION-PROOF BARRIER (DESIGNATED BY HOUSING CODE D).

- 4) "U" = APPROVED TO FMRC STANDARDS
"K" = APPROVED TO CSA STANDARD
"X" = NO APPROVAL RATINGS


- 5) PULS 61, 62, 63, 65, 66 = FCC ID: MOIPULS616263
IC: 2624A-PS616263
PULS 65, 66 = FCC ID: MOIPULS656667
IC: 2624A-PS656667
PULS 68 = FCC ID: MOIPULS68
IC: 2624A-PS68

6) ANTENNA MATERIAL MUST BE INDICATED: PTFE, TFM 1600, PVDF, CERAMIC, PFA, OR POLYPROPYLENE.

- 7) HART: 36VDC, 131mA, 0.667W Max
PROFIBUS/FF: 26.6VDC, 363mA, 1.7W Max
"H" = HART
"P" = PROFIBUS
"F" = FOUNDATION FIELDBUS

8) PRESSURE RATING

SENSOR TYPE	MAXIMUM WORKING PRESSURE
VEGAPULS 61 (PVDF PROCESS CONN.)	3 BAR (45 PSI)
VEGAPULS 62 (SST NPT CONN.)	16 BAR (230 PSI)
VEGAPULS 62 (FLANGE CONN.)	40 BAR (580 PSI)
VEGAPULS 63	16 BAR (230 PSI)
VEGAPULS 65 (SST NPT CONN.)	16 BAR (230 PSI)
VEGAPULS 65 (FLANGE CONN.)	16 BAR (230 PSI)
VEGAPULS 66 (PTFE ANTENNA)	40 BAR (580 PSI)
VEGAPULS 66 (CERAMIC ANTENNA)	164 BAR (2378 PSI)



MATERIAL:

- ALUMINUM(Mg <6%) OR STAINLESS STEEL PLATE WITH LASER MARKING
- SELF ADHESIVE FOIL WITH LASER MARKING TYPE POLYSCRIPT CARBO ACE SA FROM MESSRS. SCHREINER.
- SELF ADHESIVE POLYESTER FOIL W/THERMAL TRANSFER MARKING FROM MESSRS. BRADY.
- SELF ADHESIVE COLOR LASER FOIL KL BLACK/WHITE (20-91/39-22).


-NOTICE-

THIS DRAWING IS NOT TO BE CHANGED WITHOUT AGENCY APPROVAL

MADE FROM	DRAWN BY/DATE	CHECKED BY/DATE
GE1989	09/29/03	09/29/03
		A-GE2001

OHMART B/M NUMBER	VE206068
DRAWING NUMBER	GE2001
OHMART/VEGA	4241 Allendorf Drive Cincinnati, Ohio 45209 USA
TYPE PLATE:	
VEGAPULS 6.*F	
FM APPROVED DIV. 1	

THIS DOCUMENT INCLUDES INFORMATION WHICH IS PROPRIETARY TO OHMART/VEGA CORPORATION. NEITHER THIS DOCUMENT NOR THE INFORMATION DISCLOSED HEREIN SHALL BE USED OR DISCLOSED TO OTHERS FOR MANUFACTURING OR ANY OTHER PURPOSE EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY OHMART/VEGA CORPORATION. THIS DOES NOT APPLY TO INFORMATION FURNISHED BY VENDORS OR OTHERS OUTSIDE OHMART/VEGA CORPORATION.



PHOTOGRAPH 1: FCC ID LABEL LOCATION