


5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_X_2TX
Setting 94
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54276G	57.10	68.20	-11.10	39.55	3	Horizontal	267	1.44	-	39.09	10.87	32.41			
PK	15.81057G	61.14	74.00	-12.86	41.88	3	Horizontal	335	1.47	-	38.40	13.63	32.77			
AV	15.80802G	47.85	54.00	-6.15	28.59	3	Horizontal	335	1.47	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 69
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3026G	107.14	Inf	-Inf	99.96	3	Vertical	86	3.00	-	33.01	6.68	32.51			
AV	5.3034G	94.97	Inf	-Inf	87.79	3	Vertical	86	3.00	-	33.01	6.68	32.51			
PK	5.4012G	59.95	74.00	-14.05	52.40	3	Vertical	86	3.00	-	33.30	6.73	32.48			
AV	5.3522G	46.98	54.00	-7.02	39.66	3	Vertical	86	3.00	-	33.11	6.71	32.50			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 69
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2978G	117.11	Inf	-Inf	109.94	3	Horizontal	179	1.00	-	33.00	6.68	32.51			
AV	5.3004G	104.04	Inf	-Inf	96.87	3	Horizontal	179	1.00	-	33.00	6.68	32.51			
PK	5.3524G	71.69	74.00	-2.31	64.37	3	Horizontal	179	1.00	-	33.11	6.71	32.50			
AV	5.35G	52.88	54.00	-1.12	45.57	3	Horizontal	179	1.00	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 71
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61037G	57.84	74.00	-16.16	40.19	3	Vertical	24	1.56	-	39.12	10.94	32.41			
AV	10.62393G	44.87	54.00	-9.13	27.17	3	Vertical	24	1.56	-	39.15	10.96	32.41			
PK	15.93528G	60.28	74.00	-13.72	40.90	3	Vertical	56	1.68	-	38.53	13.64	32.79			
AV	15.94359G	47.07	54.00	-6.93	27.71	3	Vertical	56	1.68	-	38.51	13.64	32.79			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_X_2TX
Setting 71
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61976G	57.94	74.00	-16.06	40.26	3	Horizontal	335	1.75	-	39.14	10.95	32.41			
AV	10.62816G	44.78	54.00	-9.22	27.08	3	Horizontal	335	1.75	-	39.16	10.96	32.42			
PK	15.92277G	60.31	74.00	-13.69	40.91	3	Horizontal	221	1.64	-	38.55	13.64	32.79			
AV	15.9186G	47.12	54.00	-6.88	27.71	3	Horizontal	221	1.64	-	38.56	13.64	32.79			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
Setting 64
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	62.15	74.00	-11.85	54.22	3	Vertical	168	1.00	-	33.56	6.84	32.47			
AV	5.4484G	49.13	54.00	-4.87	41.29	3	Vertical	168	1.00	-	33.49	6.82	32.47			
PK	5.4608G	65.84	68.20	-2.36	57.91	3	Vertical	168	1.00	-	33.56	6.84	32.47			
PK	5.509G	116.56	Inf	-Inf	108.27	3	Vertical	168	1.00	-	33.82	6.93	32.46			
AV	5.5086G	103.64	Inf	-Inf	95.35	3	Vertical	168	1.00	-	33.82	6.93	32.46			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
Setting 64
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	62.69	74.00	-11.31	54.76	3	Horizontal	155.9	1.03	-	33.56	6.84	32.47			
AV	5.4486G	49.43	54.00	-4.57	41.59	3	Horizontal	155.9	1.03	-	33.49	6.82	32.47			
PK	5.4694G	65.88	68.20	-2.32	57.87	3	Horizontal	155.9	1.03	-	33.62	6.86	32.47			
PK	5.52G	115.99	Inf	-Inf	107.66	3	Horizontal	155.9	1.03	-	33.84	6.95	32.46			
AV	5.5238G	103.14	Inf	-Inf	94.79	3	Horizontal	155.9	1.03	-	33.85	6.96	32.46			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
Setting 66
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.03185G	58.78	74.00	-15.22	40.81	3	Vertical	279	1.81	-	39.04	11.37	32.44			
AV	11.03443G	44.77	54.00	-9.23	26.80	3	Vertical	279	1.81	-	39.03	11.38	32.44			
PK	16.53444G	63.03	68.20	-5.17	42.06	3	Vertical	302	1.57	-	39.60	13.80	32.43			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_X_2TX
Setting 66
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01853G	57.73	74.00	-16.27	39.75	3	Horizontal	85	1.92	-	39.06	11.36	32.44			
AV	11.03404G	44.82	54.00	-9.18	26.86	3	Horizontal	85	1.92	-	39.03	11.37	32.44			
PK	16.53279G	64.01	68.20	-4.19	43.05	3	Horizontal	146	1.93	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 79
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4483G	60.13	74.00	-13.87	52.29	3	Vertical	112	2.44	-	33.49	6.82	32.47			
AV	5.4561G	47.42	54.00	-6.58	39.52	3	Vertical	112	2.44	-	33.54	6.83	32.47			
PK	5.4639G	60.03	68.20	-8.17	52.07	3	Vertical	112	2.44	-	33.58	6.85	32.47			
PK	5.5449G	112.24	Inf	-Inf	103.81	3	Vertical	112	2.44	-	33.89	7.00	32.46			
AV	5.544G	98.42	Inf	-Inf	89.99	3	Vertical	112	2.44	-	33.89	7.00	32.46			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 79
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4468G	63.50	74.00	-10.50	55.66	3	Horizontal	169	1.00	-	33.49	6.82	32.47			
PK	5.4672G	66.68	68.20	-1.52	58.70	3	Horizontal	169	1.00	-	33.60	6.85	32.47			
AV	5.4588G	49.36	54.00	-4.64	41.44	3	Horizontal	169	1.00	-	33.55	6.84	32.47			
PK	5.5644G	119.62	Inf	-Inf	111.15	3	Horizontal	169	1.00	-	33.90	7.03	32.46			
AV	5.5644G	107.54	Inf	-Inf	99.07	3	Horizontal	169	1.00	-	33.90	7.03	32.46			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 82
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09181G	58.03	74.00	-15.97	40.06	3	Vertical	53	1.45	-	39.00	11.43	32.46			
AV	11.10315G	45.00	54.00	-9.00	27.02	3	Vertical	53	1.45	-	38.99	11.45	32.46			
PK	16.64736G	62.46	68.20	-5.74	41.18	3	Vertical	359	1.80	-	39.79	13.84	32.35			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_X_2TX
Setting 82
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11134G	58.08	74.00	-15.92	40.14	3	Horizontal	242	1.74	-	38.95	11.45	32.46			
AV	11.08989G	45.03	54.00	-8.97	27.06	3	Horizontal	242	1.74	-	39.00	11.43	32.46			
PK	16.65471G	63.42	68.20	-4.78	42.12	3	Horizontal	262	1.56	-	39.80	13.84	32.34			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 60
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.667G	105.76	Inf	-Inf	97.00	3	Vertical	111	2.51	-	34.03	7.18	32.45			
AV	5.6658G	93.94	Inf	-Inf	85.18	3	Vertical	111	2.51	-	34.03	7.18	32.45			
PK	5.735G	63.54	68.20	-4.66	54.62	3	Vertical	111	2.51	-	34.10	7.27	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 60
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.655G	113.96	Inf	-Inf	105.23	3	Horizontal	172	1.00	-	34.01	7.17	32.45			
AV	5.6574G	101.99	Inf	-Inf	93.26	3	Horizontal	172	1.00	-	34.01	7.17	32.45			
PK	5.7344G	66.65	68.20	-1.55	57.73	3	Horizontal	172	1.00	-	34.10	7.27	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 60
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35074G	58.64	74.00	-15.36	40.38	3	Vertical	21	1.76	-	39.10	11.70	32.54			
AV	11.34751G	45.62	54.00	-8.38	27.36	3	Vertical	21	1.76	-	39.10	11.69	32.53			
PK	17.01684G	64.67	68.20	-3.53	42.10	3	Vertical	91	1.69	-	40.70	13.94	32.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_X_2TX
Setting 60
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34717G	59.05	74.00	-14.95	40.80	3	Horizontal	31	1.83	-	39.09	11.69	32.53			
AV	11.35215G	45.63	54.00	-8.37	27.37	3	Horizontal	31	1.83	-	39.10	11.70	32.54			
PK	17.01387G	64.53	68.20	-3.67	41.98	3	Horizontal	291	1.63	-	40.68	13.94	32.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 99
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7232G	114.72	Inf	-Inf	105.82	3	Vertical	145.1	2.99	-	34.10	7.25	32.45			
AV	5.6996G	102.19	Inf	-Inf	93.32	3	Vertical	145.1	2.99	-	34.10	7.22	32.45			
PK	5.866G	62.10	68.20	-6.10	52.55	3	Vertical	145.1	2.99	-	34.60	7.40	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 99
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7048G	124.01	Inf	-Inf	115.13	3	Horizontal	174	1.03	-	34.10	7.23	32.45			
AV	5.7052G	110.96	Inf	-Inf	102.08	3	Horizontal	174	1.03	-	34.10	7.23	32.45			
PK	5.85G	66.92	68.20	-1.28	57.48	3	Horizontal	174	1.03	-	34.50	7.39	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 102
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42069G	59.64	74.00	-14.36	41.37	3	Vertical	341	1.61	-	39.06	11.77	32.56			
AV	11.41775G	46.03	54.00	-7.97	27.76	3	Vertical	341	1.61	-	39.06	11.77	32.56			
PK	17.11692G	65.42	68.20	-2.78	42.33	3	Vertical	198	1.76	-	41.13	13.97	32.01			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 102
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41292G	59.56	74.00	-14.44	41.28	3	Horizontal	129	1.51	-	39.07	11.76	32.55			
AV	11.41862G	46.10	54.00	-7.90	27.83	3	Horizontal	129	1.51	-	39.06	11.77	32.56			
PK	17.12103G	65.04	68.20	-3.16	41.92	3	Horizontal	71	1.65	-	41.14	13.98	32.00			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
Setting 93
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	64.79	68.20	-3.41	56.08	3	Vertical	113	2.48	-	34.00	7.16	32.45			
PK	5.751G	112.19	Inf	-Inf	103.25	3	Vertical	113	2.48	-	34.10	7.29	32.45			
AV	5.7375G	99.67	Inf	-Inf	90.75	3	Vertical	113	2.48	-	34.10	7.27	32.45			
PK	5.965G	62.31	68.20	-5.89	52.12	3	Vertical	113	2.48	-	35.16	7.47	32.44			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
Setting 93
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	66.96	68.20	-1.24	58.25	3	Horizontal	170	1.00	-	34.00	7.16	32.45			
PK	5.7575G	123.73	Inf	-Inf	114.76	3	Horizontal	170	1.00	-	34.12	7.30	32.45			
AV	5.759G	111.04	Inf	-Inf	102.07	3	Horizontal	170	1.00	-	34.12	7.30	32.45			
PK	6.0035G	62.77	68.20	-5.43	52.40	3	Horizontal	170	1.00	-	35.31	7.50	32.44			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
Setting 96
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50592G	58.96	74.00	-15.04	40.77	3	Vertical	45	1.77	-	38.91	11.86	32.58			
AV	11.49656G	45.94	54.00	-8.06	27.76	3	Vertical	45	1.77	-	38.91	11.85	32.58			
PK	17.26356G	65.29	68.20	-2.91	41.63	3	Vertical	98	1.70	-	41.55	14.02	31.91			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_X_2TX
Setting 96
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49968G	58.68	74.00	-15.32	40.51	3	Horizontal	336	1.46	-	38.90	11.85	32.58			
AV	11.49668G	45.89	54.00	-8.11	27.71	3	Horizontal	336	1.46	-	38.91	11.85	32.58			
PK	17.27883G	64.82	68.20	-3.38	41.08	3	Horizontal	258	1.90	-	41.62	14.02	31.90			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
Setting 95
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.58G	61.37	68.20	-6.83	52.87	3	Vertical	113	1.80	-	33.90	7.06	32.46			
PK	5.7995G	111.80	Inf	-Inf	102.70	3	Vertical	113	1.80	-	34.20	7.35	32.45			
AV	5.7935G	99.36	Inf	-Inf	90.28	3	Vertical	113	1.80	-	34.19	7.34	32.45			
PK	6.041G	62.11	68.20	-6.09	51.65	3	Vertical	113	1.80	-	35.38	7.52	32.44			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
Setting 95
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5725G	63.71	68.20	-4.49	55.22	3	Horizontal	172	1.03	-	33.90	7.05	32.46			
PK	5.7885G	120.57	Inf	-Inf	111.50	3	Horizontal	172	1.03	-	34.18	7.34	32.45			
AV	5.793G	108.89	Inf	-Inf	99.81	3	Horizontal	172	1.03	-	34.19	7.34	32.45			
PK	5.935G	66.43	68.20	-1.77	56.41	3	Horizontal	172	1.03	-	35.01	7.45	32.44			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_X_2TX
Setting 96
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58757G	58.62	74.00	-15.38	40.38	3	Vertical	3	1.49	-	38.92	11.94	32.62			
AV	11.57881G	45.52	54.00	-8.48	27.26	3	Vertical	3	1.49	-	38.94	11.93	32.61			
PK	17.38923G	65.19	68.20	-3.01	41.01	3	Vertical	108	1.77	-	41.96	14.05	31.83			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_X_2TX
Setting 96
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.585777G	58.79	74.00	-15.21	40.54	3	Horizontal	86	1.79	-	38.93	11.94	32.62			
AV	11.57644G	45.73	54.00	-8.27	27.46	3	Horizontal	86	1.79	-	38.95	11.93	32.61			
PK	17.38422G	64.80	68.20	-3.40	40.64	3	Horizontal	287	1.50	-	41.94	14.05	31.83			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_X_2TX
Setting 70
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1415G	63.45	74.00	-10.55	56.58	3	Vertical	102	3.00	-	32.78	6.64	32.55			
AV	5.148G	48.70	54.00	-5.30	41.80	3	Vertical	102	3.00	-	32.80	6.64	32.54			
PK	5.1755G	107.51	Inf	-Inf	100.57	3	Vertical	102	3.00	-	32.85	6.63	32.54			
AV	5.24G	92.28	Inf	-Inf	85.25	3	Vertical	102	3.00	-	32.90	6.65	32.52			
PK	5.4485G	59.68	74.00	-14.32	51.84	3	Vertical	102	3.00	-	33.49	6.82	32.47			
AV	5.4375G	47.06	54.00	-6.94	39.29	3	Vertical	102	3.00	-	33.45	6.80	32.48			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_X_2TX
Setting 70
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1495G	71.80	74.00	-2.20	64.90	3	Horizontal	171	1.00	-	32.80	6.64	32.54			
AV	5.149G	52.75	54.00	-1.25	45.85	3	Horizontal	171	1.00	-	32.80	6.64	32.54			
PK	5.1865G	116.49	Inf	-Inf	109.53	3	Horizontal	171	1.00	-	32.87	6.63	32.54			
AV	5.198G	101.20	Inf	-Inf	94.20	3	Horizontal	171	1.00	-	32.90	6.63	32.53			
PK	5.42G	60.32	74.00	-13.68	52.65	3	Horizontal	171	1.00	-	33.38	6.77	32.48			
AV	5.438G	47.68	54.00	-6.32	39.90	3	Horizontal	171	1.00	-	33.45	6.80	32.47			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_X_2TX
Setting 74
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40776G	57.10	68.20	-11.10	40.13	3	Vertical	209	1.50	-	38.72	10.74	32.49			
PK	15.61785G	63.23	74.00	-10.77	44.07	3	Vertical	347	1.84	-	38.29	13.61	32.74			
AV	15.6207G	49.53	54.00	-4.47	30.38	3	Vertical	347	1.84	-	38.28	13.61	32.74			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_X_2TX
Setting 74
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40527G	58.09	68.20	-10.11	41.15	3	Horizontal	18	1.79	-	38.71	10.73	32.50			
PK	15.63087G	62.16	74.00	-11.84	43.08	3	Horizontal	218	1.58	-	38.21	13.61	32.74			
AV	15.61797G	49.43	54.00	-4.57	30.27	3	Horizontal	218	1.58	-	38.29	13.61	32.74			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 64
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.085G	59.78	74.00	-14.22	52.96	3	Vertical	91	3.00	-	32.73	6.65	32.56			
AV	5.117G	46.76	54.00	-7.24	39.93	3	Vertical	91	3.00	-	32.73	6.65	32.55			
PK	5.2675G	105.43	Inf	-Inf	98.36	3	Vertical	91	3.00	-	32.93	6.66	32.52			
AV	5.2785G	90.88	Inf	-Inf	83.76	3	Vertical	91	3.00	-	32.96	6.67	32.51			
PK	5.4385G	60.08	74.00	-13.92	52.30	3	Vertical	91	3.00	-	33.45	6.80	32.47			
AV	5.4535G	47.19	54.00	-6.81	39.31	3	Vertical	91	3.00	-	33.52	6.83	32.47			
PK	5.472G	61.06	68.20	-7.14	53.04	3	Vertical	91	3.00	-	33.63	6.86	32.47			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 64
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1225G	60.40	74.00	-13.60	53.56	3	Horizontal	177	1.00	-	32.74	6.65	32.55			
AV	5.1025G	47.60	54.00	-6.40	40.80	3	Horizontal	177	1.00	-	32.71	6.65	32.56			
PK	5.258G	112.61	Inf	-Inf	105.55	3	Horizontal	177	1.00	-	32.92	6.66	32.52			
AV	5.26G	99.81	Inf	-Inf	92.75	3	Horizontal	177	1.00	-	32.92	6.66	32.52			
PK	5.3615G	67.00	74.00	-7.00	59.63	3	Horizontal	177	1.00	-	33.15	6.71	32.49			
AV	5.3505G	52.59	54.00	-1.41	45.28	3	Horizontal	177	1.00	-	33.10	6.71	32.50			
PK	5.339G	60.79	68.20	-7.41	52.38	3	Horizontal	177	1.00	-	33.88	6.99	32.46			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 70
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59188G	58.50	68.20	-9.70	40.89	3	Vertical	279	1.73	-	39.10	10.92	32.41			
PK	15.8559G	61.05	74.00	-12.95	41.77	3	Vertical	71	1.78	-	38.42	13.64	32.78			
AV	15.8577G	47.99	54.00	-6.01	28.70	3	Vertical	71	1.78	-	38.43	13.64	32.78			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_X_2TX
Setting 70
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.574G	58.42	68.20	-9.78	40.82	3	Horizontal	36	1.93	-	39.10	10.91	32.41			
PK	15.882G	60.69	74.00	-13.31	41.30	3	Horizontal	54	1.38	-	38.53	13.64	32.78			
AV	15.85767G	47.82	54.00	-6.18	28.53	3	Horizontal	54	1.38	-	38.43	13.64	32.78			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 65
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.319G	59.45	68.20	-8.75	52.22	3	Vertical	90	2.01	-	33.04	6.69	32.50			
PK	5.444G	60.33	74.00	-13.67	52.51	3	Vertical	90	2.01	-	33.48	6.81	32.47			
PK	5.465G	60.23	68.20	-7.97	52.26	3	Vertical	90	2.01	-	33.59	6.85	32.47			
AV	5.46G	47.44	54.00	-6.56	39.51	3	Vertical	90	2.01	-	33.56	6.84	32.47			
PK	5.5345G	103.75	Inf	-Inf	95.36	3	Vertical	90	2.01	-	33.87	6.98	32.46			
AV	5.5255G	90.45	Inf	-Inf	82.10	3	Vertical	90	2.01	-	33.85	6.96	32.46			
PK	5.7795G	61.71	68.20	-6.49	52.68	3	Vertical	90	2.01	-	34.16	7.32	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 65
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.298G	59.88	68.20	-8.32	52.71	3	Horizontal	179.7	1.32	-	33.00	6.68	32.51			
PK	5.455G	65.53	74.00	-8.47	57.64	3	Horizontal	179.7	1.32	-	33.53	6.83	32.47			
AV	5.4595G	51.56	54.00	-2.44	43.63	3	Horizontal	179.7	1.32	-	33.56	6.84	32.47			
PK	5.4695G	66.35	68.20	-1.85	58.34	3	Horizontal	179.7	1.32	-	33.62	6.86	32.47			
PK	5.493G	111.88	Inf	-Inf	103.68	3	Horizontal	179.7	1.32	-	33.76	6.90	32.46			
AV	5.509G	99.59	Inf	-Inf	91.30	3	Horizontal	179.7	1.32	-	33.82	6.93	32.46			
PK	5.7465G	61.83	68.20	-6.37	52.90	3	Horizontal	179.7	1.32	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 68
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04611G	58.65	74.00	-15.35	40.69	3	Vertical	305	1.38	-	39.01	11.39	32.44			
AV	11.06765G	45.06	54.00	-8.94	27.10	3	Vertical	305	1.38	-	39.00	11.41	32.45			
PK	16.58745G	63.43	68.20	-4.77	42.40	3	Vertical	83	1.48	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_X_2TX
Setting 68
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07272G	58.40	74.00	-15.60	40.44	3	Horizontal	50	1.83	-	39.00	11.41	32.45			
AV	11.06834G	44.98	54.00	-9.02	27.02	3	Horizontal	50	1.83	-	39.00	11.41	32.45			
PK	16.58985G	63.57	68.20	-4.63	42.54	3	Horizontal	350	1.84	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 73
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.419G	60.49	74.00	-13.51	52.82	3	Vertical	106.2	3.00	-	33.38	6.77	32.48			
AV	5.4395G	47.45	54.00	-6.55	39.66	3	Vertical	106.2	3.00	-	33.46	6.80	32.47			
PK	5.4695G	59.60	68.20	-8.60	51.59	3	Vertical	106.2	3.00	-	33.62	6.86	32.47			
PK	5.5775G	110.56	Inf	-Inf	102.06	3	Vertical	106.2	3.00	-	33.90	7.06	32.46			
AV	5.573G	96.12	Inf	-Inf	87.63	3	Vertical	106.2	3.00	-	33.90	7.05	32.46			
PK	5.813G	61.43	68.20	-6.77	52.24	3	Vertical	106.2	3.00	-	34.28	7.36	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 73
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	61.68	74.00	-12.32	53.83	3	Horizontal	165	1.03	-	33.50	6.82	32.47			
AV	5.46G	49.24	54.00	-4.76	41.31	3	Horizontal	165	1.03	-	33.56	6.84	32.47			
PK	5.47G	63.88	68.20	-4.32	55.87	3	Horizontal	165	1.03	-	33.62	6.86	32.47			
PK	5.5865G	118.54	Inf	-Inf	110.02	3	Horizontal	165	1.03	-	33.90	7.08	32.46			
AV	5.603G	103.70	Inf	-Inf	95.15	3	Horizontal	165	1.03	-	33.91	7.10	32.46			
PK	5.7255G	67.12	68.20	-1.08	58.21	3	Horizontal	165	1.03	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 73
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23098G	58.27	74.00	-15.73	40.33	3	Vertical	184	1.37	-	38.86	11.58	32.50			
AV	11.23287G	44.87	54.00	-9.13	26.92	3	Vertical	184	1.37	-	38.87	11.58	32.50			
PK	16.81758G	63.78	68.20	-4.42	41.84	3	Vertical	245	1.84	-	40.27	13.89	32.22			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_X_2TX
Setting 73
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22573G	58.44	74.00	-15.56	40.52	3	Horizontal	315	1.56	-	38.85	11.57	32.50			
AV	11.22633G	44.86	54.00	-9.14	26.94	3	Horizontal	315	1.56	-	38.85	11.57	32.50			
PK	16.81602G	64.22	68.20	-3.98	42.29	3	Horizontal	147	1.72	-	40.26	13.89	32.22			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 81
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.445G	59.44	74.00	-14.56	51.62	3	Vertical	98	2.36	-	33.48	6.81	32.47			
PK	5.462G	60.03	68.20	-8.17	52.09	3	Vertical	98	2.36	-	33.57	6.84	32.47			
AV	5.46G	47.42	54.00	-6.58	39.49	3	Vertical	98	2.36	-	33.56	6.84	32.47			
PK	5.6535G	109.55	Inf	-Inf	100.82	3	Vertical	98	2.36	-	34.01	7.17	32.45			
AV	5.7275G	93.91	Inf	-Inf	85.00	3	Vertical	98	2.36	-	34.10	7.26	32.45			
PK	5.937G	62.45	68.20	-5.75	52.42	3	Vertical	98	2.36	-	35.02	7.45	32.44			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 81
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.451G	61.19	74.00	-12.81	53.33	3	Horizontal	158.4	1.01	-	33.51	6.82	32.47			
AV	5.4585G	48.81	54.00	-5.19	40.89	3	Horizontal	158.4	1.01	-	33.55	6.84	32.47			
PK	5.4695G	62.06	68.20	-6.14	54.05	3	Horizontal	158.4	1.01	-	33.62	6.86	32.47			
PK	5.6555G	118.11	Inf	-Inf	109.38	3	Horizontal	158.4	1.01	-	34.01	7.17	32.45			
AV	5.7205G	104.37	Inf	-Inf	95.47	3	Horizontal	158.4	1.01	-	34.10	7.25	32.45			
PK	5.866G	65.98	68.20	-2.22	56.43	3	Horizontal	158.4	1.01	-	34.60	7.40	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 87
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38708G	59.08	74.00	-14.92	40.80	3	Vertical	177	1.83	-	39.10	11.73	32.55			
AV	11.38372G	45.87	54.00	-8.13	27.59	3	Vertical	177	1.83	-	39.10	11.73	32.55			
PK	17.05869G	64.59	68.20	-3.61	41.74	3	Vertical	50	1.46	-	40.93	13.96	32.04			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_X_2TX
Setting 87
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37385G	58.89	74.00	-15.11	40.61	3	Horizontal	345	1.45	-	39.10	11.72	32.54			
AV	11.39428G	45.84	54.00	-8.16	27.55	3	Horizontal	345	1.45	-	39.10	11.74	32.55			
PK	17.08464G	65.10	68.20	-3.10	42.13	3	Horizontal	320	1.48	-	41.04	13.96	32.03			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_X_2TX
Setting 75
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6055G	62.04	68.20	-6.16	53.48	3	Vertical	103	2.96	-	33.91	7.11	32.46			
PK	5.748G	108.39	Inf	-Inf	99.46	3	Vertical	103	2.96	-	34.10	7.28	32.45			
AV	5.768G	94.27	Inf	-Inf	85.27	3	Vertical	103	2.96	-	34.14	7.31	32.45			
PK	6.0195G	63.10	68.20	-5.10	52.69	3	Vertical	103	2.96	-	35.34	7.51	32.44			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_X_2TX
Setting 75
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6205G	64.87	68.20	-3.33	56.26	3	Horizontal	173.5	1.00	-	33.94	7.13	32.46			
PK	5.7605G	115.65	Inf	-Inf	106.68	3	Horizontal	173.5	1.00	-	34.12	7.30	32.45			
AV	5.762G	103.22	Inf	-Inf	94.25	3	Horizontal	173.5	1.00	-	34.12	7.30	32.45			
PK	5.9245G	65.04	68.57	-3.53	55.09	3	Horizontal	173.5	1.00	-	34.95	7.44	32.44			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_X_2TX
Setting 75
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55231G	59.93	74.00	-14.07	41.63	3	Vertical	170	1.70	-	39.00	11.90	32.60			
AV	11.55978G	45.66	54.00	-8.34	27.38	3	Vertical	170	1.70	-	38.98	11.91	32.61			
PK	17.32533G	65.65	68.20	-2.55	41.74	3	Vertical	46	1.54	-	41.75	14.03	31.87			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_X_2TX
Setting 75
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55219G	59.30	74.00	-14.70	41.00	3	Horizontal	77	2.00	-	39.00	11.90	32.60			
AV	11.55744G	45.68	54.00	-8.32	27.39	3	Horizontal	77	2.00	-	38.99	11.91	32.61			
PK	17.33031G	65.43	68.20	-2.77	41.50	3	Horizontal	120	1.93	-	41.76	14.04	31.87			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 64
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1084G	60.30	74.00	-13.70	53.48	3	Vertical	179	1.80	-	32.72	6.65	32.55			
AV	5.1044G	47.33	54.00	-6.67	40.52	3	Vertical	179	1.80	-	32.71	6.65	32.55			
PK	5.2308G	95.07	Inf	-Inf	88.04	3	Vertical	179	1.80	-	32.90	6.65	32.52			
AV	5.1764G	85.08	Inf	-Inf	78.14	3	Vertical	179	1.80	-	32.85	6.63	32.54			
PK	5.4436G	59.45	74.00	-14.55	51.64	3	Vertical	179	1.80	-	33.47	6.81	32.47			
AV	5.438G	47.14	54.00	-6.86	39.36	3	Vertical	179	1.80	-	33.45	6.80	32.47			
PK	5.586G	61.41	68.20	-6.79	52.90	3	Vertical	179	1.80	-	33.90	7.07	32.46			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 64
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.07G	67.85	74.00	-6.15	60.99	3	Horizontal	168	1.01	-	32.76	6.66	32.56			
PK	5.1756G	112.84	Inf	-Inf	105.90	3	Horizontal	168	1.01	-	32.85	6.63	32.54			
AV	5.1316G	52.49	54.00	-1.51	45.64	3	Horizontal	168	1.01	-	32.76	6.64	32.55			
AV	5.2724G	96.12	Inf	-Inf	89.02	3	Horizontal	168	1.01	-	32.94	6.67	32.51			
PK	5.3828G	65.91	74.00	-8.09	58.45	3	Horizontal	168	1.01	-	33.23	6.72	32.49			
AV	5.3604G	52.72	54.00	-1.28	45.36	3	Horizontal	168	1.01	-	33.14	6.71	32.49			
PK	5.4644G	62.97	68.20	-5.23	55.00	3	Horizontal	168	1.01	-	33.59	6.85	32.47			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 68
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50864G	57.23	68.20	-10.97	39.78	3	Vertical	19	1.89	-	39.02	10.84	32.41			
PK	15.74784G	62.44	74.00	-11.56	43.19	3	Vertical	49	1.57	-	38.39	13.62	32.76			
AV	15.74052G	49.47	54.00	-4.53	30.25	3	Vertical	49	1.57	-	38.36	13.62	32.76			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_X_2TX
Setting 68
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49043G	57.28	68.20	-10.92	39.92	3	Horizontal	221	1.21	-	38.96	10.82	32.42			
PK	15.76086G	62.57	74.00	-11.43	43.30	3	Horizontal	236	1.59	-	38.40	13.63	32.76			
AV	15.74619G	49.61	54.00	-4.39	30.37	3	Horizontal	236	1.59	-	38.38	13.62	32.76			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 65
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2524G	60.79	68.20	-7.41	53.75	3	Vertical	99.4	2.72	-	32.90	6.66	32.52			
PK	5.4124G	61.92	74.00	-12.08	54.30	3	Vertical	99.4	2.72	-	33.35	6.75	32.48			
PK	5.4692G	61.72	68.20	-6.48	53.71	3	Vertical	99.4	2.72	-	33.62	6.86	32.47			
AV	5.4596G	49.32	54.00	-4.68	41.39	3	Vertical	99.4	2.72	-	33.56	6.84	32.47			
PK	5.494G	106.81	Inf	-Inf	98.61	3	Vertical	99.4	2.72	-	33.76	6.90	32.46			
AV	5.5004G	91.31	Inf	-Inf	83.05	3	Vertical	99.4	2.72	-	33.80	6.92	32.46			
PK	5.9412G	62.52	68.20	-5.68	52.45	3	Vertical	99.4	2.72	-	35.05	7.46	32.44			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 65
01-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2828G	60.09	68.20	-8.11	52.96	3	Horizontal	163	1.01	-	32.97	6.67	32.51			
PK	5.3996G	68.02	74.00	-5.98	60.47	3	Horizontal	163	1.01	-	33.30	6.73	32.48			
PK	5.466G	65.87	68.20	-2.33	57.89	3	Horizontal	163	1.01	-	33.60	6.85	32.47			
AV	5.4348G	52.68	54.00	-1.32	44.93	3	Horizontal	163	1.01	-	33.44	6.79	32.48			
PK	5.5012G	116.40	Inf	-Inf	108.14	3	Horizontal	163	1.01	-	33.80	6.92	32.46			
AV	5.6052G	97.84	Inf	-Inf	89.28	3	Horizontal	163	1.01	-	33.91	7.11	32.46			
PK	5.7356G	66.60	68.20	-1.60	57.68	3	Horizontal	163	1.01	-	34.10	7.27	32.45			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_X_2TX
Setting 68
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12752G	59.84	74.00	-14.16	41.95	3	Vertical	135	2.95	-	38.89	11.47	32.47			
AV	11.125G	45.19	54.00	-8.81	27.29	3	Vertical	135	2.95	-	38.90	11.47	32.47			
PK	16.7226G	64.40	68.20	-3.80	42.94	3	Vertical	108	1.80	-	39.89	13.86	32.29			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_X_2TX
Setting 68
01-C-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13274G	58.53	74.00	-15.47	40.65	3	Horizontal	184	1.00	-	38.87	11.48	32.47			
AV	11.1256G	45.17	54.00	-8.83	27.27	3	Horizontal	184	1.00	-	38.90	11.47	32.47			
PK	16.69764G	63.98	68.20	-4.22	42.64	3	Horizontal	335	1.80	-	39.80	13.85	32.31			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.76289G	41.42	54.00	-12.58	Vertical

Mode 1



Mode 1

