


|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ac \_20M(ANT 8)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 100         | 5500            | 17.745                        | 21.130                         | --          |
| 116         | 5580            | 17.800                        | 21.210                         | --          |
| 140         | 5700            | 17.756                        | 21.290                         | --          |
| 144(Band3)  | 5720            | 13.885                        | 15.500                         | --          |
| 144(Band4)  | 5720            | 3.885                         | --                             | --          |


## Channel 100




Channel 116



Channel 140




Channel 144




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac_40M(ANT 0) |                 |                               |                                |             |
|--------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.              | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 54                       | 5270            | 36.071                        | 40.210                         | --          |
| 62                       | 5310            | 36.051                        | 40.550                         | --          |

### Channel 54




Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac_40M(ANT 1) |                 |                               |                                |             |
|--------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.              | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 54                       | 5270            | 36.153                        | 40.370                         | --          |
| 62                       | 5310            | 36.081                        | 40.100                         | --          |

## Channel 54




Channel 62



|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y                                                     |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


| IEEE 802.11ac _40M(ANT 2) |                 |                               |                                |             |
|---------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.               | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 54                        | 5270            | 36.128                        | 40.130                         | --          |
| 62                        | 5310            | 36.121                        | 40.070                         | --          |

### Channel 54






Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y                                                     |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac _40M(ANT 3) |                 |                               |                                |             |
|---------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.               | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 54                        | 5270            | 36.171                        | 39.510                         | --          |
| 62                        | 5310            | 36.087                        | 39.560                         | --          |

## Channel 54




Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y                                                     |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac_40M(ANT 4) |                 |                               |                                |             |
|--------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.              | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 54                       | 5270            | 36.080                        | 40.440                         | --          |
| 62                       | 5310            | 36.203                        | 40.530                         | --          |

### Channel 54




Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y                                                     |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac _40M(ANT 5) |                 |                               |                                |             |
|---------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.               | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 54                        | 5270            | 36.115                        | 39.570                         | --          |
| 62                        | 5310            | 36.095                        | 40.320                         | --          |

## Channel 54




Channel 62



|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y                                                     |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


| IEEE 802.11ac _40M(ANT 6) |                 |                               |                                |             |
|---------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.               | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 54                        | 5270            | 36.138                        | 40.340                         | --          |
| 62                        | 5310            | 36.151                        | 40.100                         | --          |

### Channel 54






Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac_40M(ANT 8) |                 |                               |                                |             |
|--------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.              | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 54                       | 5270            | 36.075                        | 40.250                         | --          |
| 62                       | 5310            | 36.110                        | 40.050                         | --          |

### Channel 54




Channel 62




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y                                                     |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac_40M(ANT 0) |                 |                               |                                |             |
|--------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.              | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 102                      | 5510            | 36.097                        | 40.520                         | --          |
| 118                      | 5590            | 36.090                        | 40.160                         | --          |
| 134                      | 5670            | 36.169                        | 40.160                         | --          |
| 142(Band3)               | 5710            | 33.064                        | 35.310                         | --          |
| 142(Band4)               | 5710            | 3.064                         | --                             | --          |


## Channel 102




Channel 118



Channel 134




Channel 142




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac_40M(ANT 1) |                 |                               |                                |             |
|--------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.              | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 102                      | 5510            | 36.081                        | 39.660                         | --          |
| 118                      | 5590            | 36.092                        | 39.770                         | --          |
| 134                      | 5670            | 36.121                        | 40.270                         | --          |
| 142(Band3)               | 5710            | 33.051                        | 35.120                         | --          |
| 142(Band4)               | 5710            | 3.051                         | --                             | 2.960       |


## Channel 102



Channel 118




Channel 134






Channel 142




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac _40M(ANT 2) |                 |                               |                                |             |
|---------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.               | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 102                       | 5510            | 36.094                        | 39.890                         | --          |
| 118                       | 5590            | 36.094                        | 40.110                         | --          |
| 134                       | 5670            | 36.164                        | 40.190                         | --          |
| 142(Band3)                | 5710            | 33.050                        | 34.975                         | --          |
| 142(Band4)                | 5710            | 3.050                         | --                             | --          |


## Channel 102




Channel 118



Channel 134




Channel 142




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y                                                     |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac _40M(ANT 3) |                 |                               |                                |             |
|---------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.               | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 102                       | 5510            | 36.183                        | 40.340                         | --          |
| 118                       | 5590            | 35.987                        | 39.310                         | --          |
| 134                       | 5670            | 36.180                        | 39.680                         | --          |
| 142(Band3)                | 5710            | 33.059                        | 34.970                         | --          |
| 142(Band4)                | 5710            | 3.059                         | --                             | --          |


## Channel 102




Channel 118



Channel 134




Channel 142



|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


| IEEE 802.11ac _40M(ANT 4) |                 |                               |                                |             |
|---------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.               | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 102                       | 5510            | 36.141                        | 39.790                         | --          |
| 118                       | 5590            | 36.145                        | 39.810                         | --          |
| 134                       | 5670            | 36.074                        | 39.920                         | --          |
| 142(Band3)                | 5710            | 33.092                        | 34.980                         | --          |
| 142(Band4)                | 5710            | 3.092                         | --                             | --          |

## Channel 102







Channel 118



Channel 134




Channel 142




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac_40M(ANT 5) |                 |                               |                                |             |
|--------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.              | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 102                      | 5510            | 36.130                        | 39.800                         | --          |
| 118                      | 5590            | 36.140                        | 39.460                         | --          |
| 134                      | 5670            | 36.084                        | 39.380                         | --          |
| 142(Band3)               | 5710            | 33.034                        | 34.835                         | --          |
| 142(Band4)               | 5710            | 3.034                         | --                             | --          |


## Channel 102




Channel 118



Channel 134




Channel 142




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADG-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac_40M(ANT 6) |                 |                               |                                |             |
|--------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.              | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 102                      | 5510            | 36.141                        | 39.720                         | --          |
| 118                      | 5590            | 36.138                        | 40.180                         | --          |
| 134                      | 5670            | 36.015                        | 39.540                         | --          |
| 142(Band3)               | 5710            | 33.068                        | 35.005                         | --          |
| 142(Band4)               | 5710            | 3.068                         | --                             | --          |


## Channel 102




Channel 118



Channel 134



Channel 142







|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac _40M(ANT 8) |                 |                               |                                |             |
|---------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.               | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 102                       | 5510            | 36.130                        | 40.100                         | --          |
| 118                       | 5590            | 36.141                        | 40.470                         | --          |
| 134                       | 5670            | 36.024                        | 40.020                         | --          |
| 142(Band3)                | 5710            | 33.070                        | 35.060                         | --          |
| 142(Band4)                | 5710            | 3.070                         | --                             | --          |


## Channel 102




Channel 118



Channel 134




Channel 142



|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_AD P-65DW Y                                                     |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac_80M(ANT 0) |                 |                               |                                |             |
|--------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.              | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 58                       | 5290            | 75.432                        | 81.770                         | --          |

## Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

## IEEE 802.11ac\_80M(ANT 1)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 58          | 5290            | 75.439                        | 81.320                         | --          |

## Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

## IEEE 802.11ac\_80M(ANT 2)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 58          | 5290            | 75.487                        | 81.710                         | --          |

## Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

## IEEE 802.11ac\_80M(ANT 3)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 58          | 5290            | 75.453                        | 81.230                         | --          |

## Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

## IEEE 802.11ac\_80M(ANT 4)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 58          | 5290            | 75.437                        | 81.380                         | --          |

## Channel 58






|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

## IEEE 802.11ac\_80M(ANT 5)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 58          | 5290            | 75.457                        | 81.310                         | --          |

## Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

## IEEE 802.11ac\_80M(ANT 6)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 58          | 5290            | 75.442                        | 80.660                         | --          |

## Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

## IEEE 802.11ac\_80M(ANT 8)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 58          | 5290            | 75.459                        | 81.720                         | --          |


## Channel 58




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

| IEEE 802.11ac _80M(ANT 0) |                 |                               |                                |             |
|---------------------------|-----------------|-------------------------------|--------------------------------|-------------|
| Channel No.               | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
| 106                       | 5530            | 75.447                        | 81.330                         | --          |
| 122                       | 5610            | 75.547                        | 82.270                         | --          |
| 138(Band3)                | 5690            | 72.742                        | 75.805                         | --          |
| 138(Band4)                | 5690            | 2.742                         | --                             | --          |


### Channel 106



## Channel 122



## Channel 138




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ac\_80M(ANT 1)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 106         | 5530            | 75.158                        | 80.230                         | --          |
| 122         | 5610            | 75.524                        | 81.320                         | --          |
| 138(Band3)  | 5690            | 72.706                        | 75.815                         | --          |
| 138(Band4)  | 5690            | 2.706                         | --                             | --          |


## Channel 106



Channel 122



Channel 138




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

## IEEE 802.11ac\_80M(ANT 2)


| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 106         | 5530            | 75.315                        | 81.510                         | --          |
| 122         | 5610            | 75.477                        | 81.700                         | --          |
| 138(Band3)  | 5690            | 72.684                        | 75.815                         | --          |
| 138(Band4)  | 5690            | 2.684                         | --                             | --          |

## Channel 106






Channel 122



Channel 138




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ac\_80M(ANT 3)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 106         | 5530            | 75.348                        | 80.690                         | --          |
| 122         | 5610            | 75.478                        | 81.680                         | --          |
| 138(Band3)  | 5690            | 72.664                        | 75.400                         | --          |
| 138(Band4)  | 5690            | 2.664                         | --                             | --          |


## Channel 106



Channel 122



Channel 138




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ac\_80M(ANT 4)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 106         | 5530            | 75.383                        | 81.270                         | --          |
| 122         | 5610            | 75.609                        | 82.170                         | --          |
| 138(Band3)  | 5690            | 72.680                        | 75.545                         | --          |
| 138(Band4)  | 5690            | 2.680                         | --                             | --          |


## Channel 106



Channel 122



Channel 138




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ac\_80M(ANT 5)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 106         | 5530            | 75.310                        | 81.160                         | --          |
| 122         | 5610            | 75.575                        | 81.350                         | --          |
| 138(Band3)  | 5690            | 72.676                        | 75.575                         | --          |
| 138(Band4)  | 5690            | 2.676                         | --                             | --          |


## Channel 106



Channel 122



Channel 138




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

## IEEE 802.11ac\_80M(ANT 6)


| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 106         | 5530            | 75.460                        | 80.860                         | --          |
| 122         | 5610            | 75.562                        | 81.210                         | --          |
| 138(Band3)  | 5690            | 72.733                        | 75.630                         | --          |
| 138(Band4)  | 5690            | 2.733                         | --                             | --          |

## Channel 106






Channel 122



Channel 138




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ac\_80M(ANT 8)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 106         | 5530            | 75.408                        | 81.930                         | --          |
| 122         | 5610            | 75.531                        | 81.780                         | --          |
| 138(Band3)  | 5690            | 72.705                        | 75.850                         | --          |
| 138(Band4)  | 5690            | 2.705                         | --                             | --          |


## Channel 106



## Channel 122



## Channel 138




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ax\_20M(ANT 0)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 52          | 5260            | 19.044                        | 21.700                         | --          |
| 60          | 5300            | 19.024                        | 21.450                         | --          |
| 64          | 5320            | 19.043                        | 21.660                         | --          |


## Channel 52



Channel 60



Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ax\_20M(ANT 1)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 52          | 5260            | 19.029                        | 21.270                         | --          |
| 60          | 5300            | 19.003                        | 21.970                         | --          |
| 64          | 5320            | 19.083                        | 21.480                         | --          |


## Channel 52



Channel 60



Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |

## IEEE 802.11ax\_20M(ANT 2)


| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 52          | 5260            | 19.029                        | 21.330                         | --          |
| 60          | 5300            | 19.027                        | 21.540                         | --          |
| 64          | 5320            | 19.020                        | 21.530                         | --          |

## Channel 52






Channel 60



Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ax\_20M(ANT 3)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 52          | 5260            | 19.039                        | 21.540                         | --          |
| 60          | 5300            | 19.044                        | 21.420                         | --          |
| 64          | 5320            | 19.056                        | 21.090                         | --          |


## Channel 52



## Channel 60



## Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ax\_20M(ANT 4)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 52          | 5260            | 19.037                        | 21.280                         | --          |
| 60          | 5300            | 19.024                        | 20.950                         | --          |
| 64          | 5320            | 19.059                        | 21.870                         | --          |


## Channel 52



Channel 60



Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ax\_20M(ANT 5)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 52          | 5260            | 19.046                        | 20.990                         | --          |
| 60          | 5300            | 18.998                        | 21.340                         | --          |
| 64          | 5320            | 18.973                        | 20.930                         | --          |


## Channel 52



Channel 60



Channel 64



| IEEE 802.11ax_20M(ANT 6) |                    |                                     |                                      |                |
|--------------------------|--------------------|-------------------------------------|--------------------------------------|----------------|
| Channel No.              | Frequency<br>(MHz) | 99% OCC BW<br>Measure<br>Value(MHz) | 26dB OCC BW<br>Measure<br>Value(MHz) | Limit<br>(MHz) |
| 52                       | 5260               | 19.051                              | 21.370                               | --             |
| 60                       | 5300               | 19.021                              | 21.310                               | --             |
| 64                       | 5320               | 19.034                              | 21.190                               | --             |

Keysight Spectrum Analyzer - Occupied BW

Center Freq: 5.26000000 GHz

Trig: Free Run

#Atten: 40 dB

Avg/Hold: >100/100

Ext Gain: -9.90 dB

Radio Std: None

Radio Device: BTS

IF Gain: Low

06:45:07 AM Nov 16, 2018

Frequency

Center Freq: 5.26000000 GHz

CF Step: 4.000000 MHz

Auto

Man

Freq Offset: 0 Hz

10 dB/div

Ref 30.00 dBm

Center 5.26 GHz

#Res BW 510 kHz

#VBW 1.5 MHz

Span 40 MHz

Sweep 1.333 ms

| Occupied Bandwidth | Total Power |
|--------------------|-------------|
| 19.051 MHz         | 27.6 dBm    |

| Transmit Freq Error | % of OBW Power |
|---------------------|----------------|
| -15.464 kHz         | 99.00 %        |


| x dB Bandwidth | x dB      |
|----------------|-----------|
| 21.37 MHz      | -26.00 dB |

MSG


STATUS



Channel 60



Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ax\_20M(ANT 8)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 52          | 5260            | 19.024                        | 21.520                         | --          |
| 60          | 5300            | 19.029                        | 21.500                         | --          |
| 64          | 5320            | 19.043                        | 21.420                         | --          |


## Channel 52



Channel 60



Channel 64




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ax\_20M(ANT 0)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 100         | 5500            | 19.067                        | 21.790                         | --          |
| 116         | 5580            | 18.995                        | 21.340                         | --          |
| 140         | 5700            | 19.089                        | 21.310                         | --          |
| 144(Band3)  | 5720            | 14.498                        | 15.670                         | --          |
| 144(Band4)  | 5720            | 4.498                         | --                             | --          |


## Channel 100




Channel 116



Channel 140



Channel 144




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ax\_20M(ANT 1)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 100         | 5500            | 18.930                        | 21.230                         | --          |
| 116         | 5580            | 19.081                        | 22.050                         | --          |
| 140         | 5700            | 19.069                        | 21.260                         | --          |
| 144(Band3)  | 5720            | 14.490                        | 15.625                         | --          |
| 144(Band4)  | 5720            | 4.490                         | --                             | --          |


## Channel 100



Channel 116




Channel 140





Channel 144




|              |                                                                                                 |           |        |
|--------------|-------------------------------------------------------------------------------------------------|-----------|--------|
| Product      | ROG Rapture GT-AX6000 Dual-band Gaming Router/<br>ROG Rapture GT-AC5400 Dual-band Gaming Router |           |        |
| Test Item    | 26dB & 99% Bandwidth                                                                            |           |        |
| Test Mode    | Mode 14:TX_Non Beamforming_NSS1_ADP-65DW Y                                                      |           |        |
| Date of Test | 2018/11/16                                                                                      | Test Site | SR10-H |


## IEEE 802.11ax\_20M(ANT 2)

| Channel No. | Frequency (MHz) | 99% OCC BW Measure Value(MHz) | 26dB OCC BW Measure Value(MHz) | Limit (MHz) |
|-------------|-----------------|-------------------------------|--------------------------------|-------------|
| 100         | 5500            | 18.957                        | 21.270                         | --          |
| 116         | 5580            | 19.068                        | 21.160                         | --          |
| 140         | 5700            | 19.028                        | 21.130                         | --          |
| 144(Band3)  | 5720            | 14.503                        | 15.605                         | --          |
| 144(Band4)  | 5720            | 4.503                         | --                             | --          |


## Channel 100



Channel 116



Channel 140



Channel 144

