


Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	13.570	≤ 24.000
60	5300	13.060	≤ 24.000
64	5320	13.610	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	13.340	≤ 24.000
60	5300	13.670	≤ 24.000
64	5320	14.070	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	13.770	≤ 24.000
60	5300	13.680	≤ 24.000
64	5320	14.090	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	14.070	≤ 24.000
60	5300	14.020	≤ 24.000
64	5320	14.160	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	13.250	≤ 24.000
60	5300	13.840	≤ 24.000
64	5320	13.680	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	13.760	≤ 24.000
60	5300	13.920	≤ 24.000
64	5320	13.710	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	13.560	≤ 24.000
60	5300	13.590	≤ 24.000
64	5320	13.480	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	13.420	≤ 24.000
60	5300	13.740	≤ 24.000
64	5320	13.610	≤ 24.000


Channel 52



Channel 60



Channel 64



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ax(20MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	22.631	≤ 24.000
60	5300	22.729	≤ 24.000
64	5320	22.839	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax (40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.890	≤ 24.000
62	5310	14.470	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.540	≤ 24.000
62	5310	14.830	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.670	≤ 24.000
62	5310	15.030	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	15.150	≤ 24.000
62	5310	15.490	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.490	≤ 24.000
62	5310	15.090	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.930	≤ 24.000
62	5310	15.150	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.840	≤ 24.000
62	5310	14.930	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.590	≤ 24.000
62	5310	14.630	≤ 24.000

Channel 54



Channel 62



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	23.799	≤ 24.000
62	5310	23.994	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.450	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.700	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.580	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.660	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.690	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.720	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.680	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/29	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.440	≤ 24.000

Channel 58



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	23.647	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	13.620	≤ 24.000
116	5580	13.710	≤ 24.000
140	5700	12.990	≤ 24.000
144(Band3)	5720	13.210	≤ 23.717
144(Band4)	5720	6.280	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	12.670	≤ 24.000
116	5580	13.280	≤ 24.000
140	5700	13.410	≤ 24.000
144(Band3)	5720	13.260	≤ 23.717
144(Band4)	5720	6.220	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	12.450	≤ 24.000
116	5580	13.680	≤ 24.000
140	5700	13.160	≤ 24.000
144(Band3)	5720	13.420	≤ 23.717
144(Band4)	5720	6.830	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	13.300	≤ 24.000
116	5580	13.780	≤ 24.000
140	5700	13.720	≤ 24.000
144(Band3)	5720	13.710	≤ 23.717
144(Band4)	5720	7.850	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	13.650	≤ 24.000
116	5580	13.660	≤ 24.000
140	5700	13.370	≤ 24.000
144(Band3)	5720	13.550	≤ 23.717
144(Band4)	5720	6.790	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	13.840	≤ 24.000
116	5580	13.430	≤ 24.000
140	5700	13.440	≤ 24.000
144(Band3)	5720	13.440	≤ 23.717
144(Band4)	5720	6.380	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	13.930	≤ 24.000
116	5580	13.690	≤ 24.000
140	5700	13.930	≤ 24.000
144(Band3)	5720	13.510	≤ 23.717
144(Band4)	5720	6.680	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	13.560	≤ 24.000
116	5580	13.350	≤ 24.000
140	5700	13.260	≤ 24.000
144(Band3)	5720	13.390	≤ 23.717
144(Band4)	5720	6.140	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144(Band3)



Channel 144(Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(20MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	22.437	≤ 24.000
116	5580	22.607	≤ 24.000
140	5700	22.450	≤ 24.000
144(Band3)	5720	22.470	≤ 23.717
144(Band4)	5720	15.710	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	15.240	≤ 24.000
118	5590	15.110	≤ 24.000
134	5670	14.160	≤ 24.000
142(Band3)	5710	14.390	≤ 24.000
142(Band4)	5710	4.520	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.680	≤ 24.000
118	5590	14.570	≤ 24.000
134	5670	14.620	≤ 24.000
142(Band3)	5710	14.030	≤ 24.000
142(Band4)	5710	4.040	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.070	≤ 24.000
118	5590	14.370	≤ 24.000
134	5670	14.360	≤ 24.000
142(Band3)	5710	14.860	≤ 24.000
142(Band4)	5710	5.020	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	15.080	≤ 24.000
118	5590	15.160	≤ 24.000
134	5670	15.060	≤ 24.000
142(Band3)	5710	14.750	≤ 24.000
142(Band4)	5710	5.750	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	15.170	≤ 24.000
118	5590	14.980	≤ 24.000
134	5670	14.680	≤ 24.000
142(Band3)	5710	14.410	≤ 24.000
142(Band4)	5710	4.900	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	15.120	≤ 24.000
118	5590	15.050	≤ 24.000
134	5670	14.570	≤ 24.000
142(Band3)	5710	14.590	≤ 24.000
142(Band4)	5710	4.380	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	15.330	≤ 24.000
118	5590	14.900	≤ 24.000
134	5670	14.620	≤ 24.000
142(Band3)	5710	14.770	≤ 24.000
142(Band4)	5710	4.750	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.880	≤ 24.000
118	5590	14.620	≤ 24.000
134	5670	14.350	≤ 24.000
142(Band3)	5710	14.430	≤ 24.000
142(Band4)	5710	4.260	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142(Band3)



Channel 142(Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_AD P-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	23.993	≤ 24.000
118	5590	23.884	≤ 24.000
134	5670	23.591	≤ 24.000
142(Band3)	5710	23.567	≤ 24.000
142(Band4)	5710	13.763	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADP-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.880	≤ 24.000
122	5610	14.880	≤ 24.000
138(Bnad3)	5690	14.100	≤ 24.000
138(Bnad4)	5690	0.770	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.510	≤ 24.000
122	5610	14.740	≤ 24.000
138(Bnad3)	5690	14.460	≤ 24.000
138(Bnad4)	5690	-0.030	≤ 30.000


Channel 106




Channel 122



Channel 138(Band3)



Channel 138(Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 3:TX_Beamforming_NSS4_ADG-65DW Y		
Date of Test	2018/11/21	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	13.690	≤ 24.000
122	5610	14.070	≤ 24.000
138(Bnad3)	5690	14.710	≤ 24.000
138(Bnad4)	5690	0.400	≤ 30.000


Channel 106



Channel 122



Channel 138(Band3)



Channel 138(Band4)

