


Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.240	≤ 24.000
60	5300	11.440	≤ 24.000
64	5320	10.960	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.420	≤ 24.000
60	5300	11.040	≤ 24.000
64	5320	11.020	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.280	≤ 24.000
60	5300	11.090	≤ 24.000
64	5320	11.140	≤ 24.000


Channel 52



Channel 60



Channel 64



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_AD P-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H

IEEE 802.11ac(20MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	20.383	≤ 24.000
60	5300	20.174	≤ 24.000
64	5320	20.177	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.310	≤ 24.000
62	5310	13.430	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	13.770	≤ 24.000
62	5310	13.810	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.780	≤ 24.000
62	5310	14.370	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.070	≤ 24.000
62	5310	14.080	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	13.940	≤ 24.000
62	5310	13.740	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.180	≤ 24.000
62	5310	13.650	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.080	≤ 24.000
62	5310	13.670	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	13.980	≤ 24.000
62	5310	13.560	≤ 24.000

Channel 54



Channel 62



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_AD P-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	23.179	≤ 24.000
62	5310	22.829	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.470	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.610	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	15.230	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.780	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.670	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.690	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.570	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.670	≤ 24.000

Channel 58



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_AD P-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	23.748	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ac(160MHz)(ANT 0)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	18.120	≤ 30.000

Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ac(160MHz)(ANT 1)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	18.130	≤ 30.000

Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ac(160MHz)(ANT 2)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	18.530	≤ 30.000

Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ac(160MHz)(ANT 3)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	18.250	≤ 30.000

Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ac(160MHz)(ANT 4)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	17.450	≤ 30.000

Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ac(160MHz)(ANT 5)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	17.530	≤ 24.000

Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ac(160MHz)(ANT 6)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	17.650	≤ 24.000

Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ac(160MHz)(ANT 8)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	17.700	≤ 24.000

Channel 50_(5290MHz)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_AD P-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ac(160MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	24.281	≤ 30.000
50	5250	5290	23.604	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.350	≤ 24.000
60	5300	10.540	≤ 24.000
64	5320	11.240	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.210	≤ 24.000
60	5300	11.330	≤ 24.000
64	5320	11.650	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.940	≤ 24.000
60	5300	11.740	≤ 24.000
64	5320	12.130	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.470	≤ 24.000
60	5300	11.630	≤ 24.000
64	5320	11.650	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	10.770	≤ 24.000
60	5300	11.160	≤ 24.000
64	5320	11.260	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.240	≤ 24.000
60	5300	11.750	≤ 24.000
64	5320	11.270	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.330	≤ 24.000
60	5300	11.280	≤ 24.000
64	5320	11.110	≤ 24.000


Channel 52



Channel 60



Channel 64




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	11.060	≤ 24.000
60	5300	11.140	≤ 24.000
64	5320	11.220	≤ 24.000


Channel 52



Channel 60



Channel 64



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_AD P-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H

IEEE 802.11ax(20MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
52	5260	20.339	≤ 24.000
60	5300	20.368	≤ 24.000
64	5320	20.484	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.020	≤ 24.000
62	5310	13.780	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	13.580	≤ 24.000
62	5310	14.160	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.140	≤ 24.000
62	5310	15.030	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.120	≤ 24.000
62	5310	14.530	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	13.820	≤ 24.000
62	5310	14.150	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.030	≤ 24.000
62	5310	14.340	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.000	≤ 24.000
62	5310	13.960	≤ 24.000

Channel 54



Channel 62




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	14.020	≤ 24.000
62	5310	14.210	≤ 24.000

Channel 54



Channel 62



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_AD P-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
54	5270	23.000	≤ 24.000
62	5310	23.316	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.490	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.470	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	15.060	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.740	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.620	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.590	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.650	≤ 24.000

Channel 58




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	14.460	≤ 24.000

Channel 58



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_AD P-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ax(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
58	5290	23.670	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ax(160MHz)(ANT 0)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	17.840	≤ 30.000

Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ax(160MHz)(ANT 1)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	17.950	≤ 30.000

Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ax(160MHz)(ANT 2)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	18.370	≤ 30.000

Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ax(160MHz)(ANT 3)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	18.120	≤ 30.000

Channel 50_(5210MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ax(160MHz)(ANT 4)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	17.270	≤ 24.000

Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ax(160MHz)(ANT 5)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	17.370	≤ 24.000

Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ax(160MHz)(ANT 6)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	17.380	≤ 24.000

Channel 50_(5290MHz)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ax(160MHz)(ANT 8)

Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5290	17.430	≤ 24.000

Channel 50_(5290MHz)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_AD P-65DW Y		
Date of Test	2018/12/08	Test Site	SR10-H

IEEE 802.11ax(160MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)		Output Power (dBm)	Required Limit (dBm)
	BW 160MHz	BW 80MHz		
50	5250	5210	24.095	≤ 30.000
50	5250	5290	23.383	≤ 24.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	11.420	≤ 24.000
116	5580	11.460	≤ 24.000
140	5700	10.960	≤ 24.000
144(Band3)	5720	11.090	≤ 22.847
144(Band4)	5720	3.960	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	10.930	≤ 24.000
116	5580	11.190	≤ 24.000
140	5700	11.120	≤ 24.000
144(Band3)	5720	10.780	≤ 22.847
144(Band4)	5720	3.820	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	10.610	≤ 24.000
116	5580	11.040	≤ 24.000
140	5700	11.160	≤ 24.000
144(Band3)	5720	10.730	≤ 22.847
144(Band4)	5720	3.980	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	10.790	≤ 24.000
116	5580	11.370	≤ 24.000
140	5700	11.120	≤ 24.000
144(Band3)	5720	10.990	≤ 22.847
144(Band4)	5720	4.720	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	11.220	≤ 24.000
116	5580	11.050	≤ 24.000
140	5700	11.130	≤ 24.000
144(Band3)	5720	10.690	≤ 22.847
144(Band4)	5720	4.060	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	11.120	≤ 24.000
116	5580	10.940	≤ 24.000
140	5700	11.040	≤ 24.000
144(Band3)	5720	11.010	≤ 22.847
144(Band4)	5720	3.810	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	11.550	≤ 24.000
116	5580	10.540	≤ 24.000
140	5700	11.660	≤ 24.000
144(Band3)	5720	11.730	≤ 22.847
144(Band4)	5720	4.480	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ac(20MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	11.370	≤ 24.000
116	5580	11.070	≤ 24.000
140	5700	10.940	≤ 24.000
144(Band3)	5720	10.980	≤ 22.847
144(Band4)	5720	3.570	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H

IEEE 802.11ac(20MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	20.168	≤ 24.000
116	5580	20.121	≤ 24.000
140	5700	20.177	≤ 24.000
144(Band3)	5720	20.042	≤ 22.847
144(Band4)	5720	13.095	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.170	≤ 24.000
118	5590	14.080	≤ 24.000
134	5670	13.650	≤ 24.000
142(Band3)	5710	13.990	≤ 24.000
142(Band4)	5710	3.370	≤ 30.000


Channel 102




Channel 118



Channel 134



Channel 142 (Band3)



Channel 142 (Band4)

