


Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	13.780	≤ 24.000
118	5590	13.610	≤ 24.000
134	5670	14.020	≤ 24.000
142(Band3)	5710	13.660	≤ 24.000
142(Band4)	5710	3.060	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	13.420	≤ 24.000
118	5590	13.360	≤ 24.000
134	5670	13.980	≤ 24.000
142(Band3)	5710	13.940	≤ 24.000
142(Band4)	5710	3.210	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	13.960	≤ 24.000
118	5590	13.840	≤ 24.000
134	5670	14.380	≤ 24.000
142(Band3)	5710	13.890	≤ 24.000
142(Band4)	5710	3.680	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.030	≤ 24.000
118	5590	13.880	≤ 24.000
134	5670	14.120	≤ 24.000
142(Band3)	5710	13.800	≤ 24.000
142(Band4)	5710	3.890	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.020	≤ 24.000
118	5590	13.640	≤ 24.000
134	5670	13.730	≤ 24.000
142(Band3)	5710	13.880	≤ 24.000
142(Band4)	5710	3.420	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.050	≤ 24.000
118	5590	13.830	≤ 24.000
134	5670	13.880	≤ 24.000
142(Band3)	5710	14.160	≤ 24.000
142(Band4)	5710	3.250	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(40MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	13.900	≤ 24.000
118	5590	13.620	≤ 24.000
134	5670	13.930	≤ 24.000
142(Band3)	5710	13.960	≤ 24.000
142(Band4)	5710	3.030	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(40MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	22.952	≤ 24.000
118	5590	22.768	≤ 24.000
134	5670	22.997	≤ 24.000
142(Band3)	5710	22.943	≤ 24.000
142(Band4)	5710	12.404	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.910	≤ 24.000
122	5610	14.990	≤ 24.000
138(Bnad3)	5690	14.360	≤ 24.000
138(Bnad4)	5690	-0.860	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.590	≤ 24.000
122	5610	14.770	≤ 24.000
138(Bnad3)	5690	14.570	≤ 24.000
138(Bnad4)	5690	-1.170	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.370	≤ 24.000
122	5610	14.370	≤ 24.000
138(Bnad3)	5690	14.660	≤ 24.000
138(Bnad4)	5690	-0.460	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.630	≤ 24.000
122	5610	14.950	≤ 24.000
138(Bnad3)	5690	14.760	≤ 24.000
138(Bnad4)	5690	-0.250	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.890	≤ 24.000
122	5610	14.890	≤ 24.000
138(Bnad3)	5690	14.500	≤ 24.000
138(Bnad4)	5690	-0.580	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.610	≤ 24.000
122	5610	14.750	≤ 24.000
138(Bnad3)	5690	14.520	≤ 24.000
138(Bnad4)	5690	-1.130	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.950	≤ 24.000
122	5610	14.720	≤ 24.000
138(Bnad3)	5690	14.430	≤ 24.000
138(Bnad4)	5690	-0.680	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ac(80MHz)(ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	14.680	≤ 24.000
122	5610	14.670	≤ 24.000
138(Bnad3)	5690	14.460	≤ 24.000
138(Bnad4)	5690	-0.710	≤ 30.000


Channel 106




Channel 122



Channel 138 (Band3)



Channel 138 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_AD P-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ac(80MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
106	5530	23.739	≤ 24.000
122	5610	23.798	≤ 24.000
138(Bnad3)	5690	23.565	≤ 24.000
138(Bnad4)	5690	8.311	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	11.730	≤ 24.000
116	5580	11.650	≤ 24.000
140	5700	11.250	≤ 24.000
144(Band3)	5720	11.160	≤ 22.908
144(Band4)	5720	4.420	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	11.100	≤ 24.000
116	5580	11.310	≤ 24.000
140	5700	11.340	≤ 24.000
144(Band3)	5720	11.230	≤ 22.908
144(Band4)	5720	4.530	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	10.830	≤ 24.000
116	5580	11.550	≤ 24.000
140	5700	11.270	≤ 24.000
144(Band3)	5720	11.020	≤ 22.908
144(Band4)	5720	4.480	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	11.280	≤ 24.000
116	5580	11.590	≤ 24.000
140	5700	11.080	≤ 24.000
144(Band3)	5720	10.970	≤ 22.908
144(Band4)	5720	4.410	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	11.710	≤ 24.000
116	5580	11.370	≤ 24.000
140	5700	11.480	≤ 24.000
144(Band3)	5720	10.990	≤ 22.908
144(Band4)	5720	4.130	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	11.910	≤ 24.000
116	5580	11.170	≤ 24.000
140	5700	11.080	≤ 24.000
144(Band3)	5720	11.270	≤ 22.908
144(Band4)	5720	4.200	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	12.100	≤ 24.000
116	5580	10.830	≤ 24.000
140	5700	11.710	≤ 24.000
144(Band3)	5720	12.100	≤ 22.908
144(Band4)	5720	4.900	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H


IEEE 802.11ax(20MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	11.770	≤ 24.000
116	5580	11.270	≤ 24.000
140	5700	11.010	≤ 24.000
144(Band3)	5720	11.360	≤ 22.908
144(Band4)	5720	4.020	≤ 30.000


Channel 100




Channel 116




Channel 140



Channel 144 (Band3)



Channel 144 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/20	Test Site	SR10-H

IEEE 802.11ax(20MHz)(ANT 0+1+2+3+4+5+6+8)


Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
100	5500	20.604	≤ 24.000
116	5580	20.380	≤ 24.000
140	5700	20.314	≤ 24.000
144(Band3)	5720	20.308	≤ 22.908
144(Band4)	5720	13.425	≤ 30.000

Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 0)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.230	≤ 24.000
118	5590	14.480	≤ 24.000
134	5670	13.520	≤ 24.000
142(Band3)	5710	14.130	≤ 24.000
142(Band4)	5710	4.280	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 1)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	13.770	≤ 24.000
118	5590	14.050	≤ 24.000
134	5670	13.980	≤ 24.000
142(Band3)	5710	14.180	≤ 24.000
142(Band4)	5710	4.140	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 2)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	13.500	≤ 24.000
118	5590	14.010	≤ 24.000
134	5670	13.860	≤ 24.000
142(Band3)	5710	14.190	≤ 24.000
142(Band4)	5710	4.820	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 3)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	13.940	≤ 24.000
118	5590	14.280	≤ 24.000
134	5670	14.300	≤ 24.000
142(Band3)	5710	14.230	≤ 24.000
142(Band4)	5710	4.710	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 4)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.110	≤ 24.000
118	5590	14.330	≤ 24.000
134	5670	14.060	≤ 24.000
142(Band3)	5710	14.190	≤ 24.000
142(Band4)	5710	4.860	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 5)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	13.950	≤ 24.000
118	5590	14.130	≤ 24.000
134	5670	13.830	≤ 24.000
142(Band3)	5710	14.090	≤ 24.000
142(Band4)	5710	4.590	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz)(ANT 6)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	14.030	≤ 24.000
118	5590	14.100	≤ 24.000
134	5670	13.760	≤ 24.000
142(Band3)	5710	14.490	≤ 24.000
142(Band4)	5710	4.800	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)




Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_ADP-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H


IEEE 802.11ax(40MHz) (ANT 8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	13.830	≤ 24.000
118	5590	13.960	≤ 24.000
134	5670	13.670	≤ 24.000
142(Band3)	5710	14.190	≤ 24.000
142(Band4)	5710	4.550	≤ 30.000


Channel 102




Channel 118




Channel 134



Channel 142 (Band3)



Channel 142 (Band4)



Product	ROG Rapture GT-AX6000 Dual-band Gaming Router/ ROG Rapture GT-AC5400 Dual-band Gaming Router		
Test Item	Maximum conducted output power		
Test Mode	Mode 15:TX_Non Beamforming_NSS2_AD P-65DW Y		
Date of Test	2018/11/22	Test Site	SR10-H

IEEE 802.11ax(40MHz)(ANT 0+1+2+3+4+5+6+8)

Channel No.	Frequency (MHz)	Output Power (dBm)	Required Limit (dBm)
102	5510	22.956	≤ 24.000
118	5590	23.202	≤ 24.000
134	5670	22.909	≤ 24.000
142(Band3)	5710	23.244	≤ 24.000
142(Band4)	5710	13.632	≤ 30.000