


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5885MHz

07/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.85	8.85	3.33	3.06	2.66	2.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5835MHz

07/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.99	13.99	8.26	8.56	7.57	7.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5875MHz

07/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.97	13.97	8.23	8.45	7.61	7.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5855MHz

07/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.33	11.33	5.38	5.85	5.17	4.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5815MHz

07/03/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.17	5.17	-0.84	-0.37	-0.81	-1.09

For UNII 4
4T2S <Beamforming Mode>
Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	16.95	19.86
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	16.07	18.98
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	12.74	15.65
5.85-5.895GHz	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	17.04	19.95
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	16.27	19.18

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	2.91	11.42	10.88	10.98	10.86	16.95	Inf	19.86	20.00
5865MHz	Pass	2.91	11.53	11.02	10.83	11.10	17.04	Inf	19.95	20.00
5885MHz	Pass	2.91	3.69	3.33	3.35	3.38	9.42	Inf	12.33	20.00
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	2.91	10.33	10.28	9.95	9.91	16.07	Inf	18.98	20.00
5875MHz	Pass	2.91	10.43	10.62	10.11	10.18	16.27	Inf	19.18	20.00
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	2.91	6.95	7.01	6.59	6.82	12.74	Inf	15.65	20.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5845MHz

05/03/2022




802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5865MHz

05/03/2022




802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5885MHz

05/03/2022




802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5835MHz

05/03/2022




802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5875MHz

05/03/2022




802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5855MHz

05/03/2022






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	QP	284.14M	44.81	46.00	-1.19	Horizontal

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	35.82M	37.99	40.00	-2.01	-9.71	3	Vertical	244	1.00	"Worst"	47.70	20.99	0.90	31.60
QP	63.95M	34.54	40.00	-5.46	-18.56	3	Vertical	124	2.00	-	53.10	12.10	1.20	31.86
QP	69.77M	32.68	40.00	-7.32	-18.32	3	Vertical	166	1.50	-	51.00	12.27	1.30	31.89
QP	285M	40.33	46.00	-5.67	-10.67	3	Vertical	181	1.50	-	51.00	18.75	2.64	32.06
QP	361.74M	41.58	46.00	-4.42	-8.42	3	Vertical	276	1.50	-	50.00	20.66	3.05	32.13
QP	370.47M	41.94	46.00	-4.06	-8.36	3	Vertical	188	1.25	-	50.30	20.70	3.08	32.14

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	62.01M	32.90	40.00	-7.10	-18.49	3	Horizontal	124	3.00	-	51.39	12.16	1.20	31.85
QP	284.14M	44.81	46.00	-1.19	-10.69	3	Horizontal	301	1.00	"Worst"	55.50	18.73	2.64	32.06
PK	294.81M	39.82	46.00	-6.18	-10.54	3	Horizontal	292	1.00	-	50.36	18.85	2.68	32.07
PK	322.94M	40.20	46.00	-5.80	-9.75	3	Horizontal	360	1.00	-	49.95	19.50	2.84	32.09
PK	360.77M	41.31	46.00	-4.69	-8.44	3	Horizontal	357	1.00	-	49.75	20.65	3.04	32.13
PK	372.41M	40.76	46.00	-5.24	-8.34	3	Horizontal	328	1.00	-	49.10	20.72	3.09	32.15




For UNII 1~2A
4T1S <Non-beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1_(6Mbps)_4TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Vertical	173	1.77	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 101
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1398G	72.09	74.00	-1.91	65.76	3	Vertical	247	2.35	-	33.50	4.98	32.15	
AV	5.1498G	53.76	54.00	-0.24	47.41	3	Vertical	247	2.35	-	33.50	5.00	32.15	
PK	5.1788G	123.79	Inf	-Inf	117.38	3	Vertical	247	2.35	-	33.50	5.06	32.15	
AV	5.1786G	113.70	Inf	-Inf	107.29	3	Vertical	247	2.35	-	33.50	5.06	32.15	

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_V_4TX
Setting 101
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	71.87	74.00	-2.13	65.53	3	Horizontal	278	1.80	-	33.50	4.99	32.15
AV	5.1466G	53.99	54.00	-0.01	47.65	3	Horizontal	278	1.80	-	33.50	4.99	32.15
PK	5.1848G	118.10	Inf	-Inf	111.68	3	Horizontal	278	1.80	-	33.50	5.07	32.15
AV	5.185G	108.01	Inf	-Inf	101.59	3	Horizontal	278	1.80	-	33.50	5.07	32.15

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Y_4TX
Setting 101
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54386G	52.45	74.00	-21.55	38.84	3	Vertical	99	1.29	-	37.77	9.04	33.20
AV	15.53838G	39.31	54.00	-14.69	25.69	3	Vertical	99	1.29	-	37.78	9.04	33.20

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 101
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53664G	52.48	74.00	-21.52	38.84	3	Horizontal	175	2.93	-	37.79	9.04	33.19
AV	15.5385G	39.45	54.00	-14.55	25.83	3	Horizontal	175	2.93	-	37.78	9.04	33.20

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	71.65	74.00	-2.35	65.30	3	Vertical	173	1.77	-	33.50	5.00	32.15
AV	5.15G	53.86	54.00	-0.14	47.51	3	Vertical	173	1.77	-	33.50	5.00	32.15
PK	5.1932G	123.20	Inf	-Inf	116.76	3	Vertical	173	1.77	-	33.50	5.09	32.15
AV	5.1932G	113.87	Inf	-Inf	107.43	3	Vertical	173	1.77	-	33.50	5.09	32.15

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	68.86	74.00	-5.14	62.52	3	Horizontal	276	1.80	-	33.50	4.99	32.15
AV	5.1464G	49.61	54.00	-4.39	43.27	3	Horizontal	276	1.80	-	33.50	4.99	32.15
PK	5.2064G	118.14	Inf	-Inf	111.68	3	Horizontal	276	1.80	-	33.51	5.10	32.15
AV	5.2052G	108.14	Inf	-Inf	101.68	3	Horizontal	276	1.80	-	33.51	5.10	32.15

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60432G	52.13	74.00	-21.87	38.75	3	Vertical	275	1.13	-	37.59	9.06	33.27
AV	15.6013G	39.09	54.00	-14.91	25.70	3	Vertical	275	1.13	-	37.60	9.06	33.27

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.59984G	52.33	74.00	-21.67	38.94	3	Horizontal	167	1.90	-	37.60	9.06	33.27	
AV	15.59802G	39.15	54.00	-14.85	25.75	3	Horizontal	167	1.90	-	37.61	9.06	33.27	

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	59.41	74.00	-14.59	53.08	3	Vertical	249	2.05	-	33.50	4.98	32.15
AV	5.1494G	46.89	54.00	-7.11	40.54	3	Vertical	249	2.05	-	33.50	5.00	32.15
PK	5.237G	124.28	Inf	-Inf	117.78	3	Vertical	249	2.05	-	33.57	5.08	32.15
AV	5.2382G	114.71	Inf	-Inf	108.20	3	Vertical	249	2.05	-	33.58	5.08	32.15
PK	5.35G	56.80	74.00	-17.20	50.22	3	Vertical	249	2.05	-	33.70	5.02	32.14
AV	5.35G	45.88	54.00	-8.12	39.30	3	Vertical	249	2.05	-	33.70	5.02	32.14

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	57.54	74.00	-16.46	51.19	3	Horizontal	312	2.19	-	33.50	5.00	32.15
AV	5.1494G	45.36	54.00	-8.64	39.01	3	Horizontal	312	2.19	-	33.50	5.00	32.15
PK	5.2472G	120.37	Inf	-Inf	113.85	3	Horizontal	312	2.19	-	33.59	5.08	32.15
AV	5.2472G	110.23	Inf	-Inf	103.71	3	Horizontal	312	2.19	-	33.59	5.08	32.15
PK	5.3696G	55.85	74.00	-18.15	49.23	3	Horizontal	312	2.19	-	33.74	5.02	32.14
AV	5.3516G	44.26	54.00	-9.74	37.68	3	Horizontal	312	2.19	-	33.70	5.02	32.14

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72234G	52.22	74.00	-21.78	39.13	3	Vertical	218	2.98	-	37.40	9.10	33.41
AV	15.71604G	38.81	54.00	-15.19	25.71	3	Vertical	218	2.98	-	37.40	9.10	33.40

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71968G	51.81	74.00	-22.19	38.72	3	Horizontal	330	2.16	-	37.40	9.10	33.41
AV	15.72466G	38.81	54.00	-15.19	25.73	3	Horizontal	330	2.16	-	37.40	9.10	33.42

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	62.58	74.00	-11.42	56.23	3	Vertical	170	1.80	-	33.50	5.00	32.15
AV	5.1496G	47.30	54.00	-6.70	40.95	3	Vertical	170	1.80	-	33.50	5.00	32.15
PK	5.2534G	124.49	Inf	-Inf	117.95	3	Vertical	170	1.80	-	33.61	5.07	32.14
AV	5.2528G	114.01	Inf	-Inf	107.47	3	Vertical	170	1.80	-	33.61	5.07	32.14
PK	5.3554G	67.41	74.00	-6.59	60.82	3	Vertical	170	1.80	-	33.71	5.02	32.14
AV	5.3506G	49.32	54.00	-4.68	42.74	3	Vertical	170	1.80	-	33.70	5.02	32.14

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	59.54	74.00	-14.46	53.20	3	Horizontal	285	1.55	-	33.50	4.99	32.15
AV	5.149G	45.29	54.00	-8.71	38.94	3	Horizontal	285	1.55	-	33.50	5.00	32.15
PK	5.2564G	119.40	Inf	-Inf	112.86	3	Horizontal	285	1.55	-	33.61	5.07	32.14
AV	5.2564G	109.09	Inf	-Inf	102.55	3	Horizontal	285	1.55	-	33.61	5.07	32.14
PK	5.35G	64.69	74.00	-9.31	58.10	3	Horizontal	285	1.55	-	33.70	5.03	32.14
AV	5.35G	48.15	54.00	-5.85	41.56	3	Horizontal	285	1.55	-	33.70	5.03	32.14

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78398G	52.26	74.00	-21.74	39.23	3	Vertical	234	1.85	-	37.40	9.12	33.49
AV	15.78412G	39.17	54.00	-14.83	26.14	3	Vertical	234	1.85	-	37.40	9.12	33.49

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7758G	52.81	74.00	-21.19	39.77	3	Horizontal	252	2.23	-	37.40	9.12	33.48
AV	15.77604G	39.25	54.00	-14.75	26.21	3	Horizontal	252	2.23	-	37.40	9.12	33.48

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Y_4TX
Setting 106
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	124.08	Inf	-Inf	117.47	3	Vertical	248	1.82	-	33.70	5.05	32.14
AV	5.298G	114.05	Inf	-Inf	107.44	3	Vertical	248	1.82	-	33.70	5.05	32.14
PK	5.3584G	73.17	74.00	-0.83	66.57	3	Vertical	248	1.82	-	33.72	5.02	32.14
AV	5.3548G	53.70	54.00	-0.30	47.11	3	Vertical	248	1.82	-	33.71	5.02	32.14

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT V_4TX
Setting 106
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2948G	117.38	Inf	-Inf	110.78	3	Horizontal	281	1.53	-	33.69	5.05	32.14
AV	5.2952G	107.68	Inf	-Inf	101.08	3	Horizontal	281	1.53	-	33.69	5.05	32.14
PK	5.3544G	67.77	74.00	-6.23	61.18	3	Horizontal	281	1.53	-	33.71	5.02	32.14
AV	5.35G	49.66	54.00	-4.34	43.07	3	Horizontal	281	1.53	-	33.70	5.03	32.14

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 106
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8983G	53.00	74.00	-21.00	39.96	3	Vertical	300	3.00	-	37.50	9.16	33.62
AV	15.90402G	39.07	54.00	-14.93	26.03	3	Vertical	300	3.00	-	37.50	9.17	33.63

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 106
02-B-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	15.9046G	52.11	74.00	-21.89	39.07	3	Horizontal	272	1.96	-	37.50	9.17	33.63	
AV	15.89844G	39.16	54.00	-14.84	26.12	3	Horizontal	272	1.96	-	37.50	9.16	33.62	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 100
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.318G	121.94	Inf	-Inf	115.34	3	Vertical	251	2.11	-	33.70	5.04	32.14	
AV	5.318G	111.89	Inf	-Inf	105.29	3	Vertical	251	2.11	-	33.70	5.04	32.14	
PK	5.3558G	73.58	74.00	-0.42	66.99	3	Vertical	251	2.11	-	33.71	5.02	32.14	
AV	5.3574G	53.80	54.00	-0.20	47.21	3	Vertical	251	2.11	-	33.71	5.02	32.14	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3224G	114.41	Inf	-Inf	107.81	3	Horizontal	282	1.83	-	33.70	5.04	32.14	
AV	5.3234G	104.19	Inf	-Inf	97.59	3	Horizontal	282	1.83	-	33.70	5.04	32.14	
PK	5.3552G	68.37	74.00	-5.63	61.78	3	Horizontal	282	1.83	-	33.71	5.02	32.14	
AV	5.35G	52.91	54.00	-1.09	46.32	3	Horizontal	282	1.83	-	33.70	5.03	32.14	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96074G	52.21	74.00	-21.79	39.27	3	Vertical	17	2.10	-	37.44	9.19	33.69
AV	15.95794G	38.84	54.00	-15.16	25.90	3	Vertical	17	2.10	-	37.44	9.19	33.69

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom



EUT Y_4TX
Setting 100
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96318G	51.73	74.00	-22.27	38.80	3	Horizontal	115	1.75	-	37.44	9.19	33.70
AV	15.957G	38.96	54.00	-15.04	26.03	3	Horizontal	115	1.75	-	37.44	9.18	33.69




For UNII 1~2A
4T4S <Non-beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	5.15G	53.58	54.00	-0.42	3	Vertical	292	1.88	-

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 92
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.115G	65.96	74.00	-8.04	59.68	3	Vertical	292	1.88	-	33.50	4.93	32.15
AV	5.15G	53.58	54.00	-0.42	47.23	3	Vertical	292	1.88	-	33.50	5.00	32.15
PK	5.226G	112.44	Inf	-Inf	105.95	3	Vertical	292	1.88	-	33.55	5.09	32.15
AV	5.24G	100.55	Inf	-Inf	94.04	3	Vertical	292	1.88	-	33.58	5.08	32.15
PK	5.354G	62.05	74.00	-11.95	55.46	3	Vertical	292	1.88	-	33.71	5.02	32.14
AV	5.352G	49.07	54.00	-4.93	42.49	3	Vertical	292	1.88	-	33.70	5.02	32.14

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 92
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	62.87	74.00	-11.13	56.53	3	Horizontal	282	1.55	-	33.50	4.99	32.15
AV	5.15G	50.76	54.00	-3.24	44.41	3	Horizontal	282	1.55	-	33.50	5.00	32.15
PK	5.24G	108.52	Inf	-Inf	102.01	3	Horizontal	282	1.55	-	33.58	5.08	32.15
AV	5.244G	95.90	Inf	-Inf	89.38	3	Horizontal	282	1.55	-	33.59	5.08	32.15
PK	5.353G	58.67	74.00	-15.33	52.08	3	Horizontal	282	1.55	-	33.71	5.02	32.14
AV	5.352G	47.08	54.00	-6.92	40.50	3	Horizontal	282	1.55	-	33.70	5.02	32.14

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62838G	53.01	74.00	-20.99	39.70	3	Vertical	189	2.23	-	37.54	9.07	33.30
AV	15.62716G	39.08	54.00	-14.92	25.76	3	Vertical	189	2.23	-	37.55	9.07	33.30

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62654G	51.79	74.00	-22.21	38.47	3	Horizontal	53	1.98	-	37.55	9.07	33.30
AV	15.6324G	39.15	54.00	-14.85	25.85	3	Horizontal	53	1.98	-	37.54	9.07	33.31

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	66.49	74.00	-7.51	60.18	3	Vertical	289	1.80	-	33.50	4.96	32.15
AV	5.146G	52.27	54.00	-1.73	45.93	3	Vertical	289	1.80	-	33.50	4.99	32.15
PK	5.2756G	107.31	Inf	-Inf	100.74	3	Vertical	289	1.80	-	33.65	5.06	32.14
AV	5.2756G	95.66	Inf	-Inf	89.09	3	Vertical	289	1.80	-	33.65	5.06	32.14
PK	5.3524G	68.49	74.00	-5.51	61.91	3	Vertical	289	1.80	-	33.70	5.02	32.14
AV	5.35G	53.45	54.00	-0.55	46.87	3	Vertical	289	1.80	-	33.70	5.02	32.14
PK	5.5012G	56.97	68.20	-11.23	50.10	3	Vertical	289	1.80	-	33.90	5.10	32.13

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT V_4TX
Setting 92
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	62.29	74.00	-11.71	55.95	3	Horizontal	290	1.80	-	33.50	4.99	32.15
AV	5.1476G	50.10	54.00	-3.90	43.75	3	Horizontal	290	1.80	-	33.50	5.00	32.15
PK	5.226G	101.54	Inf	-Inf	95.05	3	Horizontal	290	1.80	-	33.55	5.09	32.15
AV	5.2276G	89.49	Inf	-Inf	82.99	3	Horizontal	290	1.80	-	33.56	5.09	32.15
PK	5.35G	63.53	74.00	-10.47	56.95	3	Horizontal	290	1.80	-	33.70	5.02	32.14
AV	5.35G	49.19	54.00	-4.81	42.61	3	Horizontal	290	1.80	-	33.70	5.02	32.14
PK	5.61G	56.97	68.20	-11.23	50.04	3	Horizontal	290	1.80	-	33.88	5.19	32.14

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.74602G	51.61	74.00	-22.39	38.54	3	Vertical	102	1.04	-	37.40	9.11	33.44	
AV	15.75166G	39.05	54.00	-14.95	25.99	3	Vertical	102	1.04	-	37.40	9.11	33.45	

802.11ax HEW160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom



EUT Y_4TX
Setting 92
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74688G	51.75	74.00	-22.25	38.68	3	Horizontal	130	1.62	-	37.40	9.11	33.44
AV	15.74794G	39.20	54.00	-14.80	26.13	3	Horizontal	130	1.62	-	37.40	9.11	33.44




For UNII 1~2A
4T1S <Beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1492G	53.97	54.00	-0.03	3	Vertical	249	1.98	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1398G	69.50	74.00	-4.50	63.17	3	Vertical	250	2.01	-	33.50	4.98	32.15
AV	5.1466G	53.81	54.00	-0.19	47.47	3	Vertical	250	2.01	-	33.50	4.99	32.15
PK	5.1828G	125.20	Inf	-Inf	118.78	3	Vertical	250	2.01	-	33.50	5.07	32.15
AV	5.1834G	112.57	Inf	-Inf	106.15	3	Vertical	250	2.01	-	33.50	5.07	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.148G	63.66	74.00	-10.34	57.31	3	Horizontal	280	1.70	-	33.50	5.00	32.15	
AV	5.149G	52.04	54.00	-1.96	45.69	3	Horizontal	280	1.70	-	33.50	5.00	32.15	
PK	5.1726G	116.31	Inf	-Inf	109.91	3	Horizontal	280	1.70	-	33.50	5.05	32.15	
AV	5.171G	105.09	Inf	-Inf	98.70	3	Horizontal	280	1.70	-	33.50	5.04	32.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36094G	51.76	68.20	-16.44	39.05	3	Vertical	149	2.14	-	38.44	7.23	32.96
PK	15.53744G	53.59	74.00	-20.41	39.95	3	Vertical	190	1.89	-	37.79	9.04	33.19
AV	15.53928G	38.90	54.00	-15.10	25.28	3	Vertical	190	1.89	-	37.78	9.04	33.20

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.36286G	52.94	68.20	-15.26	40.23	3	Horizontal	172	1.95	-	38.44	7.23	32.96	
PK	15.54424G	52.39	74.00	-21.61	38.78	3	Horizontal	349	1.72	-	37.77	9.04	33.20	
AV	15.54102G	38.95	54.00	-15.05	25.33	3	Horizontal	349	1.72	-	37.78	9.04	33.20	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 99
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1484G	73.76	74.00	-0.24	67.41	3	Vertical	247	2.00	-	33.50	5.00	32.15	
AV	5.15G	53.19	54.00	-0.81	46.84	3	Vertical	247	2.00	-	33.50	5.00	32.15	
PK	5.1912G	125.90	Inf	-Inf	119.47	3	Vertical	247	2.00	-	33.50	5.08	32.15	
AV	5.1932G	113.18	Inf	-Inf	106.74	3	Vertical	247	2.00	-	33.50	5.09	32.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_V_4TX
Setting 99
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1476G	64.32	74.00	-9.68	57.97	3	Horizontal	264	1.18	-	33.50	5.00	32.15	
AV	5.15G	47.09	54.00	-6.91	40.74	3	Horizontal	264	1.18	-	33.50	5.00	32.15	
PK	5.1936G	117.94	Inf	-Inf	111.50	3	Horizontal	264	1.18	-	33.50	5.09	32.15	
AV	5.1912G	105.68	Inf	-Inf	99.25	3	Horizontal	264	1.18	-	33.50	5.08	32.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 99
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59654G	52.96	74.00	-21.04	39.55	3	Vertical	177	2.56	-	37.61	9.06	33.26
AV	15.59542G	38.73	54.00	-15.27	25.32	3	Vertical	177	2.56	-	37.61	9.06	33.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 99
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59716G	52.28	74.00	-21.72	38.87	3	Horizontal	125	1.93	-	37.61	9.06	33.26
AV	15.5998G	38.81	54.00	-15.19	25.42	3	Horizontal	125	1.93	-	37.60	9.06	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 112
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.46	74.00	-2.54	65.11	3	Vertical	110	1.80	-	33.50	5.00	32.15
AV	5.15G	52.08	54.00	-1.92	45.73	3	Vertical	110	1.80	-	33.50	5.00	32.15
PK	5.234G	127.41	Inf	-Inf	120.91	3	Vertical	110	1.80	-	33.57	5.08	32.15
AV	5.2376G	115.04	Inf	-Inf	108.53	3	Vertical	110	1.80	-	33.58	5.08	32.15
PK	5.35G	65.45	74.00	-8.55	58.87	3	Vertical	110	1.80	-	33.70	5.02	32.14
AV	5.35G	49.42	54.00	-4.58	42.84	3	Vertical	110	1.80	-	33.70	5.02	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 112
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	62.95	74.00	-11.05	56.61	3	Horizontal	290	1.78	-	33.50	4.99	32.15
AV	5.15G	46.74	54.00	-7.26	40.39	3	Horizontal	290	1.78	-	33.50	5.00	32.15
PK	5.2352G	119.87	Inf	-Inf	113.37	3	Horizontal	290	1.78	-	33.57	5.08	32.15
AV	5.2328G	107.98	Inf	-Inf	101.48	3	Horizontal	290	1.78	-	33.57	5.08	32.15
PK	5.351G	60.06	74.00	-13.94	53.48	3	Horizontal	290	1.78	-	33.70	5.02	32.14
AV	5.35G	45.26	54.00	-8.74	38.68	3	Horizontal	290	1.78	-	33.70	5.02	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 112
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71644G	52.21	74.00	-21.79	39.12	3	Vertical	84	1.13	-	37.40	9.10	33.41
AV	15.71516G	38.48	54.00	-15.52	25.38	3	Vertical	84	1.13	-	37.40	9.10	33.40

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 112
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.72324G	51.98	74.00	-22.02	38.89	3	Horizontal	59	2.12	-	37.40	9.10	33.41	
AV	15.72272G	38.33	54.00	-15.67	25.24	3	Horizontal	59	2.12	-	37.40	9.10	33.41	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 107
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	63.22	74.00	-10.78	56.88	3	Vertical	288	1.95	-	33.50	4.99	32.15
AV	5.15G	47.29	54.00	-6.71	40.94	3	Vertical	288	1.95	-	33.50	5.00	32.15
PK	5.251G	127.38	Inf	-Inf	120.85	3	Vertical	288	1.95	-	33.60	5.07	32.14
AV	5.2546G	115.49	Inf	-Inf	108.95	3	Vertical	288	1.95	-	33.61	5.07	32.14
PK	5.35G	70.35	74.00	-3.65	63.76	3	Vertical	288	1.95	-	33.70	5.03	32.14
AV	5.35G	52.13	54.00	-1.87	45.54	3	Vertical	288	1.95	-	33.70	5.03	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 107
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	59.09	74.00	-14.91	52.74	3	Horizontal	316	2.55	-	33.50	5.00	32.15
AV	5.1496G	45.10	54.00	-8.90	38.75	3	Horizontal	316	2.55	-	33.50	5.00	32.15
PK	5.2672G	119.12	Inf	-Inf	112.56	3	Horizontal	316	2.55	-	33.63	5.07	32.14
AV	5.2678G	103.35	Inf	-Inf	96.78	3	Horizontal	316	2.55	-	33.64	5.07	32.14
PK	5.3512G	61.34	74.00	-12.66	54.76	3	Horizontal	316	2.55	-	33.70	5.02	32.14
AV	5.35G	46.63	54.00	-7.37	40.04	3	Horizontal	316	2.55	-	33.70	5.03	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 107
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5171G	52.37	68.20	-15.83	39.73	3	Vertical	104	2.80	-	38.42	7.28	33.06
PK	15.78288G	52.43	74.00	-21.57	39.39	3	Vertical	142	2.93	-	37.40	9.12	33.48
AV	15.7752G	38.87	54.00	-15.13	25.82	3	Vertical	142	2.93	-	37.40	9.12	33.47

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 107
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51838G	51.94	68.20	-16.26	39.30	3	Horizontal	172	1.70	-	38.42	7.28	33.06
PK	15.77868G	53.49	74.00	-20.51	40.45	3	Horizontal	253	1.82	-	37.40	9.12	33.48
AV	15.78144G	38.81	54.00	-15.19	25.77	3	Horizontal	253	1.82	-	37.40	9.12	33.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2912G	125.63	Inf	-Inf	119.04	3	Vertical	245	2.04	-	33.68	5.05	32.14	
AV	5.292G	113.43	Inf	-Inf	106.84	3	Vertical	245	2.04	-	33.68	5.05	32.14	
PK	5.35G	69.66	74.00	-4.34	63.07	3	Vertical	245	2.04	-	33.70	5.03	32.14	
AV	5.35G	52.56	54.00	-1.44	45.97	3	Vertical	245	2.04	-	33.70	5.03	32.14	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_V_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2932G	117.17	Inf	-Inf	110.57	3	Horizontal	254	1.85	-	33.69	5.05	32.14	
AV	5.292G	104.66	Inf	-Inf	98.07	3	Horizontal	254	1.85	-	33.68	5.05	32.14	
PK	5.3508G	60.42	74.00	-13.58	53.84	3	Horizontal	254	1.85	-	33.70	5.02	32.14	
AV	5.3504G	45.68	54.00	-8.32	39.10	3	Horizontal	254	1.85	-	33.70	5.02	32.14	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9028G	52.47	74.00	-21.53	39.43	3	Vertical	226	1.22	-	37.50	9.17	33.63
AV	15.90126G	38.52	54.00	-15.48	25.47	3	Vertical	226	1.22	-	37.50	9.17	33.62

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90486G	52.25	74.00	-21.75	39.21	3	Horizontal	79	1.87	-	37.50	9.17	33.63
AV	15.90286G	38.56	54.00	-15.44	25.52	3	Horizontal	79	1.87	-	37.50	9.17	33.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	123.48	Inf	-Inf	116.88	3	Vertical	113	1.80	-	33.70	5.04	32.14
AV	5.3176G	111.02	Inf	-Inf	104.42	3	Vertical	113	1.80	-	33.70	5.04	32.14
PK	5.3524G	67.90	74.00	-6.10	61.32	3	Vertical	113	1.80	-	33.70	5.02	32.14
AV	5.3504G	53.63	54.00	-0.37	47.05	3	Vertical	113	1.80	-	33.70	5.02	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3218G	117.31	Inf	-Inf	110.71	3	Horizontal	288	1.24	-	33.70	5.04	32.14
AV	5.323G	104.44	Inf	-Inf	97.84	3	Horizontal	288	1.24	-	33.70	5.04	32.14
PK	5.3512G	65.70	74.00	-8.30	59.12	3	Horizontal	288	1.24	-	33.70	5.02	32.14
AV	5.35G	49.27	54.00	-4.73	42.68	3	Horizontal	288	1.24	-	33.70	5.03	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63798G	51.62	74.00	-22.38	38.95	3	Vertical	145	2.03	-	38.46	7.32	33.11
AV	10.63718G	37.56	54.00	-16.44	24.89	3	Vertical	145	2.03	-	38.46	7.32	33.11
PK	15.95916G	52.33	74.00	-21.67	39.39	3	Vertical	289	1.65	-	37.44	9.19	33.69
AV	15.96136G	38.43	54.00	-15.57	25.49	3	Vertical	289	1.65	-	37.44	9.19	33.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6405G	51.39	74.00	-22.61	38.72	3	Horizontal	10	2.40	-	38.46	7.32	33.11	
AV	10.64442G	37.66	54.00	-16.34	24.98	3	Horizontal	10	2.40	-	38.46	7.33	33.11	
PK	15.95708G	52.09	74.00	-21.91	39.16	3	Horizontal	289	2.04	-	37.44	9.18	33.69	
AV	15.95738G	38.33	54.00	-15.67	25.39	3	Horizontal	289	2.04	-	37.44	9.19	33.69	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1474G	71.91	74.00	-2.09	65.57	3	Vertical	250	1.89	-	33.50	4.99	32.15	
AV	5.1456G	53.24	54.00	-0.76	46.90	3	Vertical	250	1.89	-	33.50	4.99	32.15	
PK	5.1934G	121.88	Inf	-Inf	115.44	3	Vertical	250	1.89	-	33.50	5.09	32.15	
AV	5.1922G	108.32	Inf	-Inf	101.89	3	Vertical	250	1.89	-	33.50	5.08	32.15	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	63.21	74.00	-10.79	56.86	3	Horizontal	277	1.80	-	33.50	5.00	32.15	
AV	5.1442G	47.38	54.00	-6.62	41.04	3	Horizontal	277	1.80	-	33.50	4.99	32.15	
PK	5.1866G	112.47	Inf	-Inf	106.05	3	Horizontal	277	1.80	-	33.50	5.07	32.15	
AV	5.1956G	99.78	Inf	-Inf	93.34	3	Horizontal	277	1.80	-	33.50	5.09	32.15	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.56536G	52.56	74.00	-21.44	39.04	3	Vertical	241	2.61	-	37.70	9.05	33.23	
AV	15.5683G	38.95	54.00	-15.05	25.43	3	Vertical	241	2.61	-	37.70	9.05	33.23	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56948G	52.94	74.00	-21.06	39.43	3	Horizontal	205	1.15	-	37.69	9.05	33.23
AV	15.57252G	38.89	54.00	-15.11	25.40	3	Horizontal	205	1.15	-	37.68	9.05	33.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 99
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.29	74.00	-4.71	62.94	3	Vertical	288	1.80	-	33.50	5.00	32.15
AV	5.15G	53.39	54.00	-0.61	47.04	3	Vertical	288	1.80	-	33.50	5.00	32.15
PK	5.2408G	123.76	Inf	-Inf	117.25	3	Vertical	288	1.80	-	33.58	5.08	32.15
AV	5.2396G	111.28	Inf	-Inf	104.77	3	Vertical	288	1.80	-	33.58	5.08	32.15
PK	5.3506G	63.26	74.00	-10.74	56.68	3	Vertical	288	1.80	-	33.70	5.02	32.14
AV	5.35G	49.07	54.00	-4.93	42.48	3	Vertical	288	1.80	-	33.70	5.03	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_V_4TX
Setting 99
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.25	74.00	-9.75	57.90	3	Horizontal	274	1.88	-	33.50	5.00	32.15
AV	5.1484G	51.00	54.00	-3.00	44.65	3	Horizontal	274	1.88	-	33.50	5.00	32.15
PK	5.2354G	113.03	Inf	-Inf	106.53	3	Horizontal	274	1.88	-	33.57	5.08	32.15
AV	5.2402G	100.85	Inf	-Inf	94.34	3	Horizontal	274	1.88	-	33.58	5.08	32.15
PK	5.35G	58.53	74.00	-15.47	51.94	3	Horizontal	274	1.88	-	33.70	5.03	32.14
AV	5.35G	44.86	54.00	-9.14	38.27	3	Horizontal	274	1.88	-	33.70	5.03	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 99
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69136G	52.65	74.00	-21.35	39.52	3	Vertical	217	2.00	-	37.42	9.09	33.38
AV	15.68712G	38.42	54.00	-15.58	25.27	3	Vertical	217	2.00	-	37.43	9.09	33.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 99
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69072G	51.86	74.00	-22.14	38.73	3	Horizontal	233	1.99	-	37.42	9.09	33.38
AV	15.68642G	38.44	54.00	-15.56	25.29	3	Horizontal	233	1.99	-	37.43	9.09	33.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 88
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.42	74.00	-14.58	53.07	3	Vertical	285	1.80	-	33.50	5.00	32.15
AV	5.15G	45.86	54.00	-8.14	39.51	3	Vertical	285	1.80	-	33.50	5.00	32.15
PK	5.2538G	120.53	Inf	-Inf	113.99	3	Vertical	285	1.80	-	33.61	5.07	32.14
AV	5.2526G	108.69	Inf	-Inf	102.15	3	Vertical	285	1.80	-	33.61	5.07	32.14
PK	5.3516G	72.36	74.00	-1.64	65.78	3	Vertical	285	1.80	-	33.70	5.02	32.14
AV	5.35G	53.56	54.00	-0.44	46.98	3	Vertical	285	1.80	-	33.70	5.02	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_V_4TX
Setting 88
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	56.81	74.00	-17.19	50.46	3	Horizontal	274	1.80	-	33.50	5.00	32.15
AV	5.1434G	44.28	54.00	-9.72	37.94	3	Horizontal	274	1.80	-	33.50	4.99	32.15
PK	5.2658G	112.54	Inf	-Inf	105.98	3	Horizontal	274	1.80	-	33.63	5.07	32.14
AV	5.2664G	96.55	Inf	-Inf	89.99	3	Horizontal	274	1.80	-	33.63	5.07	32.14
PK	5.3504G	60.95	74.00	-13.05	54.37	3	Horizontal	274	1.80	-	33.70	5.02	32.14
AV	5.35G	46.08	54.00	-7.92	39.50	3	Horizontal	274	1.80	-	33.70	5.02	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 88
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54114G	51.40	68.20	-16.80	38.74	3	Vertical	212	1.41	-	38.44	7.29	33.07
PK	15.81466G	52.66	74.00	-21.34	39.63	3	Vertical	176	1.91	-	37.41	9.14	33.52
AV	15.81146G	38.69	54.00	-15.31	25.67	3	Vertical	176	1.91	-	37.41	9.13	33.52

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 88
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54412G	51.98	68.20	-16.22	39.32	3	Horizontal	305	1.34	-	38.44	7.29	33.07
PK	15.80748G	52.23	74.00	-21.77	39.20	3	Horizontal	162	1.30	-	37.41	9.13	33.51
AV	15.80682G	38.68	54.00	-15.32	25.65	3	Horizontal	162	1.30	-	37.41	9.13	33.51

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 86
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3208G	119.45	Inf	-Inf	112.85	3	Vertical	246	2.10	-	33.70	5.04	32.14	
AV	5.2916G	106.56	Inf	-Inf	99.97	3	Vertical	246	2.10	-	33.68	5.05	32.14	
PK	5.35G	68.97	74.00	-5.03	62.38	3	Vertical	246	2.10	-	33.70	5.03	32.14	
AV	5.35G	53.53	54.00	-0.47	46.94	3	Vertical	246	2.10	-	33.70	5.03	32.14	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 86
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3076G	113.34	Inf	-Inf	106.73	3	Horizontal	274	1.72	-	33.70	5.05	32.14	
AV	5.3072G	100.71	Inf	-Inf	94.10	3	Horizontal	274	1.72	-	33.70	5.05	32.14	
PK	5.3504G	65.03	74.00	-8.97	58.45	3	Horizontal	274	1.72	-	33.70	5.02	32.14	
AV	5.3504G	47.17	54.00	-6.83	40.59	3	Horizontal	274	1.72	-	33.70	5.02	32.14	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.62232G	51.72	74.00	-22.28	39.02	3	Vertical	139	2.32	-	38.48	7.32	33.10	
AV	10.61786G	37.83	54.00	-16.17	25.13	3	Vertical	139	2.32	-	38.48	7.32	33.10	
PK	15.93352G	52.80	74.00	-21.20	39.81	3	Vertical	349	2.75	-	37.47	9.18	33.66	
AV	15.93084G	38.78	54.00	-15.22	25.79	3	Vertical	349	2.75	-	37.47	9.18	33.66	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61534G	51.75	74.00	-22.25	39.05	3	Horizontal	125	1.94	-	38.48	7.32	33.10
AV	10.61542G	37.79	54.00	-16.21	25.09	3	Horizontal	125	1.94	-	38.48	7.32	33.10
PK	15.92636G	52.47	74.00	-21.53	39.48	3	Horizontal	115	1.28	-	37.47	9.17	33.65
AV	15.93468G	38.64	54.00	-15.36	25.65	3	Horizontal	115	1.28	-	37.47	9.18	33.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 91
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	67.97	74.00	-6.03	61.63	3	Vertical	170	1.80	-	33.50	4.99	32.15
AV	5.1348G	53.94	54.00	-0.06	47.62	3	Vertical	170	1.80	-	33.50	4.97	32.15
PK	5.174G	117.68	Inf	-Inf	111.28	3	Vertical	170	1.80	-	33.50	5.05	32.15
AV	5.2476G	102.35	Inf	-Inf	95.82	3	Vertical	170	1.80	-	33.60	5.08	32.15
PK	5.3532G	59.51	74.00	-14.49	52.92	3	Vertical	170	1.80	-	33.71	5.02	32.14
AV	5.3508G	47.21	54.00	-6.79	40.63	3	Vertical	170	1.80	-	33.70	5.02	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 91
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1148G	64.63	74.00	-9.37	58.35	3	Horizontal	279	1.82	-	33.50	4.93	32.15
AV	5.1388G	47.06	54.00	-6.94	40.73	3	Horizontal	279	1.82	-	33.50	4.98	32.15
PK	5.1748G	107.75	Inf	-Inf	101.35	3	Horizontal	279	1.82	-	33.50	5.05	32.15
AV	5.238G	95.72	Inf	-Inf	89.21	3	Horizontal	279	1.82	-	33.58	5.08	32.15
PK	5.3524G	56.81	74.00	-17.19	50.23	3	Horizontal	279	1.82	-	33.70	5.02	32.14
AV	5.3508G	44.90	54.00	-9.10	38.32	3	Horizontal	279	1.82	-	33.70	5.02	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41846G	51.57	68.20	-16.63	38.92	3	Vertical	130	1.03	-	38.40	7.25	33.00
PK	15.63256G	52.99	74.00	-21.01	39.70	3	Vertical	224	2.16	-	37.53	9.07	33.31
AV	15.62878G	38.67	54.00	-15.33	25.36	3	Vertical	224	2.16	-	37.54	9.07	33.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41876G	51.79	68.20	-16.41	39.14	3	Horizontal	64	2.02	-	38.40	7.25	33.00
PK	15.63132G	52.11	74.00	-21.89	38.80	3	Horizontal	28	2.72	-	37.54	9.07	33.30
AV	15.62776G	38.57	54.00	-15.43	25.26	3	Horizontal	28	2.72	-	37.54	9.07	33.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	62.69	74.00	-11.31	56.34	3	Vertical	249	1.98	-	33.50	5.00	32.15
AV	5.1476G	48.81	54.00	-5.19	42.46	3	Vertical	249	1.98	-	33.50	5.00	32.15
PK	5.2572G	118.30	Inf	-Inf	111.76	3	Vertical	249	1.98	-	33.61	5.07	32.14
AV	5.2524G	105.08	Inf	-Inf	98.55	3	Vertical	249	1.98	-	33.60	5.07	32.14
PK	5.35G	70.35	74.00	-3.65	63.76	3	Vertical	249	1.98	-	33.70	5.03	32.14
AV	5.35G	53.93	54.00	-0.07	47.34	3	Vertical	249	1.98	-	33.70	5.03	32.14
PK	5.4828G	56.16	68.20	-12.04	49.31	3	Vertical	249	1.98	-	33.90	5.08	32.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT V_4TX
Setting 89
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	58.78	74.00	-15.22	52.44	3	Horizontal	269	2.67	-	33.50	4.99	32.15
AV	5.146G	46.21	54.00	-7.79	39.87	3	Horizontal	269	2.67	-	33.50	4.99	32.15
PK	5.2636G	107.90	Inf	-Inf	101.34	3	Horizontal	269	2.67	-	33.63	5.07	32.14
AV	5.2668G	96.24	Inf	-Inf	89.68	3	Horizontal	269	2.67	-	33.63	5.07	32.14
PK	5.354G	59.05	74.00	-14.95	52.46	3	Horizontal	269	2.67	-	33.71	5.02	32.14
AV	5.35G	46.19	54.00	-7.81	39.60	3	Horizontal	269	2.67	-	33.70	5.03	32.14
PK	5.4844G	56.11	68.20	-12.09	49.26	3	Horizontal	269	2.67	-	33.90	5.08	32.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5786G	52.33	68.20	-15.87	39.63	3	Vertical	148	1.20	-	38.48	7.30	33.08
PK	15.87174G	52.93	74.00	-21.07	39.89	3	Vertical	12	2.56	-	37.47	9.16	33.59
AV	15.87098G	38.65	54.00	-15.35	25.62	3	Vertical	12	2.56	-	37.47	9.15	33.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57778G	51.84	68.20	-16.36	39.14	3	Horizontal	88	2.34	-	38.48	7.30	33.08
PK	15.87062G	52.06	74.00	-21.94	39.03	3	Horizontal	152	1.90	-	37.47	9.15	33.59
AV	15.86708G	38.70	54.00	-15.30	25.66	3	Horizontal	152	1.90	-	37.47	9.15	33.58

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT_Y_4TX
Setting 76
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	68.77	74.00	-5.23	62.46	3	Vertical	249	1.98	-	33.50	4.96	32.15
AV	5.1492G	53.97	54.00	-0.03	47.62	3	Vertical	249	1.98	-	33.50	5.00	32.15
PK	5.2804G	112.58	Inf	-Inf	106.00	3	Vertical	249	1.98	-	33.66	5.06	32.14
AV	5.2756G	100.44	Inf	-Inf	93.87	3	Vertical	249	1.98	-	33.65	5.06	32.14
PK	5.3684G	67.20	74.00	-6.80	60.58	3	Vertical	249	1.98	-	33.74	5.02	32.14
AV	5.35G	51.55	54.00	-2.45	44.97	3	Vertical	249	1.98	-	33.70	5.02	32.14
PK	5.5412G	56.76	68.20	-11.44	49.85	3	Vertical	249	1.98	-	33.90	5.14	32.13

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT_V_4TX
Setting 76
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	65.99	74.00	-8.01	59.66	3	Horizontal	269	2.67	-	33.50	4.98	32.15
AV	5.1444G	48.50	54.00	-5.50	42.16	3	Horizontal	269	2.67	-	33.50	4.99	32.15
PK	5.1844G	104.37	Inf	-Inf	97.95	3	Horizontal	269	2.67	-	33.50	5.07	32.15
AV	5.2196G	89.90	Inf	-Inf	83.42	3	Horizontal	269	2.67	-	33.54	5.09	32.15
PK	5.35G	60.97	74.00	-13.03	54.39	3	Horizontal	269	2.67	-	33.70	5.02	32.14
AV	5.35G	45.85	54.00	-8.15	39.27	3	Horizontal	269	2.67	-	33.70	5.02	32.14
PK	5.5028G	56.65	68.20	-11.55	49.78	3	Horizontal	269	2.67	-	33.90	5.10	32.13

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 76
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5786G	52.33	68.20	-15.87	39.63	3	Vertical	148	1.20	-	38.48	7.30	33.08
PK	15.87174G	52.93	74.00	-21.07	39.89	3	Vertical	12	2.56	-	37.47	9.16	33.59
AV	15.87098G	38.65	54.00	-15.35	25.62	3	Vertical	12	2.56	-	37.47	9.15	33.59

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz_TnomVnom



EUT Y_4TX
Setting 76
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57778G	51.84	68.20	-16.36	39.14	3	Horizontal	88	2.34	-	38.48	7.30	33.08
PK	15.87062G	52.06	74.00	-21.94	39.03	3	Horizontal	152	1.90	-	37.47	9.15	33.59
AV	15.86708G	38.70	54.00	-15.30	25.66	3	Horizontal	152	1.90	-	37.47	9.15	33.58




For UNII 1~2A
4T2S <Beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	AV	5.1484G	53.95	54.00	-0.05	3	Vertical	254	1.80	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	66.92	74.00	-7.08	60.57	3	Vertical	247	2.01	-	33.50	5.00	32.15	
AV	5.1498G	53.29	54.00	-0.71	46.94	3	Vertical	247	2.01	-	33.50	5.00	32.15	
PK	5.1788G	122.20	Inf	-Inf	115.79	3	Vertical	247	2.01	-	33.50	5.06	32.15	
AV	5.186G	109.18	Inf	-Inf	102.76	3	Vertical	247	2.01	-	33.50	5.07	32.15	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	64.68	74.00	-9.32	58.33	3	Horizontal	286	1.47	-	33.50	5.00	32.15	
AV	5.15G	48.57	54.00	-5.43	42.22	3	Horizontal	286	1.47	-	33.50	5.00	32.15	
PK	5.1842G	118.10	Inf	-Inf	111.68	3	Horizontal	286	1.47	-	33.50	5.07	32.15	
AV	5.1856G	105.43	Inf	-Inf	99.01	3	Horizontal	286	1.47	-	33.50	5.07	32.15	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53928G	53.09	74.00	-20.91	39.47	3	Vertical	343	1.89	-	37.78	9.04	33.20
AV	15.54142G	39.47	54.00	-14.53	25.85	3	Vertical	343	1.89	-	37.78	9.04	33.20

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5424G	52.42	74.00	-21.58	38.81	3	Horizontal	124	1.07	-	37.77	9.04	33.20
AV	15.53984G	39.32	54.00	-14.68	25.70	3	Horizontal	124	1.07	-	37.78	9.04	33.20

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 104
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.146G	71.37	74.00	-2.63	65.03	3	Vertical	111	1.98	-	33.50	4.99	32.15	
AV	5.15G	53.64	54.00	-0.36	47.29	3	Vertical	111	1.98	-	33.50	5.00	32.15	
PK	5.2012G	123.77	Inf	-Inf	117.32	3	Vertical	111	1.98	-	33.50	5.10	32.15	
AV	5.2076G	111.27	Inf	-Inf	104.80	3	Vertical	111	1.98	-	33.52	5.10	32.15	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 104
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.08	74.00	-5.92	61.73	3	Horizontal	286	1.51	-	33.50	5.00	32.15
AV	5.15G	50.73	54.00	-3.27	44.38	3	Horizontal	286	1.51	-	33.50	5.00	32.15
PK	5.1964G	115.02	Inf	-Inf	108.58	3	Horizontal	286	1.51	-	33.50	5.09	32.15
AV	5.2076G	102.92	Inf	-Inf	96.45	3	Horizontal	286	1.51	-	33.52	5.10	32.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 104
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59546G	52.72	74.00	-21.28	39.31	3	Vertical	123	1.83	-	37.61	9.06	33.26
AV	15.59798G	39.12	54.00	-14.88	25.72	3	Vertical	123	1.83	-	37.61	9.06	33.27

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 104
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.59868G	52.75	74.00	-21.25	39.36	3	Horizontal	338	1.08	-	37.60	9.06	33.27	
AV	15.59648G	39.19	54.00	-14.81	25.78	3	Horizontal	338	1.08	-	37.61	9.06	33.26	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 111
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	68.05	74.00	-5.95	61.70	3	Vertical	247	2.07	-	33.50	5.00	32.15
AV	5.15G	51.72	54.00	-2.28	45.37	3	Vertical	247	2.07	-	33.50	5.00	32.15
PK	5.2388G	126.64	Inf	-Inf	120.13	3	Vertical	247	2.07	-	33.58	5.08	32.15
AV	5.249G	113.25	Inf	-Inf	106.72	3	Vertical	247	2.07	-	33.60	5.08	32.15
PK	5.351G	62.10	74.00	-11.90	55.52	3	Vertical	247	2.07	-	33.70	5.02	32.14
AV	5.35G	48.24	54.00	-5.76	41.66	3	Vertical	247	2.07	-	33.70	5.02	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 111
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	64.02	74.00	-9.98	57.67	3	Horizontal	298	1.79	-	33.50	5.00	32.15
AV	5.15G	46.78	54.00	-7.22	40.43	3	Horizontal	298	1.79	-	33.50	5.00	32.15
PK	5.2328G	118.98	Inf	-Inf	112.48	3	Horizontal	298	1.79	-	33.57	5.08	32.15
AV	5.231G	107.83	Inf	-Inf	101.34	3	Horizontal	298	1.79	-	33.56	5.08	32.15
PK	5.3516G	63.74	74.00	-10.26	57.16	3	Horizontal	298	1.79	-	33.70	5.02	32.14
AV	5.351G	45.91	54.00	-8.09	39.33	3	Horizontal	298	1.79	-	33.70	5.02	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71992G	52.71	74.00	-21.29	39.62	3	Vertical	204	2.39	-	37.40	9.10	33.41
AV	15.72034G	38.78	54.00	-15.22	25.69	3	Vertical	204	2.39	-	37.40	9.10	33.41

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7211G	52.71	74.00	-21.29	39.62	3	Horizontal	278	1.83	-	37.40	9.10	33.41
AV	15.72236G	38.91	54.00	-15.09	25.82	3	Horizontal	278	1.83	-	37.40	9.10	33.41

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	65.79	74.00	-8.21	59.44	3	Vertical	287	2.15	-	33.50	5.00	32.15
AV	5.15G	49.30	54.00	-4.70	42.95	3	Vertical	287	2.15	-	33.50	5.00	32.15
PK	5.2624G	124.95	Inf	-Inf	118.40	3	Vertical	287	2.15	-	33.62	5.07	32.14
AV	5.2558G	112.79	Inf	-Inf	106.25	3	Vertical	287	2.15	-	33.61	5.07	32.14
PK	5.35G	68.21	74.00	-5.79	61.62	3	Vertical	287	2.15	-	33.70	5.03	32.14
AV	5.35G	53.84	54.00	-0.16	47.25	3	Vertical	287	2.15	-	33.70	5.03	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.32	74.00	-12.68	54.97	3	Horizontal	299	1.96	-	33.50	5.00	32.15
AV	5.1496G	46.43	54.00	-7.57	40.08	3	Horizontal	299	1.96	-	33.50	5.00	32.15
PK	5.2582G	118.15	Inf	-Inf	111.60	3	Horizontal	299	1.96	-	33.62	5.07	32.14
AV	5.257G	106.30	Inf	-Inf	99.76	3	Horizontal	299	1.96	-	33.61	5.07	32.14
PK	5.3536G	65.91	74.00	-8.09	59.32	3	Horizontal	299	1.96	-	33.71	5.02	32.14
AV	5.3506G	51.15	54.00	-2.85	44.57	3	Horizontal	299	1.96	-	33.70	5.02	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.77896G	53.01	74.00	-20.99	39.97	3	Vertical	206	1.42	-	37.40	9.12	33.48	
AV	15.77644G	39.04	54.00	-14.96	26.00	3	Vertical	206	1.42	-	37.40	9.12	33.48	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.78258G	52.97	74.00	-21.03	39.93	3	Horizontal	252	2.30	-	37.40	9.12	33.48	
AV	15.78452G	38.97	54.00	-15.03	25.94	3	Horizontal	252	2.30	-	37.40	9.12	33.49	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	123.90	Inf	-Inf	117.29	3	Vertical	289	1.94	-	33.70	5.05	32.14
AV	5.302G	111.42	Inf	-Inf	104.81	3	Vertical	289	1.94	-	33.70	5.05	32.14
PK	5.35G	70.24	74.00	-3.76	63.65	3	Vertical	289	1.94	-	33.70	5.03	32.14
AV	5.35G	53.65	54.00	-0.35	47.06	3	Vertical	289	1.94	-	33.70	5.03	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT_V_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	117.03	Inf	-Inf	110.43	3	Horizontal	279	1.52	-	33.69	5.05	32.14
AV	5.2932G	104.43	Inf	-Inf	97.83	3	Horizontal	279	1.52	-	33.69	5.05	32.14
PK	5.3544G	69.03	74.00	-4.97	62.44	3	Horizontal	279	1.52	-	33.71	5.02	32.14
AV	5.35G	50.04	54.00	-3.96	43.45	3	Horizontal	279	1.52	-	33.70	5.03	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89606G	52.47	74.00	-21.53	39.43	3	Vertical	340	1.75	-	37.50	9.16	33.62
AV	15.89896G	38.94	54.00	-15.06	25.90	3	Vertical	340	1.75	-	37.50	9.16	33.62

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9008G	53.03	74.00	-20.97	39.98	3	Horizontal	139	1.43	-	37.50	9.17	33.62
AV	15.89938G	38.93	54.00	-15.07	25.89	3	Horizontal	139	1.43	-	37.50	9.16	33.62

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 94
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3232G	121.73	Inf	-Inf	115.13	3	Vertical	248	2.28	-	33.70	5.04	32.14
AV	5.3218G	108.59	Inf	-Inf	101.99	3	Vertical	248	2.28	-	33.70	5.04	32.14
PK	5.3506G	68.32	74.00	-5.68	61.74	3	Vertical	248	2.28	-	33.70	5.02	32.14
AV	5.35G	53.44	54.00	-0.56	46.85	3	Vertical	248	2.28	-	33.70	5.03	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 94
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3154G	115.73	Inf	-Inf	109.13	3	Horizontal	271	1.40	-	33.70	5.04	32.14	
AV	5.3134G	103.08	Inf	-Inf	96.48	3	Horizontal	271	1.40	-	33.70	5.04	32.14	
PK	5.3522G	61.76	74.00	-12.24	55.18	3	Horizontal	271	1.40	-	33.70	5.02	32.14	
AV	5.3508G	48.49	54.00	-5.51	41.91	3	Horizontal	271	1.40	-	33.70	5.02	32.14	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 94
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96412G	52.33	74.00	-21.67	39.40	3	Vertical	196	1.69	-	37.44	9.19	33.70
AV	15.9552G	38.76	54.00	-15.24	25.83	3	Vertical	196	1.69	-	37.44	9.18	33.69

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 94
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95742G	52.07	74.00	-21.93	39.13	3	Horizontal	11	2.68	-	37.44	9.19	33.69
AV	15.9591G	38.73	54.00	-15.27	25.79	3	Horizontal	11	2.68	-	37.44	9.19	33.69

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1476G	69.16	74.00	-4.84	62.81	3	Vertical	254	1.80	-	33.50	5.00	32.15	
AV	5.1484G	53.95	54.00	-0.05	47.60	3	Vertical	254	1.80	-	33.50	5.00	32.15	
PK	5.182G	116.09	Inf	-Inf	109.68	3	Vertical	254	1.80	-	33.50	5.06	32.15	
AV	5.174G	103.38	Inf	-Inf	96.98	3	Vertical	254	1.80	-	33.50	5.05	32.15	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	66.51	74.00	-7.49	60.16	3	Horizontal	276	1.80	-	33.50	5.00	32.15	
AV	5.146G	51.59	54.00	-2.41	45.25	3	Horizontal	276	1.80	-	33.50	4.99	32.15	
PK	5.186G	113.24	Inf	-Inf	106.82	3	Horizontal	276	1.80	-	33.50	5.07	32.15	
AV	5.1776G	98.47	Inf	-Inf	92.06	3	Horizontal	276	1.80	-	33.50	5.06	32.15	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57114G	53.64	74.00	-20.36	40.13	3	Vertical	186	1.98	-	37.69	9.05	33.23
AV	15.57146G	39.29	54.00	-14.71	25.78	3	Vertical	186	1.98	-	37.69	9.05	33.23

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5746G	52.88	74.00	-21.12	39.39	3	Horizontal	34	1.06	-	37.68	9.05	33.24
AV	15.57222G	39.26	54.00	-14.74	25.77	3	Horizontal	34	1.06	-	37.68	9.05	33.24

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	71.97	74.00	-2.03	65.63	3	Vertical	249	2.36	-	33.50	4.99	32.15
AV	5.15G	52.87	54.00	-1.13	46.52	3	Vertical	249	2.36	-	33.50	5.00	32.15
PK	5.2174G	119.53	Inf	-Inf	113.06	3	Vertical	249	2.36	-	33.53	5.09	32.15
AV	5.218G	106.41	Inf	-Inf	99.93	3	Vertical	249	2.36	-	33.54	5.09	32.15
PK	5.35G	61.99	74.00	-12.01	55.40	3	Vertical	249	2.36	-	33.70	5.03	32.14
AV	5.35G	47.04	54.00	-6.96	40.45	3	Vertical	249	2.36	-	33.70	5.03	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 95
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	63.12	74.00	-10.88	56.78	3	Horizontal	289	2.00	-	33.50	4.99	32.15
AV	5.15G	48.13	54.00	-5.87	41.78	3	Horizontal	289	2.00	-	33.50	5.00	32.15
PK	5.233G	113.14	Inf	-Inf	106.64	3	Horizontal	289	2.00	-	33.57	5.08	32.15
AV	5.2348G	101.06	Inf	-Inf	94.56	3	Horizontal	289	2.00	-	33.57	5.08	32.15
PK	5.3512G	58.44	74.00	-15.56	51.86	3	Horizontal	289	2.00	-	33.70	5.02	32.14
AV	5.353G	45.60	54.00	-8.40	39.01	3	Horizontal	289	2.00	-	33.71	5.02	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6876G	52.89	74.00	-21.11	39.75	3	Vertical	118	1.32	-	37.42	9.09	33.37
AV	15.6876G	38.86	54.00	-15.14	25.72	3	Vertical	118	1.32	-	37.42	9.09	33.37

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 95
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69126G	52.66	74.00	-21.34	39.53	3	Horizontal	5	1.87	-	37.42	9.09	33.38
AV	15.6891G	38.93	54.00	-15.07	25.79	3	Horizontal	5	1.87	-	37.42	9.09	33.37

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2564G	120.30	Inf	-Inf	113.76	3	Vertical	254	1.96	-	33.61	5.07	32.14
AV	5.2528G	106.57	Inf	-Inf	100.03	3	Vertical	254	1.96	-	33.61	5.07	32.14
PK	5.35G	73.88	74.00	-0.12	67.29	3	Vertical	254	1.96	-	33.70	5.03	32.14
AV	5.35G	53.40	54.00	-0.60	46.81	3	Vertical	254	1.96	-	33.70	5.03	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2748G	111.64	Inf	-Inf	105.07	3	Horizontal	283	1.80	-	33.65	5.06	32.14
AV	5.2772G	99.25	Inf	-Inf	92.68	3	Horizontal	283	1.80	-	33.65	5.06	32.14
PK	5.3516G	62.88	74.00	-11.12	56.30	3	Horizontal	283	1.80	-	33.70	5.02	32.14
AV	5.35G	47.59	54.00	-6.41	41.00	3	Horizontal	283	1.80	-	33.70	5.03	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80966G	52.54	74.00	-21.46	39.52	3	Vertical	13	1.94	-	37.41	9.13	33.52
AV	15.80906G	38.94	54.00	-15.06	25.91	3	Vertical	13	1.94	-	37.41	9.13	33.51

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80862G	52.51	74.00	-21.49	39.48	3	Horizontal	33	2.92	-	37.41	9.13	33.51
AV	15.80744G	38.99	54.00	-15.01	25.96	3	Horizontal	33	2.92	-	37.41	9.13	33.51

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2956G	117.57	Inf	-Inf	110.97	3	Vertical	244	1.94	-	33.69	5.05	32.14	
AV	5.304G	104.94	Inf	-Inf	98.33	3	Vertical	244	1.94	-	33.70	5.05	32.14	
PK	5.3504G	68.67	74.00	-5.33	62.09	3	Vertical	244	1.94	-	33.70	5.02	32.14	
AV	5.35G	53.62	54.00	-0.38	47.03	3	Vertical	244	1.94	-	33.70	5.03	32.14	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3184G	111.04	Inf	-Inf	104.44	3	Horizontal	320	2.35	-	33.70	5.04	32.14
AV	5.3G	95.40	Inf	-Inf	88.79	3	Horizontal	320	2.35	-	33.70	5.05	32.14
PK	5.3528G	62.29	74.00	-11.71	55.70	3	Horizontal	320	2.35	-	33.71	5.02	32.14
AV	5.35G	47.58	54.00	-6.42	40.99	3	Horizontal	320	2.35	-	33.70	5.03	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92942G	52.39	74.00	-21.61	39.40	3	Vertical	248	2.01	-	37.47	9.18	33.66
AV	15.93044G	39.07	54.00	-14.93	26.08	3	Vertical	248	2.01	-	37.47	9.18	33.66

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93086G	52.79	74.00	-21.21	39.80	3	Horizontal	72	2.68	-	37.47	9.18	33.66
AV	15.93494G	39.05	54.00	-14.95	26.06	3	Horizontal	72	2.68	-	37.47	9.18	33.66

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 91
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1236G	66.73	74.00	-7.27	60.43	3	Vertical	177	1.80	-	33.50	4.95	32.15
AV	5.146G	53.76	54.00	-0.24	47.42	3	Vertical	177	1.80	-	33.50	4.99	32.15
PK	5.2428G	112.52	Inf	-Inf	106.00	3	Vertical	177	1.80	-	33.59	5.08	32.15
AV	5.242G	99.57	Inf	-Inf	93.06	3	Vertical	177	1.80	-	33.58	5.08	32.15
PK	5.35G	60.08	74.00	-13.92	53.49	3	Vertical	177	1.80	-	33.70	5.03	32.14
AV	5.35G	48.75	54.00	-5.25	42.16	3	Vertical	177	1.80	-	33.70	5.03	32.14

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 91
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.99	74.00	-8.01	59.65	3	Horizontal	284	1.79	-	33.50	4.99	32.15
AV	5.1468G	49.64	54.00	-4.36	43.30	3	Horizontal	284	1.79	-	33.50	4.99	32.15
PK	5.1868G	113.16	Inf	-Inf	106.74	3	Horizontal	284	1.79	-	33.50	5.07	32.15
AV	5.2292G	96.31	Inf	-Inf	89.81	3	Horizontal	284	1.79	-	33.56	5.09	32.15
PK	5.3532G	58.05	74.00	-15.95	51.46	3	Horizontal	284	1.79	-	33.71	5.02	32.14
AV	5.35G	45.45	54.00	-8.55	38.86	3	Horizontal	284	1.79	-	33.70	5.03	32.14

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.62614G	52.71	74.00	-21.29	39.39	3	Vertical	142	1.87	-	37.55	9.07	33.30	
AV	15.63122G	38.93	54.00	-15.07	25.62	3	Vertical	142	1.87	-	37.54	9.07	33.30	

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62728G	53.11	74.00	-20.89	39.79	3	Horizontal	213	2.49	-	37.55	9.07	33.30
AV	15.62584G	39.02	54.00	-14.98	25.70	3	Horizontal	213	2.49	-	37.55	9.07	33.30

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	62.95	74.00	-11.05	56.60	3	Vertical	247	1.96	-	33.50	5.00	32.15
AV	5.15G	48.54	54.00	-5.46	42.19	3	Vertical	247	1.96	-	33.50	5.00	32.15
PK	5.2588G	118.74	Inf	-Inf	112.19	3	Vertical	247	1.96	-	33.62	5.07	32.14
AV	5.302G	102.19	Inf	-Inf	95.58	3	Vertical	247	1.96	-	33.70	5.05	32.14
PK	5.3508G	65.40	74.00	-8.60	58.82	3	Vertical	247	1.96	-	33.70	5.02	32.14
AV	5.3548G	53.88	54.00	-0.12	47.29	3	Vertical	247	1.96	-	33.71	5.02	32.14
PK	5.4788G	56.32	68.20	-11.88	49.47	3	Vertical	247	1.96	-	33.90	5.08	32.13

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT V_4TX
Setting 89
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	57.76	74.00	-16.24	51.43	3	Horizontal	316	2.51	-	33.50	4.98	32.15
AV	5.15G	46.36	54.00	-7.64	40.01	3	Horizontal	316	2.51	-	33.50	5.00	32.15
PK	5.258G	109.57	Inf	-Inf	103.02	3	Horizontal	316	2.51	-	33.62	5.07	32.14
AV	5.2644G	96.21	Inf	-Inf	89.65	3	Horizontal	316	2.51	-	33.63	5.07	32.14
PK	5.3516G	64.34	74.00	-9.66	57.76	3	Horizontal	316	2.51	-	33.70	5.02	32.14
AV	5.35G	47.53	54.00	-6.47	40.94	3	Horizontal	316	2.51	-	33.70	5.03	32.14
PK	5.4692G	57.01	68.20	-11.19	50.17	3	Horizontal	316	2.51	-	33.90	5.07	32.13

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 89
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86718G	52.41	74.00	-21.59	39.37	3	Vertical	258	1.61	-	37.47	9.15	33.58
AV	15.86912G	38.96	54.00	-15.04	25.93	3	Vertical	258	1.61	-	37.47	9.15	33.59

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom



EUT Y_4TX
Setting 89
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.87234G	52.77	74.00	-21.23	39.73	3	Horizontal	323	2.11	-	37.47	9.16	33.59	
AV	15.87164G	38.93	54.00	-15.07	25.89	3	Horizontal	323	2.11	-	37.47	9.16	33.59	




For UNII 2C~3
4T1S <Non-beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.4658G	68.05	68.20	-0.15	3	Vertical	266	1.22	-

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_V_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	64.95	74.00	-9.05	58.12	3	Vertical	266	1.22	-	33.90	5.06	32.13
AV	5.4594G	51.27	54.00	-2.73	44.44	3	Vertical	266	1.22	-	33.90	5.06	32.13
PK	5.4658G	68.05	68.20	-0.15	61.21	3	Vertical	266	1.22	-	33.90	5.07	32.13
PK	5.4974G	122.78	Inf	-Inf	115.91	3	Vertical	266	1.22	-	33.90	5.10	32.13
AV	5.498G	113.01	Inf	-Inf	106.14	3	Vertical	266	1.22	-	33.90	5.10	32.13

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT V_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4554G	60.18	74.00	-13.82	53.35	3	Horizontal	176	2.49	-	33.90	5.06	32.13	
AV	5.458G	46.85	54.00	-7.15	40.02	3	Horizontal	176	2.49	-	33.90	5.06	32.13	
PK	5.4676G	67.38	68.20	-0.82	60.54	3	Horizontal	176	2.49	-	33.90	5.07	32.13	
PK	5.498G	115.44	Inf	-Inf	108.57	3	Horizontal	176	2.49	-	33.90	5.10	32.13	
AV	5.4978G	105.88	Inf	-Inf	99.01	3	Horizontal	176	2.49	-	33.90	5.10	32.13	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00344G	52.50	74.00	-21.50	39.82	3	Vertical	133	1.48	-	38.50	7.45	33.27
AV	11.00452G	39.06	54.00	-14.94	26.38	3	Vertical	133	1.48	-	38.50	7.45	33.27

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00482G	52.27	74.00	-21.73	39.59	3	Horizontal	172	1.18	-	38.50	7.45	33.27
AV	11.00496G	38.67	54.00	-15.33	25.99	3	Horizontal	172	1.18	-	38.50	7.45	33.27

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	60.63	74.00	-13.37	53.80	3	Vertical	265	1.05	-	33.90	5.06	32.13
AV	5.4592G	47.47	54.00	-6.53	40.64	3	Vertical	265	1.05	-	33.90	5.06	32.13
PK	5.4688G	61.37	68.20	-6.83	54.53	3	Vertical	265	1.05	-	33.90	5.07	32.13
PK	5.5768G	125.04	Inf	-Inf	118.09	3	Vertical	265	1.05	-	33.90	5.18	32.13
AV	5.5776G	115.39	Inf	-Inf	108.44	3	Vertical	265	1.05	-	33.90	5.18	32.13
PK	5.7416G	59.83	68.20	-8.37	53.13	3	Vertical	265	1.05	-	33.78	5.06	32.14

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	56.48	74.00	-17.52	49.66	3	Horizontal	307	1.80	-	33.90	5.05	32.13
AV	5.452G	44.33	54.00	-9.67	37.51	3	Horizontal	307	1.80	-	33.90	5.05	32.13
PK	5.4624G	56.65	68.20	-11.55	49.82	3	Horizontal	307	1.80	-	33.90	5.06	32.13
PK	5.5824G	118.38	Inf	-Inf	111.43	3	Horizontal	307	1.80	-	33.90	5.18	32.13
AV	5.5832G	108.50	Inf	-Inf	101.55	3	Horizontal	307	1.80	-	33.90	5.18	32.13
PK	5.7264G	56.43	68.20	-11.77	49.75	3	Horizontal	307	1.80	-	33.75	5.07	32.14

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16322G	53.34	74.00	-20.66	40.42	3	Vertical	316	2.06	-	38.66	7.51	33.25
AV	11.16298G	38.97	54.00	-15.03	26.05	3	Vertical	316	2.06	-	38.66	7.51	33.25

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15522G	52.40	74.00	-21.60	39.49	3	Horizontal	160	2.02	-	38.66	7.50	33.25
AV	11.155G	39.28	54.00	-14.72	26.37	3	Horizontal	160	2.02	-	38.66	7.50	33.25

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 77
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.705G	116.05	Inf	-Inf	109.38	3	Vertical	270	1.41	-	33.71	5.10	32.14
AV	5.7054G	106.01	Inf	-Inf	99.35	3	Vertical	270	1.41	-	33.71	5.09	32.14
PK	5.7254G	68.02	68.20	-0.18	61.34	3	Vertical	270	1.41	-	33.75	5.07	32.14

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_V_4TX
Setting 77
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7022G	109.06	Inf	-Inf	102.40	3	Horizontal	198	2.70	-	33.70	5.10	32.14
AV	5.7012G	99.64	Inf	-Inf	92.98	3	Horizontal	198	2.70	-	33.70	5.10	32.14
PK	5.7308G	58.19	68.20	-10.01	51.50	3	Horizontal	198	2.70	-	33.76	5.07	32.14

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 77
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39876G	52.46	74.00	-21.54	39.30	3	Vertical	175	2.63	-	38.80	7.59	33.23
AV	11.40362G	39.19	54.00	-14.81	26.02	3	Vertical	175	2.63	-	38.81	7.59	33.23

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 77
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40256G	53.12	74.00	-20.88	39.95	3	Horizontal	54	2.01	-	38.81	7.59	33.23
AV	11.40062G	39.00	54.00	-15.00	25.84	3	Horizontal	54	2.01	-	38.80	7.59	33.23

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7264G	124.29	Inf	-Inf	117.61	3	Vertical	270	1.38	-	33.75	5.07	32.14	
AV	5.7256G	113.99	Inf	-Inf	107.31	3	Vertical	270	1.38	-	33.75	5.07	32.14	
PK	5.852G	60.78	68.20	-7.42	53.96	3	Vertical	270	1.38	-	33.81	5.16	32.15	

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7192G	118.00	Inf	-Inf	111.32	3	Horizontal	199	2.25	-	33.74	5.08	32.14	
AV	5.7192G	107.96	Inf	-Inf	101.28	3	Horizontal	199	2.25	-	33.74	5.08	32.14	

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43782G	52.79	74.00	-21.21	39.54	3	Vertical	166	1.37	-	38.88	7.60	33.23
AV	11.4415G	39.35	54.00	-14.65	26.10	3	Vertical	166	1.37	-	38.88	7.60	33.23

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44118G	52.92	74.00	-21.08	39.67	3	Horizontal	25	2.52	-	38.88	7.60	33.23
AV	11.44324G	39.35	54.00	-14.65	26.08	3	Horizontal	25	2.52	-	38.89	7.61	33.23

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.654G	68.93	71.16	-2.23	62.13	3	Vertical	89	1.75	-	33.79	5.15	32.14	
PK	5.739G	125.32	Inf	-Inf	118.62	3	Vertical	89	1.75	-	33.78	5.06	32.14	
AV	5.74G	115.36	Inf	-Inf	108.66	3	Vertical	89	1.75	-	33.78	5.06	32.14	
PK	5.941G	60.65	68.20	-7.55	53.31	3	Vertical	89	1.75	-	34.08	5.42	32.16	

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.651G	63.54	68.94	-5.40	56.73	3	Horizontal	184	2.54	-	33.80	5.15	32.14	
PK	5.742G	119.02	Inf	-Inf	112.32	3	Horizontal	184	2.54	-	33.78	5.06	32.14	
AV	5.742G	108.61	Inf	-Inf	101.91	3	Horizontal	184	2.54	-	33.78	5.06	32.14	
PK	5.939G	57.76	68.20	-10.44	50.42	3	Horizontal	184	2.54	-	34.08	5.42	32.16	

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48848G	53.65	74.00	-20.35	40.27	3	Vertical	6	1.40	-	38.98	7.62	33.22
AV	11.49312G	39.48	54.00	-14.52	26.09	3	Vertical	6	1.40	-	38.99	7.62	33.22

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4914G	52.94	74.00	-21.06	39.56	3	Horizontal	177	1.81	-	38.98	7.62	33.22	
AV	11.4879G	39.47	54.00	-14.53	26.09	3	Horizontal	177	1.81	-	38.98	7.62	33.22	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.58G	61.37	68.20	-6.83	54.42	3	Vertical	89	1.72	-	33.90	5.18	32.13	
PK	5.779G	124.75	Inf	-Inf	118.14	3	Vertical	89	1.72	-	33.74	5.02	32.15	
AV	5.78G	115.24	Inf	-Inf	108.63	3	Vertical	89	1.72	-	33.74	5.02	32.15	
PK	5.978G	59.93	68.20	-8.27	52.46	3	Vertical	89	1.72	-	34.10	5.53	32.16	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.637G	59.54	68.20	-8.66	52.69	3	Horizontal	197	2.52	-	33.83	5.16	32.14	
PK	5.783G	118.82	Inf	-Inf	112.22	3	Horizontal	197	2.52	-	33.73	5.02	32.15	
AV	5.784G	109.02	Inf	-Inf	102.42	3	Horizontal	197	2.52	-	33.73	5.02	32.15	
PK	5.951G	58.08	68.20	-10.12	50.69	3	Horizontal	197	2.52	-	34.10	5.45	32.16	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57052G	52.95	74.00	-21.05	39.33	3	Vertical	142	1.35	-	39.21	7.65	33.24	
AV	11.56786G	39.66	54.00	-14.34	26.05	3	Vertical	142	1.35	-	39.20	7.65	33.24	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56946G	53.44	74.00	-20.56	39.82	3	Horizontal	356	2.94	-	39.21	7.65	33.24
AV	11.5668G	39.50	54.00	-14.50	25.89	3	Horizontal	356	2.94	-	39.20	7.65	33.24

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.624G	61.82	68.20	-6.38	54.93	3	Vertical	270	1.28	-	33.85	5.18	32.14	
PK	5.831G	126.63	Inf	-Inf	119.93	3	Vertical	270	1.28	-	33.76	5.09	32.15	
AV	5.831G	116.90	Inf	-Inf	110.20	3	Vertical	270	1.28	-	33.76	5.09	32.15	
PK	5.917G	69.48	74.12	-4.64	62.26	3	Vertical	270	1.28	-	34.03	5.35	32.16	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_V_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.626G	57.97	68.20	-10.23	51.09	3	Horizontal	193	1.98	-	33.85	5.17	32.14	
PK	5.823G	119.22	Inf	-Inf	112.55	3	Horizontal	193	1.98	-	33.75	5.07	32.15	
AV	5.824G	109.20	Inf	-Inf	102.53	3	Horizontal	193	1.98	-	33.75	5.07	32.15	
PK	5.924G	61.63	68.94	-7.31	54.37	3	Horizontal	193	1.98	-	34.05	5.37	32.16	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65016G	53.49	74.00	-20.51	39.72	3	Vertical	355	1.04	-	39.35	7.68	33.26
AV	11.64846G	39.75	54.00	-14.25	25.98	3	Vertical	355	1.04	-	39.35	7.68	33.26

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom



EUT Y_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64676G	53.66	74.00	-20.34	39.89	3	Horizontal	333	1.86	-	39.35	7.68	33.26
AV	11.64708G	39.79	54.00	-14.21	26.02	3	Horizontal	333	1.86	-	39.35	7.68	33.26




For UNII 2C~3
4T4S <Non-beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	PK	5.4692G	67.53	68.20	-0.67	3	Vertical	265	1.79	-

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.651G	68.13	68.94	-0.81	61.32	3	Vertical	90	1.80	-	33.80	5.15	32.14	
PK	5.783G	114.33	Inf	-Inf	107.73	3	Vertical	90	1.80	-	33.73	5.02	32.15	
AV	5.787G	102.17	Inf	-Inf	95.58	3	Vertical	90	1.80	-	33.73	5.01	32.15	
PK	5.932G	62.21	68.20	-5.99	54.91	3	Vertical	90	1.80	-	34.06	5.40	32.16	

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	62.50	68.20	-5.70	55.69	3	Horizontal	201	2.32	-	33.80	5.15	32.14	
PK	5.763G	110.57	Inf	-Inf	103.91	3	Horizontal	201	2.32	-	33.77	5.04	32.15	
AV	5.765G	98.57	Inf	-Inf	91.91	3	Horizontal	201	2.32	-	33.77	5.04	32.15	
PK	5.928G	59.40	68.20	-8.80	52.12	3	Horizontal	201	2.32	-	34.06	5.38	32.16	

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55018G	52.96	74.00	-21.04	39.40	3	Vertical	109	1.91	-	39.15	7.64	33.23
AV	11.55434G	39.58	54.00	-14.42	26.01	3	Vertical	109	1.91	-	39.16	7.64	33.23

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54894G	52.01	74.00	-21.99	38.45	3	Horizontal	166	2.44	-	39.15	7.64	33.23
AV	11.55162G	39.39	54.00	-14.61	25.83	3	Horizontal	166	2.44	-	39.15	7.64	33.23

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 69
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.218G	56.60	68.20	-11.60	50.12	3	Vertical	265	1.79	-	33.54	5.09	32.15
PK	5.4468G	63.87	74.00	-10.13	57.06	3	Vertical	265	1.79	-	33.89	5.05	32.13
AV	5.4468G	49.34	54.00	-4.66	42.53	3	Vertical	265	1.79	-	33.89	5.05	32.13
PK	5.4692G	67.53	68.20	-0.67	60.69	3	Vertical	265	1.79	-	33.90	5.07	32.13
PK	5.546G	106.69	Inf	-Inf	99.77	3	Vertical	265	1.79	-	33.90	5.15	32.13
AV	5.5476G	93.20	Inf	-Inf	86.28	3	Vertical	265	1.79	-	33.90	5.15	32.13
PK	5.7268G	62.91	68.20	-5.29	56.23	3	Vertical	265	1.79	-	33.75	5.07	32.14

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 71
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2596G	56.24	68.20	-11.96	49.69	3	Horizontal	183	2.64	-	33.62	5.07	32.14
PK	5.4596G	63.10	74.00	-10.90	56.27	3	Horizontal	183	2.64	-	33.90	5.06	32.13
AV	5.4596G	49.41	54.00	-4.59	42.58	3	Horizontal	183	2.64	-	33.90	5.06	32.13
PK	5.466G	64.73	68.20	-3.47	57.89	3	Horizontal	183	2.64	-	33.90	5.07	32.13
PK	5.5412G	101.49	Inf	-Inf	94.58	3	Horizontal	183	2.64	-	33.90	5.14	32.13
AV	5.5492G	88.65	Inf	-Inf	81.73	3	Horizontal	183	2.64	-	33.90	5.15	32.13
PK	5.7732G	59.95	68.20	-8.25	53.32	3	Horizontal	183	2.64	-	33.75	5.03	32.15

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 71
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14154G	52.82	74.00	-21.18	39.94	3	Vertical	285	2.90	-	38.64	7.50	33.26
AV	11.13958G	39.25	54.00	-14.75	26.37	3	Vertical	285	2.90	-	38.64	7.50	33.26

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 71
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13868G	52.14	74.00	-21.86	39.26	3	Horizontal	219	1.56	-	38.64	7.50	33.26
AV	11.14116G	39.40	54.00	-14.60	26.52	3	Horizontal	219	1.56	-	38.64	7.50	33.26




For UNII 2C~3
4T1S <Beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4666G	68.11	68.20	-0.09	3	Vertical	155	1.32	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4594G	66.71	74.00	-7.29	59.88	3	Vertical	273	1.06	-	33.90	5.06	32.13	
AV	5.4596G	52.51	54.00	-1.49	45.68	3	Vertical	273	1.06	-	33.90	5.06	32.13	
PK	5.4602G	67.41	68.20	-0.79	60.58	3	Vertical	273	1.06	-	33.90	5.06	32.13	
PK	5.5084G	125.30	Inf	-Inf	118.42	3	Vertical	273	1.06	-	33.90	5.11	32.13	
AV	5.503G	112.19	Inf	-Inf	105.32	3	Vertical	273	1.06	-	33.90	5.10	32.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.457G	58.44	74.00	-15.56	51.61	3	Horizontal	172	1.14	-	33.90	5.06	32.13	
AV	5.4596G	46.11	54.00	-7.89	39.28	3	Horizontal	172	1.14	-	33.90	5.06	32.13	
PK	5.469G	60.32	68.20	-7.88	53.48	3	Horizontal	172	1.14	-	33.90	5.07	32.13	
PK	5.4932G	118.07	Inf	-Inf	111.21	3	Horizontal	172	1.14	-	33.90	5.09	32.13	
AV	5.4912G	106.12	Inf	-Inf	99.26	3	Horizontal	172	1.14	-	33.90	5.09	32.13	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9983G	52.30	74.00	-21.70	39.62	3	Vertical	15	1.59	-	38.50	7.45	33.27
AV	10.99952G	37.62	54.00	-16.38	24.94	3	Vertical	15	1.59	-	38.50	7.45	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99932G	51.53	74.00	-22.47	38.85	3	Horizontal	212	2.34	-	38.50	7.45	33.27
AV	11.00498G	37.68	54.00	-16.32	25.00	3	Horizontal	212	2.34	-	38.50	7.45	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 111
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	66.16	74.00	-7.84	59.33	3	Vertical	268	1.61	-	33.90	5.06	32.13
AV	5.46G	49.53	54.00	-4.47	42.70	3	Vertical	268	1.61	-	33.90	5.06	32.13
PK	5.464G	67.35	68.20	-0.85	60.52	3	Vertical	268	1.61	-	33.90	5.06	32.13
PK	5.5744G	128.52	Inf	-Inf	121.58	3	Vertical	268	1.61	-	33.90	5.17	32.13
AV	5.5744G	117.15	Inf	-Inf	110.21	3	Vertical	268	1.61	-	33.90	5.17	32.13
PK	5.7304G	62.17	68.20	-6.03	55.48	3	Vertical	268	1.61	-	33.76	5.07	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 111
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	59.78	74.00	-14.22	52.95	3	Horizontal	172	1.00	-	33.90	5.06	32.13
AV	5.46G	45.59	54.00	-8.41	38.76	3	Horizontal	172	1.00	-	33.90	5.06	32.13
PK	5.4688G	63.00	68.20	-5.20	56.16	3	Horizontal	172	1.00	-	33.90	5.07	32.13
PK	5.5712G	123.06	Inf	-Inf	116.12	3	Horizontal	172	1.00	-	33.90	5.17	32.13
AV	5.5728G	111.52	Inf	-Inf	104.58	3	Horizontal	172	1.00	-	33.90	5.17	32.13
PK	5.7264G	59.56	68.20	-8.64	52.88	3	Horizontal	172	1.00	-	33.75	5.07	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15818G	52.08	74.00	-21.92	39.16	3	Vertical	14	2.94	-	38.66	7.51	33.25
AV	11.1603G	38.27	54.00	-15.73	25.35	3	Vertical	14	2.94	-	38.66	7.51	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16024G	52.35	74.00	-21.65	39.43	3	Horizontal	88	1.80	-	38.66	7.51	33.25
AV	11.16428G	38.21	54.00	-15.79	25.29	3	Horizontal	88	1.80	-	38.66	7.51	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	120.89	Inf	-Inf	114.23	3	Vertical	94	1.80	-	33.70	5.10	32.14
AV	5.6992G	107.18	Inf	-Inf	100.52	3	Vertical	94	1.80	-	33.70	5.10	32.14
PK	5.7258G	68.06	68.20	-0.14	61.38	3	Vertical	94	1.80	-	33.75	5.07	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 70
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.691G	110.51	Inf	-Inf	103.82	3	Horizontal	148	1.03	-	33.72	5.11	32.14
AV	5.6916G	97.36	Inf	-Inf	90.67	3	Horizontal	148	1.03	-	33.72	5.11	32.14
PK	5.729G	57.49	68.20	-10.71	50.80	3	Horizontal	148	1.03	-	33.76	5.07	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.40488G	52.49	74.00	-21.51	39.32	3	Vertical	321	1.07	-	38.81	7.59	33.23	
AV	11.39642G	38.35	54.00	-15.65	25.19	3	Vertical	321	1.07	-	38.80	7.59	33.23	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 70
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39848G	52.14	74.00	-21.86	38.98	3	Horizontal	42	1.16	-	38.80	7.59	33.23
AV	11.40452G	38.37	54.00	-15.63	25.20	3	Horizontal	42	1.16	-	38.81	7.59	33.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 118
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.716G	128.02	Inf	-Inf	121.35	3	Vertical	96	1.79	-	33.73	5.08	32.14	
AV	5.7232G	116.64	Inf	-Inf	109.95	3	Vertical	96	1.79	-	33.75	5.08	32.14	
PK	5.8552G	66.76	68.20	-1.44	59.92	3	Vertical	96	1.79	-	33.82	5.17	32.15	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 118
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	118.63	Inf	-Inf	111.94	3	Horizontal	150	1.28	-	33.76	5.07	32.14
AV	5.712G	107.71	Inf	-Inf	101.04	3	Horizontal	150	1.28	-	33.72	5.09	32.14
PK	5.8512G	62.17	68.20	-6.03	55.37	3	Horizontal	150	1.28	-	33.80	5.15	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 118
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44406G	52.55	74.00	-21.45	39.28	3	Vertical	283	1.35	-	38.89	7.61	33.23
AV	11.44308G	38.46	54.00	-15.54	25.19	3	Vertical	283	1.35	-	38.89	7.61	33.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 118
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4379G	52.67	74.00	-21.33	39.42	3	Horizontal	227	1.18	-	38.88	7.60	33.23
AV	11.44346G	38.60	54.00	-15.40	25.33	3	Horizontal	227	1.18	-	38.89	7.61	33.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Y_4TX
Setting 105
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.642G	68.01	68.20	-0.19	61.17	3	Vertical	274	1.14	-	33.82	5.16	32.14	
PK	5.747G	127.33	Inf	-Inf	120.63	3	Vertical	274	1.14	-	33.79	5.05	32.14	
AV	5.746G	114.51	Inf	-Inf	107.81	3	Vertical	274	1.14	-	33.79	5.05	32.14	
PK	5.94G	60.24	68.20	-7.96	52.90	3	Vertical	274	1.14	-	34.08	5.42	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Y_4TX
Setting 105
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.644G	59.09	68.20	-9.11	52.26	3	Horizontal	9	1.04	-	33.81	5.16	32.14	
PK	5.739G	118.14	Inf	-Inf	111.44	3	Horizontal	9	1.04	-	33.78	5.06	32.14	
AV	5.736G	106.80	Inf	-Inf	100.11	3	Horizontal	9	1.04	-	33.77	5.06	32.14	
PK	5.978G	57.19	68.20	-11.01	49.72	3	Horizontal	9	1.04	-	34.10	5.53	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 105
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48872G	52.87	74.00	-21.13	39.49	3	Vertical	136	1.54	-	38.98	7.62	33.22
AV	11.4851G	38.39	54.00	-15.61	25.02	3	Vertical	136	1.54	-	38.97	7.62	33.22

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 105
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49034G	52.06	74.00	-21.94	38.68	3	Horizontal	336	1.19	-	38.98	7.62	33.22
AV	11.48758G	38.38	54.00	-15.62	25.00	3	Horizontal	336	1.19	-	38.98	7.62	33.22

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 127
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	64.16	68.20	-4.04	57.34	3	Vertical	98	1.62	-	33.81	5.15	32.14	
PK	5.787G	127.06	Inf	-Inf	120.47	3	Vertical	98	1.62	-	33.73	5.01	32.15	
AV	5.792G	115.84	Inf	-Inf	109.26	3	Vertical	98	1.62	-	33.72	5.01	32.15	
PK	5.928G	64.75	68.20	-3.45	57.47	3	Vertical	98	1.62	-	34.06	5.38	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 127
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.633G	58.38	68.20	-9.82	51.52	3	Horizontal	197	2.41	-	33.83	5.17	32.14	
PK	5.778G	117.13	Inf	-Inf	110.52	3	Horizontal	197	2.41	-	33.74	5.02	32.15	
AV	5.778G	105.59	Inf	-Inf	98.98	3	Horizontal	197	2.41	-	33.74	5.02	32.15	
PK	5.931G	57.71	68.20	-10.49	50.42	3	Horizontal	197	2.41	-	34.06	5.39	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 127
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57356G	52.87	74.00	-21.13	39.24	3	Vertical	5	1.76	-	39.22	7.65	33.24	
AV	11.56656G	38.60	54.00	-15.40	24.99	3	Vertical	5	1.76	-	39.20	7.65	33.24	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 127
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56712G	52.36	74.00	-21.64	38.75	3	Horizontal	188	1.62	-	39.20	7.65	33.24
AV	11.56998G	38.57	54.00	-15.43	24.95	3	Horizontal	188	1.62	-	39.21	7.65	33.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.619G	61.38	68.20	-6.82	54.48	3	Vertical	277	1.07	-	33.86	5.18	32.14	
PK	5.826G	127.40	Inf	-Inf	120.72	3	Vertical	277	1.07	-	33.75	5.08	32.15	
AV	5.823G	116.34	Inf	-Inf	109.67	3	Vertical	277	1.07	-	33.75	5.07	32.15	
PK	5.926G	67.72	68.20	-0.48	60.45	3	Vertical	277	1.07	-	34.05	5.38	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.622G	58.93	68.20	-9.27	52.03	3	Horizontal	170	1.05	-	33.86	5.18	32.14	
PK	5.832G	118.86	Inf	-Inf	112.15	3	Horizontal	170	1.05	-	33.76	5.10	32.15	
AV	5.832G	107.60	Inf	-Inf	100.89	3	Horizontal	170	1.05	-	33.76	5.10	32.15	
PK	5.924G	58.83	68.94	-10.11	51.57	3	Horizontal	170	1.05	-	34.05	5.37	32.16	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65434G	52.82	74.00	-21.18	39.05	3	Vertical	245	2.56	-	39.35	7.68	33.26	
AV	11.65494G	38.74	54.00	-15.26	24.97	3	Vertical	245	2.56	-	39.35	7.68	33.26	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65184G	52.76	74.00	-21.24	38.99	3	Horizontal	258	1.80	-	39.35	7.68	33.26
AV	11.6515G	38.64	54.00	-15.36	24.87	3	Horizontal	258	1.80	-	39.35	7.68	33.26

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	66.50	74.00	-7.50	59.67	3	Vertical	273	1.80	-	33.90	5.06	32.13
AV	5.46G	51.63	54.00	-2.37	44.80	3	Vertical	273	1.80	-	33.90	5.06	32.13
PK	5.4662G	67.79	68.20	-0.41	60.95	3	Vertical	273	1.80	-	33.90	5.07	32.13
PK	5.4956G	119.15	Inf	-Inf	112.28	3	Vertical	273	1.80	-	33.90	5.10	32.13
AV	5.4968G	106.79	Inf	-Inf	99.92	3	Vertical	273	1.80	-	33.90	5.10	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 90
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	58.29	74.00	-15.71	51.46	3	Horizontal	179	1.16	-	33.90	5.06	32.13
AV	5.4596G	45.93	54.00	-8.07	39.10	3	Horizontal	179	1.16	-	33.90	5.06	32.13
PK	5.4692G	59.85	68.20	-8.35	53.01	3	Horizontal	179	1.16	-	33.90	5.07	32.13
PK	5.5274G	111.79	Inf	-Inf	104.89	3	Horizontal	179	1.16	-	33.90	5.13	32.13
AV	5.528G	100.00	Inf	-Inf	93.10	3	Horizontal	179	1.16	-	33.90	5.13	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0237G	53.14	74.00	-20.86	40.43	3	Vertical	6	1.20	-	38.52	7.46	33.27
AV	11.02022G	38.13	54.00	-15.87	25.42	3	Vertical	6	1.20	-	38.52	7.46	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01894G	52.09	74.00	-21.91	39.38	3	Horizontal	32	1.42	-	38.52	7.46	33.27
AV	11.02068G	38.23	54.00	-15.77	25.52	3	Horizontal	32	1.42	-	38.52	7.46	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT V_4TX
Setting 100
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4546G	67.02	74.00	-6.98	60.20	3	Vertical	155	1.32	-	33.90	5.05	32.13	
AV	5.46G	48.97	54.00	-5.03	42.14	3	Vertical	155	1.32	-	33.90	5.06	32.13	
PK	5.4666G	68.11	68.20	-0.09	61.27	3	Vertical	155	1.32	-	33.90	5.07	32.13	
PK	5.553G	120.35	Inf	-Inf	113.43	3	Vertical	155	1.32	-	33.90	5.15	32.13	
AV	5.5518G	108.25	Inf	-Inf	101.33	3	Vertical	155	1.32	-	33.90	5.15	32.13	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT V_4TX
Setting 100
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4498G	58.61	74.00	-15.39	51.79	3	Horizontal	26	2.48	-	33.90	5.05	32.13
PK	5.47G	62.59	68.20	-5.61	55.75	3	Horizontal	26	2.48	-	33.90	5.07	32.13
AV	5.46G	45.11	54.00	-8.89	38.28	3	Horizontal	26	2.48	-	33.90	5.06	32.13
PK	5.5524G	111.29	Inf	-Inf	104.37	3	Horizontal	26	2.48	-	33.90	5.15	32.13
AV	5.5536G	99.06	Inf	-Inf	92.14	3	Horizontal	26	2.48	-	33.90	5.15	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.09934G	52.80	74.00	-21.20	39.98	3	Vertical	108	2.03	-	38.60	7.48	33.26
AV	11.1035G	38.22	54.00	-15.78	25.39	3	Vertical	108	2.03	-	38.60	7.49	33.26

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09954G	51.98	74.00	-22.02	39.16	3	Horizontal	206	1.68	-	38.60	7.48	33.26
AV	11.09976G	38.20	54.00	-15.80	25.38	3	Horizontal	206	1.68	-	38.60	7.48	33.26

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6568G	117.95	Inf	-Inf	111.16	3	Vertical	103	1.18	-	33.79	5.14	32.14
AV	5.6548G	105.64	Inf	-Inf	98.84	3	Vertical	103	1.18	-	33.79	5.15	32.14
PK	5.7352G	68.11	68.20	-0.09	61.42	3	Vertical	103	1.18	-	33.77	5.06	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6888G	112.24	Inf	-Inf	105.55	3	Horizontal	213	3.00	-	33.72	5.11	32.14
AV	5.6844G	99.66	Inf	-Inf	92.95	3	Horizontal	213	3.00	-	33.73	5.12	32.14
PK	5.7372G	59.00	68.20	-9.20	52.31	3	Horizontal	213	3.00	-	33.77	5.06	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33558G	51.97	74.00	-22.03	38.90	3	Vertical	258	1.49	-	38.74	7.57	33.24
AV	11.34364G	37.88	54.00	-16.12	24.81	3	Vertical	258	1.49	-	38.74	7.57	33.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 86
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34488G	51.60	74.00	-22.40	38.53	3	Horizontal	257	1.74	-	38.74	7.57	33.24
AV	11.34218G	37.79	54.00	-16.21	24.72	3	Horizontal	257	1.74	-	38.74	7.57	33.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7196G	122.80	Inf	-Inf	116.12	3	Vertical	103	1.28	-	33.74	5.08	32.14
AV	5.7212G	110.60	Inf	-Inf	103.92	3	Vertical	103	1.28	-	33.74	5.08	32.14
PK	5.858G	67.56	68.20	-0.64	60.71	3	Vertical	103	1.28	-	33.83	5.17	32.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7028G	116.89	Inf	-Inf	110.22	3	Horizontal	153	1.10	-	33.71	5.10	32.14	
AV	5.6956G	103.91	Inf	-Inf	97.24	3	Horizontal	153	1.10	-	33.71	5.10	32.14	
PK	5.8508G	62.43	68.20	-5.77	55.63	3	Horizontal	153	1.10	-	33.80	5.15	32.15	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41866G	52.36	74.00	-21.64	39.15	3	Vertical	51	1.58	-	38.84	7.60	33.23
AV	11.42176G	38.41	54.00	-15.59	25.20	3	Vertical	51	1.58	-	38.84	7.60	33.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 111
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41646G	52.14	74.00	-21.86	38.94	3	Horizontal	149	1.55	-	38.83	7.60	33.23
AV	11.42218G	38.45	54.00	-15.55	25.24	3	Horizontal	149	1.55	-	38.84	7.60	33.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.651G	68.58	68.94	-0.36	61.77	3	Vertical	270	1.80	-	33.80	5.15	32.14	
PK	5.762G	122.45	Inf	-Inf	115.78	3	Vertical	270	1.80	-	33.78	5.04	32.15	
AV	5.748G	110.10	Inf	-Inf	103.39	3	Vertical	270	1.80	-	33.80	5.05	32.14	
PK	5.933G	59.80	68.20	-8.40	52.49	3	Vertical	270	1.80	-	34.07	5.40	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Y_4TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.651G	62.60	68.94	-6.34	55.79	3	Horizontal	191	1.35	-	33.80	5.15	32.14	
PK	5.754G	116.25	Inf	-Inf	109.56	3	Horizontal	191	1.35	-	33.79	5.05	32.15	
AV	5.75G	103.63	Inf	-Inf	96.92	3	Horizontal	191	1.35	-	33.80	5.05	32.14	
PK	5.943G	57.80	68.20	-10.40	50.44	3	Horizontal	191	1.35	-	34.09	5.43	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50708G	52.08	74.00	-21.92	38.65	3	Vertical	158	2.16	-	39.02	7.63	33.22	
AV	11.51296G	38.33	54.00	-15.67	24.88	3	Vertical	158	2.16	-	39.04	7.63	33.22	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5068G	52.57	74.00	-21.43	39.14	3	Horizontal	331	2.24	-	39.02	7.63	33.22	
AV	11.51296G	38.22	54.00	-15.78	24.77	3	Horizontal	331	2.24	-	39.04	7.63	33.22	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.648G	66.36	68.20	-1.84	59.55	3	Vertical	98	1.76	-	33.80	5.15	32.14	
PK	5.808G	124.59	Inf	-Inf	118.00	3	Vertical	98	1.76	-	33.72	5.02	32.15	
AV	5.808G	111.65	Inf	-Inf	105.06	3	Vertical	98	1.76	-	33.72	5.02	32.15	
PK	5.927G	66.16	68.20	-2.04	58.89	3	Vertical	98	1.76	-	34.05	5.38	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.581G	58.37	68.20	-9.83	51.42	3	Horizontal	151	1.16	-	33.90	5.18	32.13	
PK	5.808G	114.88	Inf	-Inf	108.29	3	Horizontal	151	1.16	-	33.72	5.02	32.15	
AV	5.813G	102.73	Inf	-Inf	96.11	3	Horizontal	151	1.16	-	33.73	5.04	32.15	
PK	5.936G	61.77	68.20	-6.43	54.45	3	Horizontal	151	1.16	-	34.07	5.41	32.16	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58788G	52.58	74.00	-21.42	38.90	3	Vertical	248	2.80	-	39.26	7.66	33.24
AV	11.58516G	38.63	54.00	-15.37	24.96	3	Vertical	248	2.80	-	39.26	7.65	33.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 109
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59368G	52.95	74.00	-21.05	39.25	3	Horizontal	58	2.74	-	39.28	7.66	33.24
AV	11.5864G	38.62	54.00	-15.38	24.94	3	Horizontal	58	2.74	-	39.26	7.66	33.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	56.04	68.20	-12.16	49.43	3	Vertical	273	1.73	-	33.70	5.05	32.14
PK	5.456G	65.36	74.00	-8.64	58.53	3	Vertical	273	1.73	-	33.90	5.06	32.13
AV	5.457G	53.87	54.00	-0.13	47.04	3	Vertical	273	1.73	-	33.90	5.06	32.13
PK	5.468G	67.15	68.20	-1.05	60.31	3	Vertical	273	1.73	-	33.90	5.07	32.13
AV	5.499G	103.13	Inf	-Inf	96.26	3	Vertical	273	1.73	-	33.90	5.10	32.13
PK	5.535G	116.29	Inf	-Inf	109.38	3	Vertical	273	1.73	-	33.90	5.14	32.13
PK	5.736G	59.03	68.20	-9.17	52.34	3	Vertical	273	1.73	-	33.77	5.06	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT V_4TX
Setting 87
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	55.80	68.20	-12.40	49.19	3	Horizontal	168	1.76	-	33.70	5.05	32.14
PK	5.459G	60.11	74.00	-13.89	53.28	3	Horizontal	168	1.76	-	33.90	5.06	32.13
AV	5.459G	47.58	54.00	-6.42	40.75	3	Horizontal	168	1.76	-	33.90	5.06	32.13
PK	5.461G	62.28	68.20	-5.92	55.45	3	Horizontal	168	1.76	-	33.90	5.06	32.13
PK	5.516G	108.60	Inf	-Inf	101.71	3	Horizontal	168	1.76	-	33.90	5.12	32.13
AV	5.515G	95.93	Inf	-Inf	89.04	3	Horizontal	168	1.76	-	33.90	5.12	32.13
PK	5.745G	57.77	68.20	-10.43	51.07	3	Horizontal	168	1.76	-	33.79	5.05	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06034G	52.07	74.00	-21.93	39.30	3	Vertical	136	1.77	-	38.56	7.47	33.26
AV	11.05754G	37.86	54.00	-16.14	25.09	3	Vertical	136	1.77	-	38.56	7.47	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 87
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06234G	52.48	74.00	-21.52	39.71	3	Horizontal	46	1.16	-	38.56	7.47	33.26
AV	11.0577G	37.81	54.00	-16.19	25.04	3	Horizontal	46	1.16	-	38.56	7.47	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.72	74.00	-9.28	57.89	3	Vertical	105	1.17	-	33.90	5.06	32.13
AV	5.459G	49.94	54.00	-4.06	43.11	3	Vertical	105	1.17	-	33.90	5.06	32.13
PK	5.469G	66.27	68.20	-1.93	59.43	3	Vertical	105	1.17	-	33.90	5.07	32.13
PK	5.608G	116.37	Inf	-Inf	109.44	3	Vertical	105	1.17	-	33.88	5.19	32.14
AV	5.605G	103.98	Inf	-Inf	97.03	3	Vertical	105	1.17	-	33.89	5.20	32.14
PK	5.748G	67.97	68.20	-0.23	61.26	3	Vertical	105	1.17	-	33.80	5.05	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 91
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	60.43	74.00	-13.57	53.61	3	Horizontal	191	1.14	-	33.90	5.05	32.13
AV	5.458G	45.14	54.00	-8.86	38.31	3	Horizontal	191	1.14	-	33.90	5.06	32.13
PK	5.462G	59.80	68.20	-8.40	52.97	3	Horizontal	191	1.14	-	33.90	5.06	32.13
PK	5.594G	111.75	Inf	-Inf	104.80	3	Horizontal	191	1.14	-	33.90	5.19	32.14
AV	5.6G	99.02	Inf	-Inf	92.06	3	Horizontal	191	1.14	-	33.90	5.20	32.14
PK	5.732G	63.11	68.20	-5.09	56.42	3	Horizontal	191	1.14	-	33.76	5.07	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21954G	52.86	74.00	-21.14	39.88	3	Vertical	350	2.91	-	38.70	7.53	33.25
AV	11.22496G	37.98	54.00	-16.02	25.00	3	Vertical	350	2.91	-	38.70	7.53	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 91
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21616G	52.21	74.00	-21.79	39.23	3	Horizontal	153	1.96	-	38.70	7.53	33.25
AV	11.22354G	37.96	54.00	-16.04	24.98	3	Horizontal	153	1.96	-	38.70	7.53	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	61.26	74.00	-12.74	54.44	3	Vertical	71	1.08	-	33.90	5.05	32.13
AV	5.4584G	47.70	54.00	-6.30	40.87	3	Vertical	71	1.08	-	33.90	5.06	32.13
PK	5.4644G	60.97	68.20	-7.23	54.14	3	Vertical	71	1.08	-	33.90	5.06	32.13
PK	5.6528G	120.14	Inf	-Inf	113.34	3	Vertical	71	1.08	-	33.79	5.15	32.14
AV	5.678G	105.88	Inf	-Inf	99.16	3	Vertical	71	1.08	-	33.74	5.12	32.14
PK	5.85G	67.58	68.20	-0.62	60.78	3	Vertical	71	1.08	-	33.80	5.15	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	60.91	74.00	-13.09	54.08	3	Horizontal	180	1.00	-	33.90	5.06	32.13
AV	5.4584G	44.98	54.00	-9.02	38.15	3	Horizontal	180	1.00	-	33.90	5.06	32.13
PK	5.468G	57.70	68.20	-10.50	50.86	3	Horizontal	180	1.00	-	33.90	5.07	32.13
PK	5.6768G	112.00	Inf	-Inf	105.27	3	Horizontal	180	1.00	-	33.75	5.12	32.14
AV	5.6744G	100.19	Inf	-Inf	93.45	3	Horizontal	180	1.00	-	33.75	5.13	32.14
PK	5.8508G	64.41	68.20	-3.79	57.61	3	Horizontal	180	1.00	-	33.80	5.15	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3775G	51.71	74.00	-22.29	38.58	3	Vertical	192	2.66	-	38.78	7.58	33.23
AV	11.37676G	38.20	54.00	-15.80	25.07	3	Vertical	192	2.66	-	38.78	7.58	33.23

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 100
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37712G	52.33	74.00	-21.67	39.20	3	Horizontal	226	2.01	-	38.78	7.58	33.23
AV	11.37862G	38.22	54.00	-15.78	25.09	3	Horizontal	226	2.01	-	38.78	7.58	33.23

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.653G	70.03	70.42	-0.39	63.23	3	Vertical	274	1.58	-	33.79	5.15	32.14	
PK	5.751G	120.14	Inf	-Inf	113.44	3	Vertical	274	1.58	-	33.80	5.05	32.15	
AV	5.746G	105.11	Inf	-Inf	98.41	3	Vertical	274	1.58	-	33.79	5.05	32.14	
PK	5.926G	61.21	68.20	-6.99	53.94	3	Vertical	274	1.58	-	34.05	5.38	32.16	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.648G	59.46	68.20	-8.74	52.65	3	Horizontal	149	1.08	-	33.80	5.15	32.14	
PK	5.757G	108.63	Inf	-Inf	101.95	3	Horizontal	149	1.08	-	33.79	5.04	32.15	
AV	5.779G	96.79	Inf	-Inf	90.18	3	Horizontal	149	1.08	-	33.74	5.02	32.15	
PK	5.925G	57.77	68.20	-10.43	50.50	3	Horizontal	149	1.08	-	34.05	5.38	32.16	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5471G	52.22	74.00	-21.78	38.67	3	Vertical	95	1.72	-	39.14	7.64	33.23	
AV	11.55224G	38.33	54.00	-15.67	24.76	3	Vertical	95	1.72	-	39.16	7.64	33.23	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 96
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55158G	52.85	74.00	-21.15	39.29	3	Horizontal	318	1.52	-	39.15	7.64	33.23
AV	11.55492G	38.39	54.00	-15.61	24.82	3	Horizontal	318	1.52	-	39.16	7.64	33.23

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 72
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2516G	56.10	68.20	-12.10	49.57	3	Vertical	274	1.42	-	33.60	5.07	32.14
PK	5.4484G	73.79	74.00	-0.21	66.97	3	Vertical	274	1.42	-	33.90	5.05	32.13
AV	5.45G	50.19	54.00	-3.81	43.37	3	Vertical	274	1.42	-	33.90	5.05	32.13
PK	5.4628G	67.11	68.20	-1.09	60.28	3	Vertical	274	1.42	-	33.90	5.06	32.13
PK	5.4996G	112.84	Inf	-Inf	105.97	3	Vertical	274	1.42	-	33.90	5.10	32.13
AV	5.498G	97.86	Inf	-Inf	90.99	3	Vertical	274	1.42	-	33.90	5.10	32.13
PK	5.7252G	63.21	68.20	-4.99	56.53	3	Vertical	274	1.42	-	33.75	5.07	32.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 72
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2276G	56.17	68.20	-12.03	49.67	3	Horizontal	175.7	1.12	-	33.56	5.09	32.15
PK	5.45G	60.69	74.00	-13.31	53.87	3	Horizontal	175.7	1.12	-	33.90	5.05	32.13
PK	5.4644G	62.90	68.20	-5.30	56.07	3	Horizontal	175.7	1.12	-	33.90	5.06	32.13
AV	5.458G	45.81	54.00	-8.19	38.98	3	Horizontal	175.7	1.12	-	33.90	5.06	32.13
PK	5.5956G	103.51	Inf	-Inf	96.55	3	Horizontal	175.7	1.12	-	33.90	5.20	32.14
AV	5.5716G	90.67	Inf	-Inf	83.73	3	Horizontal	175.7	1.12	-	33.90	5.17	32.13
PK	5.738G	57.83	68.20	-10.37	51.13	3	Horizontal	175.7	1.12	-	33.78	5.06	32.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 72
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14034G	51.97	74.00	-22.03	39.09	3	Vertical	110	1.99	-	38.64	7.50	33.26
AV	11.14062G	37.69	54.00	-16.31	24.81	3	Vertical	110	1.99	-	38.64	7.50	33.26

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 72
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13856G	52.38	74.00	-21.62	39.50	3	Horizontal	95	2.62	-	38.64	7.50	33.26
AV	11.14172G	37.69	54.00	-16.31	24.81	3	Horizontal	95	2.62	-	38.64	7.50	33.26




For UNII 2C~3
4T2S <Beamforming Mode>
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	PK	5.7284G	68.16	68.20	-0.04	3	Vertical	250	1.01	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 97
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4598G	64.69	74.00	-9.31	57.86	3	Vertical	275	1.49	-	33.90	5.06	32.13	
AV	5.4598G	51.22	54.00	-2.78	44.39	3	Vertical	275	1.49	-	33.90	5.06	32.13	
PK	5.47G	68.00	68.20	-0.20	61.16	3	Vertical	275	1.49	-	33.90	5.07	32.13	
PK	5.4984G	123.10	Inf	-Inf	116.23	3	Vertical	275	1.49	-	33.90	5.10	32.13	
AV	5.499G	109.93	Inf	-Inf	103.06	3	Vertical	275	1.49	-	33.90	5.10	32.13	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 97
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.46G	59.93	74.00	-14.07	53.10	3	Horizontal	170	1.09	-	33.90	5.06	32.13	
AV	5.4596G	46.81	54.00	-7.19	39.98	3	Horizontal	170	1.09	-	33.90	5.06	32.13	
PK	5.469G	63.92	68.20	-4.28	57.08	3	Horizontal	170	1.09	-	33.90	5.07	32.13	
PK	5.5034G	117.05	Inf	-Inf	110.18	3	Horizontal	170	1.09	-	33.90	5.10	32.13	
AV	5.5058G	104.55	Inf	-Inf	97.67	3	Horizontal	170	1.09	-	33.90	5.11	32.13	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 97
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00206G	51.76	74.00	-22.24	39.08	3	Vertical	219	2.82	-	38.50	7.45	33.27
AV	11.00306G	37.75	54.00	-16.25	25.07	3	Vertical	219	2.82	-	38.50	7.45	33.27

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 97
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00284G	51.49	74.00	-22.51	38.81	3	Horizontal	159	1.33	-	38.50	7.45	33.27
AV	11.00454G	37.72	54.00	-16.28	25.04	3	Horizontal	159	1.33	-	38.50	7.45	33.27

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 115
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	66.66	74.00	-7.34	59.83	3	Vertical	278	1.16	-	33.90	5.06	32.13
AV	5.46G	50.73	54.00	-3.27	43.90	3	Vertical	278	1.16	-	33.90	5.06	32.13
PK	5.4688G	68.11	68.20	-0.09	61.27	3	Vertical	278	1.16	-	33.90	5.07	32.13
PK	5.5872G	127.35	Inf	-Inf	120.40	3	Vertical	278	1.16	-	33.90	5.19	32.14
AV	5.588G	115.67	Inf	-Inf	108.72	3	Vertical	278	1.16	-	33.90	5.19	32.14
PK	5.7256G	63.64	68.20	-4.56	56.96	3	Vertical	278	1.16	-	33.75	5.07	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 115
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	59.77	74.00	-14.23	52.95	3	Horizontal	6	2.53	-	33.90	5.05	32.13
AV	5.46G	46.07	54.00	-7.93	39.24	3	Horizontal	6	2.53	-	33.90	5.06	32.13
PK	5.4664G	61.44	68.20	-6.76	54.60	3	Horizontal	6	2.53	-	33.90	5.07	32.13
PK	5.5888G	121.21	Inf	-Inf	114.26	3	Horizontal	6	2.53	-	33.90	5.19	32.14
AV	5.5888G	110.39	Inf	-Inf	103.44	3	Horizontal	6	2.53	-	33.90	5.19	32.14
PK	5.7256G	58.44	68.20	-9.76	51.76	3	Horizontal	6	2.53	-	33.75	5.07	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 115
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15532G	52.18	74.00	-21.82	39.27	3	Vertical	309	1.59	-	38.66	7.50	33.25
AV	11.16282G	38.21	54.00	-15.79	25.29	3	Vertical	309	1.59	-	38.66	7.51	33.25

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 115
02-B-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.16232G	52.25	74.00	-21.75	39.33	3	Horizontal	107	1.71	-	38.66	7.51	33.25
AV	11.1618G	38.31	54.00	-15.69	25.39	3	Horizontal	107	1.71	-	38.66	7.51	33.25

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 76
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	117.16	Inf	-Inf	110.50	3	Vertical	250	1.01	-	33.70	5.10	32.14
AV	5.6992G	104.22	Inf	-Inf	97.56	3	Vertical	250	1.01	-	33.70	5.10	32.14
PK	5.7284G	68.16	68.20	-0.04	61.47	3	Vertical	250	1.01	-	33.76	5.07	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 76
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	112.10	Inf	-Inf	105.42	3	Horizontal	186	2.25	-	33.71	5.11	32.14
AV	5.693G	98.35	Inf	-Inf	91.67	3	Horizontal	186	2.25	-	33.71	5.11	32.14
PK	5.7268G	60.35	68.20	-7.85	53.67	3	Horizontal	186	2.25	-	33.75	5.07	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 76
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40394G	52.48	74.00	-21.52	39.31	3	Vertical	288	1.75	-	38.81	7.59	33.23
AV	11.40126G	38.32	54.00	-15.68	25.16	3	Vertical	288	1.75	-	38.80	7.59	33.23

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 76
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39656G	52.32	74.00	-21.68	39.16	3	Horizontal	336	2.41	-	38.80	7.59	33.23
AV	11.39512G	38.36	54.00	-15.64	25.20	3	Horizontal	336	2.41	-	38.80	7.59	33.23

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 127
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.727G	124.94	Inf	-Inf	118.26	3	Vertical	98	1.79	-	33.75	5.07	32.14
AV	5.718G	113.24	Inf	-Inf	106.56	3	Vertical	98	1.79	-	33.74	5.08	32.14
PK	5.857G	64.60	68.20	-3.60	57.75	3	Vertical	98	1.79	-	33.83	5.17	32.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 127
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	120.10	Inf	-Inf	113.41	3	Horizontal	205	2.34	-	33.76	5.07	32.14
AV	5.728G	107.58	Inf	-Inf	100.89	3	Horizontal	205	2.34	-	33.76	5.07	32.14
PK	5.85G	60.36	68.20	-7.84	53.56	3	Horizontal	205	2.34	-	33.80	5.15	32.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 127
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44476G	52.14	74.00	-21.86	38.87	3	Vertical	153	1.36	-	38.89	7.61	33.23
AV	11.44222G	38.55	54.00	-15.45	25.30	3	Vertical	153	1.36	-	38.88	7.60	33.23

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 127
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43712G	52.14	74.00	-21.86	38.90	3	Horizontal	353	2.70	-	38.87	7.60	33.23
AV	11.44426G	38.45	54.00	-15.55	25.18	3	Horizontal	353	2.70	-	38.89	7.61	33.23

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 103
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.655G	71.48	71.90	-0.42	64.68	3	Vertical	273	1.16	-	33.79	5.15	32.14	
PK	5.75G	124.51	Inf	-Inf	117.80	3	Vertical	273	1.16	-	33.80	5.05	32.14	
AV	5.746G	112.16	Inf	-Inf	105.46	3	Vertical	273	1.16	-	33.79	5.05	32.14	
PK	5.944G	60.01	68.20	-8.19	52.65	3	Vertical	273	1.16	-	34.09	5.43	32.16	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Y_4TX
Setting 103
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.639G	66.66	68.20	-1.54	59.82	3	Horizontal	191	1.95	-	33.82	5.16	32.14	
PK	5.75G	117.03	Inf	-Inf	110.32	3	Horizontal	191	1.95	-	33.80	5.05	32.14	
AV	5.749G	105.14	Inf	-Inf	98.43	3	Horizontal	191	1.95	-	33.80	5.05	32.14	
PK	5.925G	57.90	68.20	-10.30	50.63	3	Horizontal	191	1.95	-	34.05	5.38	32.16	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 103
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48652G	52.17	74.00	-21.83	38.80	3	Vertical	182	2.60	-	38.97	7.62	33.22
AV	11.48906G	38.53	54.00	-15.47	25.15	3	Vertical	182	2.60	-	38.98	7.62	33.22

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 103
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48738G	52.59	74.00	-21.41	39.22	3	Horizontal	181	2.86	-	38.97	7.62	33.22
AV	11.4853G	38.46	54.00	-15.54	25.09	3	Horizontal	181	2.86	-	38.97	7.62	33.22

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 127
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	62.24	68.20	-5.96	55.29	3	Vertical	276	1.41	-	33.90	5.19	32.14
PK	5.793G	127.07	Inf	-Inf	120.50	3	Vertical	276	1.41	-	33.71	5.01	32.15
AV	5.787G	114.74	Inf	-Inf	108.15	3	Vertical	276	1.41	-	33.73	5.01	32.15
PK	5.948G	63.10	68.20	-5.10	55.72	3	Vertical	276	1.41	-	34.10	5.44	32.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 127
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	57.99	68.20	-10.21	51.04	3	Horizontal	208	2.53	-	33.90	5.18	32.13
PK	5.778G	119.87	Inf	-Inf	113.26	3	Horizontal	208	2.53	-	33.74	5.02	32.15
AV	5.777G	108.21	Inf	-Inf	101.59	3	Horizontal	208	2.53	-	33.75	5.02	32.15
PK	5.976G	57.06	68.20	-11.14	49.59	3	Horizontal	208	2.53	-	34.10	5.53	32.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 127
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57368G	52.15	74.00	-21.85	38.52	3	Vertical	319	1.45	-	39.22	7.65	33.24	
AV	11.56814G	38.55	54.00	-15.45	24.94	3	Vertical	319	1.45	-	39.20	7.65	33.24	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 127
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5729G	52.61	74.00	-21.39	38.98	3	Horizontal	318	1.16	-	39.22	7.65	33.24
AV	11.57158G	38.52	54.00	-15.48	24.90	3	Horizontal	318	1.16	-	39.21	7.65	33.24

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 110
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	62.19	68.20	-6.01	55.29	3	Vertical	274	1.40	-	33.86	5.18	32.14
PK	5.826G	127.32	Inf	-Inf	120.64	3	Vertical	274	1.40	-	33.75	5.08	32.15
AV	5.826G	114.34	Inf	-Inf	107.66	3	Vertical	274	1.40	-	33.75	5.08	32.15
PK	5.933G	67.85	68.20	-0.35	60.54	3	Vertical	274	1.40	-	34.07	5.40	32.16

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT_V_4TX
Setting 110
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.632G	57.74	68.20	-10.46	50.87	3	Horizontal	194	2.20	-	33.84	5.17	32.14	
PK	5.822G	118.62	Inf	-Inf	111.96	3	Horizontal	194	2.20	-	33.74	5.07	32.15	
AV	5.827G	106.03	Inf	-Inf	99.35	3	Horizontal	194	2.20	-	33.75	5.08	32.15	
PK	5.931G	61.95	68.20	-6.25	54.66	3	Horizontal	194	2.20	-	34.06	5.39	32.16	

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 110
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6491G	53.04	74.00	-20.96	39.27	3	Vertical	111	2.99	-	39.35	7.68	33.26
AV	11.65466G	38.71	54.00	-15.29	24.94	3	Vertical	111	2.99	-	39.35	7.68	33.26

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 110
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6532G	52.62	74.00	-21.38	38.85	3	Horizontal	25	2.36	-	39.35	7.68	33.26
AV	11.65454G	38.65	54.00	-15.35	24.88	3	Horizontal	25	2.36	-	39.35	7.68	33.26

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT V_4TX
Setting 92
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	63.60	74.00	-10.40	56.79	3	Vertical	299	1.36	-	33.89	5.05	32.13
PK	5.4696G	67.98	68.20	-0.22	61.14	3	Vertical	299	1.36	-	33.90	5.07	32.13
AV	5.46G	49.88	54.00	-4.12	43.05	3	Vertical	299	1.36	-	33.90	5.06	32.13
PK	5.4928G	116.52	Inf	-Inf	109.66	3	Vertical	299	1.36	-	33.90	5.09	32.13
AV	5.4992G	105.15	Inf	-Inf	98.28	3	Vertical	299	1.36	-	33.90	5.10	32.13

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 92
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.46G	57.94	74.00	-16.06	51.11	3	Horizontal	168	1.16	-	33.90	5.06	32.13	
AV	5.46G	45.72	54.00	-8.28	38.89	3	Horizontal	168	1.16	-	33.90	5.06	32.13	
PK	5.468G	59.77	68.20	-8.43	52.93	3	Horizontal	168	1.16	-	33.90	5.07	32.13	
PK	5.5124G	111.36	Inf	-Inf	104.48	3	Horizontal	168	1.16	-	33.90	5.11	32.13	
AV	5.5164G	98.77	Inf	-Inf	91.88	3	Horizontal	168	1.16	-	33.90	5.12	32.13	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02128G	52.91	74.00	-21.09	40.20	3	Vertical	169	1.86	-	38.52	7.46	33.27
AV	11.02058G	38.23	54.00	-15.77	25.52	3	Vertical	169	1.86	-	38.52	7.46	33.27

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01514G	52.40	74.00	-21.60	39.69	3	Horizontal	332	2.85	-	38.52	7.46	33.27
AV	11.01646G	38.18	54.00	-15.82	25.47	3	Horizontal	332	2.85	-	38.52	7.46	33.27

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT V_4TX
Setting 92
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.65	74.00	-12.35	54.82	3	Vertical	114	1.00	-	33.90	5.06	32.13
AV	5.4596G	47.77	54.00	-6.23	40.94	3	Vertical	114	1.00	-	33.90	5.06	32.13
PK	5.466G	68.01	68.20	-0.19	61.17	3	Vertical	114	1.00	-	33.90	5.07	32.13
PK	5.5372G	119.01	Inf	-Inf	112.10	3	Vertical	114	1.00	-	33.90	5.14	32.13
AV	5.538G	105.53	Inf	-Inf	98.62	3	Vertical	114	1.00	-	33.90	5.14	32.13
PK	5.75G	58.29	68.20	-9.91	51.58	3	Vertical	114	1.00	-	33.80	5.05	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT V_4TX
Setting 92
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	57.37	74.00	-16.63	50.55	3	Horizontal	86	1.84	-	33.90	5.05	32.13
PK	5.4652G	59.86	68.20	-8.34	53.02	3	Horizontal	86	1.84	-	33.90	5.07	32.13
AV	5.4596G	44.66	54.00	-9.34	37.83	3	Horizontal	86	1.84	-	33.90	5.06	32.13
PK	5.5356G	108.67	Inf	-Inf	101.76	3	Horizontal	86	1.84	-	33.90	5.14	32.13
AV	5.5444G	97.52	Inf	-Inf	90.61	3	Horizontal	86	1.84	-	33.90	5.14	32.13
PK	5.7452G	56.54	68.20	-11.66	49.84	3	Horizontal	86	1.84	-	33.79	5.05	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09964G	52.50	74.00	-21.50	39.68	3	Vertical	138	2.15	-	38.60	7.48	33.26
AV	11.10066G	38.19	54.00	-15.81	25.36	3	Vertical	138	2.15	-	38.60	7.49	33.26

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09602G	51.82	74.00	-22.18	39.00	3	Horizontal	263	1.52	-	38.60	7.48	33.26
AV	11.10192G	38.16	54.00	-15.84	25.33	3	Horizontal	263	1.52	-	38.60	7.49	33.26

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 82
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.656G	114.61	Inf	-Inf	107.82	3	Vertical	88	1.02	-	33.79	5.14	32.14
AV	5.6568G	102.05	Inf	-Inf	95.26	3	Vertical	88	1.02	-	33.79	5.14	32.14
PK	5.7252G	67.97	68.20	-0.23	61.29	3	Vertical	88	1.02	-	33.75	5.07	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 82
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.656G	109.33	Inf	-Inf	102.54	3	Horizontal	174	2.77	-	33.79	5.14	32.14	
AV	5.6532G	96.65	Inf	-Inf	89.85	3	Horizontal	174	2.77	-	33.79	5.15	32.14	
PK	5.7256G	63.71	68.20	-4.49	57.03	3	Horizontal	174	2.77	-	33.75	5.07	32.14	

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 82
02-B-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.33834G	51.42	74.00	-22.58	38.35	3	Vertical	143	2.58	-	38.74	7.57	33.24
AV	11.34G	37.79	54.00	-16.21	24.72	3	Vertical	143	2.58	-	38.74	7.57	33.24

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom



EUT Y_4TX
Setting 82
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33988G	51.83	74.00	-22.17	38.76	3	Horizontal	94	1.56	-	38.74	7.57	33.24
AV	11.33958G	37.70	54.00	-16.30	24.63	3	Horizontal	94	1.56	-	38.74	7.57	33.24