


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.73	7.73	2.16	1.82	2.03	1.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5745MHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.92	13.92	8.52	8.06	8.08	7.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5785MHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.78	13.78	8.48	7.86	7.91	7.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5825MHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.77	13.77	8.42	7.85	7.41	7.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5510MHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.84	6.84	0.99	1.06	1.35	0.19

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5550MHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.05	7.05	1.12	1.30	1.41	0.62

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5670MHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.78	6.78	1.15	0.95	0.91	0.41

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.68	6.68	0.96	0.77	0.80	0.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.68	4.68	-1.05	-1.33	-1.13	-1.75

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5755MHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.08	11.08	5.79	5.07	5.20	4.36

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5795MHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.14	11.14	5.96	5.07	5.20	4.61

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5530MHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.73	3.73	-1.75	-2.23	-1.95	-2.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5610MHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.68	3.68	-1.77	-2.30	-2.06	-2.96

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.73	3.73	-1.76	-2.14	-2.09	-2.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.37	1.37	-4.28	-4.77	-4.42	-5.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz

22/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.01	8.01	2.67	1.83	2.40	1.33

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5570MHz

22/03/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.19	1.19	-4.62	-4.54	-4.58	-5.28



For UNII 2C-UNII 3:
Test Mode: beamforming 4T2S:
Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	10.49
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	7.63
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.54
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	2.10
5.725-5.85GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	15.11
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	11.86
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	9.03

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5500MHz	Pass	4.32	4.55	4.90	4.44	4.22	10.49	11.00
5580MHz	Pass	4.32	4.51	4.69	4.62	4.07	10.43	11.00
5700MHz	Pass	4.32	4.99	4.56	4.58	3.91	10.48	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.32	4.73	4.14	4.12	3.56	10.13	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.76	3.25	2.62	2.52	2.02	8.58	30.00
5745MHz	Pass	4.76	9.94	9.16	8.97	8.44	15.11	30.00
5785MHz	Pass	4.76	9.61	8.87	8.67	8.35	14.84	30.00
5825MHz	Pass	4.76	9.69	9.09	8.49	8.91	15.04	30.00
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5510MHz	Pass	4.32	1.56	1.74	1.70	1.10	7.47	11.00
5550MHz	Pass	4.32	1.25	1.67	1.56	0.60	7.25	11.00
5670MHz	Pass	4.32	1.87	1.40	1.33	0.73	7.30	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.32	2.18	1.67	1.63	1.08	7.63	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.76	0.26	-0.29	-0.17	-0.81	5.74	30.00
5755MHz	Pass	4.76	6.84	5.71	5.83	5.24	11.86	30.00
5795MHz	Pass	4.76	6.58	5.86	5.74	5.20	11.81	30.00
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.32	-1.10	-1.40	-1.29	-2.04	4.54	11.00
5610MHz	Pass	4.32	-1.10	-1.46	-1.21	-1.95	4.50	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.32	-1.09	-1.47	-1.57	-2.16	4.42	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.76	-3.24	-3.74	-3.74	-4.32	2.24	30.00
5775MHz	Pass	4.76	3.79	2.87	3.28	2.17	9.03	30.00
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.32	-3.50	-3.83	-3.51	-4.36	2.10	11.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5500MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.49	10.49	4.55	4.90	4.44	4.22

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5580MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.43	10.43	4.51	4.69	4.62	4.07

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5700MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.48	10.48	4.99	4.56	4.58	3.91

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.13	10.13	4.73	4.14	4.12	3.56

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.58	8.58	3.25	2.62	2.52	2.02

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5745MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.11	15.11	9.94	9.16	8.97	8.44

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5785MHz

20/01/2022




802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5825MHz

20/01/2022




802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5510MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.47	7.47	1.56	1.74	1.70	1.10

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5550MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.25	7.25	1.25	1.67	1.56	0.60

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5670MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.30	7.30	1.87	1.40	1.33	0.73

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.63	7.63	2.18	1.67	1.63	1.08

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.74	5.74	0.26	-0.29	-0.17	-0.81

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5755MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.86	11.86	6.84	5.71	5.83	5.24

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5795MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.81	11.81	6.58	5.86	5.74	5.20

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5530MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.54	4.54	-1.10	-1.40	-1.29	-2.04

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5610MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.50	4.50	-1.10	-1.46	-1.21	-1.95

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.42	4.42	-1.09	-1.47	-1.57	-2.16

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.24	2.24	-3.24	-3.74	-3.74	-4.32

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5775MHz

20/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.03	9.03	3.79	2.87	3.28	2.17

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

PSD

5570MHz

20/01/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.10	2.10	-3.50	-3.83	-3.51	-4.36



For UNII 4:
Test Mode: non-beamforming 4T1S:
Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	12.14	19.85

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-
5845MHz	Pass	7.71	6.38	6.20	5.86	5.99	12.08	19.79	20.00
5865MHz	Pass	7.71	6.66	6.33	5.85	5.93	12.14	19.85	20.00
5885MHz	Pass	7.71	6.67	6.10	5.78	6.11	12.11	19.82	20.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5845MHz

23/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.08	12.08	6.38	6.20	5.86	5.99

802.11a_Nss1,(6Mbps)_4TX

PSD

5865MHz

23/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.14	12.14	6.66	6.33	5.85	5.93

802.11a_Nss1,(6Mbps)_4TX

PSD

5885MHz

23/03/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.11	12.11	6.67	6.10	5.78	6.11



For UNII 4:
Test Mode: beamforming 4T1S:
Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	12.24	19.95
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	11.88	19.59
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	8.76	16.47
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	3.70	11.41

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	7.71	6.47	6.27	5.88	6.05	12.12	Inf	19.83	20.00
5865MHz	Pass	7.71	6.71	6.49	6.06	5.98	12.24	Inf	19.95	20.00
5885MHz	Pass	7.71	3.80	4.20	3.43	3.41	9.63	Inf	17.34	20.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	7.71	5.41	5.04	4.79	5.05	11.09	Inf	18.80	20.00
5875MHz	Pass	7.71	6.39	5.86	5.69	5.76	11.88	Inf	19.59	20.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	7.71	3.12	3.07	2.33	2.59	8.76	Inf	16.47	20.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	7.71	-1.80	-2.33	-2.57	-2.52	3.70	Inf	11.41	20.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5845MHz

23/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.12	12.12	6.47	6.27	5.88	6.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5865MHz

23/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.24	12.24	6.71	6.49	6.06	5.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5885MHz

25/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.63	9.63	3.80	4.20	3.43	3.41

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5835MHz

23/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.09	11.09	5.41	5.04	4.79	5.05

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5875MHz

23/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.88	11.88	6.39	5.86	5.69	5.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5855MHz

23/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.76	8.76	3.12	3.07	2.33	2.59

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5815MHz

25/01/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.70	3.70	-1.80	-2.33	-2.57	-2.52



For UNII 4:
Test Mode: non-beamforming 4T2S:
Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	14.92	20.00
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	14.13	19.21
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	11.35	16.43
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	3.58	8.66

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	5.08	9.43	9.00	8.54	8.74	14.92	Inf	20.00	20.00
5865MHz	Pass	5.08	9.34	9.17	8.53	8.76	14.89	Inf	19.97	20.00
5885MHz	Pass	5.08	4.67	4.97	4.16	4.54	10.55	Inf	15.63	20.00
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	5.08	7.80	7.54	7.01	7.55	13.42	Inf	18.50	20.00
5875MHz	Pass	5.08	8.68	8.26	7.85	8.09	14.13	Inf	19.21	20.00
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	5.08	5.85	5.57	4.89	5.35	11.35	Inf	16.43	20.00
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	5.08	-1.99	-2.25	-2.92	-2.65	3.58	Inf	8.66	20.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5845MHz

25/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.92	14.92	9.43	9.00	8.54	8.74

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5865MHz

25/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.89	14.89	9.34	9.17	8.53	8.76

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5885MHz

25/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.55	10.55	4.67	4.97	4.16	4.54

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5835MHz

25/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.42	13.42	7.80	7.54	7.01	7.55

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5875MHz

25/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.13	14.13	8.68	8.26	7.85	8.09

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5855MHz

25/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.35	11.35	5.85	5.57	4.89	5.35

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

PSD

5815MHz

26/01/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.58	3.58	-1.99	-2.25	-2.92	-2.65



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	PK	75.59M	35.88	40.00	-4.12	Vertical

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	46.49M	34.85	40.00	-5.15	-15.65	3	Vertical	15	2.00	-	50.50	14.95	1.60	32.20
QP	49.4M	34.12	40.00	-5.88	-16.68	3	Vertical	0	1.00	-	50.80	13.93	1.60	32.21
PK	75.59M	35.88	40.00	-4.12	-18.02	3	Vertical	199	1.50	"Worst"	53.90	12.31	1.80	32.13
PK	87.23M	29.07	40.00	-10.93	-16.23	3	Vertical	360	1.50	-	45.30	14.05	1.80	32.08
PK	625.58M	36.86	46.00	-9.14	-4.58	3	Vertical	176	1.50	-	41.44	25.36	3.20	33.14
PK	777.87M	34.46	46.00	-11.54	-4.16	3	Vertical	169	1.00	-	38.62	25.77	3.56	33.49

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	58.13M	29.48	40.00	-10.52	-17.95	3	Horizontal	286	2.00	-	47.43	12.57	1.66	32.18
PK	75.59M	29.62	40.00	-10.38	-18.02	3	Horizontal	89	2.00	-	47.64	12.31	1.80	32.13
PK	158.04M	32.64	43.50	-10.86	-14.01	3	Horizontal	221	2.00	-	46.65	16.11	2.00	32.12
PK	500.45M	33.54	46.00	-12.46	-6.13	3	Horizontal	223	2.00	-	39.67	23.55	3.00	32.68
PK	625.58M	36.13	46.00	-9.87	-4.58	3	Horizontal	209	1.50	"Worst"	40.71	25.36	3.20	33.14
PK	898.15M	33.43	46.00	-12.57	-2.00	3	Horizontal	268	1.25	-	35.43	27.21	3.89	33.10



For UNII 1~UNII 2A:


Test Mode: non-beamforming 2T1S:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	53.88	54.00	-0.12	3	Vertical	284	1.80	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 93
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	68.81	74.00	-5.19	63.31	3	Vertical	283	1.69	-	31.72	5.75	31.97
AV	5.15G	53.72	54.00	-0.28	48.25	3	Vertical	283	1.69	-	31.70	5.75	31.98
PK	5.1812G	121.17	Inf	-Inf	115.87	3	Vertical	283	1.69	-	31.51	5.78	31.99
AV	5.181G	111.08	Inf	-Inf	105.78	3	Vertical	283	1.69	-	31.51	5.78	31.99

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 93
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	62.85	74.00	-11.15	57.37	3	Horizontal	342	2.06	-	31.71	5.75	31.98
AV	5.1496G	48.77	54.00	-5.23	43.30	3	Horizontal	342	2.06	-	31.70	5.75	31.98
PK	5.1784G	111.69	Inf	-Inf	106.37	3	Horizontal	342	2.06	-	31.53	5.78	31.99
AV	5.1834G	101.69	Inf	-Inf	96.40	3	Horizontal	342	2.06	-	31.50	5.78	31.99

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 93
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56292G	61.36	74.00	-12.64	44.90	3	Vertical	360	1.03	-	38.39	12.32	34.25
AV	15.5664G	48.02	54.00	-5.98	31.58	3	Vertical	360	1.03	-	38.37	12.32	34.25

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 93
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5664G	61.17	74.00	-12.83	44.73	3	Horizontal	130	1.21	-	38.37	12.32	34.25
AV	15.56988G	48.05	54.00	-5.95	31.63	3	Horizontal	130	1.21	-	38.35	12.32	34.25

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 102
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	71.54	74.00	-2.46	66.06	3	Vertical	282	1.80	-	31.71	5.75	31.98
AV	5.15G	53.79	54.00	-0.21	48.32	3	Vertical	282	1.80	-	31.70	5.75	31.98
PK	5.2064G	122.83	Inf	-Inf	117.67	3	Vertical	282	1.80	-	31.36	5.80	32.00
AV	5.2012G	112.82	Inf	-Inf	107.63	3	Vertical	282	1.80	-	31.39	5.80	32.00

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 102
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	62.60	74.00	-11.40	57.10	3	Horizontal	337	2.02	-	31.72	5.75	31.97
AV	5.15G	48.33	54.00	-5.67	42.86	3	Horizontal	337	2.02	-	31.70	5.75	31.98
PK	5.2044G	113.67	Inf	-Inf	108.50	3	Horizontal	337	2.02	-	31.37	5.80	32.00
AV	5.204G	103.59	Inf	-Inf	98.41	3	Horizontal	337	2.02	-	31.38	5.80	32.00

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 102
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59784G	62.11	74.00	-11.89	45.82	3	Vertical	283	2.80	-	38.21	12.34	34.26
AV	15.5981G	48.08	54.00	-5.92	31.79	3	Vertical	283	2.80	-	38.21	12.34	34.26

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 102
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9993G	62.64	74.00	-11.36	46.36	3	Horizontal	26	2.92	-	38.20	12.34	34.26
AV	15.99834G	48.05	54.00	-5.95	31.76	3	Horizontal	26	2.92	-	38.21	12.34	34.26

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 106
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	66.88	74.00	-7.12	61.37	3	Vertical	284	1.76	-	31.74	5.74	31.97
AV	5.1458G	52.11	54.00	-1.89	46.60	3	Vertical	284	1.76	-	31.73	5.75	31.97
PK	5.2358G	123.12	Inf	-Inf	118.14	3	Vertical	284	1.76	-	31.19	5.80	32.01
AV	5.2412G	113.06	Inf	-Inf	108.13	3	Vertical	284	1.76	-	31.15	5.80	32.02
PK	5.3504G	61.61	74.00	-12.39	56.77	3	Vertical	284	1.76	-	31.10	5.80	32.06
AV	5.35G	48.17	54.00	-5.83	43.33	3	Vertical	284	1.76	-	31.10	5.80	32.06

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 106
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	60.22	74.00	-13.78	54.69	3	Horizontal	340	1.80	-	31.76	5.74	31.97
AV	5.1446G	47.35	54.00	-6.65	41.85	3	Horizontal	340	1.80	-	31.73	5.74	31.97
PK	5.2382G	115.30	Inf	-Inf	110.34	3	Horizontal	340	1.80	-	31.17	5.80	32.01
AV	5.2388G	104.80	Inf	-Inf	99.85	3	Horizontal	340	1.80	-	31.17	5.80	32.02
PK	5.3534G	59.27	74.00	-14.73	54.42	3	Horizontal	340	1.80	-	31.12	5.80	32.07
AV	5.3504G	46.24	54.00	-7.76	41.40	3	Horizontal	340	1.80	-	31.10	5.80	32.06

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 106
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72246G	61.15	74.00	-12.85	45.24	3	Vertical	218	2.95	-	37.80	12.42	34.31
AV	15.7189G	46.99	54.00	-7.01	31.08	3	Vertical	218	2.95	-	37.80	12.42	34.31

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 106
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7204G	61.52	74.00	-12.48	45.61	3	Horizontal	235	1.23	-	37.80	12.42	34.31
AV	15.71598G	46.95	54.00	-7.05	31.04	3	Horizontal	235	1.23	-	37.80	12.42	34.31

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.67	74.00	-4.33	64.20	3	Vertical	283	1.88	-	31.70	5.75	31.98
AV	5.15G	52.69	54.00	-1.31	47.22	3	Vertical	283	1.88	-	31.70	5.75	31.98
PK	5.2612G	124.29	Inf	-Inf	119.41	3	Vertical	283	1.88	-	31.10	5.80	32.02
AV	5.2564G	113.18	Inf	-Inf	108.30	3	Vertical	283	1.88	-	31.10	5.80	32.02
PK	5.353G	68.66	74.00	-5.34	63.81	3	Vertical	283	1.88	-	31.12	5.80	32.07
AV	5.3524G	53.30	54.00	-0.70	48.46	3	Vertical	283	1.88	-	31.11	5.80	32.07

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.37	74.00	-11.63	56.90	3	Horizontal	341	1.99	-	31.70	5.75	31.98
AV	5.15G	47.96	54.00	-6.04	42.49	3	Horizontal	341	1.99	-	31.70	5.75	31.98
PK	5.2588G	115.62	Inf	-Inf	110.74	3	Horizontal	341	1.99	-	31.10	5.80	32.02
AV	5.2582G	105.09	Inf	-Inf	100.21	3	Horizontal	341	1.99	-	31.10	5.80	32.02
PK	5.353G	61.67	74.00	-12.33	56.82	3	Horizontal	341	1.99	-	31.12	5.80	32.07
AV	5.35G	48.21	54.00	-5.79	43.37	3	Horizontal	341	1.99	-	31.10	5.80	32.06

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7769G	59.94	74.00	-14.06	44.02	3	Vertical	355	2.17	-	37.80	12.45	34.33
AV	15.775G	46.37	54.00	-7.63	30.45	3	Vertical	355	2.17	-	37.80	12.45	34.33

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78016G	59.86	74.00	-14.14	43.93	3	Horizontal	78	2.84	-	37.80	12.46	34.33
AV	15.78358G	46.39	54.00	-7.61	30.46	3	Horizontal	78	2.84	-	37.80	12.46	34.33

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 103
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.296G	121.66	Inf	-Inf	116.80	3	Vertical	284	1.80	-	31.10	5.80	32.04
AV	5.296G	111.62	Inf	-Inf	106.76	3	Vertical	284	1.80	-	31.10	5.80	32.04
PK	5.3512G	69.80	74.00	-4.20	64.95	3	Vertical	284	1.80	-	31.11	5.80	32.06
AV	5.35G	53.88	54.00	-0.12	49.04	3	Vertical	284	1.80	-	31.10	5.80	32.06

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 103
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	113.46	Inf	-Inf	108.60	3	Horizontal	340	1.91	-	31.10	5.80	32.04
AV	5.2936G	103.35	Inf	-Inf	98.49	3	Horizontal	340	1.91	-	31.10	5.80	32.04
PK	5.3528G	62.73	74.00	-11.27	57.88	3	Horizontal	340	1.91	-	31.12	5.80	32.07
AV	5.3516G	48.11	54.00	-5.89	43.26	3	Horizontal	340	1.91	-	31.11	5.80	32.06

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT X_4TX
Setting
06-D--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89762G	59.37	74.00	-14.63	43.62	3	Vertical	184	1.98	-	37.60	12.53	34.38
AV	15.8976G	45.70	54.00	-8.30	29.95	3	Vertical	184	1.98	-	37.60	12.53	34.38

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 103
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90088G	59.50	74.00	-14.50	43.74	3	Horizontal	2	1.38	-	37.60	12.54	34.38
AV	15.89722G	45.74	54.00	-8.26	29.98	3	Horizontal	2	1.38	-	37.61	12.53	34.38

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 93
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3266G	118.62	Inf	-Inf	113.77	3	Vertical	285	1.80	-	31.10	5.80	32.05
AV	5.321G	108.35	Inf	-Inf	103.50	3	Vertical	285	1.80	-	31.10	5.80	32.05
PK	5.3546G	70.47	74.00	-3.53	65.61	3	Vertical	285	1.80	-	31.13	5.80	32.07
AV	5.35G	53.76	54.00	-0.24	48.92	3	Vertical	285	1.80	-	31.10	5.80	32.06

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 93
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3238G	110.53	Inf	-Inf	105.68	3	Horizontal	341	1.76	-	31.10	5.80	32.05
AV	5.3238G	100.02	Inf	-Inf	95.17	3	Horizontal	341	1.76	-	31.10	5.80	32.05
PK	5.3528G	62.21	74.00	-11.79	57.36	3	Horizontal	341	1.76	-	31.12	5.80	32.07
AV	5.35G	48.12	54.00	-5.88	43.28	3	Horizontal	341	1.76	-	31.10	5.80	32.06

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 93
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9584G	59.09	74.00	-14.91	43.44	3	Vertical	69	1.16	-	37.48	12.57	34.40
AV	15.96366G	45.44	54.00	-8.56	29.80	3	Vertical	69	1.16	-	37.47	12.58	34.41

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom



EUT V_2TX
Setting 93
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96116G	58.69	74.00	-15.31	43.04	3	Horizontal	154	1.28	-	37.48	12.57	34.40
AV	15.95622G	45.42	54.00	-8.58	29.76	3	Horizontal	154	1.28	-	37.49	12.57	34.40



For UNII 1~UNII 2A:


Test Mode: non-beamforming 2T2S:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.92	54.00	-0.08	3	Vertical	285	1.76	-

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 94
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	67.80	74.00	-6.20	62.30	3	Vertical	286	1.69	-	31.72	5.75	31.97
AV	5.1496G	53.91	54.00	-0.09	48.44	3	Vertical	286	1.69	-	31.70	5.75	31.98
PK	5.1756G	119.36	Inf	-Inf	114.02	3	Vertical	286	1.69	-	31.55	5.78	31.99
AV	5.1776G	108.59	Inf	-Inf	103.27	3	Vertical	286	1.69	-	31.53	5.78	31.99

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 94
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	62.37	74.00	-11.63	56.87	3	Horizontal	273	2.07	-	31.73	5.74	31.97
AV	5.1498G	49.20	54.00	-4.80	43.73	3	Horizontal	273	2.07	-	31.70	5.75	31.98
PK	5.182G	111.09	Inf	-Inf	105.79	3	Horizontal	273	2.07	-	31.51	5.78	31.99
AV	5.182G	99.89	Inf	-Inf	94.59	3	Horizontal	273	2.07	-	31.51	5.78	31.99

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 94
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55158G	60.49	74.00	-13.51	43.98	3	Vertical	360	1.80	-	38.44	12.31	34.24
AV	15.54852G	46.81	54.00	-7.19	30.28	3	Vertical	360	1.80	-	38.46	12.31	34.24

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 94
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54576G	61.03	74.00	-12.97	44.50	3	Horizontal	344	1.80	-	38.47	12.30	34.24
AV	15.55122G	46.63	54.00	-7.37	30.12	3	Horizontal	344	1.80	-	38.44	12.31	34.24

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 100
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	72.19	74.00	-1.81	66.71	3	Vertical	284	1.80	-	31.71	5.75	31.98
AV	5.15G	53.23	54.00	-0.77	47.76	3	Vertical	284	1.80	-	31.70	5.75	31.98
PK	5.2064G	120.83	Inf	-Inf	115.67	3	Vertical	284	1.80	-	31.36	5.80	32.00
AV	5.1976G	110.10	Inf	-Inf	104.89	3	Vertical	284	1.80	-	31.41	5.80	32.00

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 100
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.43	74.00	-11.57	56.96	3	Horizontal	270	2.96	-	31.70	5.75	31.98
AV	5.15G	47.72	54.00	-6.28	42.25	3	Horizontal	270	2.96	-	31.70	5.75	31.98
PK	5.2036G	112.84	Inf	-Inf	107.66	3	Horizontal	270	2.96	-	31.38	5.80	32.00
AV	5.2064G	101.60	Inf	-Inf	96.44	3	Horizontal	270	2.96	-	31.36	5.80	32.00

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 100
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58602G	61.09	74.00	-12.91	44.74	3	Vertical	276	1.80	-	38.27	12.33	34.25
AV	15.60186G	46.42	54.00	-7.58	30.15	3	Vertical	276	1.80	-	38.19	12.34	34.26

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 100
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58968G	60.02	74.00	-13.98	43.70	3	Horizontal	198	1.77	-	38.25	12.33	34.26
AV	15.58524G	46.23	54.00	-7.77	29.88	3	Horizontal	198	1.77	-	38.27	12.33	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 105
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1326G	66.78	74.00	-7.22	61.22	3	Vertical	288	1.74	-	31.80	5.73	31.97
AV	5.1476G	51.11	54.00	-2.89	45.62	3	Vertical	288	1.74	-	31.71	5.75	31.97
PK	5.2376G	121.85	Inf	-Inf	116.89	3	Vertical	288	1.74	-	31.17	5.80	32.01
AV	5.2376G	110.87	Inf	-Inf	105.91	3	Vertical	288	1.74	-	31.17	5.80	32.01
PK	5.3516G	62.15	74.00	-11.85	57.30	3	Vertical	288	1.74	-	31.11	5.80	32.06
AV	5.35G	48.10	54.00	-5.90	43.26	3	Vertical	288	1.74	-	31.10	5.80	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 105
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	60.73	74.00	-13.27	55.18	3	Horizontal	342	1.91	-	31.78	5.74	31.97
AV	5.1482G	47.15	54.00	-6.85	41.67	3	Horizontal	342	1.91	-	31.71	5.75	31.98
PK	5.2466G	113.31	Inf	-Inf	108.41	3	Horizontal	342	1.91	-	31.12	5.80	32.02
AV	5.2466G	102.70	Inf	-Inf	97.80	3	Horizontal	342	1.91	-	31.12	5.80	32.02
PK	5.3576G	59.38	74.00	-14.62	54.50	3	Horizontal	342	1.91	-	31.15	5.80	32.07
AV	5.3522G	45.98	54.00	-8.02	41.13	3	Horizontal	342	1.91	-	31.11	5.80	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 105
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72078G	59.75	74.00	-14.25	43.84	3	Vertical	278	1.80	-	37.80	12.42	34.31
AV	15.7071G	45.72	54.00	-8.28	29.81	3	Vertical	278	1.80	-	37.80	12.41	34.30

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 105
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72516G	59.21	74.00	-14.79	43.30	3	Horizontal	201	2.70	-	37.80	12.42	34.31
AV	15.70662G	45.77	54.00	-8.23	29.86	3	Horizontal	201	2.70	-	37.80	12.41	34.30

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 106
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	67.46	74.00	-6.54	61.87	3	Vertical	289	1.86	-	31.83	5.73	31.97
AV	5.15G	53.04	54.00	-0.96	47.57	3	Vertical	289	1.86	-	31.70	5.75	31.98
PK	5.2618G	122.04	Inf	-Inf	117.17	3	Vertical	289	1.86	-	31.10	5.80	32.03
AV	5.2576G	110.76	Inf	-Inf	105.88	3	Vertical	289	1.86	-	31.10	5.80	32.02
PK	5.3542G	67.53	74.00	-6.47	62.67	3	Vertical	289	1.86	-	31.13	5.80	32.07
AV	5.35G	53.71	54.00	-0.29	48.87	3	Vertical	289	1.86	-	31.10	5.80	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 106
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.10	74.00	-11.90	56.63	3	Horizontal	338	2.00	-	31.70	5.75	31.98
AV	5.15G	48.34	54.00	-5.66	42.87	3	Horizontal	338	2.00	-	31.70	5.75	31.98
PK	5.2618G	114.01	Inf	-Inf	109.14	3	Horizontal	338	2.00	-	31.10	5.80	32.03
AV	5.2618G	102.85	Inf	-Inf	97.98	3	Horizontal	338	2.00	-	31.10	5.80	32.03
PK	5.35G	60.64	74.00	-13.36	55.80	3	Horizontal	338	2.00	-	31.10	5.80	32.06
AV	5.35G	48.34	54.00	-5.66	43.50	3	Horizontal	338	2.00	-	31.10	5.80	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 106
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77982G	59.39	74.00	-14.61	43.46	3	Vertical	243	1.80	-	37.80	12.46	34.33
AV	15.76512G	45.65	54.00	-8.35	29.73	3	Vertical	243	1.80	-	37.80	12.45	34.33

802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 106
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76746G	59.82	74.00	-14.18	43.90	3	Horizontal	230	1.80	-	37.80	12.45	34.33
AV	15.76842G	45.66	54.00	-8.34	29.74	3	Horizontal	230	1.80	-	37.80	12.45	34.33

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 102
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	119.95	Inf	-Inf	115.09	3	Vertical	285	1.80	-	31.10	5.80	32.04
AV	5.2976G	109.85	Inf	-Inf	104.99	3	Vertical	285	1.80	-	31.10	5.80	32.04
PK	5.3508G	69.58	74.00	-4.42	64.74	3	Vertical	285	1.80	-	31.10	5.80	32.06
AV	5.35G	53.19	54.00	-0.81	48.35	3	Vertical	285	1.80	-	31.10	5.80	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 102
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	112.47	Inf	-Inf	107.61	3	Horizontal	341	1.98	-	31.10	5.80	32.04
AV	5.3068G	100.98	Inf	-Inf	96.12	3	Horizontal	341	1.98	-	31.10	5.80	32.04
PK	5.3504G	62.71	74.00	-11.29	57.87	3	Horizontal	341	1.98	-	31.10	5.80	32.06
AV	5.35G	48.21	54.00	-5.79	43.37	3	Horizontal	341	1.98	-	31.10	5.80	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 102
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9107G	60.24	74.00	-13.76	44.50	3	Vertical	60	1.80	-	37.58	12.54	34.38
AV	15.8774G	45.77	54.00	-8.23	29.97	3	Vertical	60	1.80	-	37.65	12.52	34.37

802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 102
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9055G	59.50	74.00	-14.50	43.75	3	Horizontal	133	1.80	-	37.59	12.54	34.38
AV	15.8866G	45.73	54.00	-8.27	29.94	3	Horizontal	133	1.80	-	37.63	12.53	34.37

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 93
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3226G	117.58	Inf	-Inf	112.73	3	Vertical	290	1.80	-	31.10	5.80	32.05
AV	5.3178G	106.33	Inf	-Inf	101.48	3	Vertical	290	1.80	-	31.10	5.80	32.05
PK	5.3528G	68.28	74.00	-5.72	63.43	3	Vertical	290	1.80	-	31.12	5.80	32.07
AV	5.35G	53.28	54.00	-0.72	48.44	3	Vertical	290	1.80	-	31.10	5.80	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 93
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	109.53	Inf	-Inf	104.68	3	Horizontal	343	1.79	-	31.10	5.80	32.05
AV	5.3266G	98.22	Inf	-Inf	93.37	3	Horizontal	343	1.79	-	31.10	5.80	32.05
PK	5.3522G	60.93	74.00	-13.07	56.08	3	Horizontal	343	1.79	-	31.11	5.80	32.06
AV	5.35G	47.79	54.00	-6.21	42.95	3	Horizontal	343	1.79	-	31.10	5.80	32.06

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 93
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9368G	59.46	74.00	-14.54	43.76	3	Vertical	355	1.80	-	37.53	12.56	34.39
AV	15.9351G	45.29	54.00	-8.71	29.59	3	Vertical	355	1.80	-	37.53	12.56	34.39

802.11ax HEW20_Nss2,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 93
06-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9697G	58.23	74.00	-15.77	42.60	3	Horizontal	12	1.80	-	37.46	12.58	34.41
AV	15.935G	45.16	54.00	-8.84	29.46	3	Horizontal	12	1.80	-	37.53	12.56	34.39

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 89
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	68.14	74.00	-5.86	62.66	3	Vertical	279	1.72	-	31.71	5.75	31.98
AV	5.15G	53.42	54.00	-0.58	47.95	3	Vertical	279	1.72	-	31.70	5.75	31.98
PK	5.1936G	114.08	Inf	-Inf	108.85	3	Vertical	279	1.72	-	31.44	5.79	32.00
AV	5.1936G	104.00	Inf	-Inf	98.77	3	Vertical	279	1.72	-	31.44	5.79	32.00

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 89
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	61.82	74.00	-12.18	56.32	3	Horizontal	272	2.08	-	31.72	5.75	31.97
AV	5.15G	48.37	54.00	-5.63	42.90	3	Horizontal	272	2.08	-	31.70	5.75	31.98
PK	5.1848G	108.11	Inf	-Inf	102.83	3	Horizontal	272	2.08	-	31.49	5.78	31.99
AV	5.1844G	95.68	Inf	-Inf	90.40	3	Horizontal	272	2.08	-	31.49	5.78	31.99

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 89
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56876G	61.42	74.00	-12.58	44.99	3	Vertical	16	1.53	-	38.36	12.32	34.25
AV	15.5689G	47.83	54.00	-6.17	31.40	3	Vertical	16	1.53	-	38.36	12.32	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 89
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56528G	61.85	74.00	-12.15	45.41	3	Horizontal	153	2.21	-	38.37	12.32	34.25
AV	15.57468G	47.85	54.00	-6.15	31.45	3	Horizontal	153	2.21	-	38.33	12.32	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 95
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.87	74.00	-6.13	62.40	3	Vertical	289	1.86	-	31.70	5.75	31.98
AV	5.15G	53.38	54.00	-0.62	47.91	3	Vertical	289	1.86	-	31.70	5.75	31.98
PK	5.2246G	116.79	Inf	-Inf	111.75	3	Vertical	289	1.86	-	31.25	5.80	32.01
AV	5.2378G	105.85	Inf	-Inf	100.89	3	Vertical	289	1.86	-	31.17	5.80	32.01
PK	5.3512G	60.86	74.00	-13.14	56.01	3	Vertical	289	1.86	-	31.11	5.80	32.06
AV	5.35G	47.96	54.00	-6.04	43.12	3	Vertical	289	1.86	-	31.10	5.80	32.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 95
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	62.34	74.00	-11.66	56.77	3	Horizontal	344	2.04	-	31.81	5.73	31.97
AV	5.15G	48.07	54.00	-5.93	42.60	3	Horizontal	344	2.04	-	31.70	5.75	31.98
PK	5.2246G	108.41	Inf	-Inf	103.37	3	Horizontal	344	2.04	-	31.25	5.80	32.01
AV	5.2264G	97.70	Inf	-Inf	92.67	3	Horizontal	344	2.04	-	31.24	5.80	32.01
PK	5.3578G	58.73	74.00	-15.27	53.85	3	Horizontal	344	2.04	-	31.15	5.80	32.07
AV	5.35G	45.99	54.00	-8.01	41.15	3	Horizontal	344	2.04	-	31.10	5.80	32.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 95
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68914G	60.97	74.00	-13.03	45.03	3	Vertical	60	2.51	-	37.84	12.40	34.30
AV	15.68526G	47.35	54.00	-6.65	31.38	3	Vertical	60	2.51	-	37.86	12.40	34.29

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 95
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68804G	61.30	74.00	-12.70	45.35	3	Horizontal	78	1.11	-	37.85	12.40	34.30
AV	15.69368G	47.36	54.00	-6.64	31.43	3	Horizontal	78	1.11	-	37.83	12.40	34.30

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
Setting 94
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	63.82	74.00	-10.18	58.32	3	Vertical	279	1.53	-	31.72	5.75	31.97
AV	5.1482G	50.18	54.00	-3.82	44.70	3	Vertical	279	1.53	-	31.71	5.75	31.98
PK	5.2532G	115.61	Inf	-Inf	110.73	3	Vertical	279	1.53	-	31.10	5.80	32.02
AV	5.2532G	105.42	Inf	-Inf	100.54	3	Vertical	279	1.53	-	31.10	5.80	32.02
PK	5.3504G	67.31	74.00	-6.69	62.47	3	Vertical	279	1.53	-	31.10	5.80	32.06
AV	5.35G	53.62	54.00	-0.38	48.78	3	Vertical	279	1.53	-	31.10	5.80	32.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
Setting 94
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	58.89	74.00	-15.11	53.33	3	Horizontal	341	1.78	-	31.80	5.73	31.97
AV	5.147G	46.78	54.00	-7.22	41.28	3	Horizontal	341	1.78	-	31.72	5.75	31.97
PK	5.2562G	108.87	Inf	-Inf	103.99	3	Horizontal	341	1.78	-	31.10	5.80	32.02
AV	5.2664G	97.98	Inf	-Inf	93.11	3	Horizontal	341	1.78	-	31.10	5.80	32.03
PK	5.3552G	60.37	74.00	-13.63	55.51	3	Horizontal	341	1.78	-	31.13	5.80	32.07
AV	5.35G	48.16	54.00	-5.84	43.32	3	Horizontal	341	1.78	-	31.10	5.80	32.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 94
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81376G	59.65	74.00	-14.35	43.75	3	Vertical	155	1.74	-	37.77	12.48	34.35
AV	15.80936G	46.22	54.00	-7.78	30.30	3	Vertical	155	1.74	-	37.78	12.48	34.34

802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 94
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80702G	60.72	74.00	-13.28	44.80	3	Horizontal	286	2.43	-	37.79	12.47	34.34
AV	15.8063G	46.26	54.00	-7.74	30.34	3	Horizontal	286	2.43	-	37.79	12.47	34.34

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TnomVnom




EUT V_2TX
Setting 88
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	112.98	Inf	-Inf	108.12	3	Vertical	289	1.83	-	31.10	5.80	32.04
AV	5.318G	102.54	Inf	-Inf	97.69	3	Vertical	289	1.83	-	31.10	5.80	32.05
PK	5.3532G	67.76	74.00	-6.24	62.91	3	Vertical	289	1.83	-	31.12	5.80	32.07
AV	5.3504G	53.40	54.00	-0.60	48.56	3	Vertical	289	1.83	-	31.10	5.80	32.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 88
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3244G	105.75	Inf	-Inf	100.90	3	Horizontal	342	2.05	-	31.10	5.80	32.05
AV	5.3064G	94.71	Inf	-Inf	89.85	3	Horizontal	342	2.05	-	31.10	5.80	32.04
PK	5.35G	59.90	74.00	-14.10	55.06	3	Horizontal	342	2.05	-	31.10	5.80	32.06
AV	5.35G	47.90	54.00	-6.10	43.06	3	Horizontal	342	2.05	-	31.10	5.80	32.06

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 88
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9268G	59.62	74.00	-14.38	43.91	3	Vertical	136	2.60	-	37.55	12.55	34.39
AV	15.93246G	45.53	54.00	-8.47	29.82	3	Vertical	136	2.60	-	37.54	12.56	34.39

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 88
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9292G	59.32	74.00	-14.68	43.62	3	Horizontal	343	1.33	-	37.54	12.55	34.39
AV	15.9259G	45.55	54.00	-8.45	29.84	3	Horizontal	343	1.33	-	37.55	12.55	34.39

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 88
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1284G	66.02	74.00	-7.98	60.43	3	Vertical	86	1.77	-	31.83	5.73	31.97
AV	5.15G	53.33	54.00	-0.67	47.86	3	Vertical	86	1.77	-	31.70	5.75	31.98
PK	5.2204G	112.94	Inf	-Inf	107.87	3	Vertical	86	1.77	-	31.28	5.80	32.01
AV	5.222G	99.85	Inf	-Inf	94.79	3	Vertical	86	1.77	-	31.27	5.80	32.01
PK	5.3508G	59.91	74.00	-14.09	55.07	3	Vertical	86	1.77	-	31.10	5.80	32.06
AV	5.35G	48.50	54.00	-5.50	43.66	3	Vertical	86	1.77	-	31.10	5.80	32.06

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 88
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	60.48	74.00	-13.52	54.88	3	Horizontal	341	1.80	-	31.84	5.73	31.97
AV	5.15G	48.10	54.00	-5.90	42.63	3	Horizontal	341	1.80	-	31.70	5.75	31.98
PK	5.2396G	104.61	Inf	-Inf	99.67	3	Horizontal	341	1.80	-	31.16	5.80	32.02
AV	5.2396G	91.39	Inf	-Inf	86.45	3	Horizontal	341	1.80	-	31.16	5.80	32.02
PK	5.3508G	59.19	74.00	-14.81	54.35	3	Horizontal	341	1.80	-	31.10	5.80	32.06
AV	5.3524G	46.03	54.00	-7.97	41.19	3	Horizontal	341	1.80	-	31.11	5.80	32.07

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 88
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62716G	61.65	74.00	-12.35	45.47	3	Vertical	113	2.40	-	38.09	12.36	34.27
AV	15.62712G	47.93	54.00	-6.07	31.75	3	Vertical	113	2.40	-	38.09	12.36	34.27

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 88
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62574G	62.14	74.00	-11.86	45.95	3	Horizontal	189	1.67	-	38.10	12.36	34.27
AV	15.62754G	47.98	54.00	-6.02	31.80	3	Horizontal	189	1.67	-	38.09	12.36	34.27

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TnomVnom




EUT V_2TX
Setting 85
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	64.50	74.00	-9.50	59.02	3	Vertical	285	1.76	-	31.71	5.75	31.98
AV	5.15G	51.68	54.00	-2.32	46.21	3	Vertical	285	1.76	-	31.70	5.75	31.98
PK	5.2744G	112.48	Inf	-Inf	107.61	3	Vertical	285	1.76	-	31.10	5.80	32.03
AV	5.26G	99.41	Inf	-Inf	94.53	3	Vertical	285	1.76	-	31.10	5.80	32.02
PK	5.3506G	65.49	74.00	-8.51	60.65	3	Vertical	285	1.76	-	31.10	5.80	32.06
AV	5.35G	53.92	54.00	-0.08	49.08	3	Vertical	285	1.76	-	31.10	5.80	32.06

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 85
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	59.60	74.00	-14.40	54.12	3	Horizontal	340	1.78	-	31.71	5.75	31.98
AV	5.15G	47.15	54.00	-6.85	41.68	3	Horizontal	340	1.78	-	31.70	5.75	31.98
PK	5.2594G	104.29	Inf	-Inf	99.41	3	Horizontal	340	1.78	-	31.10	5.80	32.02
AV	5.2636G	91.35	Inf	-Inf	86.48	3	Horizontal	340	1.78	-	31.10	5.80	32.03
PK	5.3506G	60.67	74.00	-13.33	55.83	3	Horizontal	340	1.78	-	31.10	5.80	32.06
AV	5.35G	47.96	54.00	-6.04	43.12	3	Horizontal	340	1.78	-	31.10	5.80	32.06

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 85
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86648G	59.55	74.00	-14.45	43.74	3	Vertical	37	1.35	-	37.67	12.51	34.37
AV	15.86584G	45.97	54.00	-8.03	30.16	3	Vertical	37	1.35	-	37.67	12.51	34.37

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 85
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8658G	59.63	74.00	-14.37	43.82	3	Horizontal	304	2.94	-	37.67	12.51	34.37
AV	15.86882G	45.95	54.00	-8.05	30.15	3	Horizontal	304	2.94	-	37.66	12.51	34.37

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_2TX
Setting 75
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	69.57	74.00	-4.43	64.05	3	Vertical	286	1.74	-	31.75	5.74	31.97
AV	5.1492G	53.28	54.00	-0.72	47.81	3	Vertical	286	1.74	-	31.70	5.75	31.98
PK	5.2388G	107.42	Inf	-Inf	102.47	3	Vertical	286	1.74	-	31.17	5.80	32.02
AV	5.266G	94.04	Inf	-Inf	89.17	3	Vertical	286	1.74	-	31.10	5.80	32.03
PK	5.35G	65.52	74.00	-8.48	60.68	3	Vertical	286	1.74	-	31.10	5.80	32.06
AV	5.35G	50.52	54.00	-3.48	45.68	3	Vertical	286	1.74	-	31.10	5.80	32.06
PK	5.5796G	59.64	68.20	-8.56	54.28	3	Vertical	286	1.74	-	31.56	5.98	32.18

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_2TX
Setting 75
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	62.72	74.00	-11.28	57.17	3	Horizontal	344	1.98	-	31.79	5.73	31.97
AV	5.138G	48.19	54.00	-5.81	42.65	3	Horizontal	344	1.98	-	31.77	5.74	31.97
PK	5.2356G	99.19	Inf	-Inf	94.21	3	Horizontal	344	1.98	-	31.19	5.80	32.01
AV	5.2644G	86.46	Inf	-Inf	81.59	3	Horizontal	344	1.98	-	31.10	5.80	32.03
PK	5.35G	60.45	74.00	-13.55	55.61	3	Horizontal	344	1.98	-	31.10	5.80	32.06
AV	5.35G	46.71	54.00	-7.29	41.87	3	Horizontal	344	1.98	-	31.10	5.80	32.06
PK	5.6196G	60.32	68.20	-7.88	54.92	3	Horizontal	344	1.98	-	31.60	6.00	32.20

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz_TnomVnom




EUT X_4TX
Setting
06-D--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75036G	60.62	74.00	-13.38	44.70	3	Vertical	259	1.51	-	37.80	12.44	34.32
AV	15.74614G	46.69	54.00	-7.31	30.78	3	Vertical	259	1.51	-	37.80	12.43	34.32

802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz_TnomVnom



EUT Y_2TX
Setting 75
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74816G	60.16	74.00	-13.84	44.24	3	Horizontal	219	2.41	-	37.80	12.44	34.32
AV	15.74906G	46.64	54.00	-7.36	30.72	3	Horizontal	219	2.41	-	37.80	12.44	34.32



For UNII 1~UNII 2A:


Test Mode: beamforming 2T1S:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3508G	53.99	54.00	-0.01	3	Vertical	281	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 92
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.63	74.00	-7.37	61.16	3	Vertical	86	1.59	-	31.70	5.75	31.98
AV	5.15G	53.48	54.00	-0.52	48.01	3	Vertical	86	1.59	-	31.70	5.75	31.98
PK	5.1736G	123.43	Inf	-Inf	118.09	3	Vertical	86	1.59	-	31.56	5.77	31.99
AV	5.1832G	110.07	Inf	-Inf	104.78	3	Vertical	86	1.59	-	31.50	5.78	31.99

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 92
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1328G	60.59	74.00	-13.41	55.03	3	Horizontal	252	2.96	-	31.80	5.73	31.97
AV	5.149G	47.62	54.00	-6.38	42.14	3	Horizontal	252	2.96	-	31.71	5.75	31.98
PK	5.1854G	113.79	Inf	-Inf	108.50	3	Horizontal	252	2.96	-	31.49	5.79	31.99
AV	5.1846G	100.63	Inf	-Inf	95.35	3	Horizontal	252	2.96	-	31.49	5.78	31.99

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 92
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5421G	61.49	74.00	-12.51	44.94	3	Vertical	176	2.79	-	38.49	12.30	34.24
AV	15.54378G	47.26	54.00	-6.74	30.72	3	Vertical	176	2.79	-	38.48	12.30	34.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 92
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53758G	60.86	74.00	-13.14	44.29	3	Horizontal	50	2.54	-	38.51	12.30	34.24
AV	15.54388G	47.30	54.00	-6.70	30.76	3	Horizontal	50	2.54	-	38.48	12.30	34.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 99
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	71.81	74.00	-2.19	66.33	3	Vertical	85	1.80	-	31.71	5.75	31.98
AV	5.15G	53.72	54.00	-0.28	48.25	3	Vertical	85	1.80	-	31.70	5.75	31.98
PK	5.2048G	125.51	Inf	-Inf	120.34	3	Vertical	85	1.80	-	31.37	5.80	32.00
AV	5.2052G	111.71	Inf	-Inf	106.54	3	Vertical	85	1.80	-	31.37	5.80	32.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 99
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	61.05	74.00	-12.95	55.41	3	Horizontal	257	2.96	-	31.88	5.72	31.96
AV	5.1496G	47.79	54.00	-6.21	42.32	3	Horizontal	257	2.96	-	31.70	5.75	31.98
PK	5.2048G	115.16	Inf	-Inf	109.99	3	Horizontal	257	2.96	-	31.37	5.80	32.00
AV	5.1972G	101.89	Inf	-Inf	96.67	3	Horizontal	257	2.96	-	31.42	5.80	32.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 99
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6031G	62.34	74.00	-11.66	46.07	3	Vertical	209	2.02	-	38.19	12.34	34.26
AV	15.60042G	47.84	54.00	-6.16	31.56	3	Vertical	209	2.02	-	38.20	12.34	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 99
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59534G	62.46	74.00	-11.54	46.16	3	Horizontal	295	1.54	-	38.22	12.34	34.26
AV	15.60172G	47.91	54.00	-6.09	31.64	3	Horizontal	295	1.54	-	38.19	12.34	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 105
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	72.49	74.00	-1.51	66.94	3	Vertical	284	1.80	-	31.78	5.74	31.97
AV	5.1488G	53.46	54.00	-0.54	47.98	3	Vertical	284	1.80	-	31.71	5.75	31.98
PK	5.2382G	126.72	Inf	-Inf	121.76	3	Vertical	284	1.80	-	31.17	5.80	32.01
AV	5.2358G	113.78	Inf	-Inf	108.80	3	Vertical	284	1.80	-	31.19	5.80	32.01
PK	5.35G	68.47	74.00	-5.53	63.63	3	Vertical	284	1.80	-	31.10	5.80	32.06
AV	5.35G	49.82	54.00	-4.18	44.98	3	Vertical	284	1.80	-	31.10	5.80	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 105
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	65.20	74.00	-8.80	59.70	3	Horizontal	267	2.93	-	31.72	5.75	31.97
AV	5.1488G	48.46	54.00	-5.54	42.98	3	Horizontal	267	2.93	-	31.71	5.75	31.98
PK	5.2454G	117.13	Inf	-Inf	112.22	3	Horizontal	267	2.93	-	31.13	5.80	32.02
AV	5.2466G	104.29	Inf	-Inf	99.39	3	Horizontal	267	2.93	-	31.12	5.80	32.02
PK	5.35G	60.64	74.00	-13.36	55.80	3	Horizontal	267	2.93	-	31.10	5.80	32.06
AV	5.35G	47.02	54.00	-6.98	42.18	3	Horizontal	267	2.93	-	31.10	5.80	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 105
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72142G	60.82	74.00	-13.18	44.91	3	Vertical	323	2.65	-	37.80	12.42	34.31
AV	15.71506G	46.89	54.00	-7.11	30.99	3	Vertical	323	2.65	-	37.80	12.41	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 105
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72202G	60.93	74.00	-13.07	45.02	3	Horizontal	289	1.87	-	37.80	12.42	34.31
AV	15.715G	46.89	54.00	-7.11	30.99	3	Horizontal	289	1.87	-	37.80	12.41	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 102
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1346G	61.05	74.00	-12.95	55.50	3	Vertical	103	1.75	-	31.79	5.73	31.97
AV	5.15G	49.11	54.00	-4.89	43.64	3	Vertical	103	1.75	-	31.70	5.75	31.98
PK	5.2528G	124.50	Inf	-Inf	119.62	3	Vertical	103	1.75	-	31.10	5.80	32.02
AV	5.2528G	111.49	Inf	-Inf	106.61	3	Vertical	103	1.75	-	31.10	5.80	32.02
PK	5.3512G	66.32	74.00	-7.68	61.47	3	Vertical	103	1.75	-	31.11	5.80	32.06
AV	5.3512G	50.32	54.00	-3.68	45.47	3	Vertical	103	1.75	-	31.11	5.80	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 102
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	60.02	74.00	-13.98	54.51	3	Horizontal	339	1.90	-	31.74	5.74	31.97
AV	5.1298G	46.64	54.00	-7.36	41.06	3	Horizontal	339	1.90	-	31.82	5.73	31.97
PK	5.2672G	113.84	Inf	-Inf	108.97	3	Horizontal	339	1.90	-	31.10	5.80	32.03
AV	5.266G	101.46	Inf	-Inf	96.59	3	Horizontal	339	1.90	-	31.10	5.80	32.03
PK	5.3506G	59.53	74.00	-14.47	54.69	3	Horizontal	339	1.90	-	31.10	5.80	32.06
AV	5.35G	46.43	54.00	-7.57	41.59	3	Horizontal	339	1.90	-	31.10	5.80	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 102
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77974G	60.43	74.00	-13.57	44.50	3	Vertical	359	2.09	-	37.80	12.46	34.33
AV	15.78388G	46.35	54.00	-7.65	30.42	3	Vertical	359	2.09	-	37.80	12.46	34.33

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT Y_2TX
Setting 102
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77906G	60.68	74.00	-13.32	44.75	3	Horizontal	248	1.33	-	37.80	12.46	34.33
AV	15.775G	46.33	54.00	-7.67	30.41	3	Horizontal	248	1.33	-	37.80	12.45	34.33

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 102
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	124.60	Inf	-Inf	119.74	3	Vertical	85	1.72	-	31.10	5.80	32.04
AV	5.2928G	111.39	Inf	-Inf	106.53	3	Vertical	85	1.72	-	31.10	5.80	32.04
PK	5.3508G	68.51	74.00	-5.49	63.67	3	Vertical	85	1.72	-	31.10	5.80	32.06
AV	5.3504G	53.50	54.00	-0.50	48.66	3	Vertical	85	1.72	-	31.10	5.80	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 102
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.292G	112.68	Inf	-Inf	107.82	3	Horizontal	57	2.04	-	31.10	5.80	32.04
AV	5.2912G	100.92	Inf	-Inf	96.06	3	Horizontal	57	2.04	-	31.10	5.80	32.04
PK	5.352G	58.85	74.00	-15.15	54.00	3	Horizontal	57	2.04	-	31.11	5.80	32.06
AV	5.3508G	46.00	54.00	-8.00	41.16	3	Horizontal	57	2.04	-	31.10	5.80	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 102
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90438G	59.51	74.00	-14.49	43.76	3	Vertical	267	1.23	-	37.59	12.54	34.38
AV	15.89702G	45.81	54.00	-8.19	30.05	3	Vertical	267	1.23	-	37.61	12.53	34.38

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT Y_2TX
Setting 102
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89694G	59.54	74.00	-14.46	43.78	3	Horizontal	46	2.54	-	37.61	12.53	34.38
AV	15.89714G	45.79	54.00	-8.21	30.03	3	Horizontal	46	2.54	-	37.61	12.53	34.38

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 93
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3252G	121.90	Inf	-Inf	117.05	3	Vertical	104	1.77	-	31.10	5.80	32.05
AV	5.323G	108.12	Inf	-Inf	103.27	3	Vertical	104	1.77	-	31.10	5.80	32.05
PK	5.353G	69.86	74.00	-4.14	65.01	3	Vertical	104	1.77	-	31.12	5.80	32.07
AV	5.3508G	53.96	54.00	-0.04	49.12	3	Vertical	104	1.77	-	31.10	5.80	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 93
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3118G	109.84	Inf	-Inf	104.99	3	Horizontal	59	2.11	-	31.10	5.80	32.05
AV	5.3124G	97.57	Inf	-Inf	92.72	3	Horizontal	59	2.11	-	31.10	5.80	32.05
PK	5.3524G	60.19	74.00	-13.81	55.35	3	Horizontal	59	2.11	-	31.11	5.80	32.07
AV	5.3512G	46.74	54.00	-7.26	41.89	3	Horizontal	59	2.11	-	31.11	5.80	32.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 93
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96432G	59.14	74.00	-14.86	43.50	3	Vertical	156	2.67	-	37.47	12.58	34.41
AV	15.9578G	45.41	54.00	-8.59	29.76	3	Vertical	156	2.67	-	37.48	12.57	34.40

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT Y_2TX
Setting 93
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96288G	59.28	74.00	-14.72	43.64	3	Horizontal	22	2.21	-	37.47	12.58	34.41
AV	15.95536G	45.42	54.00	-8.58	29.76	3	Horizontal	22	2.21	-	37.49	12.57	34.40

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 87
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	67.46	74.00	-6.54	61.95	3	Vertical	90	1.80	-	31.73	5.75	31.97
AV	5.1452G	53.91	54.00	-0.09	48.40	3	Vertical	90	1.80	-	31.73	5.75	31.97
PK	5.2036G	119.09	Inf	-Inf	113.91	3	Vertical	90	1.80	-	31.38	5.80	32.00
AV	5.192G	106.45	Inf	-Inf	101.20	3	Vertical	90	1.80	-	31.45	5.79	31.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 87
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	60.10	74.00	-13.90	54.62	3	Horizontal	258.9	2.16	-	31.71	5.75	31.98
AV	5.1472G	47.30	54.00	-6.70	41.80	3	Horizontal	258.9	2.16	-	31.72	5.75	31.97
PK	5.1848G	107.20	Inf	-Inf	101.92	3	Horizontal	258.9	2.16	-	31.49	5.78	31.99
AV	5.186G	94.66	Inf	-Inf	89.38	3	Horizontal	258.9	2.16	-	31.48	5.79	31.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 87
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56716G	61.53	74.00	-12.47	45.10	3	Vertical	66	1.87	-	38.36	12.32	34.25
AV	15.5732G	47.99	54.00	-6.01	31.59	3	Vertical	66	1.87	-	38.33	12.32	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 87
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57028G	61.83	74.00	-12.17	45.41	3	Horizontal	237	2.22	-	38.35	12.32	34.25
AV	15.57444G	48.05	54.00	-5.95	31.65	3	Horizontal	237	2.22	-	38.33	12.32	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 95
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.28	74.00	-4.72	63.81	3	Vertical	288	1.70	-	31.70	5.75	31.98
AV	5.1484G	53.66	54.00	-0.34	48.18	3	Vertical	288	1.70	-	31.71	5.75	31.98
PK	5.2342G	121.57	Inf	-Inf	116.59	3	Vertical	288	1.70	-	31.19	5.80	32.01
AV	5.2372G	108.95	Inf	-Inf	103.98	3	Vertical	288	1.70	-	31.18	5.80	32.01
PK	5.3506G	60.57	74.00	-13.43	55.73	3	Vertical	288	1.70	-	31.10	5.80	32.06
AV	5.35G	48.84	54.00	-5.16	44.00	3	Vertical	288	1.70	-	31.10	5.80	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 95
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	63.40	74.00	-10.60	57.90	3	Horizontal	269	3.00	-	31.73	5.74	31.97
AV	5.1496G	48.28	54.00	-5.72	42.81	3	Horizontal	269	3.00	-	31.70	5.75	31.98
PK	5.2438G	112.44	Inf	-Inf	107.52	3	Horizontal	269	3.00	-	31.14	5.80	32.02
AV	5.248G	99.29	Inf	-Inf	94.40	3	Horizontal	269	3.00	-	31.11	5.80	32.02
PK	5.3782G	59.14	74.00	-14.86	54.15	3	Horizontal	269	3.00	-	31.27	5.80	32.08
AV	5.356G	46.28	54.00	-7.72	41.41	3	Horizontal	269	3.00	-	31.14	5.80	32.07

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 95
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68762G	61.06	74.00	-12.94	45.11	3	Vertical	134	2.07	-	37.85	12.40	34.30
AV	15.68558G	47.47	54.00	-6.53	31.50	3	Vertical	134	2.07	-	37.86	12.40	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 95
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68584G	61.35	74.00	-12.65	45.38	3	Horizontal	97	1.72	-	37.86	12.40	34.29
AV	15.68608G	47.46	54.00	-6.54	31.49	3	Horizontal	97	1.72	-	37.86	12.40	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
Setting 94
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	63.14	74.00	-10.86	57.63	3	Vertical	101	1.80	-	31.73	5.75	31.97
AV	5.15G	49.89	54.00	-4.11	44.42	3	Vertical	101	1.80	-	31.70	5.75	31.98
PK	5.2574G	119.99	Inf	-Inf	115.11	3	Vertical	101	1.80	-	31.10	5.80	32.02
AV	5.252G	107.57	Inf	-Inf	102.69	3	Vertical	101	1.80	-	31.10	5.80	32.02
PK	5.35G	69.68	74.00	-4.32	64.84	3	Vertical	101	1.80	-	31.10	5.80	32.06
AV	5.351G	52.40	54.00	-1.60	47.55	3	Vertical	101	1.80	-	31.11	5.80	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
Setting 94
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.123G	59.36	74.00	-14.64	53.74	3	Horizontal	341	2.05	-	31.86	5.72	31.96
AV	5.15G	47.12	54.00	-6.88	41.65	3	Horizontal	341	2.05	-	31.70	5.75	31.98
PK	5.2838G	109.91	Inf	-Inf	105.04	3	Horizontal	341	2.05	-	31.10	5.80	32.03
AV	5.2676G	98.90	Inf	-Inf	94.03	3	Horizontal	341	2.05	-	31.10	5.80	32.03
PK	5.3534G	60.03	74.00	-13.97	55.18	3	Horizontal	341	2.05	-	31.12	5.80	32.07
AV	5.35G	47.33	54.00	-6.67	42.49	3	Horizontal	341	2.05	-	31.10	5.80	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 94
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8063G	60.01	74.00	-13.99	44.09	3	Vertical	163	2.83	-	37.79	12.47	34.34
AV	15.81356G	46.43	54.00	-7.57	30.53	3	Vertical	163	2.83	-	37.77	12.48	34.35

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT Y_2TX
Setting 94
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81256G	60.06	74.00	-13.94	44.16	3	Horizontal	208	1.85	-	37.77	12.48	34.35
AV	15.80946G	46.49	54.00	-7.51	30.57	3	Horizontal	208	1.85	-	37.78	12.48	34.34

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 86
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2932G	119.16	Inf	-Inf	114.30	3	Vertical	281	1.80	-	31.10	5.80	32.04
AV	5.3036G	105.40	Inf	-Inf	100.54	3	Vertical	281	1.80	-	31.10	5.80	32.04
PK	5.3524G	72.72	74.00	-1.28	67.88	3	Vertical	281	1.80	-	31.11	5.80	32.07
AV	5.3508G	53.99	54.00	-0.01	49.15	3	Vertical	281	1.80	-	31.10	5.80	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 86
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2928G	109.73	Inf	-Inf	104.87	3	Horizontal	59	2.23	-	31.10	5.80	32.04
AV	5.2932G	97.65	Inf	-Inf	92.79	3	Horizontal	59	2.23	-	31.10	5.80	32.04
PK	5.3508G	63.05	74.00	-10.95	58.21	3	Horizontal	59	2.23	-	31.10	5.80	32.06
AV	5.3532G	46.85	54.00	-7.15	42.00	3	Horizontal	59	2.23	-	31.12	5.80	32.07

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 86
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9336G	59.82	74.00	-14.18	44.12	3	Vertical	140	2.79	-	37.53	12.56	34.39
AV	15.92608G	45.80	54.00	-8.20	30.09	3	Vertical	140	2.79	-	37.55	12.55	34.39

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT Y_2TX
Setting 86
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9328G	59.49	74.00	-14.51	43.79	3	Horizontal	95	2.32	-	37.53	12.56	34.39
AV	15.92666G	45.79	54.00	-8.21	30.08	3	Horizontal	95	2.32	-	37.55	12.55	34.39

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 85
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1092G	68.44	74.00	-5.56	62.75	3	Vertical	275	1.80	-	31.94	5.71	31.96
AV	5.1476G	53.10	54.00	-0.90	47.61	3	Vertical	275	1.80	-	31.71	5.75	31.97
PK	5.1772G	115.29	Inf	-Inf	109.96	3	Vertical	275	1.80	-	31.54	5.78	31.99
AV	5.2468G	101.54	Inf	-Inf	96.64	3	Vertical	275	1.80	-	31.12	5.80	32.02
PK	5.3532G	61.13	74.00	-12.87	56.28	3	Vertical	275	1.80	-	31.12	5.80	32.07
AV	5.35G	48.28	54.00	-5.72	43.44	3	Vertical	275	1.80	-	31.10	5.80	32.06

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 85
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1252G	60.56	74.00	-13.44	54.95	3	Horizontal	282	1.00	-	31.85	5.73	31.97
AV	5.126G	47.48	54.00	-6.52	41.88	3	Horizontal	282	1.00	-	31.84	5.73	31.97
PK	5.1828G	107.93	Inf	-Inf	102.64	3	Horizontal	282	1.00	-	31.50	5.78	31.99
AV	5.2236G	92.42	Inf	-Inf	87.37	3	Horizontal	282	1.00	-	31.26	5.80	32.01
PK	5.4092G	59.69	74.00	-14.31	54.55	3	Horizontal	282	1.00	-	31.42	5.81	32.09
AV	5.3548G	46.27	54.00	-7.73	41.41	3	Horizontal	282	1.00	-	31.13	5.80	32.07

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 85
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6348G	61.95	74.00	-12.05	45.80	3	Vertical	98	2.51	-	38.06	12.36	34.27
AV	15.63182G	48.14	54.00	-5.86	31.98	3	Vertical	98	2.51	-	38.07	12.36	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 85
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62554G	62.31	74.00	-11.69	46.12	3	Horizontal	161	2.65	-	38.10	12.36	34.27
AV	15.62828G	48.09	54.00	-5.91	31.91	3	Horizontal	161	2.65	-	38.09	12.36	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT V_2TX
Setting 84
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	65.17	74.00	-8.83	59.64	3	Vertical	286	1.80	-	31.76	5.74	31.97
AV	5.1372G	50.90	54.00	-3.10	45.35	3	Vertical	286	1.80	-	31.78	5.74	31.97
PK	5.2612G	117.73	Inf	-Inf	112.85	3	Vertical	286	1.80	-	31.10	5.80	32.02
AV	5.2796G	102.92	Inf	-Inf	98.05	3	Vertical	286	1.80	-	31.10	5.80	32.03
PK	5.358G	66.22	74.00	-7.78	61.34	3	Vertical	286	1.80	-	31.15	5.80	32.07
AV	5.3524G	53.53	54.00	-0.47	48.69	3	Vertical	286	1.80	-	31.11	5.80	32.07
PK	5.4884G	58.88	68.20	-9.32	53.61	3	Vertical	286	1.80	-	31.50	5.89	32.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 84
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	60.04	74.00	-13.96	54.52	3	Horizontal	278	2.74	-	31.75	5.74	31.97
AV	5.1036G	46.94	54.00	-7.06	41.22	3	Horizontal	278	2.74	-	31.98	5.70	31.96
PK	5.2532G	107.61	Inf	-Inf	102.73	3	Horizontal	278	2.74	-	31.10	5.80	32.02
AV	5.2596G	92.91	Inf	-Inf	88.03	3	Horizontal	278	2.74	-	31.10	5.80	32.02
PK	5.3532G	59.01	74.00	-14.99	54.16	3	Horizontal	278	2.74	-	31.12	5.80	32.07
AV	5.3508G	47.29	54.00	-6.71	42.45	3	Horizontal	278	2.74	-	31.10	5.80	32.06
PK	5.4772G	58.67	68.20	-9.53	53.41	3	Horizontal	278	2.74	-	31.50	5.88	32.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 84
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8701G	60.19	74.00	-13.81	44.38	3	Vertical	56	2.87	-	37.66	12.52	34.37
AV	15.8661G	46.17	54.00	-7.83	30.36	3	Vertical	56	2.87	-	37.67	12.51	34.37

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT Y_2TX
Setting 84
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87224G	60.10	74.00	-13.90	44.29	3	Horizontal	270	2.25	-	37.66	12.52	34.37
AV	15.87206G	46.19	54.00	-7.81	30.38	3	Horizontal	270	2.25	-	37.66	12.52	34.37

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT V_2TX
Setting 69
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	71.64	74.00	-2.36	66.01	3	Vertical	283.9	1.81	-	31.87	5.72	31.96
AV	5.1412G	53.71	54.00	-0.29	48.19	3	Vertical	283.9	1.81	-	31.75	5.74	31.97
PK	5.2692G	111.03	Inf	-Inf	106.16	3	Vertical	283.9	1.81	-	31.10	5.80	32.03
AV	5.2644G	97.88	Inf	-Inf	93.01	3	Vertical	283.9	1.81	-	31.10	5.80	32.03
PK	5.3524G	65.35	74.00	-8.65	60.51	3	Vertical	283.9	1.81	-	31.11	5.80	32.07
AV	5.3508G	50.64	54.00	-3.36	45.80	3	Vertical	283.9	1.81	-	31.10	5.80	32.06
PK	5.6164G	60.52	68.20	-7.68	55.12	3	Vertical	283.9	1.81	-	31.60	6.00	32.20

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_2TX
Setting 69
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	66.69	74.00	-7.31	61.06	3	Horizontal	344.2	1.78	-	31.87	5.72	31.96
AV	5.1492G	49.20	54.00	-4.80	43.73	3	Horizontal	344.2	1.78	-	31.70	5.75	31.98
PK	5.1972G	104.95	Inf	-Inf	99.73	3	Horizontal	344.2	1.78	-	31.42	5.80	32.00
AV	5.2372G	89.46	Inf	-Inf	84.49	3	Horizontal	344.2	1.78	-	31.18	5.80	32.01
PK	5.3508G	61.96	74.00	-12.04	57.12	3	Horizontal	344.2	1.78	-	31.10	5.80	32.06
AV	5.3508G	47.33	54.00	-6.67	42.49	3	Horizontal	344.2	1.78	-	31.10	5.80	32.06
PK	5.626G	59.37	68.20	-8.83	53.98	3	Horizontal	344.2	1.78	-	31.60	6.00	32.21

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz_TnomVnom




EUT Y_2TX
Setting 69
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74918G	60.07	74.00	-13.93	44.15	3	Vertical	124	2.42	-	37.80	12.44	34.32
AV	15.74734G	46.74	54.00	-7.26	30.82	3	Vertical	124	2.42	-	37.80	12.44	34.32

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5250MHz_TnomVnom



EUT Y_2TX
Setting 69
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75002G	60.69	74.00	-13.31	44.77	3	Horizontal	307	1.26	-	37.80	12.44	34.32
AV	15.7492G	46.83	54.00	-7.17	30.91	3	Horizontal	307	1.26	-	37.80	12.44	34.32



For UNII 2C~UNII 3:


Test Mode: non-beamforming 4T1S:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.4682G	68.10	68.20	-0.10	3	Vertical	98	1.80	-

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 95
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	65.33	74.00	-8.67	60.08	3	Vertical	98	1.80	-	31.50	5.86	32.11
AV	5.4598G	52.00	54.00	-2.00	46.75	3	Vertical	98	1.80	-	31.50	5.86	32.11
PK	5.4682G	68.10	68.20	-0.10	62.85	3	Vertical	98	1.80	-	31.50	5.87	32.12
PK	5.5014G	124.27	Inf	-Inf	119.00	3	Vertical	98	1.80	-	31.50	5.90	32.13
AV	5.5012G	114.10	Inf	-Inf	108.83	3	Vertical	98	1.80	-	31.50	5.90	32.13

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 95
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	60.98	74.00	-13.02	55.74	3	Horizontal	198	2.06	-	31.50	5.85	32.11
AV	5.459G	48.45	54.00	-5.55	43.20	3	Horizontal	198	2.06	-	31.50	5.86	32.11
PK	5.467G	61.25	68.20	-6.95	56.00	3	Horizontal	198	2.06	-	31.50	5.87	32.12
PK	5.5008G	117.05	Inf	-Inf	111.78	3	Horizontal	198	2.06	-	31.50	5.90	32.13
AV	5.5016G	106.62	Inf	-Inf	101.35	3	Horizontal	198	2.06	-	31.50	5.90	32.13

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 95
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00252G	57.58	74.00	-16.42	42.42	3	Vertical	142	2.78	-	40.19	9.20	34.23
AV	11.00016G	43.52	54.00	-10.48	28.35	3	Vertical	142	2.78	-	40.20	9.20	34.23

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 95
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00242G	57.41	74.00	-16.59	42.25	3	Horizontal	96	2.64	-	40.19	9.20	34.23
AV	11.0006G	43.56	54.00	-10.44	28.39	3	Horizontal	96	2.64	-	40.20	9.20	34.23

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.28	74.00	-10.72	58.03	3	Vertical	97	1.76	-	31.50	5.86	32.11
AV	5.4592G	49.40	54.00	-4.60	44.15	3	Vertical	97	1.76	-	31.50	5.86	32.11
PK	5.4624G	61.66	68.20	-6.54	56.41	3	Vertical	97	1.76	-	31.50	5.86	32.11
PK	5.5792G	127.67	Inf	-Inf	122.31	3	Vertical	97	1.76	-	31.56	5.98	32.18
AV	5.5808G	116.89	Inf	-Inf	111.53	3	Vertical	97	1.76	-	31.56	5.98	32.18
PK	5.7752G	64.08	68.20	-4.12	58.38	3	Vertical	97	1.76	-	32.00	6.00	32.30

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4424G	60.19	74.00	-13.81	54.97	3	Horizontal	196	1.93	-	31.48	5.84	32.10
PK	5.4624G	59.94	68.20	-8.26	54.69	3	Horizontal	196	1.93	-	31.50	5.86	32.11
AV	5.46G	47.41	54.00	-6.59	42.16	3	Horizontal	196	1.93	-	31.50	5.86	32.11
PK	5.5816G	119.70	Inf	-Inf	114.34	3	Horizontal	196	1.93	-	31.56	5.98	32.18
AV	5.5816G	109.33	Inf	-Inf	103.97	3	Horizontal	196	1.93	-	31.56	5.98	32.18
PK	5.7752G	62.94	68.20	-5.26	57.24	3	Horizontal	196	1.93	-	32.00	6.00	32.30

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15962G	56.65	74.00	-17.35	41.93	3	Vertical	134	1.36	-	39.68	9.30	34.26
AV	11.15624G	42.71	54.00	-11.29	27.98	3	Vertical	134	1.36	-	39.69	9.29	34.25

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16218G	56.40	74.00	-17.60	41.68	3	Horizontal	174	1.60	-	39.68	9.30	34.26
AV	11.15688G	42.59	54.00	-11.41	27.87	3	Horizontal	174	1.60	-	39.69	9.29	34.26

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 71
06-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	118.55	Inf	-Inf	112.98	3	Vertical	309	1.80	-	31.82	6.00	32.25
AV	5.7048G	106.44	Inf	-Inf	100.87	3	Vertical	309	1.80	-	31.82	6.00	32.25
PK	5.725G	67.08	68.20	-1.12	61.45	3	Vertical	309	1.80	-	31.90	6.00	32.27

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 71
06-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7066G	110.77	Inf	-Inf	105.19	3	Horizontal	176	1.83	-	31.83	6.00	32.25
AV	5.7072G	99.33	Inf	-Inf	93.75	3	Horizontal	176	1.83	-	31.83	6.00	32.25
PK	5.7268G	62.77	68.20	-5.43	57.13	3	Horizontal	176	1.83	-	31.91	6.00	32.27

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 71
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39814G	57.85	74.00	-16.15	42.90	3	Vertical	261	1.59	-	39.80	9.44	34.29
AV	11.39596G	43.80	54.00	-10.20	28.86	3	Vertical	261	1.59	-	39.79	9.44	34.29

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 71
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39836G	58.37	74.00	-15.63	43.42	3	Horizontal	158	1.09	-	39.80	9.44	34.29
AV	11.40038G	43.83	54.00	-10.17	28.88	3	Horizontal	158	1.09	-	39.80	9.44	34.29

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	127.92	Inf	-Inf	122.28	3	Vertical	307	1.77	-	31.90	6.00	32.26
AV	5.7248G	116.97	Inf	-Inf	111.33	3	Vertical	307	1.77	-	31.90	6.00	32.26

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7264G	119.98	Inf	-Inf	114.34	3	Horizontal	175	1.85	-	31.91	6.00	32.27
AV	5.7272G	109.63	Inf	-Inf	103.99	3	Horizontal	175	1.85	-	31.91	6.00	32.27
PK	5.8776G	61.64	68.20	-6.56	55.90	3	Horizontal	175	1.85	-	32.06	6.04	32.36

802.11a_Nss1,(6Mbps)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43798G	57.26	74.00	-16.74	42.38	3	Vertical	160	1.04	-	39.72	9.46	34.30
AV	11.43666G	43.41	54.00	-10.59	28.52	3	Vertical	160	1.04	-	39.73	9.46	34.30

802.11a_Nss1,(6Mbps)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43976G	58.12	74.00	-15.88	43.24	3	Horizontal	69	1.56	-	39.72	9.46	34.30
AV	11.4377G	43.35	54.00	-10.65	28.47	3	Horizontal	69	1.56	-	39.72	9.46	34.30

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_V_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.549G	63.97	68.20	-4.23	58.68	3	Vertical	308	1.79	-	31.50	5.95	32.16
PK	5.749G	127.66	Inf	-Inf	121.94	3	Vertical	308	1.79	-	32.00	6.00	32.28
AV	5.75G	116.92	Inf	-Inf	111.20	3	Vertical	308	1.79	-	32.00	6.00	32.28
PK	5.942G	62.47	68.20	-5.73	56.62	3	Vertical	308	1.79	-	32.18	6.07	32.40

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	61.17	68.20	-7.03	55.76	3	Horizontal	174	1.84	-	31.60	6.00	32.19
PK	5.751G	120.67	Inf	-Inf	114.95	3	Horizontal	174	1.84	-	32.00	6.00	32.28
AV	5.752G	110.26	Inf	-Inf	104.54	3	Horizontal	174	1.84	-	32.00	6.00	32.28
PK	5.927G	60.85	68.20	-7.35	55.03	3	Horizontal	174	1.84	-	32.15	6.06	32.39

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49234G	57.30	74.00	-16.70	42.49	3	Vertical	44	2.99	-	39.62	9.50	34.31
AV	11.49076G	43.16	54.00	-10.84	28.36	3	Vertical	44	2.99	-	39.62	9.49	34.31

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49072G	57.14	74.00	-16.86	42.34	3	Horizontal	262	2.51	-	39.62	9.49	34.31
AV	11.49098G	43.07	54.00	-10.93	28.27	3	Horizontal	262	2.51	-	39.62	9.49	34.31

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	62.78	68.20	-5.42	57.39	3	Vertical	128	1.76	-	31.60	6.00	32.21
PK	5.779G	127.28	Inf	-Inf	121.58	3	Vertical	128	1.76	-	32.00	6.00	32.30
AV	5.779G	116.40	Inf	-Inf	110.70	3	Vertical	128	1.76	-	32.00	6.00	32.30
PK	5.925G	62.31	68.20	-5.89	56.48	3	Vertical	128	1.76	-	32.15	6.06	32.38

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	61.41	68.20	-6.79	56.01	3	Horizontal	198	1.80	-	31.60	6.00	32.20
PK	5.786G	120.22	Inf	-Inf	114.52	3	Horizontal	198	1.80	-	32.00	6.00	32.30
AV	5.786G	109.81	Inf	-Inf	104.11	3	Horizontal	198	1.80	-	32.00	6.00	32.30
PK	5.954G	60.33	68.20	-7.87	54.45	3	Horizontal	198	1.80	-	32.20	6.08	32.40

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56542G	57.71	74.00	-16.29	42.94	3	Vertical	146	2.76	-	39.53	9.54	34.30
AV	11.57006G	43.01	54.00	-10.99	28.24	3	Vertical	146	2.76	-	39.53	9.54	34.30

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56764G	56.94	74.00	-17.06	42.17	3	Horizontal	39	2.52	-	39.53	9.54	34.30
AV	11.57034G	43.00	54.00	-11.00	28.23	3	Horizontal	39	2.52	-	39.53	9.54	34.30

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	63.51	68.20	-4.69	58.11	3	Vertical	128	1.80	-	31.60	6.00	32.20
PK	5.818G	127.89	Inf	-Inf	122.20	3	Vertical	128	1.80	-	32.00	6.01	32.32
AV	5.818G	116.75	Inf	-Inf	111.06	3	Vertical	128	1.80	-	32.00	6.01	32.32
PK	5.924G	68.83	68.94	-0.11	63.00	3	Vertical	128	1.80	-	32.15	6.06	32.38

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	61.49	68.20	-6.71	56.10	3	Horizontal	175	1.80	-	31.60	6.00	32.21
PK	5.832G	120.66	Inf	-Inf	114.97	3	Horizontal	175	1.80	-	32.00	6.02	32.33
AV	5.832G	110.21	Inf	-Inf	104.52	3	Horizontal	175	1.80	-	32.00	6.02	32.33
PK	6.043G	61.02	68.20	-7.18	54.89	3	Horizontal	175	1.80	-	32.46	6.12	32.45

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65216G	56.63	74.00	-17.37	41.98	3	Vertical	228	2.90	-	39.34	9.59	34.28
AV	11.65454G	42.50	54.00	-11.50	27.85	3	Vertical	228	2.90	-	39.34	9.59	34.28

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom



EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64938G	56.43	74.00	-17.57	41.77	3	Horizontal	151	1.70	-	39.35	9.59	34.28
AV	11.65298G	42.51	54.00	-11.49	27.86	3	Horizontal	151	1.70	-	39.34	9.59	34.28



For UNII 2C~UNII 3:


Test Mode: beamforming 4T1S:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.739G	68.14	68.20	-0.06	3	Vertical	72.7	1.73	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 92
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	68.56	74.00	-5.44	63.31	3	Vertical	98	1.80	-	31.50	5.86	32.11
AV	5.46G	53.20	54.00	-0.80	47.95	3	Vertical	98	1.80	-	31.50	5.86	32.11
PK	5.4608G	67.56	68.20	-0.64	62.31	3	Vertical	98	1.80	-	31.50	5.86	32.11
PK	5.5012G	127.51	Inf	-Inf	122.24	3	Vertical	98	1.80	-	31.50	5.90	32.13
AV	5.5014G	113.65	Inf	-Inf	108.38	3	Vertical	98	1.80	-	31.50	5.90	32.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 92
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	62.04	74.00	-11.96	56.79	3	Horizontal	202	3.00	-	31.50	5.86	32.11
AV	5.4588G	49.19	54.00	-4.81	43.94	3	Horizontal	202	3.00	-	31.50	5.86	32.11
PK	5.4634G	61.81	68.20	-6.39	56.56	3	Horizontal	202	3.00	-	31.50	5.86	32.11
PK	5.5016G	118.15	Inf	-Inf	112.88	3	Horizontal	202	3.00	-	31.50	5.90	32.13
AV	5.502G	105.63	Inf	-Inf	100.36	3	Horizontal	202	3.00	-	31.50	5.90	32.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 92
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9961G	57.41	74.00	-16.59	42.24	3	Vertical	352	2.70	-	40.20	9.20	34.23
AV	11.00448G	44.30	54.00	-9.70	29.15	3	Vertical	352	2.70	-	40.18	9.20	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 92
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0011G	57.57	74.00	-16.43	42.40	3	Horizontal	303	2.68	-	40.20	9.20	34.23
AV	10.99522G	44.22	54.00	-9.78	29.05	3	Horizontal	303	2.68	-	40.20	9.20	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	62.30	74.00	-11.70	57.05	3	Vertical	92	1.77	-	31.50	5.86	32.11
AV	5.4584G	50.29	54.00	-3.71	45.04	3	Vertical	92	1.77	-	31.50	5.86	32.11
PK	5.4624G	62.47	68.20	-5.73	57.22	3	Vertical	92	1.77	-	31.50	5.86	32.11
PK	5.584G	128.50	Inf	-Inf	123.13	3	Vertical	92	1.77	-	31.57	5.98	32.18
AV	5.5816G	117.37	Inf	-Inf	112.01	3	Vertical	92	1.77	-	31.56	5.98	32.18
PK	5.7432G	63.48	68.20	-4.72	57.79	3	Vertical	92	1.77	-	31.97	6.00	32.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4248G	60.10	74.00	-13.90	54.93	3	Horizontal	185	1.80	-	31.45	5.82	32.10
PK	5.464G	60.61	68.20	-7.59	55.36	3	Horizontal	185	1.80	-	31.50	5.86	32.11
AV	5.4576G	47.81	54.00	-6.19	42.56	3	Horizontal	185	1.80	-	31.50	5.86	32.11
PK	5.5792G	119.00	Inf	-Inf	113.64	3	Horizontal	185	1.80	-	31.56	5.98	32.18
AV	5.5816G	107.32	Inf	-Inf	101.96	3	Horizontal	185	1.80	-	31.56	5.98	32.18
PK	5.7352G	62.27	68.20	-5.93	56.60	3	Horizontal	185	1.80	-	31.94	6.00	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16092G	56.76	74.00	-17.24	42.04	3	Vertical	107	2.84	-	39.68	9.30	34.26
AV	11.16054G	43.34	54.00	-10.66	28.62	3	Vertical	107	2.84	-	39.68	9.30	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16332G	56.47	74.00	-17.53	41.76	3	Horizontal	47	1.07	-	39.67	9.30	34.26
AV	11.1624G	43.48	54.00	-10.52	28.76	3	Horizontal	47	1.07	-	39.68	9.30	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


10/01/2022

EUT Y_4TX
Setting 68
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	120.46	Inf	-Inf	114.92	3	Vertical	69	1.77	-	31.79	6.00	32.25
AV	5.7016G	108.02	Inf	-Inf	102.46	3	Vertical	69	1.77	-	31.81	6.00	32.25
PK	5.725G	67.95	68.20	-0.25	62.32	3	Vertical	69	1.77	-	31.90	6.00	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 68
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7058G	114.06	Inf	-Inf	108.49	3	Horizontal	208	2.52	-	31.82	6.00	32.25
AV	5.706G	101.54	Inf	-Inf	95.97	3	Horizontal	208	2.52	-	31.82	6.00	32.25
PK	5.7482G	61.03	68.20	-7.17	55.32	3	Horizontal	208	2.52	-	31.99	6.00	32.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 68
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39642G	58.67	74.00	-15.33	43.73	3	Vertical	37	2.32	-	39.79	9.44	34.29
AV	11.39924G	44.54	54.00	-9.46	29.59	3	Vertical	37	2.32	-	39.80	9.44	34.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 68
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39732G	57.79	74.00	-16.21	42.85	3	Horizontal	251	1.66	-	39.79	9.44	34.29
AV	11.39976G	44.51	54.00	-9.49	29.56	3	Horizontal	251	1.66	-	39.80	9.44	34.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7144G	128.22	Inf	-Inf	122.62	3	Vertical	79	2.59	-	31.86	6.00	32.26
AV	5.7112G	116.63	Inf	-Inf	111.05	3	Vertical	79	2.59	-	31.84	6.00	32.26
PK	5.85G	62.84	68.20	-5.36	57.15	3	Vertical	79	2.59	-	32.00	6.03	32.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-5-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.712G	122.52	Inf	-Inf	116.93	3	Horizontal	206	2.54	-	31.85	6.00	32.26
AV	5.7112G	111.29	Inf	-Inf	105.71	3	Horizontal	206	2.54	-	31.84	6.00	32.26
PK	5.8528G	60.78	68.20	-7.42	55.08	3	Horizontal	206	2.54	-	32.01	6.03	32.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44442G	57.04	74.00	-16.96	42.16	3	Vertical	27	1.89	-	39.71	9.47	34.30
AV	11.4376G	44.08	54.00	-9.92	29.20	3	Vertical	27	1.89	-	39.72	9.46	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.445G	57.45	74.00	-16.55	42.57	3	Horizontal	121	1.69	-	39.71	9.47	34.30
AV	11.4396G	44.04	54.00	-9.96	29.16	3	Horizontal	121	1.69	-	39.72	9.46	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.538G	63.69	68.20	-4.51	58.40	3	Vertical	309	1.79	-	31.50	5.94	32.15
PK	5.74G	128.16	Inf	-Inf	122.47	3	Vertical	309	1.79	-	31.96	6.00	32.27
AV	5.743G	116.90	Inf	-Inf	111.21	3	Vertical	309	1.79	-	31.97	6.00	32.28
PK	5.943G	62.61	68.20	-5.59	56.75	3	Vertical	309	1.79	-	32.19	6.07	32.40

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	61.30	68.20	-6.90	55.90	3	Horizontal	195	2.14	-	31.60	6.00	32.20
PK	5.741G	123.10	Inf	-Inf	117.41	3	Horizontal	195	2.14	-	31.96	6.00	32.27
AV	5.738G	111.76	Inf	-Inf	106.08	3	Horizontal	195	2.14	-	31.95	6.00	32.27
PK	5.982G	61.19	68.20	-7.01	55.32	3	Horizontal	195	2.14	-	32.20	6.09	32.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48632G	56.75	74.00	-17.25	41.94	3	Vertical	97	2.87	-	39.63	9.49	34.31
AV	11.49068G	43.86	54.00	-10.14	29.06	3	Vertical	97	2.87	-	39.62	9.49	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48868G	57.99	74.00	-16.01	43.19	3	Horizontal	70	1.55	-	39.62	9.49	34.31
AV	11.4914G	43.66	54.00	-10.34	28.86	3	Horizontal	70	1.55	-	39.62	9.49	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.587G	64.23	68.20	-3.97	58.85	3	Vertical	360	1.88	-	31.57	5.99	32.18
PK	5.788G	128.06	Inf	-Inf	122.36	3	Vertical	360	1.88	-	32.00	6.00	32.30
AV	5.793G	116.41	Inf	-Inf	110.72	3	Vertical	360	1.88	-	32.00	6.00	32.31
PK	5.952G	61.19	68.20	-7.01	55.31	3	Vertical	360	1.88	-	32.20	6.08	32.40

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	61.60	68.20	-6.60	56.21	3	Horizontal	174	2.03	-	31.59	5.99	32.19
PK	5.782G	122.76	Inf	-Inf	117.06	3	Horizontal	174	2.03	-	32.00	6.00	32.30
AV	5.784G	110.71	Inf	-Inf	105.01	3	Horizontal	174	2.03	-	32.00	6.00	32.30
PK	5.937G	60.79	68.20	-7.41	54.94	3	Horizontal	174	2.03	-	32.17	6.07	32.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57264G	56.82	74.00	-17.18	42.05	3	Vertical	259	2.29	-	39.53	9.54	34.30
AV	11.56914G	43.76	54.00	-10.24	28.99	3	Vertical	259	2.29	-	39.53	9.54	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56984G	57.46	74.00	-16.54	42.69	3	Horizontal	120	2.46	-	39.53	9.54	34.30
AV	11.57056G	43.59	54.00	-10.41	28.82	3	Horizontal	120	2.46	-	39.53	9.54	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 106
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	64.91	68.20	-3.29	59.52	3	Vertical	308	1.79	-	31.60	6.00	32.21
PK	5.826G	128.44	Inf	-Inf	122.76	3	Vertical	308	1.79	-	32.00	6.01	32.33
AV	5.827G	116.72	Inf	-Inf	111.04	3	Vertical	308	1.79	-	32.00	6.01	32.33
PK	5.925G	66.86	68.20	-1.34	61.03	3	Vertical	308	1.79	-	32.15	6.06	32.38

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 106
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	61.30	68.20	-6.90	55.91	3	Horizontal	352	2.13	-	31.60	6.00	32.21
PK	5.833G	122.15	Inf	-Inf	116.46	3	Horizontal	352	2.13	-	32.00	6.02	32.33
AV	5.833G	110.03	Inf	-Inf	104.34	3	Horizontal	352	2.13	-	32.00	6.02	32.33
PK	5.97G	60.52	68.20	-7.68	54.65	3	Horizontal	352	2.13	-	32.20	6.08	32.41

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 106
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65484G	56.39	74.00	-17.61	41.74	3	Vertical	110	1.94	-	39.34	9.59	34.28
AV	11.65312G	43.25	54.00	-10.75	28.60	3	Vertical	110	1.94	-	39.34	9.59	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 106
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6468G	57.54	74.00	-16.46	42.87	3	Horizontal	212	1.46	-	39.36	9.59	34.28
AV	11.65494G	43.15	54.00	-10.85	28.50	3	Horizontal	212	1.46	-	39.34	9.59	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 86
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.82	74.00	-8.18	60.57	3	Vertical	101	1.80	-	31.50	5.86	32.11
AV	5.4592G	51.38	54.00	-2.62	46.13	3	Vertical	101	1.80	-	31.50	5.86	32.11
PK	5.4696G	68.10	68.20	-0.10	62.85	3	Vertical	101	1.80	-	31.50	5.87	32.12
PK	5.5132G	121.70	Inf	-Inf	116.43	3	Vertical	101	1.80	-	31.50	5.91	32.14
AV	5.514G	108.91	Inf	-Inf	103.64	3	Vertical	101	1.80	-	31.50	5.91	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 86
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	62.70	74.00	-11.30	57.46	3	Horizontal	175.3	1.81	-	31.50	5.85	32.11
AV	5.4568G	47.52	54.00	-6.48	42.27	3	Horizontal	175.3	1.81	-	31.50	5.86	32.11
PK	5.4632G	63.87	68.20	-4.33	58.62	3	Horizontal	175.3	1.81	-	31.50	5.86	32.11
PK	5.52G	114.60	Inf	-Inf	109.32	3	Horizontal	175.3	1.81	-	31.50	5.92	32.14
AV	5.5204G	101.24	Inf	-Inf	95.96	3	Horizontal	175.3	1.81	-	31.50	5.92	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 86
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02248G	57.37	74.00	-16.63	42.28	3	Vertical	10	1.12	-	40.11	9.21	34.23
AV	11.01738G	43.67	54.00	-10.33	28.56	3	Vertical	10	1.12	-	40.13	9.21	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 86
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01744G	57.65	74.00	-16.35	42.54	3	Horizontal	261	2.06	-	40.13	9.21	34.23
AV	11.0219G	43.73	54.00	-10.27	28.64	3	Horizontal	261	2.06	-	40.11	9.21	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 84
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	64.29	74.00	-9.71	59.04	3	Vertical	78	1.82	-	31.50	5.86	32.11
AV	5.46G	49.80	54.00	-4.20	44.55	3	Vertical	78	1.82	-	31.50	5.86	32.11
PK	5.469G	67.73	68.20	-0.47	62.48	3	Vertical	78	1.82	-	31.50	5.87	32.12
PK	5.5476G	122.31	Inf	-Inf	117.02	3	Vertical	78	1.82	-	31.50	5.95	32.16
AV	5.5428G	109.25	Inf	-Inf	103.97	3	Vertical	78	1.82	-	31.50	5.94	32.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 84
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	60.27	74.00	-13.73	55.02	3	Horizontal	205	3.00	-	31.50	5.86	32.11
AV	5.4564G	47.31	54.00	-6.69	42.06	3	Horizontal	205	3.00	-	31.50	5.86	32.11
PK	5.469G	60.65	68.20	-7.55	55.40	3	Horizontal	205	3.00	-	31.50	5.87	32.12
PK	5.5584G	112.41	Inf	-Inf	107.10	3	Horizontal	205	3.00	-	31.52	5.96	32.17
AV	5.5596G	100.69	Inf	-Inf	95.38	3	Horizontal	205	3.00	-	31.52	5.96	32.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 84
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09872G	57.34	74.00	-16.66	42.52	3	Vertical	25	2.74	-	39.81	9.26	34.25
AV	11.09546G	43.32	54.00	-10.68	28.49	3	Vertical	25	2.74	-	39.82	9.26	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 84
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10318G	56.76	74.00	-17.24	41.96	3	Horizontal	226	1.36	-	39.79	9.26	34.25
AV	11.09602G	43.25	54.00	-10.75	28.42	3	Horizontal	226	1.36	-	39.82	9.26	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 75
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6568G	119.77	Inf	-Inf	114.36	3	Vertical	76	2.50	-	31.63	6.00	32.22
AV	5.6634G	107.01	Inf	-Inf	101.59	3	Vertical	76	2.50	-	31.65	6.00	32.23
PK	5.7258G	68.09	68.20	-0.11	62.46	3	Vertical	76	2.50	-	31.90	6.00	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 75
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	111.44	Inf	-Inf	106.00	3	Horizontal	181	1.80	-	31.67	6.00	32.23
AV	5.6808G	98.30	Inf	-Inf	92.82	3	Horizontal	181	1.80	-	31.72	6.00	32.24
PK	5.7312G	63.12	68.20	-5.08	57.47	3	Horizontal	181	1.80	-	31.92	6.00	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 75
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34352G	57.61	74.00	-16.39	42.79	3	Vertical	290	2.19	-	39.69	9.41	34.28
AV	11.34418G	43.65	54.00	-10.35	28.84	3	Vertical	290	2.19	-	39.69	9.41	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 75
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3369G	58.27	74.00	-15.73	43.48	3	Horizontal	215	2.74	-	39.67	9.40	34.28
AV	11.34004G	43.64	54.00	-10.36	28.84	3	Horizontal	215	2.74	-	39.68	9.40	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT Y_4TX
Setting 102
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.722G	126.57	Inf	-Inf	120.94	3	Vertical	316	1.80	-	31.89	6.00	32.26
AV	5.7172G	113.54	Inf	-Inf	107.93	3	Vertical	316	1.80	-	31.87	6.00	32.26
PK	5.8516G	67.81	68.20	-0.39	62.12	3	Vertical	316	1.80	-	32.00	6.03	32.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT Y_4TX
Setting 102
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	119.06	Inf	-Inf	113.49	3	Horizontal	205	2.81	-	31.82	6.00	32.25
AV	5.7084G	107.27	Inf	-Inf	101.70	3	Horizontal	205	2.81	-	31.83	6.00	32.26
PK	5.8612G	61.76	68.20	-6.44	56.06	3	Horizontal	205	2.81	-	32.02	6.03	32.35

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT Y_4TX
Setting 102
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42112G	57.84	74.00	-16.16	42.93	3	Vertical	72	1.47	-	39.76	9.45	34.30
AV	11.41828G	43.81	54.00	-10.19	28.90	3	Vertical	72	1.47	-	39.76	9.45	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT Y_4TX
Setting 102
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42112G	57.43	74.00	-16.57	42.52	3	Horizontal	96	2.14	-	39.76	9.45	34.30
AV	11.41622G	43.72	54.00	-10.28	28.80	3	Horizontal	96	2.14	-	39.77	9.45	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 104
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.61	68.20	-0.59	62.23	3	Vertical	58	1.80	-	31.60	6.00	32.22
PK	5.75G	120.66	Inf	-Inf	114.94	3	Vertical	58	1.80	-	32.00	6.00	32.28
AV	5.751G	108.38	Inf	-Inf	102.66	3	Vertical	58	1.80	-	32.00	6.00	32.28
PK	5.925G	61.42	68.20	-6.78	55.59	3	Vertical	58	1.80	-	32.15	6.06	32.38

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 104
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.34	68.20	-4.86	57.96	3	Horizontal	347	1.97	-	31.60	6.00	32.22
PK	5.742G	116.46	Inf	-Inf	110.77	3	Horizontal	347	1.97	-	31.97	6.00	32.28
AV	5.74G	105.15	Inf	-Inf	99.46	3	Horizontal	347	1.97	-	31.96	6.00	32.27
PK	5.935G	60.89	68.20	-7.31	55.04	3	Horizontal	347	1.97	-	32.17	6.07	32.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 104
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50742G	57.50	74.00	-16.50	42.72	3	Vertical	126	2.83	-	39.59	9.50	34.31
AV	11.5105G	43.31	54.00	-10.69	28.52	3	Vertical	126	2.83	-	39.59	9.51	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 104
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51492G	56.67	74.00	-17.33	41.88	3	Horizontal	325	2.72	-	39.59	9.51	34.31
AV	11.50998G	43.35	54.00	-10.65	28.56	3	Horizontal	325	2.72	-	39.59	9.51	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	66.16	68.20	-2.04	60.78	3	Vertical	304	1.80	-	31.60	6.00	32.22
PK	5.79G	125.01	Inf	-Inf	119.31	3	Vertical	304	1.80	-	32.00	6.00	32.30
AV	5.778G	111.73	Inf	-Inf	106.03	3	Vertical	304	1.80	-	32.00	6.00	32.30
PK	5.93G	67.28	68.20	-0.92	61.45	3	Vertical	304	1.80	-	32.16	6.06	32.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 108
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	61.22	68.20	-6.98	55.84	3	Horizontal	170	1.71	-	31.60	6.00	32.22
PK	5.794G	120.60	Inf	-Inf	114.91	3	Horizontal	170	1.71	-	32.00	6.00	32.31
AV	5.794G	108.83	Inf	-Inf	103.14	3	Horizontal	170	1.71	-	32.00	6.00	32.31
PK	5.944G	61.74	68.20	-6.46	55.88	3	Horizontal	170	1.71	-	32.19	6.07	32.40

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58918G	57.11	74.00	-16.89	42.34	3	Vertical	218	1.96	-	39.51	9.55	34.29
AV	11.58588G	43.30	54.00	-10.70	28.53	3	Vertical	218	1.96	-	39.51	9.55	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 108
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5884G	56.81	74.00	-17.19	42.04	3	Horizontal	357	1.38	-	39.51	9.55	34.29
AV	11.58658G	43.30	54.00	-10.70	28.53	3	Horizontal	357	1.38	-	39.51	9.55	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Y_4TX
Setting 84
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3476G	59.10	68.20	-9.10	54.26	3	Vertical	275.5	1.73	-	31.10	5.80	32.06
PK	5.4476G	65.88	74.00	-8.12	60.64	3	Vertical	275.5	1.73	-	31.50	5.85	32.11
PK	5.4676G	67.99	68.20	-0.21	62.74	3	Vertical	275.5	1.73	-	31.50	5.87	32.12
AV	5.4596G	53.64	54.00	-0.36	48.39	3	Vertical	275.5	1.73	-	31.50	5.86	32.11
PK	5.5204G	119.09	Inf	-Inf	113.81	3	Vertical	275.5	1.73	-	31.50	5.92	32.14
AV	5.5228G	106.07	Inf	-Inf	100.79	3	Vertical	275.5	1.73	-	31.50	5.92	32.14
PK	5.726G	61.50	68.20	-6.70	55.87	3	Vertical	275.5	1.73	-	31.90	6.00	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 84
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3404G	59.24	68.20	-8.96	54.40	3	Horizontal	205.3	1.83	-	31.10	5.80	32.06
PK	5.4516G	68.50	74.00	-5.50	63.26	3	Horizontal	205.3	1.83	-	31.50	5.85	32.11
PK	5.462G	62.71	68.20	-5.49	57.46	3	Horizontal	205.3	1.83	-	31.50	5.86	32.11
AV	5.4596G	48.27	54.00	-5.73	43.02	3	Horizontal	205.3	1.83	-	31.50	5.86	32.11
PK	5.5644G	111.30	Inf	-Inf	105.98	3	Horizontal	205.3	1.83	-	31.53	5.96	32.17
AV	5.5588G	100.40	Inf	-Inf	95.09	3	Horizontal	205.3	1.83	-	31.52	5.96	32.17
PK	5.7268G	60.13	68.20	-8.07	54.49	3	Horizontal	205.3	1.83	-	31.91	6.00	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 84
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06314G	57.69	74.00	-16.31	42.74	3	Vertical	79	2.34	-	39.95	9.24	34.24
AV	11.06058G	43.69	54.00	-10.31	28.73	3	Vertical	79	2.34	-	39.96	9.24	34.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 84
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0645G	57.00	74.00	-17.00	42.06	3	Horizontal	258	2.33	-	39.94	9.24	34.24
AV	11.05756G	43.66	54.00	-10.34	28.70	3	Horizontal	258	2.33	-	39.97	9.23	34.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 78
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	61.52	74.00	-12.48	56.27	3	Vertical	101	1.80	-	31.50	5.86	32.11
AV	5.4588G	48.63	54.00	-5.37	43.38	3	Vertical	101	1.80	-	31.50	5.86	32.11
PK	5.466G	64.24	68.20	-3.96	58.99	3	Vertical	101	1.80	-	31.50	5.87	32.12
PK	5.602G	117.18	Inf	-Inf	111.77	3	Vertical	101	1.80	-	31.60	6.00	32.19
AV	5.5828G	103.88	Inf	-Inf	98.51	3	Vertical	101	1.80	-	31.57	5.98	32.18
PK	5.7276G	67.16	68.20	-1.04	61.52	3	Vertical	101	1.80	-	31.91	6.00	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 78
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.43G	59.15	74.00	-14.85	53.96	3	Horizontal	205.8	2.53	-	31.46	5.83	32.10
PK	5.47G	59.47	68.20	-8.73	54.22	3	Horizontal	205.8	2.53	-	31.50	5.87	32.12
AV	5.458G	47.00	54.00	-7.00	41.75	3	Horizontal	205.8	2.53	-	31.50	5.86	32.11
PK	5.586G	109.50	Inf	-Inf	104.12	3	Horizontal	205.8	2.53	-	31.57	5.99	32.18
AV	5.6212G	96.82	Inf	-Inf	91.42	3	Horizontal	205.8	2.53	-	31.60	6.00	32.20
PK	5.7308G	62.64	68.20	-5.56	56.99	3	Horizontal	205.8	2.53	-	31.92	6.00	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 78
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22218G	56.78	74.00	-17.22	42.12	3	Vertical	290	1.24	-	39.60	9.33	34.27
AV	11.21806G	43.16	54.00	-10.84	28.49	3	Vertical	290	1.24	-	39.60	9.33	34.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 78
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2209G	56.67	74.00	-17.33	42.01	3	Horizontal	62	1.58	-	39.60	9.33	34.27
AV	11.22012G	43.09	54.00	-10.91	28.43	3	Horizontal	62	1.58	-	39.60	9.33	34.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT Y_4TX
Setting 89
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7164G	118.84	Inf	-Inf	113.23	3	Vertical	133.2	1.80	-	31.87	6.00	32.26
AV	5.702G	106.27	Inf	-Inf	100.71	3	Vertical	133.2	1.80	-	31.81	6.00	32.25
PK	5.8628G	67.52	68.20	-0.68	61.81	3	Vertical	133.2	1.80	-	32.03	6.03	32.35

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT Y_4TX
Setting 89
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	113.34	Inf	-Inf	107.77	3	Horizontal	206.8	1.80	-	31.82	6.00	32.25
AV	5.7052G	100.40	Inf	-Inf	94.83	3	Horizontal	206.8	1.80	-	31.82	6.00	32.25
PK	5.8628G	61.95	68.20	-6.25	56.24	3	Horizontal	206.8	1.80	-	32.03	6.03	32.35

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT Y_4TX
Setting 89
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37616G	57.97	74.00	-16.03	43.08	3	Vertical	36	2.50	-	39.75	9.43	34.29
AV	11.38188G	43.84	54.00	-10.16	28.94	3	Vertical	36	2.50	-	39.76	9.43	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT Y_4TX
Setting 89
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38032G	57.59	74.00	-16.41	42.69	3	Horizontal	170	1.71	-	39.76	9.43	34.29
AV	11.3821G	43.86	54.00	-10.14	28.96	3	Horizontal	170	1.71	-	39.76	9.43	34.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 94
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.09	68.20	-0.11	62.71	3	Vertical	308	1.80	-	31.60	6.00	32.22
PK	5.764G	121.29	Inf	-Inf	115.58	3	Vertical	308	1.80	-	32.00	6.00	32.29
AV	5.765G	107.39	Inf	-Inf	101.68	3	Vertical	308	1.80	-	32.00	6.00	32.29
PK	5.942G	64.74	68.20	-3.46	58.89	3	Vertical	308	1.80	-	32.18	6.07	32.40

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 94
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	62.70	68.20	-5.50	57.31	3	Horizontal	171	2.02	-	31.60	6.00	32.21
PK	5.792G	112.94	Inf	-Inf	107.25	3	Horizontal	171	2.02	-	32.00	6.00	32.31
AV	5.791G	100.97	Inf	-Inf	95.27	3	Horizontal	171	2.02	-	32.00	6.00	32.30
PK	5.931G	61.07	68.20	-7.13	55.23	3	Horizontal	171	2.02	-	32.16	6.07	32.39

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 94
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54822G	57.34	74.00	-16.66	42.56	3	Vertical	13	2.04	-	39.55	9.53	34.30
AV	11.54536G	43.23	54.00	-10.77	28.45	3	Vertical	13	2.04	-	39.55	9.53	34.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 94
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55402G	57.58	74.00	-16.42	42.80	3	Horizontal	261	2.10	-	39.55	9.53	34.30
AV	11.5484G	43.35	54.00	-10.65	28.57	3	Horizontal	261	2.10	-	39.55	9.53	34.30

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT_Y_4TX
Setting 69
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	58.41	68.20	-9.79	53.57	3	Vertical	72.7	1.73	-	31.10	5.80	32.06
AV	5.35G	45.82	54.00	-8.18	40.98	3	Vertical	72.7	1.73	-	31.10	5.80	32.06
PK	5.459G	65.20	74.00	-8.80	59.95	3	Vertical	72.7	1.73	-	31.50	5.86	32.11
AV	5.458G	50.83	54.00	-3.17	45.58	3	Vertical	72.7	1.73	-	31.50	5.86	32.11
PK	5.461G	67.69	68.20	-0.51	62.44	3	Vertical	72.7	1.73	-	31.50	5.86	32.11
PK	5.594G	113.02	Inf	-Inf	107.63	3	Vertical	72.7	1.73	-	31.59	5.99	32.19
AV	5.594G	99.61	Inf	-Inf	94.22	3	Vertical	72.7	1.73	-	31.59	5.99	32.19
PK	5.739G	68.14	68.20	-0.06	62.45	3	Vertical	72.7	1.73	-	31.96	6.00	32.27