


### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 5570MHz\_TnomVnom




EUT V\_4TX  
Setting 69  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	58.57	68.20	-9.63	53.73	3	Horizontal	174	1.89	-	31.10	5.80	32.06
PK	5.456G	59.68	74.00	-14.32	54.43	3	Horizontal	174	1.89	-	31.50	5.86	32.11
PK	5.469G	62.15	68.20	-6.05	56.90	3	Horizontal	174	1.89	-	31.50	5.87	32.12
PK	5.618G	103.41	Inf	-Inf	98.01	3	Horizontal	174	1.89	-	31.60	6.00	32.20
AV	5.613G	91.52	Inf	-Inf	86.12	3	Horizontal	174	1.89	-	31.60	6.00	32.20
PK	5.751G	63.21	68.20	-4.99	57.49	3	Horizontal	174	1.89	-	32.00	6.00	32.28

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13542G	56.71	74.00	-17.29	41.95	3	Vertical	58	2.80	-	39.73	9.28	34.25
AV	11.13828G	42.90	54.00	-11.10	28.15	3	Vertical	58	2.80	-	39.72	9.28	34.25

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom



EUT Y\_4TX  
Setting 69  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13916G	56.66	74.00	-17.34	41.91	3	Horizontal	71	2.68	-	39.72	9.28	34.25
AV	11.14342G	42.93	54.00	-11.07	28.18	3	Horizontal	71	2.68	-	39.71	9.29	34.25



For UNII 2C~UNII 3:


Test Mode: beamforming 4T2S:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss2.(MCS0)_4TX	Pass	PK	5.65G	68.18	68.20	-0.02	3	Vertical	132	1.80	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Y\_4TX  
Setting 93  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.04	74.00	-7.96	60.79	3	Vertical	75	1.80	-	31.50	5.86	32.11
AV	5.4584G	51.72	54.00	-2.28	46.47	3	Vertical	75	1.80	-	31.50	5.86	32.11
PK	5.4692G	67.31	68.20	-0.89	62.06	3	Vertical	75	1.80	-	31.50	5.87	32.12
PK	5.5032G	123.33	Inf	-Inf	118.06	3	Vertical	75	1.80	-	31.50	5.90	32.13
AV	5.5016G	110.98	Inf	-Inf	105.71	3	Vertical	75	1.80	-	31.50	5.90	32.13

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_V\_4TX  
Setting 93  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.82	74.00	-13.18	55.57	3	Horizontal	188	1.80	-	31.50	5.86	32.11
AV	5.4588G	48.40	54.00	-5.60	43.15	3	Horizontal	188	1.80	-	31.50	5.86	32.11
PK	5.466G	64.25	68.20	-3.95	59.00	3	Horizontal	188	1.80	-	31.50	5.87	32.12
PK	5.5028G	117.63	Inf	-Inf	112.36	3	Horizontal	188	1.80	-	31.50	5.90	32.13
AV	5.5036G	105.34	Inf	-Inf	100.07	3	Horizontal	188	1.80	-	31.50	5.90	32.13

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 93  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99916G	57.25	74.00	-16.75	42.08	3	Vertical	138	1.05	-	40.20	9.20	34.23
AV	11.0001G	43.86	54.00	-10.14	28.69	3	Vertical	138	1.05	-	40.20	9.20	34.23

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 93  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00358G	57.40	74.00	-16.60	42.24	3	Horizontal	264	1.54	-	40.19	9.20	34.23
AV	10.99876G	43.91	54.00	-10.09	28.74	3	Horizontal	264	1.54	-	40.20	9.20	34.23

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TnomVnom




10/01/2022

EUT\_V\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.16	74.00	-12.84	55.91	3	Vertical	73	1.70	-	31.50	5.86	32.11
AV	5.4592G	49.01	54.00	-4.99	43.76	3	Vertical	73	1.70	-	31.50	5.86	32.11
PK	5.4696G	61.45	68.20	-6.75	56.20	3	Vertical	73	1.70	-	31.50	5.87	32.12
PK	5.5832G	127.67	Inf	-Inf	122.30	3	Vertical	73	1.70	-	31.57	5.98	32.18
AV	5.584G	114.95	Inf	-Inf	109.58	3	Vertical	73	1.70	-	31.57	5.98	32.18
PK	5.7736G	63.12	68.20	-5.08	57.41	3	Vertical	73	1.70	-	32.00	6.00	32.29

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	59.94	74.00	-14.06	54.72	3	Horizontal	186	1.80	-	31.49	5.84	32.11
PK	5.4664G	59.70	68.20	-8.50	54.45	3	Horizontal	186	1.80	-	31.50	5.87	32.12
AV	5.4592G	47.19	54.00	-6.81	41.94	3	Horizontal	186	1.80	-	31.50	5.86	32.11
PK	5.5792G	121.71	Inf	-Inf	116.35	3	Horizontal	186	1.80	-	31.56	5.98	32.18
AV	5.5816G	109.23	Inf	-Inf	103.87	3	Horizontal	186	1.80	-	31.56	5.98	32.18
PK	5.7456G	61.99	68.20	-6.21	56.29	3	Horizontal	186	1.80	-	31.98	6.00	32.28

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1574G	57.58	74.00	-16.42	42.86	3	Vertical	140	2.90	-	39.69	9.29	34.26
AV	11.15676G	43.04	54.00	-10.96	28.32	3	Vertical	140	2.90	-	39.69	9.29	34.26

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15762G	56.79	74.00	-17.21	42.08	3	Horizontal	358	1.19	-	39.68	9.29	34.26
AV	11.15628G	42.97	54.00	-11.03	28.25	3	Horizontal	358	1.19	-	39.69	9.29	34.26

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 72  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7072G	119.03	Inf	-Inf	113.45	3	Vertical	72	1.76	-	31.83	6.00	32.25
AV	5.704G	106.60	Inf	-Inf	101.03	3	Vertical	72	1.76	-	31.82	6.00	32.25
PK	5.7276G	67.30	68.20	-0.90	61.66	3	Vertical	72	1.76	-	31.91	6.00	32.27

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 72  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	112.80	Inf	-Inf	107.24	3	Horizontal	186	1.78	-	31.81	6.00	32.25
AV	5.7008G	100.56	Inf	-Inf	95.01	3	Horizontal	186	1.78	-	31.80	6.00	32.25
PK	5.7264G	64.16	68.20	-4.04	58.52	3	Horizontal	186	1.78	-	31.91	6.00	32.27

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 72  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39882G	58.12	74.00	-15.88	43.17	3	Vertical	360	2.58	-	39.80	9.44	34.29
AV	11.39962G	44.08	54.00	-9.92	29.13	3	Vertical	360	2.58	-	39.80	9.44	34.29

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX


### 5700MHz\_TnomVnom



EUT Y\_4TX  
Setting 72  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39974G	58.00	74.00	-16.00	43.05	3	Horizontal	169	2.00	-	39.80	9.44	34.29
AV	11.3984G	44.09	54.00	-9.91	29.14	3	Horizontal	169	2.00	-	39.80	9.44	34.29

**802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 108  
 06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	125.93	Inf	-Inf	120.29	3	Vertical	305	1.79	-	31.90	6.00	32.26
AV	5.7224G	113.39	Inf	-Inf	107.76	3	Vertical	305	1.79	-	31.89	6.00	32.26
PK	5.8624G	61.85	68.20	-6.35	56.15	3	Vertical	305	1.79	-	32.02	6.03	32.35

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	120.81	Inf	-Inf	115.20	3	Horizontal	203	2.79	-	31.87	6.00	32.26
AV	5.716G	108.83	Inf	-Inf	103.23	3	Horizontal	203	2.79	-	31.86	6.00	32.26
PK	5.8504G	61.38	68.20	-6.82	55.69	3	Horizontal	203	2.79	-	32.00	6.03	32.34

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4368G	57.91	74.00	-16.09	43.02	3	Vertical	322	2.62	-	39.73	9.46	34.30
AV	11.4377G	43.71	54.00	-10.29	28.83	3	Vertical	322	2.62	-	39.72	9.46	34.30

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5720MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44312G	57.98	74.00	-16.02	43.10	3	Horizontal	67	2.88	-	39.71	9.47	34.30
AV	11.43682G	43.74	54.00	-10.26	28.85	3	Horizontal	67	2.88	-	39.73	9.46	34.30

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.536G	63.20	68.20	-5.00	57.91	3	Vertical	133	1.75	-	31.50	5.94	32.15
PK	5.744G	126.46	Inf	-Inf	120.76	3	Vertical	133	1.75	-	31.98	6.00	32.28
AV	5.743G	114.09	Inf	-Inf	108.40	3	Vertical	133	1.75	-	31.97	6.00	32.28
PK	5.941G	62.19	68.20	-6.01	56.33	3	Vertical	133	1.75	-	32.18	6.07	32.39

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	61.12	68.20	-7.08	55.73	3	Horizontal	356	2.04	-	31.60	6.00	32.21
PK	5.749G	120.85	Inf	-Inf	115.13	3	Horizontal	356	2.04	-	32.00	6.00	32.28
AV	5.749G	108.53	Inf	-Inf	102.81	3	Horizontal	356	2.04	-	32.00	6.00	32.28
PK	5.934G	61.01	68.20	-7.19	55.16	3	Horizontal	356	2.04	-	32.17	6.07	32.39

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4877G	56.91	74.00	-17.09	42.11	3	Vertical	7	2.16	-	39.62	9.49	34.31
AV	11.48514G	43.35	54.00	-10.65	28.54	3	Vertical	7	2.16	-	39.63	9.49	34.31

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48864G	57.17	74.00	-16.83	42.37	3	Horizontal	296	2.17	-	39.62	9.49	34.31
AV	11.49098G	43.35	54.00	-10.65	28.55	3	Horizontal	296	2.17	-	39.62	9.49	34.31

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	62.59	68.20	-5.61	57.19	3	Vertical	130	1.80	-	31.60	6.00	32.20
PK	5.789G	125.68	Inf	-Inf	119.98	3	Vertical	130	1.80	-	32.00	6.00	32.30
AV	5.779G	113.61	Inf	-Inf	107.91	3	Vertical	130	1.80	-	32.00	6.00	32.30
PK	5.947G	61.71	68.20	-6.49	55.85	3	Vertical	130	1.80	-	32.19	6.07	32.40

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.587G	60.89	68.20	-7.31	55.51	3	Horizontal	171	1.80	-	31.57	5.99	32.18
PK	5.779G	121.21	Inf	-Inf	115.51	3	Horizontal	171	1.80	-	32.00	6.00	32.30
AV	5.78G	108.80	Inf	-Inf	103.10	3	Horizontal	171	1.80	-	32.00	6.00	32.30
PK	5.945G	60.80	68.20	-7.40	54.94	3	Horizontal	171	1.80	-	32.19	6.07	32.40

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57372G	56.82	74.00	-17.18	42.05	3	Vertical	267	2.57	-	39.53	9.54	34.30
AV	11.56694G	43.22	54.00	-10.78	28.45	3	Vertical	267	2.57	-	39.53	9.54	34.30

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5733G	57.06	74.00	-16.94	42.29	3	Horizontal	202	1.48	-	39.53	9.54	34.30
AV	11.57056G	43.28	54.00	-10.72	28.51	3	Horizontal	202	1.48	-	39.53	9.54	34.30

802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 105  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	64.96	68.20	-3.24	59.57	3	Vertical	73	1.79	-	31.60	6.00	32.21
PK	5.83G	126.55	Inf	-Inf	120.87	3	Vertical	73	1.79	-	32.00	6.01	32.33
AV	5.827G	114.24	Inf	-Inf	108.56	3	Vertical	73	1.79	-	32.00	6.01	32.33
PK	5.936G	67.01	68.20	-1.19	61.16	3	Vertical	73	1.79	-	32.17	6.07	32.39

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 105  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	60.44	68.20	-7.76	55.05	3	Horizontal	360	2.04	-	31.60	6.00	32.21
PK	5.818G	119.88	Inf	-Inf	114.19	3	Horizontal	360	2.04	-	32.00	6.01	32.32
AV	5.817G	108.36	Inf	-Inf	102.67	3	Horizontal	360	2.04	-	32.00	6.01	32.32
PK	5.967G	61.11	68.20	-7.09	55.24	3	Horizontal	360	2.04	-	32.20	6.08	32.41

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 105  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64776G	56.88	74.00	-17.12	42.21	3	Vertical	259	1.31	-	39.36	9.59	34.28
AV	11.65284G	42.79	54.00	-11.21	28.14	3	Vertical	259	1.31	-	39.34	9.59	34.28

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 105  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64688G	56.33	74.00	-17.67	41.66	3	Horizontal	79	2.52	-	39.36	9.59	34.28
AV	11.65314G	42.82	54.00	-11.18	28.17	3	Horizontal	79	2.52	-	39.34	9.59	34.28

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 86  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	65.17	74.00	-8.83	59.93	3	Vertical	97	1.80	-	31.50	5.85	32.11
AV	5.46G	50.74	54.00	-3.26	45.49	3	Vertical	97	1.80	-	31.50	5.86	32.11
PK	5.47G	67.53	68.20	-0.67	62.28	3	Vertical	97	1.80	-	31.50	5.87	32.12
PK	5.52G	119.22	Inf	-Inf	113.94	3	Vertical	97	1.80	-	31.50	5.92	32.14
AV	5.518G	106.17	Inf	-Inf	100.89	3	Vertical	97	1.80	-	31.50	5.92	32.14

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 86  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	60.70	74.00	-13.30	55.45	3	Horizontal	184	1.80	-	31.50	5.86	32.11
AV	5.4596G	47.75	54.00	-6.25	42.50	3	Horizontal	184	1.80	-	31.50	5.86	32.11
PK	5.4628G	62.52	68.20	-5.68	57.27	3	Horizontal	184	1.80	-	31.50	5.86	32.11
PK	5.5036G	113.45	Inf	-Inf	108.18	3	Horizontal	184	1.80	-	31.50	5.90	32.13
AV	5.526G	100.76	Inf	-Inf	95.48	3	Horizontal	184	1.80	-	31.50	5.93	32.15

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 86  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02152G	57.80	74.00	-16.20	42.71	3	Vertical	282	2.98	-	40.11	9.21	34.23
AV	11.01578G	43.61	54.00	-10.39	28.49	3	Vertical	282	2.98	-	40.14	9.21	34.23

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 86  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01798G	57.40	74.00	-16.60	42.29	3	Horizontal	79	1.84	-	40.13	9.21	34.23
AV	11.01978G	43.62	54.00	-10.38	28.52	3	Horizontal	79	1.84	-	40.12	9.21	34.23

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	63.18	74.00	-10.82	57.93	3	Vertical	286.1	1.61	-	31.50	5.86	32.11
AV	5.46G	49.17	54.00	-4.83	43.92	3	Vertical	286.1	1.61	-	31.50	5.86	32.11
PK	5.4696G	67.79	68.20	-0.41	62.54	3	Vertical	286.1	1.61	-	31.50	5.87	32.12
PK	5.5384G	119.63	Inf	-Inf	114.34	3	Vertical	286.1	1.61	-	31.50	5.94	32.15
AV	5.5352G	105.74	Inf	-Inf	100.45	3	Vertical	286.1	1.61	-	31.50	5.94	32.15

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	59.74	74.00	-14.26	54.49	3	Horizontal	182	1.80	-	31.50	5.86	32.11
AV	5.46G	47.12	54.00	-6.88	41.87	3	Horizontal	182	1.80	-	31.50	5.86	32.11
PK	5.4676G	59.68	68.20	-8.52	54.43	3	Horizontal	182	1.80	-	31.50	5.87	32.12
PK	5.5332G	114.30	Inf	-Inf	109.02	3	Horizontal	182	1.80	-	31.50	5.93	32.15
AV	5.554G	100.59	Inf	-Inf	95.29	3	Horizontal	182	1.80	-	31.51	5.95	32.16

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.102G	57.36	74.00	-16.64	42.55	3	Vertical	125	1.73	-	39.80	9.26	34.25
AV	11.09528G	43.17	54.00	-10.83	28.34	3	Vertical	125	1.73	-	39.82	9.26	34.25

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1039G	57.03	74.00	-16.97	42.23	3	Horizontal	222	1.26	-	39.79	9.26	34.25
AV	11.09574G	43.17	54.00	-10.83	28.34	3	Horizontal	222	1.26	-	39.82	9.26	34.25

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6646G	118.42	Inf	-Inf	112.99	3	Vertical	308.2	1.78	-	31.66	6.00	32.23
AV	5.6838G	102.98	Inf	-Inf	97.48	3	Vertical	308.2	1.78	-	31.74	6.00	32.24
PK	5.7276G	67.64	68.20	-0.56	62.00	3	Vertical	308.2	1.78	-	31.91	6.00	32.27

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6772G	112.99	Inf	-Inf	107.52	3	Horizontal	173	1.80	-	31.71	6.00	32.24
AV	5.6742G	99.40	Inf	-Inf	93.93	3	Horizontal	173	1.80	-	31.70	6.00	32.23
PK	5.7252G	64.36	68.20	-3.84	58.73	3	Horizontal	173	1.80	-	31.90	6.00	32.27

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3377G	57.35	74.00	-16.65	42.55	3	Vertical	263	2.23	-	39.68	9.40	34.28
AV	11.34232G	43.43	54.00	-10.57	28.62	3	Vertical	263	2.23	-	39.68	9.41	34.28

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX


5670MHz\_TnomVnom



EUT Y\_4TX  
Setting 77  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33802G	57.47	74.00	-16.53	42.67	3	Horizontal	15	2.08	-	39.68	9.40	34.28
AV	11.34186G	43.49	54.00	-10.51	28.68	3	Horizontal	15	2.08	-	39.68	9.41	34.28


**802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 108  
 06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	122.00	Inf	-Inf	116.45	3	Vertical	138	1.80	-	31.80	6.00	32.25
AV	5.7028G	108.44	Inf	-Inf	102.88	3	Vertical	138	1.80	-	31.81	6.00	32.25
PK	5.8548G	66.87	68.20	-1.33	61.17	3	Vertical	138	1.80	-	32.01	6.03	32.34

**802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 108  
 06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	118.62	Inf	-Inf	113.04	3	Horizontal	203	2.66	-	31.83	6.00	32.25
AV	5.7092G	104.71	Inf	-Inf	99.13	3	Horizontal	203	2.66	-	31.84	6.00	32.26
PK	5.8556G	63.33	68.20	-4.87	57.63	3	Horizontal	203	2.66	-	32.01	6.03	32.34

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 5710MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41908G	57.58	74.00	-16.42	42.67	3	Vertical	142	2.74	-	39.76	9.45	34.30
AV	11.41576G	43.65	54.00	-10.35	28.73	3	Vertical	142	2.74	-	39.77	9.45	34.30

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5710MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42006G	57.46	74.00	-16.54	42.55	3	Horizontal	342	2.47	-	39.76	9.45	34.30
AV	11.41502G	43.61	54.00	-10.39	28.69	3	Horizontal	342	2.47	-	39.77	9.45	34.30

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 106  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.18	68.20	-0.02	62.80	3	Vertical	132	1.80	-	31.60	6.00	32.22
PK	5.759G	124.11	Inf	-Inf	118.40	3	Vertical	132	1.80	-	32.00	6.00	32.29
AV	5.741G	110.65	Inf	-Inf	104.96	3	Vertical	132	1.80	-	31.96	6.00	32.27
PK	5.948G	62.66	68.20	-5.54	56.79	3	Vertical	132	1.80	-	32.20	6.07	32.40

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 106  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.47	68.20	-4.73	58.09	3	Horizontal	0	1.79	-	31.60	6.00	32.22
PK	5.741G	116.54	Inf	-Inf	110.85	3	Horizontal	0	1.79	-	31.96	6.00	32.27
AV	5.738G	103.95	Inf	-Inf	98.27	3	Horizontal	0	1.79	-	31.95	6.00	32.27
PK	5.929G	60.76	68.20	-7.44	54.93	3	Horizontal	0	1.79	-	32.16	6.06	32.39

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 106  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50516G	57.34	74.00	-16.66	42.56	3	Vertical	143	2.76	-	39.59	9.50	34.31
AV	11.51042G	43.11	54.00	-10.89	28.32	3	Vertical	143	2.76	-	39.59	9.51	34.31

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 106  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51108G	56.84	74.00	-17.16	42.05	3	Horizontal	79	2.32	-	39.59	9.51	34.31
AV	11.5069G	43.10	54.00	-10.90	28.32	3	Horizontal	79	2.32	-	39.59	9.50	34.31

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

5795MHz\_TnomVnom




12/01/2022

EUT Y\_4TX  
Setting 104  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	68.06	68.20	-0.14	62.67	3	Vertical	304	1.80	-	31.60	6.00	32.21
PK	5.803G	121.81	Inf	-Inf	116.12	3	Vertical	304	1.80	-	32.00	6.00	32.31
AV	5.782G	109.61	Inf	-Inf	103.91	3	Vertical	304	1.80	-	32.00	6.00	32.30
PK	5.938G	67.42	68.20	-0.78	61.56	3	Vertical	304	1.80	-	32.18	6.07	32.39

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 104  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.34	68.20	-6.86	55.96	3	Horizontal	360	1.80	-	31.60	6.00	32.22
PK	5.779G	116.01	Inf	-Inf	110.31	3	Horizontal	360	1.80	-	32.00	6.00	32.30
AV	5.803G	103.81	Inf	-Inf	98.12	3	Horizontal	360	1.80	-	32.00	6.00	32.31
PK	5.927G	63.49	68.20	-4.71	57.67	3	Horizontal	360	1.80	-	32.15	6.06	32.39

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 104  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58838G	56.93	74.00	-17.07	42.16	3	Vertical	13	2.44	-	39.51	9.55	34.29
AV	11.58608G	42.92	54.00	-11.08	28.15	3	Vertical	13	2.44	-	39.51	9.55	34.29

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 104  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5919G	57.18	74.00	-16.82	42.40	3	Horizontal	94	2.32	-	39.51	9.56	34.29
AV	11.589G	42.96	54.00	-11.04	28.19	3	Horizontal	94	2.32	-	39.51	9.55	34.29

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 92  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4352G	66.25	74.00	-7.75	61.04	3	Vertical	314	1.80	-	31.47	5.84	32.10
PK	5.4658G	67.27	68.20	-0.93	62.01	3	Vertical	314	1.80	-	31.50	5.87	32.11
AV	5.4562G	53.33	54.00	-0.67	48.08	3	Vertical	314	1.80	-	31.50	5.86	32.11
PK	5.5438G	115.43	Inf	-Inf	110.15	3	Vertical	314	1.80	-	31.50	5.94	32.16
AV	5.5474G	103.13	Inf	-Inf	97.84	3	Vertical	314	1.80	-	31.50	5.95	32.16

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 92  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4502G	63.42	74.00	-10.58	58.18	3	Horizontal	192	1.80	-	31.50	5.85	32.11
AV	5.4574G	49.81	54.00	-4.19	44.56	3	Horizontal	192	1.80	-	31.50	5.86	32.11
PK	5.4658G	62.43	68.20	-5.77	57.17	3	Horizontal	192	1.80	-	31.50	5.87	32.11
PK	5.5072G	111.39	Inf	-Inf	106.11	3	Horizontal	192	1.80	-	31.50	5.91	32.13
AV	5.5318G	97.33	Inf	-Inf	92.05	3	Horizontal	192	1.80	-	31.50	5.93	32.15

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 92  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05658G	57.28	74.00	-16.72	42.32	3	Vertical	114	2.63	-	39.97	9.23	34.24
AV	11.06038G	43.75	54.00	-10.25	28.79	3	Vertical	114	2.63	-	39.96	9.24	34.24

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 92  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.057G	57.53	74.00	-16.47	42.57	3	Horizontal	32	1.45	-	39.97	9.23	34.24
AV	11.05728G	43.80	54.00	-10.20	28.84	3	Horizontal	32	1.45	-	39.97	9.23	34.24

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	63.22	74.00	-10.78	57.97	3	Vertical	274	2.50	-	31.50	5.86	32.11
AV	5.4596G	49.49	54.00	-4.51	44.24	3	Vertical	274	2.50	-	31.50	5.86	32.11
PK	5.4676G	68.12	68.20	-0.08	62.87	3	Vertical	274	2.50	-	31.50	5.87	32.12
PK	5.606G	115.34	Inf	-Inf	109.93	3	Vertical	274	2.50	-	31.60	6.00	32.19
AV	5.5996G	102.71	Inf	-Inf	97.30	3	Vertical	274	2.50	-	31.60	6.00	32.19
PK	5.7308G	67.74	68.20	-0.46	62.09	3	Vertical	274	2.50	-	31.92	6.00	32.27

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT\_V\_4TX  
Setting 85  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.426G	60.27	74.00	-13.73	55.09	3	Horizontal	185	1.79	-	31.45	5.83	32.10
PK	5.4636G	60.17	68.20	-8.03	54.92	3	Horizontal	185	1.79	-	31.50	5.86	32.11
AV	5.4564G	47.54	54.00	-6.46	42.29	3	Horizontal	185	1.79	-	31.50	5.86	32.11
PK	5.5812G	112.94	Inf	-Inf	107.58	3	Horizontal	185	1.79	-	31.56	5.98	32.18
AV	5.5796G	98.60	Inf	-Inf	93.24	3	Horizontal	185	1.79	-	31.56	5.98	32.18
PK	5.7284G	65.19	68.20	-3.01	59.55	3	Horizontal	185	1.79	-	31.91	6.00	32.27

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21946G	57.34	74.00	-16.66	42.68	3	Vertical	265	2.08	-	39.60	9.33	34.27
AV	11.21524G	43.26	54.00	-10.74	28.59	3	Vertical	265	2.08	-	39.60	9.33	34.26

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX


#### 5610MHz\_TnomVnom



EUT Y\_4TX  
Setting 85  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22104G	57.15	74.00	-16.85	42.49	3	Horizontal	43	1.27	-	39.60	9.33	34.27
AV	11.22434G	43.21	54.00	-10.79	28.55	3	Horizontal	43	1.27	-	39.60	9.33	34.27


**802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 97  
 06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6764G	120.39	Inf	-Inf	114.92	3	Vertical	275	2.65	-	31.71	6.00	32.24
AV	5.7164G	104.98	Inf	-Inf	99.37	3	Vertical	275	2.65	-	31.87	6.00	32.26
PK	5.8556G	67.60	68.20	-0.60	61.90	3	Vertical	275	2.65	-	32.01	6.03	32.34

**802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 97  
 06-D-5-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6852G	116.82	Inf	-Inf	111.32	3	Horizontal	189	1.80	-	31.74	6.00	32.24
AV	5.6772G	101.30	Inf	-Inf	95.83	3	Horizontal	189	1.80	-	31.71	6.00	32.24
PK	5.8572G	65.01	68.20	-3.19	59.31	3	Horizontal	189	1.80	-	32.01	6.03	32.34

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TnomVnom




EUT Y\_4TX  
Setting 97  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38056G	57.61	74.00	-16.39	42.71	3	Vertical	210	2.28	-	39.76	9.43	34.29
AV	11.3821G	44.02	54.00	-9.98	29.12	3	Vertical	210	2.28	-	39.76	9.43	34.29

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5690MHz\_TnomVnom




EUT Y\_4TX  
Setting 97  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37816G	58.29	74.00	-15.71	43.39	3	Horizontal	142	1.18	-	39.76	9.43	34.29
AV	11.37912G	43.95	54.00	-10.05	29.05	3	Horizontal	142	1.18	-	39.76	9.43	34.29

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 97  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	67.72	68.20	-0.48	62.33	3	Vertical	131	1.78	-	31.60	6.00	32.21
PK	5.803G	118.34	Inf	-Inf	112.65	3	Vertical	131	1.78	-	32.00	6.00	32.31
AV	5.766G	105.86	Inf	-Inf	100.15	3	Vertical	131	1.78	-	32.00	6.00	32.29
PK	5.927G	66.08	68.20	-2.12	60.26	3	Vertical	131	1.78	-	32.15	6.06	32.39

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 97  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	63.10	68.20	-5.10	57.71	3	Horizontal	184	2.68	-	31.60	6.00	32.21
PK	5.739G	110.42	Inf	-Inf	104.73	3	Horizontal	184	2.68	-	31.96	6.00	32.27
AV	5.737G	98.37	Inf	-Inf	92.69	3	Horizontal	184	2.68	-	31.95	6.00	32.27
PK	5.925G	60.94	68.20	-7.26	55.11	3	Horizontal	184	2.68	-	32.15	6.06	32.38

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 97  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54578G	56.89	74.00	-17.11	42.11	3	Vertical	232	1.27	-	39.55	9.53	34.30
AV	11.545G	43.38	54.00	-10.62	28.60	3	Vertical	232	1.27	-	39.55	9.53	34.30

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 97  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55476G	56.89	74.00	-17.11	42.11	3	Horizontal	275	2.50	-	39.55	9.53	34.30
AV	11.54796G	43.21	54.00	-10.79	28.43	3	Horizontal	275	2.50	-	39.55	9.53	34.30

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

5570MHz\_TnomVnom




EUT\_V\_4TX  
Setting 74  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.242G	58.76	68.20	-9.44	53.83	3	Vertical	313	1.80	-	31.15	5.80	32.02
PK	5.4564G	73.63	74.00	-0.37	68.38	3	Vertical	313	1.80	-	31.50	5.86	32.11
AV	5.4596G	50.78	54.00	-3.22	45.53	3	Vertical	313	1.80	-	31.50	5.86	32.11
PK	5.4628G	63.35	68.20	-4.85	58.10	3	Vertical	313	1.80	-	31.50	5.86	32.11
AV	5.5044G	97.40	Inf	-Inf	92.13	3	Vertical	313	1.80	-	31.50	5.90	32.13
PK	5.6052G	109.47	Inf	-Inf	104.06	3	Vertical	313	1.80	-	31.60	6.00	32.19
PK	5.7956G	67.75	68.20	-0.45	62.06	3	Vertical	313	1.80	-	32.00	6.00	32.31

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT\_V\_4TX  
Setting 74  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	59.20	68.20	-9.00	54.36	3	Horizontal	189	1.80	-	31.10	5.80	32.06
PK	5.4548G	63.09	74.00	-10.91	57.85	3	Horizontal	189	1.80	-	31.50	5.85	32.11
AV	5.4564G	48.21	54.00	-5.79	42.96	3	Horizontal	189	1.80	-	31.50	5.86	32.11
PK	5.4612G	64.92	68.20	-3.28	59.67	3	Horizontal	189	1.80	-	31.50	5.86	32.11
PK	5.5764G	103.80	Inf	-Inf	98.45	3	Horizontal	189	1.80	-	31.55	5.98	32.18
AV	5.5316G	91.97	Inf	-Inf	86.69	3	Horizontal	189	1.80	-	31.50	5.93	32.15
PK	5.7908G	64.91	68.20	-3.29	59.21	3	Horizontal	189	1.80	-	32.00	6.00	32.30

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT Y\_4TX  
Setting 74  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13508G	57.96	74.00	-16.04	43.20	3	Vertical	348	2.65	-	39.73	9.28	34.25
AV	11.1383G	43.13	54.00	-10.87	28.38	3	Vertical	348	2.65	-	39.72	9.28	34.25

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

#### 5570MHz\_TnomVnom



EUT Y\_4TX  
Setting 74  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14364G	56.68	74.00	-17.32	41.93	3	Horizontal	60	1.81	-	39.71	9.29	34.25
AV	11.13538G	43.07	54.00	-10.93	28.31	3	Horizontal	60	1.81	-	39.73	9.28	34.25



For UNII 4:


Test Mode: non-beamforming 4T1S:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_4TX	Pass	PK	5.899G	106.86	107.27	-0.41	3	Vertical	132	1.78	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5845MHz\_TnomVnom




EUT\_V\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	63.44	68.20	-4.76	58.05	3	Vertical	130	1.79	-	31.60	6.00	32.21
PK	5.839G	127.33	Inf	-Inf	121.64	3	Vertical	130	1.79	-	32.00	6.02	32.33
AV	5.838G	116.67	Inf	-Inf	110.98	3	Vertical	130	1.79	-	32.00	6.02	32.33
PK	5.922G	70.29	90.40	-20.11	64.47	3	Vertical	130	1.79	-	32.14	6.06	32.38

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5845MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	61.24	68.20	-6.96	55.84	3	Horizontal	174	1.79	-	31.60	6.00	32.20
PK	5.852G	120.64	Inf	-Inf	114.95	3	Horizontal	174	1.79	-	32.00	6.03	32.34
AV	5.852G	110.11	Inf	-Inf	104.42	3	Horizontal	174	1.79	-	32.00	6.03	32.34
PK	5.945G	61.29	88.20	-26.91	55.43	3	Horizontal	174	1.79	-	32.19	6.07	32.40

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5845MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6889G	57.21	74.00	-16.79	42.65	3	Vertical	210	2.28	-	39.23	9.61	34.28
AV	11.6923G	42.89	54.00	-11.11	28.33	3	Vertical	210	2.28	-	39.22	9.62	34.28
PK	17.53558G	68.79	88.20	-19.41	45.76	3	Vertical	73	2.94	-	43.38	14.37	34.72

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5845MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68654G	57.11	74.00	-16.89	42.54	3	Horizontal	347	2.41	-	39.24	9.61	34.28
AV	11.694G	42.95	54.00	-11.05	28.39	3	Horizontal	347	2.41	-	39.22	9.62	34.28
PK	17.53876G	68.62	88.20	-19.58	45.56	3	Horizontal	25	2.94	-	43.41	14.37	34.72

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5865MHz\_TnomVnom




EUT\_V\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	61.57	68.20	-6.63	56.18	3	Vertical	132	1.78	-	31.60	6.00	32.21
PK	5.86G	127.47	Inf	-Inf	121.77	3	Vertical	132	1.78	-	32.02	6.03	32.35
AV	5.859G	116.44	Inf	-Inf	110.74	3	Vertical	132	1.78	-	32.02	6.03	32.35
PK	5.926G	76.36	88.20	-11.84	70.54	3	Vertical	132	1.78	-	32.15	6.06	32.39

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5865MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.05	68.20	-8.15	54.67	3	Horizontal	349	1.80	-	31.60	6.00	32.22
PK	5.858G	119.80	Inf	-Inf	114.09	3	Horizontal	349	1.80	-	32.02	6.03	32.34
AV	5.857G	109.62	Inf	-Inf	103.92	3	Horizontal	349	1.80	-	32.01	6.03	32.34
PK	5.919G	69.57	92.60	-23.03	63.75	3	Horizontal	349	1.80	-	32.14	6.06	32.38

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5865MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72544G	58.07	74.00	-15.93	43.63	3	Vertical	158	2.99	-	39.07	9.64	34.27
AV	11.725G	43.21	54.00	-10.79	28.77	3	Vertical	158	2.99	-	39.08	9.63	34.27
PK	17.59382G	68.94	88.20	-19.26	45.39	3	Vertical	47	1.39	-	43.85	14.43	34.73

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5865MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7261G	57.83	74.00	-16.17	43.39	3	Horizontal	189	1.38	-	39.07	9.64	34.27
AV	11.72916G	43.22	54.00	-10.78	28.80	3	Horizontal	189	1.38	-	39.05	9.64	34.27
PK	17.59176G	68.86	88.20	-19.34	45.33	3	Horizontal	342	2.87	-	43.83	14.43	34.73

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5885MHz\_TnomVnom




EUT Y\_4TX  
Setting 105  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	61.02	68.20	-7.18	55.64	3	Vertical	132	1.78	-	31.60	6.00	32.22
PK	5.878G	125.76	Inf	-Inf	120.02	3	Vertical	132	1.78	-	32.06	6.04	32.36
AV	5.879G	115.24	Inf	-Inf	109.50	3	Vertical	132	1.78	-	32.06	6.04	32.36
PK	5.899G	106.86	107.27	-0.41	101.08	3	Vertical	132	1.78	-	32.10	6.05	32.37

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5885MHz\_TnomVnom




EUT Y\_4TX  
Setting 105  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	60.28	68.20	-7.92	54.90	3	Horizontal	345	2.09	-	31.60	6.00	32.22
PK	5.877G	118.63	Inf	-Inf	112.90	3	Horizontal	345	2.09	-	32.05	6.04	32.36
AV	5.878G	108.68	Inf	-Inf	102.94	3	Horizontal	345	2.09	-	32.06	6.04	32.36
PK	5.895G	105.13	110.20	-5.07	99.36	3	Horizontal	345	2.09	-	32.09	6.05	32.37

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5885MHz\_TnomVnom




EUT Y\_4TX  
Setting 105  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76726G	57.58	74.00	-16.42	43.32	3	Vertical	101	1.68	-	38.86	9.66	34.26
AV	11.7685G	43.20	54.00	-10.80	28.94	3	Vertical	101	1.68	-	38.86	9.66	34.26
PK	17.65484G	69.37	88.20	-18.83	45.33	3	Vertical	134	2.91	-	44.28	14.50	34.74

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5885MHz\_TnomVnom



EUT Y\_4TX  
Setting 105  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76938G	57.23	74.00	-16.77	42.98	3	Horizontal	315	2.83	-	38.85	9.66	34.26
AV	11.76794G	43.22	54.00	-10.78	28.96	3	Horizontal	315	2.83	-	38.86	9.66	34.26
PK	17.65406G	68.52	88.20	-19.68	44.48	3	Horizontal	231	2.60	-	44.28	14.50	34.74




For UNII 4:  
Test Mode: beamforming 4T1S:  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.617G	67.89	68.20	-0.31	3	Vertical	360	1.80	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5845MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	65.00	68.20	-3.20	59.62	3	Vertical	308	1.72	-	31.60	6.00	32.22
PK	5.851G	128.37	Inf	-Inf	122.68	3	Vertical	308	1.72	-	32.00	6.03	32.34
AV	5.85G	116.79	Inf	-Inf	111.10	3	Vertical	308	1.72	-	32.00	6.03	32.34
PK	5.938G	76.01	88.20	-12.19	70.15	3	Vertical	308	1.72	-	32.18	6.07	32.39

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

5845MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	61.21	68.20	-6.99	55.82	3	Horizontal	176	2.07	-	31.60	6.00	32.21
PK	5.854G	122.13	Inf	-Inf	116.43	3	Horizontal	176	2.07	-	32.01	6.03	32.34
AV	5.837G	110.33	Inf	-Inf	104.64	3	Horizontal	176	2.07	-	32.00	6.02	32.33
PK	5.929G	61.37	88.20	-26.83	55.54	3	Horizontal	176	2.07	-	32.16	6.06	32.39

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5845MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68542G	57.24	74.00	-16.76	42.67	3	Vertical	189	2.75	-	39.24	9.61	34.28
AV	11.68618G	42.96	54.00	-11.04	28.39	3	Vertical	189	2.75	-	39.24	9.61	34.28
PK	17.53618G	68.63	88.20	-19.57	45.59	3	Vertical	345	1.03	-	43.39	14.37	34.72

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5845MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69148G	57.01	74.00	-16.99	42.45	3	Horizontal	256	2.76	-	39.23	9.61	34.28
AV	11.68864G	42.98	54.00	-11.02	28.42	3	Horizontal	256	2.76	-	39.23	9.61	34.28
PK	17.53782G	67.90	88.20	-20.30	44.85	3	Horizontal	273	2.80	-	43.40	14.37	34.72

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5865MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	61.52	68.20	-6.68	56.14	3	Vertical	311	1.80	-	31.60	6.00	32.22
PK	5.86G	128.30	Inf	-Inf	122.60	3	Vertical	311	1.80	-	32.02	6.03	32.35
AV	5.863G	115.91	Inf	-Inf	110.20	3	Vertical	311	1.80	-	32.03	6.03	32.35
PK	5.924G	79.46	88.93	-9.47	73.63	3	Vertical	311	1.80	-	32.15	6.06	32.38

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5865MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	60.41	68.20	-7.79	55.02	3	Horizontal	178	1.97	-	31.60	6.00	32.21
PK	5.864G	122.62	Inf	-Inf	116.91	3	Horizontal	178	1.97	-	32.03	6.03	32.35
AV	5.863G	110.08	Inf	-Inf	104.37	3	Horizontal	178	1.97	-	32.03	6.03	32.35
PK	5.923G	66.61	89.67	-23.06	60.78	3	Horizontal	178	1.97	-	32.15	6.06	32.38

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5865MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72542G	56.86	74.00	-17.14	42.42	3	Vertical	123	1.40	-	39.07	9.64	34.27
AV	11.72956G	43.41	54.00	-10.59	28.99	3	Vertical	123	1.40	-	39.05	9.64	34.27
PK	17.5975G	68.29	88.20	-19.91	44.70	3	Vertical	225	2.77	-	43.88	14.44	34.73

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5865MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72734G	57.50	74.00	-16.50	43.07	3	Horizontal	63	1.08	-	39.06	9.64	34.27
AV	11.72532G	43.36	54.00	-10.64	28.92	3	Horizontal	63	1.08	-	39.07	9.64	34.27
PK	17.59148G	68.54	88.20	-19.66	45.01	3	Horizontal	267	2.93	-	43.83	14.43	34.73

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5885MHz\_TnomVnom




EUT Y\_4TX  
Setting 64  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	59.13	68.20	-9.07	53.75	3	Vertical	132	1.82	-	31.60	6.00	32.22
PK	5.882G	116.47	Inf	-Inf	110.73	3	Vertical	132	1.82	-	32.06	6.04	32.36
AV	5.882G	104.75	Inf	-Inf	99.01	3	Vertical	132	1.82	-	32.06	6.04	32.36
PK	5.895G	109.69	110.20	-0.51	103.92	3	Vertical	132	1.82	-	32.09	6.05	32.37

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5885MHz\_TnomVnom




EUT Y\_4TX  
Setting 64  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	58.69	68.20	-9.51	53.31	3	Horizontal	354	1.97	-	31.60	6.00	32.22
PK	5.891G	110.96	Inf	-Inf	105.19	3	Horizontal	354	1.97	-	32.08	6.05	32.36
AV	5.887G	99.66	Inf	-Inf	93.91	3	Horizontal	354	1.97	-	32.07	6.04	32.36
PK	5.895G	104.85	110.20	-5.35	99.08	3	Horizontal	354	1.97	-	32.09	6.05	32.37

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 5885MHz\_TnomVnom




EUT Y\_4TX  
Setting 64  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76582G	57.31	74.00	-16.69	43.04	3	Vertical	134	2.07	-	38.87	9.66	34.26
AV	11.76504G	43.51	54.00	-10.49	29.24	3	Vertical	134	2.07	-	38.87	9.66	34.26
PK	17.65998G	68.94	88.20	-19.26	44.85	3	Vertical	327	1.26	-	44.32	14.51	34.74

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5885MHz\_TnomVnom




EUT Y\_4TX  
Setting 64  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7651G	57.32	74.00	-16.68	43.05	3	Horizontal	267	2.00	-	38.87	9.66	34.26
AV	11.76768G	43.44	54.00	-10.56	29.18	3	Horizontal	267	2.00	-	38.86	9.66	34.26
PK	17.65526G	68.46	88.20	-19.74	44.41	3	Horizontal	38	2.23	-	44.29	14.50	34.74

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5835MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	65.35	68.20	-2.85	59.96	3	Vertical	66	1.85	-	31.60	6.00	32.21
PK	5.845G	125.47	Inf	-Inf	119.79	3	Vertical	66	1.85	-	32.00	6.02	32.34
AV	5.846G	112.74	Inf	-Inf	107.06	3	Vertical	66	1.85	-	32.00	6.02	32.34
PK	5.922G	77.68	90.40	-12.72	71.86	3	Vertical	66	1.85	-	32.14	6.06	32.38

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5835MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	63.56	68.20	-4.64	58.17	3	Horizontal	175	1.80	-	31.60	6.00	32.21
PK	5.829G	121.94	Inf	-Inf	116.26	3	Horizontal	175	1.80	-	32.00	6.01	32.33
AV	5.829G	108.72	Inf	-Inf	103.04	3	Horizontal	175	1.80	-	32.00	6.01	32.33
PK	5.923G	70.04	89.67	-19.63	64.21	3	Horizontal	175	1.80	-	32.15	6.06	32.38

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5835MHz\_TnomVnom



EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67378G	57.64	74.00	-16.36	43.04	3	Vertical	202	2.05	-	39.28	9.60	34.28
AV	11.66532G	42.80	54.00	-11.20	28.18	3	Vertical	202	2.05	-	39.30	9.60	34.28
PK	17.50376G	68.40	88.20	-19.80	45.65	3	Vertical	279	2.69	-	43.13	14.33	34.71

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5835MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67248G	57.15	74.00	-16.85	42.55	3	Horizontal	300	1.32	-	39.28	9.60	34.28
AV	11.6703G	42.79	54.00	-11.21	28.18	3	Horizontal	300	1.32	-	39.29	9.60	34.28
PK	17.5013G	67.53	88.20	-20.67	44.80	3	Horizontal	125	1.69	-	43.11	14.33	34.71

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

5875MHz\_TnomVnom




12/01/2022

EUT Y\_4TX  
Setting 96  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	61.27	68.20	-6.93	55.88	3	Vertical	125	1.76	-	31.60	6.00	32.21
PK	5.886G	122.40	Inf	-Inf	116.65	3	Vertical	125	1.76	-	32.07	6.04	32.36
AV	5.884G	109.62	Inf	-Inf	103.87	3	Vertical	125	1.76	-	32.07	6.04	32.36
PK	5.925G	87.55	88.20	-0.65	81.72	3	Vertical	125	1.76	-	32.15	6.06	32.38

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5875MHz\_TnomVnom




EUT Y\_4TX  
Setting 96  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.24	68.20	-7.96	54.86	3	Horizontal	355	1.86	-	31.60	6.00	32.22
PK	5.88G	117.75	Inf	-Inf	112.01	3	Horizontal	355	1.86	-	32.06	6.04	32.36
AV	5.878G	104.80	Inf	-Inf	99.06	3	Horizontal	355	1.86	-	32.06	6.04	32.36
PK	5.923G	81.69	89.67	-7.98	75.86	3	Horizontal	355	1.86	-	32.15	6.06	32.38

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5875MHz\_TnomVnom




EUT Y\_4TX  
Setting 96  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75072G	57.10	74.00	-16.90	42.76	3	Vertical	63	1.29	-	38.95	9.65	34.26
AV	11.74798G	43.17	54.00	-10.83	28.83	3	Vertical	63	1.29	-	38.96	9.65	34.27
PK	17.62074G	69.15	88.20	-19.05	45.37	3	Vertical	332	2.92	-	44.05	14.46	34.73

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5875MHz\_TnomVnom




EUT Y\_4TX  
Setting 96  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74966G	57.08	74.00	-16.92	42.75	3	Horizontal	28	1.01	-	38.95	9.65	34.27
AV	11.74532G	43.21	54.00	-10.79	28.86	3	Horizontal	28	1.01	-	38.97	9.65	34.27
PK	17.62102G	69.27	88.20	-18.93	45.49	3	Horizontal	160	1.72	-	44.05	14.46	34.73

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5855MHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	65.75	68.20	-2.45	60.37	3	Vertical	131	1.80	-	31.60	6.00	32.22
PK	5.865G	119.61	Inf	-Inf	113.90	3	Vertical	131	1.80	-	32.03	6.03	32.35
AV	5.861G	107.16	Inf	-Inf	101.46	3	Vertical	131	1.80	-	32.02	6.03	32.35
PK	5.924G	88.28	88.93	-0.65	82.45	3	Vertical	131	1.80	-	32.15	6.06	32.38

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5855MHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	61.06	68.20	-7.14	55.67	3	Horizontal	348	1.80	-	31.60	6.00	32.21
PK	5.878G	114.45	Inf	-Inf	108.71	3	Horizontal	348	1.80	-	32.06	6.04	32.36
AV	5.879G	101.91	Inf	-Inf	96.17	3	Horizontal	348	1.80	-	32.06	6.04	32.36
PK	5.924G	81.37	88.93	-7.56	75.54	3	Horizontal	348	1.80	-	32.15	6.06	32.38

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5855MHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71118G	56.82	74.00	-17.18	42.32	3	Vertical	178	2.87	-	39.14	9.63	34.27
AV	11.70948G	43.22	54.00	-10.78	28.71	3	Vertical	178	2.87	-	39.15	9.63	34.27
PK	17.56828G	68.69	88.20	-19.51	45.36	3	Vertical	59	1.42	-	43.65	14.40	34.72

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5855MHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70892G	57.44	74.00	-16.56	42.92	3	Horizontal	201	1.17	-	39.16	9.63	34.27
AV	11.70566G	43.23	54.00	-10.77	28.71	3	Horizontal	201	1.17	-	39.17	9.62	34.27
PK	17.56398G	68.96	88.20	-19.24	45.67	3	Horizontal	122	1.43	-	43.61	14.40	34.72

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 5815MHz\_TnomVnom




EUT Y\_4TX  
Setting 76  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	67.89	68.20	-0.31	62.49	3	Vertical	360	1.80	-	31.60	6.00	32.20
PK	5.788G	112.33	Inf	-Inf	106.63	3	Vertical	360	1.80	-	32.00	6.00	32.30
AV	5.79G	100.13	Inf	-Inf	94.43	3	Vertical	360	1.80	-	32.00	6.00	32.30
PK	5.895G	100.68	110.20	-9.52	94.91	3	Vertical	360	1.80	-	32.09	6.05	32.37

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 5815MHz\_TnomVnom




EUT Y\_4TX  
Setting 76  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	67.27	68.20	-0.93	61.88	3	Horizontal	176	1.78	-	31.60	6.00	32.21
PK	5.749G	112.26	Inf	-Inf	106.54	3	Horizontal	176	1.78	-	32.00	6.00	32.28
AV	5.748G	93.29	Inf	-Inf	87.58	3	Horizontal	176	1.78	-	31.99	6.00	32.28
PK	5.941G	73.80	88.20	-14.40	67.94	3	Horizontal	176	1.78	-	32.18	6.07	32.39

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5815MHz\_TnomVnom




EUT Y\_4TX  
Setting 76  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63022G	57.28	74.00	-16.72	42.58	3	Vertical	174	1.29	-	39.41	9.58	34.29
AV	11.62856G	43.46	54.00	-10.54	28.76	3	Vertical	174	1.29	-	39.41	9.58	34.29
PK	17.4407G	68.37	88.20	-19.83	46.17	3	Vertical	302	2.42	-	42.63	14.26	34.69

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5815MHz\_TnomVnom



EUT Y\_4TX  
Setting 76  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62848G	56.98	74.00	-17.02	42.28	3	Horizontal	336	2.54	-	39.41	9.58	34.29
AV	11.63386G	43.33	54.00	-10.67	28.64	3	Horizontal	336	2.54	-	39.40	9.58	34.29
PK	17.44746G	68.43	88.20	-19.77	46.18	3	Horizontal	5	2.29	-	42.68	14.26	34.69




For UNII 4:  
Test Mode: beamforming 4T2S:  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	PK	5.924G	88.73	88.93	-0.20	3	Vertical	127	1.44	-

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5845MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	64.46	68.20	-3.74	59.08	3	Vertical	69	1.80	-	31.60	6.00	32.22
PK	5.846G	127.92	Inf	-Inf	122.24	3	Vertical	69	1.80	-	32.00	6.02	32.34
AV	5.84G	115.07	Inf	-Inf	109.38	3	Vertical	69	1.80	-	32.00	6.02	32.33
PK	5.943G	77.51	88.20	-10.69	71.65	3	Vertical	69	1.80	-	32.19	6.07	32.40

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5845MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.92	68.20	-7.28	55.54	3	Horizontal	172	1.80	-	31.60	6.00	32.22
PK	5.854G	122.05	Inf	-Inf	116.35	3	Horizontal	172	1.80	-	32.01	6.03	32.34
AV	5.847G	109.66	Inf	-Inf	103.98	3	Horizontal	172	1.80	-	32.00	6.02	32.34
PK	5.927G	61.62	88.20	-26.58	55.80	3	Horizontal	172	1.80	-	32.15	6.06	32.39

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5845MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69014G	56.62	74.00	-17.38	42.06	3	Vertical	191	1.97	-	39.23	9.61	34.28
AV	11.685G	42.89	54.00	-11.11	28.31	3	Vertical	191	1.97	-	39.25	9.61	34.28
PK	17.5308G	67.60	88.20	-20.60	44.61	3	Vertical	57	2.53	-	43.35	14.36	34.72

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5845MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68556G	56.64	74.00	-17.36	42.07	3	Horizontal	18	2.59	-	39.24	9.61	34.28
AV	11.68674G	42.83	54.00	-11.17	28.26	3	Horizontal	18	2.59	-	39.24	9.61	34.28
PK	17.53758G	68.45	88.20	-19.75	45.40	3	Horizontal	157	2.49	-	43.40	14.37	34.72

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5865MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	61.52	68.20	-6.68	56.13	3	Vertical	129	1.78	-	31.60	6.00	32.21
PK	5.866G	126.82	Inf	-Inf	121.11	3	Vertical	129	1.78	-	32.03	6.03	32.35
AV	5.864G	114.98	Inf	-Inf	109.27	3	Vertical	129	1.78	-	32.03	6.03	32.35
PK	5.927G	73.78	88.20	-14.42	67.96	3	Vertical	129	1.78	-	32.15	6.06	32.39

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5865MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	60.42	68.20	-7.78	55.03	3	Horizontal	342	1.82	-	31.60	6.00	32.21
PK	5.856G	121.53	Inf	-Inf	115.83	3	Horizontal	342	1.82	-	32.01	6.03	32.34
AV	5.857G	108.81	Inf	-Inf	103.11	3	Horizontal	342	1.82	-	32.01	6.03	32.34
PK	5.927G	65.35	88.20	-22.85	59.53	3	Horizontal	342	1.82	-	32.15	6.06	32.39

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5865MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72568G	57.87	74.00	-16.13	43.43	3	Vertical	217	2.63	-	39.07	9.64	34.27
AV	11.72822G	43.22	54.00	-10.78	28.79	3	Vertical	217	2.63	-	39.06	9.64	34.27
PK	17.59758G	67.81	88.20	-20.39	44.22	3	Vertical	213	2.38	-	43.88	14.44	34.73

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 5865MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73448G	56.99	74.00	-17.01	42.59	3	Horizontal	206	1.82	-	39.03	9.64	34.27
AV	11.72916G	43.17	54.00	-10.83	28.75	3	Horizontal	206	1.82	-	39.05	9.64	34.27
PK	17.59516G	68.57	88.20	-19.63	45.01	3	Horizontal	230	1.45	-	43.86	14.43	34.73

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5885MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	59.74	68.20	-8.46	54.36	3	Vertical	126	1.80	-	31.60	6.00	32.22
PK	5.878G	116.17	Inf	-Inf	110.43	3	Vertical	126	1.80	-	32.06	6.04	32.36
PK	5.895G	109.62	110.20	-0.58	103.85	3	Vertical	126	1.80	-	32.09	6.05	32.37
AV	5.887G	103.54	Inf	-Inf	97.79	3	Vertical	126	1.80	-	32.07	6.04	32.36

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5885MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	58.77	68.20	-9.43	53.38	3	Horizontal	171	1.77	-	31.60	6.00	32.21
PK	5.886G	112.83	Inf	-Inf	107.08	3	Horizontal	171	1.77	-	32.07	6.04	32.36
AV	5.889G	99.01	Inf	-Inf	93.25	3	Horizontal	171	1.77	-	32.08	6.04	32.36
PK	5.895G	104.39	110.20	-5.81	98.62	3	Horizontal	171	1.77	-	32.09	6.05	32.37

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 5885MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.772G	56.95	74.00	-17.05	42.71	3	Vertical	255	2.02	-	38.84	9.66	34.26
AV	11.77402G	43.33	54.00	-10.67	29.10	3	Vertical	255	2.02	-	38.83	9.66	34.26
PK	17.65998G	68.84	88.20	-19.36	44.75	3	Vertical	119	2.55	-	44.32	14.51	34.74

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5885MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76616G	56.94	74.00	-17.06	42.67	3	Horizontal	193	2.98	-	38.87	9.66	34.26
AV	11.77162G	43.42	54.00	-10.58	29.18	3	Horizontal	193	2.98	-	38.84	9.66	34.26
PK	17.653G	69.74	88.20	-18.46	45.71	3	Horizontal	340	1.48	-	44.27	14.50	34.74

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

5835MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	62.85	68.20	-5.35	57.46	3	Vertical	130	1.80	-	31.60	6.00	32.21
PK	5.827G	122.87	Inf	-Inf	117.19	3	Vertical	130	1.80	-	32.00	6.01	32.33
AV	5.83G	110.11	Inf	-Inf	104.43	3	Vertical	130	1.80	-	32.00	6.01	32.33
PK	5.924G	74.34	88.93	-14.59	68.51	3	Vertical	130	1.80	-	32.15	6.06	32.38

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

5835MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	61.70	68.20	-6.50	56.32	3	Horizontal	172	1.96	-	31.60	6.00	32.22
PK	5.829G	118.71	Inf	-Inf	113.03	3	Horizontal	172	1.96	-	32.00	6.01	32.33
AV	5.828G	106.27	Inf	-Inf	100.59	3	Horizontal	172	1.96	-	32.00	6.01	32.33
PK	5.925G	69.86	88.20	-18.34	64.03	3	Horizontal	172	1.96	-	32.15	6.06	32.38

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5835MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66972G	56.63	74.00	-17.37	42.02	3	Vertical	9	1.67	-	39.29	9.60	34.28
AV	11.66742G	42.85	54.00	-11.15	28.23	3	Vertical	9	1.67	-	39.30	9.60	34.28
PK	17.50058G	68.23	88.20	-19.97	45.51	3	Vertical	170	2.40	-	43.10	14.33	34.71

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5835MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66518G	57.59	74.00	-16.41	42.97	3	Horizontal	75	2.12	-	39.30	9.60	34.28
AV	11.67298G	42.96	54.00	-11.04	28.36	3	Horizontal	75	2.12	-	39.28	9.60	34.28
PK	17.50746G	68.69	88.20	-19.51	45.91	3	Horizontal	230	2.31	-	43.16	14.33	34.71

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

5875MHz\_TnomVnom




EUT Y\_4TX  
Setting 103  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	61.01	68.20	-7.19	55.62	3	Vertical	127	1.44	-	31.60	6.00	32.21
PK	5.863G	121.74	Inf	-Inf	116.03	3	Vertical	127	1.44	-	32.03	6.03	32.35
AV	5.868G	108.81	Inf	-Inf	103.09	3	Vertical	127	1.44	-	32.04	6.03	32.35
PK	5.924G	88.73	88.93	-0.20	82.90	3	Vertical	127	1.44	-	32.15	6.06	32.38

802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

5875MHz\_TnomVnom




EUT Y\_4TX  
Setting 103  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	60.70	68.20	-7.50	55.32	3	Horizontal	350	1.80	-	31.60	6.00	32.22
PK	5.878G	117.97	Inf	-Inf	112.23	3	Horizontal	350	1.80	-	32.06	6.04	32.36
AV	5.878G	104.93	Inf	-Inf	99.19	3	Horizontal	350	1.80	-	32.06	6.04	32.36
PK	5.924G	83.79	88.93	-5.14	77.96	3	Horizontal	350	1.80	-	32.15	6.06	32.38

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5875MHz\_TnomVnom




EUT Y\_4TX  
Setting 103  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7477G	56.99	74.00	-17.01	42.65	3	Vertical	342	2.15	-	38.96	9.65	34.27
AV	11.74562G	43.40	54.00	-10.60	29.05	3	Vertical	342	2.15	-	38.97	9.65	34.27
PK	17.6278G	68.33	88.20	-19.87	44.51	3	Vertical	358	1.91	-	44.09	14.47	34.74

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5875MHz\_TnomVnom




EUT Y\_4TX  
Setting 103  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7498G	57.09	74.00	-16.91	42.76	3	Horizontal	98	2.13	-	38.95	9.65	34.27
AV	11.7515G	43.35	54.00	-10.65	29.02	3	Horizontal	98	2.13	-	38.94	9.65	34.26
PK	17.62504G	68.52	88.20	-19.68	44.71	3	Horizontal	357	1.75	-	44.08	14.47	34.74

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5855MHz\_TnomVnom




EUT Y\_4TX  
Setting 98  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	63.93	68.20	-4.27	58.55	3	Vertical	131	1.80	-	31.60	6.00	32.22
PK	5.858G	117.90	Inf	-Inf	112.19	3	Vertical	131	1.80	-	32.02	6.03	32.34
AV	5.865G	105.94	Inf	-Inf	100.23	3	Vertical	131	1.80	-	32.03	6.03	32.35
PK	5.926G	87.29	88.20	-0.91	81.47	3	Vertical	131	1.80	-	32.15	6.06	32.39

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5855MHz\_TnomVnom




EUT Y\_4TX  
Setting 98  
06-D-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	61.96	68.20	-6.24	56.58	3	Horizontal	360	2.09	-	31.60	6.00	32.22
PK	5.837G	115.97	Inf	-Inf	110.28	3	Horizontal	360	2.09	-	32.00	6.02	32.33
PK	5.93G	82.80	88.20	-5.40	76.97	3	Horizontal	360	2.09	-	32.16	6.06	32.39
AV	5.887G	100.18	Inf	-Inf	94.43	3	Horizontal	360	2.09	-	32.07	6.04	32.36

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5855MHz\_TnomVnom




EUT Y\_4TX  
Setting 98  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70666G	56.59	74.00	-17.41	42.07	3	Vertical	346	1.53	-	39.17	9.62	34.27
AV	11.70598G	43.07	54.00	-10.93	28.55	3	Vertical	346	1.53	-	39.17	9.62	34.27
PK	17.56698G	68.11	88.20	-20.09	44.79	3	Vertical	336	1.91	-	43.64	14.40	34.72

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5855MHz\_TnomVnom




EUT Y\_4TX  
Setting 98  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70634G	56.53	74.00	-17.47	42.01	3	Horizontal	196	2.58	-	39.17	9.62	34.27
AV	11.71264G	43.04	54.00	-10.96	28.54	3	Horizontal	196	2.58	-	39.14	9.63	34.27
PK	17.56604G	67.92	88.20	-20.28	44.61	3	Horizontal	75	1.48	-	43.63	14.40	34.72

802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

5815MHz\_TnomVnom




EUT Y\_4TX  
Setting 75  
06-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	67.97	68.20	-0.23	62.59	3	Vertical	200.2	1.51	-	31.60	6.00	32.22
PK	5.788G	110.17	Inf	-Inf	104.47	3	Vertical	200.2	1.51	-	32.00	6.00	32.30
AV	5.788G	97.71	Inf	-Inf	92.01	3	Vertical	200.2	1.51	-	32.00	6.00	32.30
PK	5.895G	100.47	110.20	-9.73	94.70	3	Vertical	200.2	1.51	-	32.09	6.05	32.37

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

#### 5815MHz\_TnomVnom




EUT Y\_4TX  
Setting 75  
06-C-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	65.98	68.20	-2.22	60.60	3	Horizontal	176	1.84	-	31.60	6.00	32.22
PK	5.83G	103.87	Inf	-Inf	98.19	3	Horizontal	176	1.84	-	32.00	6.01	32.33
AV	5.751G	93.11	Inf	-Inf	87.39	3	Horizontal	176	1.84	-	32.00	6.00	32.28
PK	5.944G	72.65	88.20	-15.55	66.79	3	Horizontal	176	1.84	-	32.19	6.07	32.40

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

#### 5815MHz\_TnomVnom




EUT Y\_4TX  
Setting 75  
06-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63428G	56.57	74.00	-17.43	41.88	3	Vertical	223	2.87	-	39.40	9.58	34.29
AV	11.63372G	43.26	54.00	-10.74	28.57	3	Vertical	223	2.87	-	39.40	9.58	34.29
PK	17.44054G	67.83	88.20	-20.37	45.64	3	Vertical	93	2.73	-	42.62	14.26	34.69

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5815MHz\_TnomVnom



EUT Y\_4TX  
Setting 75  
06-C-S-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62622G	57.05	74.00	-16.95	42.34	3	Horizontal	198	2.13	-	39.42	9.58	34.29
AV	11.62988G	43.19	54.00	-10.81	28.49	3	Horizontal	198	2.13	-	39.41	9.58	34.29
PK	17.44888G	67.46	88.20	-20.74	45.19	3	Horizontal	59	1.86	-	42.69	14.27	34.69



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.50001G	37.42	54.00	-16.58	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.50010G	40.72	74.00	-33.28	-8.23	3	Vertical	141	1.02	-	48.95	25.40	3.80	37.43
AV	1.50001G	37.42	54.00	-16.58	-8.23	3	Vertical	141	1.02	"Worst"	45.65	25.40	3.80	37.43

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.50111G	39.45	74.00	-34.55	-8.23	3	Horizontal	150	1.90	-	47.68	25.40	3.80	37.43
AV	1.50019G	34.82	54.00	-19.18	-8.23	3	Horizontal	150	1.90	"Worst"	43.05	25.40	3.80	37.43