


802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
 Setting 78
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.146G	49.96	74.00	-24.04	36.71	3	Vertical	43	2.04	-	38.75	7.76	33.26
AV	11.15416G	37.33	54.00	-16.67	24.07	3	Vertical	43	2.04	-	38.75	7.76	33.25
PK	16.7199G	54.76	68.20	-13.44	37.92	3	Vertical	242	2.21	-	39.76	10.36	33.28

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom



EUT_Z_4TX
Setting 78
02-B-C-6


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13904G	50.46	74.00	-23.54	37.22	3	Horizontal	217	1.68	-	38.74	7.76	33.26
AV	11.14036G	37.37	54.00	-16.63	24.13	3	Horizontal	217	1.68	-	38.74	7.76	33.26
PK	16.72224G	55.28	68.20	-12.92	38.42	3	Horizontal	312	1.34	-	39.78	10.36	33.28



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.49999G	36.73	54.00	-17.27	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.49986G	47.10	74.00	-26.90	-7.03	3	Vertical	276	1.46	-	54.13	25.60	3.80	36.43
AV	1.50002G	35.03	54.00	-18.97	-7.03	3	Vertical	276	1.46	"Worst"	42.06	25.60	3.80	36.43

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.49995G	49.89	74.00	-24.11	-7.03	3	Horizontal	68	1.60	-	56.92	25.60	3.80	36.43
AV	1.49999G	36.73	54.00	-17.27	-7.03	3	Horizontal	68	1.60	"Worst"	43.76	25.60	3.80	36.43