


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5510MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.02	6.02	0.32	0.51	-0.32	-0.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5550MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.89	5.89	0.17	0.37	-0.24	-0.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5670MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.76	5.76	-0.15	0.07	-0.20	-0.21

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.81	5.81	-0.16	0.21	-0.25	-0.19

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.91	3.91	-2.06	-1.87	-2.14	-2.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5755MHz

30/06/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.43	10.43	4.61	4.66	4.51	4.33


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5795MHz

30/06/2022

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.63	10.63	4.75	4.92	4.58	4.66


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5210MHz

16/06/2022

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.89	8.89	3.16	3.01	2.62	2.97

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5290MHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.92	2.92	-2.66	-2.96	-3.29	-3.08

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5530MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.99	2.99	-2.70	-2.66	-3.46	-3.05

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5610MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.64	2.64	-3.30	-2.86	-3.41	-3.50

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.44	2.44	-3.42	-3.17	-3.57	-3.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.38	0.38	-5.30	-5.49	-5.61	-5.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.37	7.37	1.77	1.61	1.71	0.83

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.43	2.43	-3.50	-3.47	-3.76	-3.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.76	2.76	-2.95	-3.23	-3.68	-2.90

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

PSD

5570MHz

30/06/2022



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.50	0.50	-5.40	-5.20	-5.39	-5.57

**For beamforming
For 4T1S
Summary**

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	16.74
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	13.86
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	10.98
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	4.35
5.25-5.35GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	10.78
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	7.78
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.96
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	4.64
5.47-5.725GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	10.82
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	7.99
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.96
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	2.32
5.725-5.85GHz	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	15.24
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	12.53
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	9.35

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	4.85	10.88	10.78	10.58	10.93	16.74	17.00
5200MHz	Pass	4.85	10.83	10.77	10.43	10.97	16.73	17.00
5240MHz	Pass	4.85	10.61	10.76	10.23	10.92	16.60	17.00
5260MHz	Pass	4.90	5.03	4.87	4.37	4.83	10.70	11.00
5300MHz	Pass	4.90	4.80	4.69	4.27	4.60	10.53	11.00
5320MHz	Pass	4.90	4.94	4.97	4.60	4.86	10.78	11.00
5500MHz	Pass	4.89	4.74	5.12	4.28	4.39	10.60	11.00
5580MHz	Pass	4.89	4.83	5.12	4.61	4.53	10.70	11.00
5700MHz	Pass	4.89	5.11	5.09	4.80	4.67	10.82	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.89	4.50	4.54	4.17	4.37	10.30	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.86	2.85	2.86	2.45	2.73	8.68	30.00
5745MHz	Pass	4.86	9.27	9.65	9.02	9.28	15.20	30.00
5785MHz	Pass	4.86	9.09	9.53	8.85	9.35	15.12	30.00
5825MHz	Pass	4.86	9.41	9.64	8.77	9.34	15.24	30.00
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	4.85	8.01	7.86	7.53	7.90	13.79	17.00
5230MHz	Pass	4.85	8.08	7.89	7.77	7.96	13.86	17.00
5270MHz	Pass	4.90	2.17	1.83	1.42	2.00	7.78	11.00
5310MHz	Pass	4.90	1.99	1.94	1.36	1.79	7.70	11.00
5510MHz	Pass	4.89	2.10	2.47	1.77	1.86	7.99	11.00
5550MHz	Pass	4.89	2.14	2.31	1.90	1.63	7.90	11.00
5670MHz	Pass	4.89	1.80	2.16	1.73	1.67	7.74	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.89	1.82	2.02	1.68	1.72	7.71	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.86	-0.05	-0.03	-0.22	-0.16	5.87	30.00
5755MHz	Pass	4.86	6.45	6.58	6.30	6.24	12.30	30.00
5795MHz	Pass	4.86	6.60	6.82	6.51	6.57	12.53	30.00
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	4.85	5.19	4.93	4.69	5.19	10.98	17.00
5290MHz	Pass	4.90	-0.63	-0.87	-1.40	-0.95	4.96	11.00
5530MHz	Pass	4.89	-0.95	-0.69	-1.51	-1.14	4.89	11.00
5610MHz	Pass	4.89	-0.84	-0.61	-1.14	-1.24	4.96	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.89	-1.45	-1.15	-1.55	-1.56	4.48	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.86	-3.50	-3.57	-3.76	-3.89	2.30	30.00
5775MHz	Pass	4.86	3.69	3.65	3.44	3.13	9.35	30.00
802.11ax HEW160-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.85	-1.43	-1.53	-1.78	-1.71	4.35	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.90	-0.98	-1.32	-1.78	-1.14	4.64	11.00
5570MHz	Pass	4.89	-3.58	-3.31	-3.54	-3.71	2.32	11.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5180MHz

30/06/2022




802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5200MHz

30/06/2022




802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5240MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.60	16.60	10.61	10.76	10.23	10.92

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5260MHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.70	10.70	5.03	4.87	4.37	4.83

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5300MHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.53	10.53	4.80	4.69	4.27	4.60

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5320MHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.78	10.78	4.94	4.97	4.60	4.86

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5500MHz

30/06/2022




802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5580MHz

30/06/2022




802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5700MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.82	10.82	5.11	5.09	4.80	4.67

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.30	10.30	4.50	4.54	4.17	4.37

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.68	8.68	2.85	2.86	2.45	2.73

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5745MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.20	15.20	9.27	9.65	9.02	9.28

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5785MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.12	15.12	9.09	9.53	8.85	9.35

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

PSD

5825MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.24	15.24	9.41	9.64	8.77	9.34

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5190MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.79	13.79	8.01	7.86	7.53	7.90

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5230MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.86	13.86	8.08	7.89	7.77	7.96

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5270MHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.78	7.78	2.17	1.83	1.42	2.00

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5310MHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.70	7.70	1.99	1.94	1.36	1.79

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5510MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.99	7.99	2.10	2.47	1.77	1.86

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5550MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.90	7.90	2.14	2.31	1.90	1.63

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5670MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.74	7.74	1.80	2.16	1.73	1.67

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.71	7.71	1.82	2.02	1.68	1.72

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.87	5.87	-0.05	-0.03	-0.22	-0.16

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5755MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.30	12.30	6.45	6.58	6.30	6.24

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

PSD

5795MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.53	12.53	6.60	6.82	6.51	6.57

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5210MHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.98	10.98	5.19	4.93	4.69	5.19

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5290MHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.96	4.96	-0.63	-0.87	-1.40	-0.95

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5530MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.89	4.89	-0.95	-0.69	-1.51	-1.14

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5610MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.96	4.96	-0.84	-0.61	-1.14	-1.24

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.48	4.48	-1.45	-1.15	-1.55	-1.56

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.30	2.30	-3.50	-3.57	-3.76	-3.89

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

PSD

5775MHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.35	9.35	3.69	3.65	3.44	3.13

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.35	4.35	-1.43	-1.53	-1.78	-1.71

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz

16/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.64	4.64	-0.98	-1.32	-1.78	-1.14

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

PSD

5570MHz

30/06/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.32	2.32	-3.58	-3.31	-3.54	-3.71



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	QP	316.15M	41.95	46.00	-4.05	Horizontal

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	35.82M	35.76	40.00	-4.24	-9.88	3	Vertical	36	1.00	"Worst"	45.64	20.92	0.90	31.70
QP	62.01M	35.66	40.00	-4.34	-18.51	3	Vertical	0	1.50	-	54.17	12.21	1.20	31.92
QP	68.8M	32.96	40.00	-7.04	-18.48	3	Vertical	9	2.00	-	51.44	12.20	1.28	31.96
PK	88M	34.67	43.50	-8.83	-16.34	3	Vertical	1	1.50	-	51.01	14.15	1.46	31.95
PK	323.91M	35.38	46.00	-10.62	-9.71	3	Vertical	40	1.50	-	45.09	19.59	2.84	32.14
PK	750.71M	39.05	46.00	-6.95	-2.64	3	Vertical	113	1.00	-	41.69	25.27	4.70	32.61

Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	146.4M	33.89	43.50	-9.61	-13.71	3	Horizontal	246	2.00	-	47.60	16.44	1.86	32.01
QP	316.15M	41.95	46.00	-4.05	-9.85	3	Horizontal	197	1.00	"Worst"	51.80	19.48	2.80	32.13
PK	331.67M	40.66	46.00	-5.34	-9.53	3	Horizontal	162	1.00	-	50.19	19.73	2.89	32.15
PK	366.59M	41.08	46.00	-4.92	-8.38	3	Horizontal	356	1.00	-	49.46	20.72	3.07	32.17
PK	372.41M	40.52	46.00	-5.48	-8.30	3	Horizontal	328	1.00	-	48.82	20.78	3.09	32.17
PK	750.71M	38.52	46.00	-7.48	-2.64	3	Horizontal	217	1.25	-	41.16	25.27	4.70	32.61




For non beamforming
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.7276G	68.13	68.20	-0.07	3	Vertical	211	2.26	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 105
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	67.33	74.00	-6.67	60.67	3	Vertical	90	1.98	-	33.57	5.24	32.15
AV	5.1498G	53.71	54.00	-0.29	47.01	3	Vertical	90	1.98	-	33.60	5.25	32.15
PK	5.1766G	124.87	Inf	-Inf	118.09	3	Vertical	90	1.98	-	33.65	5.28	32.15
AV	5.1764G	114.38	Inf	-Inf	107.60	3	Vertical	90	1.98	-	33.65	5.28	32.15

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 105
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36336G	61.93	68.20	-6.27	56.84	3	Vertical	224	1.97	-	39.43	8.23	42.57
PK	15.54472G	59.56	74.00	-14.44	53.08	3	Vertical	0	1.80	-	38.48	9.97	41.97
AV	15.54388G	45.12	54.00	-8.88	38.64	3	Vertical	0	1.80	-	38.48	9.97	41.97

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 105
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36248G	55.28	68.20	-12.92	50.20	3	Horizontal	340	2.09	-	39.42	8.23	42.57
PK	15.54912G	56.86	74.00	-17.14	50.40	3	Horizontal	160	2.01	-	38.45	9.97	41.96
AV	15.53656G	42.35	54.00	-11.65	35.83	3	Horizontal	160	2.01	-	38.52	9.97	41.97

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	64.77	74.00	-9.23	58.08	3	Vertical	345	2.00	-	33.59	5.25	32.15
AV	5.15G	52.09	54.00	-1.91	45.39	3	Vertical	345	2.00	-	33.60	5.25	32.15
PK	5.1936G	125.65	Inf	-Inf	118.82	3	Vertical	345	2.00	-	33.69	5.29	32.15
AV	5.194G	115.38	Inf	-Inf	108.55	3	Vertical	345	2.00	-	33.69	5.29	32.15

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39868G	58.27	68.20	-9.93	45.19	3	Vertical	135	2.06	-	38.60	7.46	32.98
PK	15.60186G	57.42	74.00	-16.58	43.37	3	Vertical	0	1.94	-	37.50	9.82	33.27
AV	15.60252G	42.20	54.00	-11.80	28.15	3	Vertical	0	1.94	-	37.50	9.82	33.27

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41434G	51.47	68.20	-16.73	38.39	3	Horizontal	71	2.09	-	38.60	7.47	32.99
PK	15.59208G	53.61	74.00	-20.39	39.50	3	Horizontal	322	1.41	-	37.55	9.82	33.26
AV	15.5943G	39.34	54.00	-14.66	25.25	3	Horizontal	322	1.41	-	37.53	9.82	33.26

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	62.49	74.00	-11.51	55.79	3	Vertical	85	2.15	-	33.60	5.25	32.15
AV	5.1446G	49.16	54.00	-4.84	42.48	3	Vertical	85	2.15	-	33.59	5.24	32.15
PK	5.2364G	126.57	Inf	-Inf	119.70	3	Vertical	85	2.15	-	33.70	5.32	32.15
AV	5.2364G	115.92	Inf	-Inf	109.05	3	Vertical	85	2.15	-	33.70	5.32	32.15
PK	5.3642G	62.94	74.00	-11.06	55.77	3	Vertical	85	2.15	-	33.93	5.38	32.14
AV	5.351G	50.41	54.00	-3.59	43.27	3	Vertical	85	2.15	-	33.90	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 110
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48212G	62.36	68.20	-5.84	57.09	3	Vertical	225	1.80	-	39.58	8.29	42.60
PK	15.72196G	59.48	74.00	-14.52	53.58	3	Vertical	167	1.80	-	37.80	10.01	41.91
AV	15.72088G	44.22	54.00	-9.78	38.32	3	Vertical	167	1.80	-	37.80	10.01	41.91

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 110
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47812G	54.74	68.20	-13.46	49.47	3	Horizontal	335	1.26	-	39.58	8.29	42.60
PK	15.72088G	56.38	74.00	-17.62	50.48	3	Horizontal	138	1.96	-	37.80	10.01	41.91
AV	15.72036G	42.39	54.00	-11.61	36.49	3	Horizontal	138	1.96	-	37.80	10.01	41.91

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	62.21	74.00	-11.79	68.04	3	Vertical	349	2.22	-	31.73	5.52	43.08
AV	5.15G	49.59	54.00	-4.41	55.44	3	Vertical	349	2.22	-	31.70	5.53	43.08
PK	5.2528G	126.29	Inf	-Inf	132.62	3	Vertical	349	2.22	-	31.10	5.60	43.03
AV	5.2534G	117.25	Inf	-Inf	123.58	3	Vertical	349	2.22	-	31.10	5.60	43.03
PK	5.356G	63.20	74.00	-10.80	69.37	3	Vertical	349	2.22	-	31.14	5.67	42.98
AV	5.353G	50.60	54.00	-3.40	56.79	3	Vertical	349	2.22	-	31.12	5.67	42.98

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5176G	56.25	68.20	-11.95	43.22	3	Vertical	217	2.42	-	38.58	7.51	33.06
PK	15.76734G	56.62	74.00	-17.38	42.69	3	Vertical	111	2.92	-	37.50	9.90	33.47
AV	15.7812G	41.25	54.00	-12.75	27.33	3	Vertical	111	2.92	-	37.50	9.90	33.48

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52066G	51.17	68.20	-17.03	38.14	3	Horizontal	79	2.52	-	38.58	7.51	33.06
PK	15.77724G	54.72	74.00	-19.28	40.80	3	Horizontal	256	2.16	-	37.50	9.90	33.48
AV	15.76878G	39.37	54.00	-14.63	25.44	3	Horizontal	256	2.16	-	37.50	9.90	33.47

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 102
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2924G	125.79	Inf	-Inf	132.08	3	Vertical	352	2.33	-	31.10	5.62	43.01
AV	5.2928G	116.16	Inf	-Inf	122.45	3	Vertical	352	2.33	-	31.10	5.62	43.01
PK	5.352G	68.86	74.00	-5.14	75.06	3	Vertical	352	2.33	-	31.11	5.67	42.98
AV	5.3508G	53.65	54.00	-0.35	59.86	3	Vertical	352	2.33	-	31.10	5.67	42.98

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 102
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5964G	56.72	68.20	-11.48	43.77	3	Vertical	202	2.17	-	38.50	7.54	33.09
PK	15.89568G	52.49	74.00	-21.51	38.85	3	Vertical	134	2.56	-	37.31	9.95	33.62
AV	15.90174G	39.21	54.00	-14.79	25.57	3	Vertical	134	2.56	-	37.30	9.96	33.62

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 102
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58566G	50.84	68.20	-17.36	37.89	3	Horizontal	294	1.48	-	38.51	7.53	33.09
AV	10.60354G	37.44	54.00	-16.56	24.50	3	Horizontal	294	1.48	-	38.50	7.54	33.10
PK	15.88662G	52.82	74.00	-21.18	39.15	3	Horizontal	201	1.06	-	37.33	9.95	33.61
AV	15.90156G	39.14	54.00	-14.86	25.50	3	Horizontal	201	1.06	-	37.30	9.96	33.62

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 88
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	122.76	Inf	-Inf	129.02	3	Vertical	351	2.27	-	31.10	5.64	43.00
AV	5.3128G	112.74	Inf	-Inf	119.00	3	Vertical	351	2.27	-	31.10	5.64	43.00
PK	5.352G	72.36	74.00	-1.64	78.56	3	Vertical	351	2.27	-	31.11	5.67	42.98
AV	5.352G	52.98	54.00	-1.02	59.18	3	Vertical	351	2.27	-	31.11	5.67	42.98

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 88
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63214G	50.30	74.00	-23.70	37.36	3	Vertical	299	1.13	-	38.50	7.55	33.11
AV	10.62536G	36.90	54.00	-17.10	23.96	3	Vertical	299	1.13	-	38.50	7.55	33.11
PK	15.9696G	52.19	74.00	-21.81	38.60	3	Vertical	91	2.25	-	37.30	9.99	33.70
AV	15.94686G	38.81	54.00	-15.19	25.21	3	Vertical	91	2.25	-	37.30	9.98	33.68

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 88
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6304G	50.34	74.00	-23.66	37.40	3	Horizontal	115	1.06	-	38.50	7.55	33.11
AV	10.62566G	36.88	54.00	-17.12	23.94	3	Horizontal	115	1.06	-	38.50	7.55	33.11
PK	15.97416G	52.79	74.00	-21.21	39.21	3	Horizontal	48	2.02	-	37.30	9.99	33.71
AV	15.94554G	38.86	54.00	-15.14	25.26	3	Horizontal	48	2.02	-	37.30	9.98	33.68

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 83
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	63.47	74.00	-10.53	69.15	3	Vertical	87	2.20	-	31.50	5.75	42.93
AV	5.46G	50.10	54.00	-3.90	55.77	3	Vertical	87	2.20	-	31.50	5.76	42.93
PK	5.469G	67.98	68.20	-0.22	73.63	3	Vertical	87	2.20	-	31.50	5.77	42.92
PK	5.4944G	121.79	Inf	-Inf	127.41	3	Vertical	87	2.20	-	31.50	5.79	42.91
AV	5.495G	109.61	Inf	-Inf	115.23	3	Vertical	87	2.20	-	31.50	5.79	42.91

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 83
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00792G	50.94	74.00	-23.06	37.90	3	Vertical	304	1.89	-	38.61	7.70	33.27
AV	11.01494G	37.41	54.00	-16.59	24.36	3	Vertical	304	1.89	-	38.61	7.71	33.27
PK	16.49148G	55.89	68.20	-12.31	39.69	3	Vertical	134	2.51	-	39.03	10.25	33.08

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 83
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0102G	51.00	74.00	-23.00	37.96	3	Horizontal	95	2.78	-	38.61	7.70	33.27
AV	11.01434G	37.55	54.00	-16.45	24.50	3	Horizontal	95	2.78	-	38.61	7.71	33.27
PK	16.50624G	56.06	68.20	-12.14	39.77	3	Horizontal	297	2.06	-	39.12	10.25	33.08

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 110
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	63.04	74.00	-10.96	68.72	3	Vertical	85	2.13	-	31.50	5.75	42.93
PK	5.4636G	63.43	68.20	-4.77	69.10	3	Vertical	85	2.13	-	31.50	5.76	42.93
AV	5.4588G	50.16	54.00	-3.84	55.83	3	Vertical	85	2.13	-	31.50	5.76	42.93
PK	5.5752G	125.84	Inf	-Inf	131.28	3	Vertical	85	2.13	-	31.55	5.87	42.86
AV	5.5746G	114.43	Inf	-Inf	119.87	3	Vertical	85	2.13	-	31.55	5.87	42.86
PK	5.7264G	61.60	68.20	-6.60	66.57	3	Vertical	85	2.13	-	31.91	5.89	42.77

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1552G	53.68	74.00	-20.32	40.41	3	Vertical	20	1.21	-	38.76	7.76	33.25
AV	11.1564G	40.27	54.00	-13.73	27.00	3	Vertical	20	1.21	-	38.76	7.76	33.25
PK	16.74558G	57.56	68.20	-10.64	40.53	3	Vertical	279	2.13	-	39.96	10.37	33.30

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16498G	51.27	74.00	-22.73	37.99	3	Horizontal	95	2.35	-	38.76	7.77	33.25
AV	11.16198G	37.47	54.00	-16.53	24.20	3	Horizontal	95	2.35	-	38.76	7.76	33.25
PK	16.74798G	55.87	68.20	-12.33	38.82	3	Horizontal	129	1.43	-	39.98	10.37	33.30

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 81
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	120.85	Inf	-Inf	125.97	3	Vertical	211	2.26	-	31.78	5.89	42.79
AV	5.6952G	109.47	Inf	-Inf	114.59	3	Vertical	211	2.26	-	31.78	5.89	42.79
PK	5.7276G	68.13	68.20	-0.07	73.10	3	Vertical	211	2.26	-	31.91	5.89	42.77

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 81
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4081G	51.32	74.00	-22.68	37.87	3	Vertical	61	2.71	-	38.82	7.86	33.23
AV	11.41224G	37.61	54.00	-16.39	24.16	3	Vertical	61	2.71	-	38.82	7.86	33.23
PK	17.0856G	56.64	68.20	-11.56	38.20	3	Vertical	258	2.56	-	41.34	10.54	33.44

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 81
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40978G	51.24	74.00	-22.76	37.79	3	Horizontal	158	1.81	-	38.82	7.86	33.23
AV	11.41206G	37.69	54.00	-16.31	24.24	3	Horizontal	158	1.81	-	38.82	7.86	33.23
PK	17.08836G	58.05	68.20	-10.15	39.60	3	Horizontal	218	1.02	-	41.35	10.54	33.44

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 110
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	127.09	Inf	-Inf	132.12	3	Vertical	210	2.12	-	31.86	5.89	42.78
AV	5.7152G	115.31	Inf	-Inf	120.34	3	Vertical	210	2.12	-	31.86	5.89	42.78
PK	5.86G	62.53	68.20	-5.67	67.24	3	Vertical	210	2.12	-	32.02	5.96	42.69

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43928G	52.88	74.00	-21.12	39.35	3	Vertical	263	2.24	-	38.88	7.88	33.23
AV	11.44G	38.45	54.00	-15.55	24.92	3	Vertical	263	2.24	-	38.88	7.88	33.23
PK	17.1705G	58.47	68.20	-9.73	39.41	3	Vertical	151	1.40	-	41.82	10.59	33.35

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42758G	52.27	74.00	-21.73	38.77	3	Horizontal	275	1.03	-	38.86	7.87	33.23
AV	11.44054G	38.39	54.00	-15.61	24.86	3	Horizontal	275	1.03	-	38.88	7.88	33.23
PK	17.15118G	58.20	68.20	-10.00	39.28	3	Horizontal	15	1.78	-	41.71	10.58	33.37

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	63.12	68.20	-5.08	55.85	3	Vertical	19	2.38	-	33.81	5.60	32.14
PK	5.739G	126.43	Inf	-Inf	119.15	3	Vertical	19	2.38	-	33.82	5.60	32.14
AV	5.739G	116.27	Inf	-Inf	108.99	3	Vertical	19	2.38	-	33.82	5.60	32.14
PK	5.94G	61.43	68.20	-6.77	53.67	3	Vertical	19	2.38	-	34.18	5.74	32.16

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 110
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49592G	54.80	74.00	-19.20	49.05	3	Vertical	151	1.92	-	39.61	8.87	42.73
AV	11.49492G	41.12	54.00	-12.88	35.37	3	Vertical	151	1.92	-	39.61	8.87	42.73
PK	17.22588G	58.77	68.20	-9.43	49.20	3	Vertical	223	1.79	-	41.00	10.41	41.84

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 110
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48588G	54.68	74.00	-19.32	48.91	3	Horizontal	185	1.80	-	39.63	8.87	42.73
AV	11.49756G	40.52	54.00	-13.48	34.78	3	Horizontal	185	1.80	-	39.60	8.87	42.73
PK	17.23316G	58.12	68.20	-10.08	48.52	3	Horizontal	160	1.94	-	41.03	10.41	41.84

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	63.85	68.20	-4.35	56.54	3	Vertical	31	2.45	-	33.85	5.60	32.14
PK	5.784G	126.60	Inf	-Inf	119.35	3	Vertical	31	2.45	-	33.80	5.60	32.15
AV	5.784G	116.43	Inf	-Inf	109.18	3	Vertical	31	2.45	-	33.80	5.60	32.15
PK	5.959G	60.93	68.20	-7.27	53.13	3	Vertical	31	2.45	-	34.20	5.76	32.16

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58194G	51.97	74.00	-22.03	38.03	3	Vertical	334	1.33	-	39.25	7.93	33.24
AV	11.57G	38.49	54.00	-15.51	24.59	3	Vertical	334	1.33	-	39.21	7.93	33.24
PK	17.36268G	59.46	68.20	-8.74	39.03	3	Vertical	86	2.82	-	42.88	10.68	33.13

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58296G	52.83	74.00	-21.17	38.89	3	Horizontal	146	1.36	-	39.25	7.93	33.24
AV	11.56928G	38.42	54.00	-15.58	24.52	3	Horizontal	146	1.36	-	39.21	7.93	33.24
PK	17.36388G	59.66	68.20	-8.54	39.23	3	Horizontal	253	2.67	-	42.88	10.68	33.13

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	63.17	68.20	-5.03	55.86	3	Vertical	34	2.08	-	33.85	5.60	32.14
PK	5.823G	125.79	Inf	-Inf	118.52	3	Vertical	34	2.08	-	33.80	5.62	32.15
AV	5.823G	115.76	Inf	-Inf	108.49	3	Vertical	34	2.08	-	33.80	5.62	32.15
PK	5.931G	61.84	68.20	-6.36	54.11	3	Vertical	34	2.08	-	34.16	5.73	32.16

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65564G	53.05	74.00	-20.95	38.94	3	Vertical	84	1.26	-	39.41	7.96	33.26
AV	11.65G	38.66	54.00	-15.34	24.56	3	Vertical	84	1.26	-	39.40	7.96	33.26
PK	17.47356G	59.99	68.20	-8.21	38.56	3	Vertical	41	1.87	-	43.69	10.74	33.00

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom



EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66008G	51.86	74.00	-22.14	37.74	3	Horizontal	325	2.82	-	39.42	7.96	33.26
AV	11.65054G	38.64	54.00	-15.36	24.54	3	Horizontal	325	2.82	-	39.40	7.96	33.26
PK	17.48652G	60.34	68.20	-7.86	38.80	3	Horizontal	41	2.19	-	43.79	10.74	32.99




For beamforming
For 4T1S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.88	54.00	-0.12	3	Vertical	257	2.58	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 105
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	68.24	74.00	-5.76	61.56	3	Vertical	257	2.58	-	33.59	5.24	32.15
AV	5.15G	53.88	54.00	-0.12	47.18	3	Vertical	257	2.58	-	33.60	5.25	32.15
PK	5.1876G	128.05	Inf	-Inf	121.23	3	Vertical	257	2.58	-	33.68	5.29	32.15
AV	5.1866G	115.83	Inf	-Inf	109.02	3	Vertical	257	2.58	-	33.67	5.29	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 105
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36222G	51.76	68.20	-16.44	38.64	3	Vertical	211	2.57	-	38.64	7.44	32.96
PK	15.5469G	52.65	74.00	-21.35	38.24	3	Vertical	232	1.97	-	37.82	9.80	33.21
AV	15.52848G	39.47	54.00	-14.53	24.93	3	Vertical	232	1.97	-	37.93	9.79	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Z_4TX
Setting 105
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34866G	51.03	68.20	-17.17	37.89	3	Horizontal	86	1.35	-	38.65	7.44	32.95
PK	15.53412G	53.48	74.00	-20.52	38.98	3	Horizontal	89	2.12	-	37.90	9.79	33.19
AV	15.52512G	39.46	54.00	-14.54	24.90	3	Horizontal	89	2.12	-	37.95	9.79	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	66.13	74.00	-7.87	59.45	3	Vertical	184	2.40	-	33.59	5.24	32.15
AV	5.1496G	51.16	54.00	-2.84	44.46	3	Vertical	184	2.40	-	33.60	5.25	32.15
PK	5.1908G	127.02	Inf	-Inf	120.20	3	Vertical	184	2.40	-	33.68	5.29	32.15
AV	5.1912G	116.14	Inf	-Inf	109.32	3	Vertical	184	2.40	-	33.68	5.29	32.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38698G	50.88	68.20	-17.32	37.80	3	Vertical	118	2.36	-	38.61	7.45	32.98
PK	15.59478G	52.44	74.00	-21.56	38.35	3	Vertical	74	1.39	-	37.53	9.82	33.26
AV	15.58572G	39.15	54.00	-14.85	25.00	3	Vertical	74	1.39	-	37.59	9.81	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39982G	50.54	68.20	-17.66	37.46	3	Horizontal	295	2.76	-	38.60	7.46	32.98
PK	15.6054G	52.50	74.00	-21.50	38.45	3	Horizontal	5	1.06	-	37.50	9.82	33.27
AV	15.5895G	39.17	54.00	-14.83	25.05	3	Horizontal	5	1.06	-	37.56	9.82	33.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	60.87	74.00	-13.13	54.18	3	Vertical	213	2.01	-	33.59	5.25	32.15
AV	5.1482G	48.75	54.00	-5.25	42.05	3	Vertical	213	2.01	-	33.60	5.25	32.15
PK	5.2424G	127.70	Inf	-Inf	120.83	3	Vertical	213	2.01	-	33.70	5.32	32.15
AV	5.2484G	115.57	Inf	-Inf	108.70	3	Vertical	213	2.01	-	33.70	5.32	32.15
PK	5.3624G	63.14	74.00	-10.86	55.98	3	Vertical	213	2.01	-	33.92	5.38	32.14
AV	5.3612G	49.48	54.00	-4.52	42.32	3	Vertical	213	2.01	-	33.92	5.38	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47868G	53.21	68.20	-14.99	40.16	3	Vertical	60	1.03	-	38.60	7.49	33.04
PK	15.70932G	53.14	74.00	-20.86	39.17	3	Vertical	242	1.58	-	37.50	9.87	33.40
AV	15.72816G	39.03	54.00	-14.97	25.07	3	Vertical	242	1.58	-	37.50	9.88	33.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47892G	53.33	68.20	-14.87	40.28	3	Horizontal	160	2.22	-	38.60	7.49	33.04
PK	15.71568G	52.04	74.00	-21.96	38.07	3	Horizontal	219	1.29	-	37.50	9.87	33.40
AV	15.70662G	39.13	54.00	-14.87	25.15	3	Horizontal	219	1.29	-	37.50	9.87	33.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	61.13	74.00	-12.87	66.98	3	Vertical	14	2.91	-	31.70	5.53	43.08
AV	5.15G	47.75	54.00	-6.25	53.60	3	Vertical	14	2.91	-	31.70	5.53	43.08
PK	5.2624G	126.44	Inf	-Inf	132.76	3	Vertical	14	2.91	-	31.10	5.60	43.02
AV	5.2624G	115.98	Inf	-Inf	122.30	3	Vertical	14	2.91	-	31.10	5.60	43.02
PK	5.353G	63.24	74.00	-10.76	69.43	3	Vertical	14	2.91	-	31.12	5.67	42.98
AV	5.356G	50.24	54.00	-3.76	56.41	3	Vertical	14	2.91	-	31.14	5.67	42.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5164G	56.34	68.20	-11.86	43.31	3	Vertical	295	1.95	-	38.58	7.51	33.06
PK	15.76524G	53.46	74.00	-20.54	39.53	3	Vertical	272	2.18	-	37.50	9.89	33.46
AV	15.78252G	39.95	54.00	-14.05	26.03	3	Vertical	272	2.18	-	37.50	9.90	33.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52912G	51.24	68.20	-16.96	38.22	3	Horizontal	250	2.82	-	38.57	7.51	33.06
PK	15.76698G	53.04	74.00	-20.96	39.11	3	Horizontal	189	1.55	-	37.50	9.90	33.47
AV	15.7758G	39.54	54.00	-14.46	25.62	3	Horizontal	189	1.55	-	37.50	9.90	33.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 104
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	126.45	Inf	-Inf	132.72	3	Vertical	265	2.20	-	31.10	5.63	43.00
AV	5.3068G	116.05	Inf	-Inf	122.32	3	Vertical	265	2.20	-	31.10	5.63	43.00
PK	5.3508G	66.71	74.00	-7.29	72.92	3	Vertical	265	2.20	-	31.10	5.67	42.98
AV	5.3504G	53.86	54.00	-0.14	60.07	3	Vertical	265	2.20	-	31.10	5.67	42.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 104
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60894G	50.38	74.00	-23.62	37.44	3	Vertical	163	2.82	-	38.50	7.54	33.10
PK	15.89244G	51.93	74.00	-22.07	38.27	3	Vertical	270	2.16	-	37.32	9.95	33.61
AV	15.88614G	38.98	54.00	-15.02	25.31	3	Vertical	270	2.16	-	37.33	9.95	33.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Z_4TX
Setting 104
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61212G	51.29	74.00	-22.71	38.35	3	Horizontal	136	2.33	-	38.50	7.54	33.10
PK	15.89598G	52.11	74.00	-21.89	38.47	3	Horizontal	253	1.72	-	37.31	9.95	33.62
AV	15.91122G	38.92	54.00	-15.08	25.30	3	Horizontal	253	1.72	-	37.30	9.96	33.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Z_4TX
Setting 87
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3136G	125.76	Inf	-Inf	132.02	3	Vertical	271	2.40	-	31.10	5.64	43.00
AV	5.3188G	112.67	Inf	-Inf	118.93	3	Vertical	271	2.40	-	31.10	5.64	43.00
PK	5.35G	68.10	74.00	-5.90	74.31	3	Vertical	271	2.40	-	31.10	5.67	42.98
AV	5.3504G	53.64	54.00	-0.36	59.85	3	Vertical	271	2.40	-	31.10	5.67	42.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Z_4TX
Setting 87
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62506G	49.96	74.00	-24.04	37.02	3	Vertical	138	2.80	-	38.50	7.55	33.11
AV	10.62614G	36.90	54.00	-17.10	23.96	3	Vertical	138	2.80	-	38.50	7.55	33.11
PK	15.95892G	52.45	74.00	-21.55	38.86	3	Vertical	231	1.23	-	37.30	9.98	33.69
AV	15.94584G	38.91	54.00	-15.09	25.31	3	Vertical	231	1.23	-	37.30	9.98	33.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 87
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62638G	50.76	74.00	-23.24	37.82	3	Horizontal	271	1.18	-	38.50	7.55	33.11
AV	10.62608G	36.88	54.00	-17.12	23.94	3	Horizontal	271	1.18	-	38.50	7.55	33.11
PK	15.9574G	52.12	74.00	-21.88	38.53	3	Horizontal	208	2.40	-	37.30	9.98	33.69
AV	15.9474G	38.85	54.00	-15.15	25.25	3	Horizontal	208	2.40	-	37.30	9.98	33.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	65.35	74.00	-8.65	58.02	3	Vertical	206	2.09	-	34.00	5.46	32.13
AV	5.4594G	52.25	54.00	-1.75	44.92	3	Vertical	206	2.09	-	34.00	5.46	32.13
PK	5.4676G	67.13	68.20	-1.07	59.79	3	Vertical	206	2.09	-	34.00	5.47	32.13
PK	5.4948G	126.14	Inf	-Inf	118.78	3	Vertical	206	2.09	-	34.00	5.49	32.13
AV	5.4936G	114.04	Inf	-Inf	106.68	3	Vertical	206	2.09	-	34.00	5.49	32.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Z_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00204G	50.85	74.00	-23.15	37.82	3	Vertical	153	1.23	-	38.60	7.70	33.27
AV	11.01416G	37.54	54.00	-16.46	24.49	3	Vertical	153	1.23	-	38.61	7.71	33.27
PK	16.49088G	55.34	68.20	-12.86	39.14	3	Vertical	236	1.48	-	39.03	10.25	33.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Z_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01026G	50.49	74.00	-23.51	37.45	3	Horizontal	37	1.98	-	38.61	7.70	33.27
AV	11.01428G	37.64	54.00	-16.36	24.59	3	Horizontal	37	1.98	-	38.61	7.71	33.27
PK	16.51308G	55.24	68.20	-12.96	38.92	3	Horizontal	281	2.52	-	39.14	10.26	33.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 110
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4272G	62.33	74.00	-11.67	68.09	3	Vertical	211	2.16	-	31.45	5.73	42.94
AV	5.38G	50.30	54.00	-3.70	56.30	3	Vertical	211	2.16	-	31.28	5.69	42.97
PK	5.4616G	62.06	68.20	-6.14	67.73	3	Vertical	211	2.16	-	31.50	5.76	42.93
PK	5.5848G	126.98	Inf	-Inf	132.39	3	Vertical	211	2.16	-	31.57	5.88	42.86
AV	5.5888G	117.18	Inf	-Inf	122.57	3	Vertical	211	2.16	-	31.58	5.88	42.85
PK	5.7408G	62.12	68.20	-6.08	67.03	3	Vertical	211	2.16	-	31.96	5.89	42.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15292G	51.85	74.00	-22.15	38.59	3	Vertical	238	1.29	-	38.75	7.76	33.25
AV	11.16024G	38.55	54.00	-15.45	25.28	3	Vertical	238	1.29	-	38.76	7.76	33.25
PK	16.73136G	56.83	68.20	-11.37	39.90	3	Vertical	33	2.98	-	39.85	10.37	33.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15436G	52.10	74.00	-21.90	38.84	3	Horizontal	17	2.08	-	38.75	7.76	33.25
AV	11.16018G	38.74	54.00	-15.26	25.47	3	Horizontal	17	2.08	-	38.76	7.76	33.25
PK	16.73568G	55.74	68.20	-12.46	38.77	3	Horizontal	176	2.83	-	39.89	10.37	33.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Z_4TX
Setting 74
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	122.31	Inf	-Inf	114.96	3	Vertical	201	1.79	-	33.89	5.60	32.14
AV	5.6944G	109.02	Inf	-Inf	101.67	3	Vertical	201	1.79	-	33.89	5.60	32.14
PK	5.7272G	66.65	68.20	-1.55	59.34	3	Vertical	201	1.79	-	33.85	5.60	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom



EUT_Z_4TX
Setting 74
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40762G	51.28	74.00	-22.72	37.83	3	Vertical	318	1.85	-	38.82	7.86	33.23
AV	11.41014G	37.69	54.00	-16.31	24.24	3	Vertical	318	1.85	-	38.82	7.86	33.23
PK	17.10552G	56.46	68.20	-11.74	37.90	3	Vertical	119	1.80	-	41.43	10.55	33.42

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



EUT Z_4TX
Setting 74
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40624G	51.18	74.00	-22.82	37.74	3	Horizontal	66	1.37	-	38.81	7.86	33.23
AV	11.41488G	37.68	54.00	-16.32	24.21	3	Horizontal	66	1.37	-	38.83	7.87	33.23
PK	17.10174G	57.23	68.20	-10.97	38.69	3	Horizontal	222	2.58	-	41.41	10.55	33.42


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 105
 02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	128.21	Inf	-Inf	120.88	3	Vertical	33	2.14	-	33.87	5.60	32.14
AV	5.7152G	115.95	Inf	-Inf	108.62	3	Vertical	33	2.14	-	33.87	5.60	32.14
PK	5.8632G	61.89	68.20	-6.31	54.50	3	Vertical	33	2.14	-	33.88	5.66	32.15


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 105
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44852G	52.18	74.00	-21.82	38.63	3	Vertical	149	1.83	-	38.90	7.88	33.23
AV	11.44066G	38.25	54.00	-15.75	24.72	3	Vertical	149	1.83	-	38.88	7.88	33.23
PK	17.17482G	58.14	68.20	-10.06	39.04	3	Vertical	264	1.36	-	41.85	10.59	33.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 105
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43844G	51.84	74.00	-22.16	38.31	3	Horizontal	116	1.56	-	38.88	7.88	33.23
AV	11.44546G	38.38	54.00	-15.62	24.84	3	Horizontal	116	1.56	-	38.89	7.88	33.23
PK	17.1615G	57.53	68.20	-10.67	38.54	3	Horizontal	100	1.63	-	41.77	10.58	33.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 110
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	62.48	68.20	-5.72	67.81	3	Vertical	210	2.38	-	31.60	5.89	42.82
PK	5.746G	127.61	Inf	-Inf	132.50	3	Vertical	210	2.38	-	31.98	5.89	42.76
AV	5.744G	116.71	Inf	-Inf	121.60	3	Vertical	210	2.38	-	31.98	5.89	42.76
PK	5.938G	60.11	68.20	-8.09	64.53	3	Vertical	210	2.38	-	32.18	6.04	42.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47992G	51.99	74.00	-22.01	38.36	3	Vertical	252	1.54	-	38.96	7.89	33.22
AV	11.4906G	38.31	54.00	-15.69	24.65	3	Vertical	252	1.54	-	38.98	7.90	33.22
PK	17.2389G	58.13	68.20	-10.07	38.59	3	Vertical	152	1.66	-	42.19	10.62	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49714G	51.17	74.00	-22.83	37.50	3	Horizontal	238	2.08	-	38.99	7.90	33.22
AV	11.49036G	38.29	54.00	-15.71	24.63	3	Horizontal	238	2.08	-	38.98	7.90	33.22
PK	17.23704G	59.08	68.20	-9.12	39.54	3	Horizontal	285	1.21	-	42.19	10.62	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 110
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.568G	62.62	68.20	-5.58	68.09	3	Vertical	209	2.03	-	31.54	5.86	42.87
PK	5.78G	127.53	Inf	-Inf	132.38	3	Vertical	209	2.03	-	32.00	5.89	42.74
AV	5.79G	116.11	Inf	-Inf	120.95	3	Vertical	209	2.03	-	32.00	5.89	42.73
PK	5.934G	60.05	68.20	-8.15	64.48	3	Vertical	209	2.03	-	32.17	6.04	42.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55968G	51.74	74.00	-22.26	37.88	3	Vertical	276	2.19	-	39.18	7.92	33.24
AV	11.57642G	38.22	54.00	-15.78	24.30	3	Vertical	276	2.19	-	39.23	7.93	33.24
PK	17.34306G	59.56	68.20	-8.64	39.28	3	Vertical	57	1.02	-	42.76	10.67	33.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55896G	51.81	74.00	-22.19	37.95	3	Horizontal	306	2.54	-	39.18	7.92	33.24
AV	11.56724G	38.12	54.00	-15.88	24.23	3	Horizontal	306	2.54	-	39.20	7.93	33.24
PK	17.36688G	58.49	68.20	-9.71	38.03	3	Horizontal	60	2.34	-	42.90	10.68	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 110
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	62.31	68.20	-5.89	67.65	3	Vertical	207	2.33	-	31.60	5.89	42.83
PK	5.831G	127.75	Inf	-Inf	132.53	3	Vertical	207	2.33	-	32.00	5.92	42.70
AV	5.823G	116.29	Inf	-Inf	121.08	3	Vertical	207	2.33	-	32.00	5.92	42.71
PK	5.93G	60.76	68.20	-7.44	65.21	3	Vertical	207	2.33	-	32.16	6.03	42.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64502G	51.79	74.00	-22.21	37.70	3	Vertical	80	2.06	-	39.39	7.96	33.26
AV	11.66242G	38.51	54.00	-15.49	24.39	3	Vertical	80	2.06	-	39.42	7.96	33.26
PK	17.47392G	60.02	68.20	-8.18	38.59	3	Vertical	96	1.45	-	43.69	10.74	33.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6362G	51.65	74.00	-22.35	37.59	3	Horizontal	335	2.68	-	39.37	7.95	33.26
AV	11.65552G	38.44	54.00	-15.56	24.33	3	Horizontal	335	2.68	-	39.41	7.96	33.26
PK	17.47632G	59.45	68.20	-8.75	38.00	3	Horizontal	100	1.53	-	43.71	10.74	33.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 98
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	68.45	74.00	-5.55	61.78	3	Vertical	47	2.10	-	33.58	5.24	32.15
AV	5.142G	53.23	54.00	-0.77	46.56	3	Vertical	47	2.10	-	33.58	5.24	32.15
PK	5.1964G	122.02	Inf	-Inf	115.18	3	Vertical	47	2.10	-	33.69	5.30	32.15
AV	5.1964G	109.37	Inf	-Inf	102.53	3	Vertical	47	2.10	-	33.69	5.30	32.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 98
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39002G	51.09	68.20	-17.11	38.00	3	Vertical	54	2.83	-	38.61	7.46	32.98
PK	15.55674G	52.76	74.00	-21.24	38.42	3	Vertical	130	1.44	-	37.76	9.80	33.22
AV	15.5556G	39.22	54.00	-14.78	24.87	3	Vertical	130	1.44	-	37.77	9.80	33.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 98
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38954G	51.26	68.20	-16.94	38.17	3	Horizontal	91	2.35	-	38.61	7.46	32.98
PK	15.56958G	53.36	74.00	-20.64	39.10	3	Horizontal	328	2.32	-	37.68	9.81	33.23
AV	15.55674G	39.28	54.00	-14.72	24.94	3	Horizontal	328	2.32	-	37.76	9.80	33.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 107
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	68.87	74.00	-5.13	62.18	3	Vertical	166	1.80	-	33.59	5.25	32.15
AV	5.15G	53.12	54.00	-0.88	46.42	3	Vertical	166	1.80	-	33.60	5.25	32.15
PK	5.2348G	124.36	Inf	-Inf	117.49	3	Vertical	166	1.80	-	33.70	5.32	32.15
AV	5.2354G	111.15	Inf	-Inf	104.28	3	Vertical	166	1.80	-	33.70	5.32	32.15
PK	5.35G	62.76	74.00	-11.24	55.62	3	Vertical	166	1.80	-	33.90	5.38	32.14
AV	5.35G	49.57	54.00	-4.43	42.43	3	Vertical	166	1.80	-	33.90	5.38	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Z_4TX
Setting 107
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45952G	53.20	68.20	-15.00	40.14	3	Vertical	239	2.06	-	38.60	7.48	33.02
PK	15.6912G	54.75	74.00	-19.25	40.77	3	Vertical	140	2.62	-	37.50	9.86	33.38
AV	15.68586G	40.34	54.00	-13.66	26.35	3	Vertical	140	2.62	-	37.50	9.86	33.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Z_4TX
Setting 107
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47062G	51.16	68.20	-17.04	38.10	3	Horizontal	93	2.56	-	38.60	7.49	33.03
PK	15.69528G	52.56	74.00	-21.44	38.58	3	Horizontal	300	1.46	-	37.50	9.86	33.38
AV	15.68928G	38.94	54.00	-15.06	24.95	3	Horizontal	300	1.46	-	37.50	9.86	33.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 96
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.40	74.00	-10.60	69.25	3	Vertical	273.3	2.36	-	31.70	5.53	43.08
AV	5.1494G	50.27	54.00	-3.73	56.12	3	Vertical	273.3	2.36	-	31.70	5.53	43.08
PK	5.2778G	125.08	Inf	-Inf	131.39	3	Vertical	273.3	2.36	-	31.10	5.61	43.02
AV	5.2766G	112.18	Inf	-Inf	118.49	3	Vertical	273.3	2.36	-	31.10	5.61	43.02
PK	5.36G	65.93	74.00	-8.07	72.08	3	Vertical	273.3	2.36	-	31.16	5.67	42.98
AV	5.3504G	53.26	54.00	-0.74	59.47	3	Vertical	273.3	2.36	-	31.10	5.67	42.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 96
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54654G	50.85	68.20	-17.35	37.85	3	Vertical	341	1.52	-	38.55	7.52	33.07
PK	15.82296G	52.62	74.00	-21.38	38.78	3	Vertical	262	2.80	-	37.45	9.92	33.53
AV	15.798G	39.11	54.00	-14.89	25.20	3	Vertical	262	2.80	-	37.50	9.91	33.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 96
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5256G	50.22	68.20	-17.98	37.20	3	Horizontal	236	2.61	-	38.57	7.51	33.06
PK	15.81588G	52.86	74.00	-21.14	38.99	3	Horizontal	335	1.30	-	37.47	9.92	33.52
AV	15.7953G	39.24	54.00	-14.76	25.33	3	Horizontal	335	1.30	-	37.50	9.91	33.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Z_4TX
Setting 74
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3178G	120.87	Inf	-Inf	127.13	3	Vertical	268	2.28	-	31.10	5.64	43.00
AV	5.316G	108.43	Inf	-Inf	114.69	3	Vertical	268	2.28	-	31.10	5.64	43.00
PK	5.3514G	66.99	74.00	-7.01	73.19	3	Vertical	268	2.28	-	31.11	5.67	42.98
AV	5.35G	53.69	54.00	-0.31	59.90	3	Vertical	268	2.28	-	31.10	5.67	42.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 74
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61076G	50.23	74.00	-23.77	37.29	3	Vertical	47	2.11	-	38.50	7.54	33.10
AV	10.61394G	37.10	54.00	-16.90	24.15	3	Vertical	47	2.11	-	38.50	7.55	33.10
PK	15.91518G	52.57	74.00	-21.43	38.95	3	Vertical	203	1.02	-	37.30	9.96	33.64
AV	15.92484G	38.89	54.00	-15.11	25.27	3	Vertical	203	1.02	-	37.30	9.97	33.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 74
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61262G	50.55	74.00	-23.45	37.60	3	Horizontal	277	2.80	-	38.50	7.55	33.10
AV	10.6062G	37.23	54.00	-16.77	24.29	3	Horizontal	277	2.80	-	38.50	7.54	33.10
PK	15.92826G	52.55	74.00	-21.45	38.94	3	Horizontal	147	2.81	-	37.30	9.97	33.66
AV	15.9237G	38.98	54.00	-15.02	25.36	3	Horizontal	147	2.81	-	37.30	9.97	33.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 89
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.56	74.00	-7.44	59.23	3	Vertical	205	2.18	-	34.00	5.46	32.13
AV	5.46G	51.64	54.00	-2.36	44.31	3	Vertical	205	2.18	-	34.00	5.46	32.13
PK	5.4676G	67.22	68.20	-0.98	59.88	3	Vertical	205	2.18	-	34.00	5.47	32.13
PK	5.4944G	121.55	Inf	-Inf	114.19	3	Vertical	205	2.18	-	34.00	5.49	32.13
AV	5.4924G	109.58	Inf	-Inf	102.22	3	Vertical	205	2.18	-	34.00	5.49	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Z_4TX
Setting 89
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.029G	51.89	74.00	-22.11	38.82	3	Vertical	300	1.81	-	38.63	7.71	33.27
AV	11.01952G	37.69	54.00	-16.31	24.63	3	Vertical	300	1.81	-	38.62	7.71	33.27
PK	16.54296G	54.85	68.20	-13.35	38.46	3	Vertical	17	2.16	-	39.23	10.27	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Z_4TX
Setting 89
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0302G	51.04	74.00	-22.96	37.97	3	Horizontal	238	2.50	-	38.63	7.71	33.27
AV	11.01814G	37.66	54.00	-16.34	24.60	3	Horizontal	238	2.50	-	38.62	7.71	33.27
PK	16.51632G	54.72	68.20	-13.48	38.40	3	Horizontal	210	1.60	-	39.15	10.26	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Z_4TX
Setting 103
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4444G	65.10	74.00	-8.90	57.79	3	Vertical	225	1.80	-	34.00	5.44	32.13
AV	5.4462G	50.90	54.00	-3.10	43.58	3	Vertical	225	1.80	-	34.00	5.45	32.13
PK	5.4696G	66.57	68.20	-1.63	59.23	3	Vertical	225	1.80	-	34.00	5.47	32.13
PK	5.5344G	124.46	Inf	-Inf	117.06	3	Vertical	225	1.80	-	34.00	5.53	32.13
AV	5.5332G	111.28	Inf	-Inf	103.88	3	Vertical	225	1.80	-	34.00	5.53	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 103
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10186G	50.84	74.00	-23.16	37.66	3	Vertical	147	1.46	-	38.70	7.74	33.26
AV	11.10948G	37.40	54.00	-16.60	24.21	3	Vertical	147	1.46	-	38.71	7.74	33.26
PK	16.66236G	55.00	68.20	-13.20	38.37	3	Vertical	49	1.92	-	39.52	10.33	33.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 103
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11212G	51.01	74.00	-22.99	37.82	3	Horizontal	132	2.82	-	38.71	7.74	33.26
AV	11.10798G	37.40	54.00	-16.60	24.21	3	Horizontal	132	2.82	-	38.71	7.74	33.26
PK	16.64652G	55.19	68.20	-13.01	38.59	3	Horizontal	249	1.65	-	39.49	10.32	33.21

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 81
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.686G	118.63	Inf	-Inf	111.30	3	Vertical	131	2.16	-	33.87	5.60	32.14
AV	5.688G	106.24	Inf	-Inf	98.90	3	Vertical	131	2.16	-	33.88	5.60	32.14
PK	5.7256G	67.71	68.20	-0.49	60.40	3	Vertical	131	2.16	-	33.85	5.60	32.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 81
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33022G	50.77	74.00	-23.23	37.38	3	Vertical	79	1.73	-	38.80	7.83	33.24
AV	11.35386G	37.04	54.00	-16.96	23.63	3	Vertical	79	1.73	-	38.80	7.84	33.23
PK	16.9974G	56.49	68.20	-11.71	38.54	3	Vertical	350	2.58	-	40.99	10.50	33.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



EUT_Z_4TX
Setting 81
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33868G	51.05	74.00	-22.95	37.65	3	Horizontal	163	1.17	-	38.80	7.84	33.24
AV	11.34108G	37.08	54.00	-16.92	23.68	3	Horizontal	163	1.17	-	38.80	7.84	33.24
PK	17.0187G	56.69	68.20	-11.51	38.63	3	Horizontal	241	1.00	-	41.07	10.51	33.52


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 104
 02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	124.63	Inf	-Inf	117.28	3	Vertical	200	1.80	-	33.89	5.60	32.14
AV	5.6964G	111.80	Inf	-Inf	104.45	3	Vertical	200	1.80	-	33.89	5.60	32.14
PK	5.8708G	62.98	68.20	-5.22	55.54	3	Vertical	200	1.80	-	33.92	5.67	32.15


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 104
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43074G	52.09	74.00	-21.91	38.59	3	Vertical	336	1.41	-	38.86	7.87	33.23
AV	11.42534G	38.22	54.00	-15.78	24.73	3	Vertical	336	1.41	-	38.85	7.87	33.23
PK	17.1408G	58.15	68.20	-10.05	39.32	3	Vertical	167	2.97	-	41.64	10.57	33.38

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 104
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42306G	51.12	74.00	-22.88	37.63	3	Horizontal	206	1.13	-	38.85	7.87	33.23
AV	11.42534G	38.06	54.00	-15.94	24.57	3	Horizontal	206	1.13	-	38.85	7.87	33.23
PK	17.13999G	57.19	68.20	-11.01	38.36	3	Horizontal	306	2.42	-	41.64	10.57	33.38

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 107
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	66.97	68.20	-1.23	72.30	3	Vertical	143	2.21	-	31.60	5.89	42.82
PK	5.748G	125.16	Inf	-Inf	130.04	3	Vertical	143	2.21	-	31.99	5.89	42.76
AV	5.752G	113.15	Inf	-Inf	118.01	3	Vertical	143	2.21	-	32.00	5.89	42.75
PK	5.938G	59.77	68.20	-8.43	64.19	3	Vertical	143	2.21	-	32.18	6.04	42.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 107
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52434G	50.94	74.00	-23.06	37.19	3	Vertical	339	2.37	-	39.07	7.91	33.23
AV	11.51024G	38.05	54.00	-15.95	24.34	3	Vertical	339	2.37	-	39.03	7.90	33.22
PK	17.2575G	58.13	68.20	-10.07	38.46	3	Vertical	130	1.76	-	42.29	10.63	33.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 107
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51168G	51.19	74.00	-22.81	37.47	3	Horizontal	161	2.29	-	39.04	7.90	33.22
AV	11.51534G	38.15	54.00	-15.85	24.41	3	Horizontal	161	2.29	-	39.05	7.91	33.22
PK	17.25912G	58.32	68.20	-9.88	38.63	3	Horizontal	348	1.45	-	42.30	10.63	33.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	62.67	68.20	-5.53	68.00	3	Vertical	309	2.02	-	31.60	5.89	42.82
PK	5.798G	126.24	Inf	-Inf	131.08	3	Vertical	309	2.02	-	32.00	5.89	42.73
AV	5.792G	113.95	Inf	-Inf	118.79	3	Vertical	309	2.02	-	32.00	5.89	42.73
PK	5.94G	63.21	68.20	-4.99	67.63	3	Vertical	309	2.02	-	32.18	6.04	42.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5996G	52.24	74.00	-21.76	38.25	3	Vertical	260	1.47	-	39.30	7.94	33.25
AV	11.58658G	38.15	54.00	-15.85	24.20	3	Vertical	260	1.47	-	39.26	7.93	33.24
PK	17.3979G	59.95	68.20	-8.25	39.25	3	Vertical	154	2.17	-	43.09	10.70	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60302G	51.83	74.00	-22.17	37.83	3	Horizontal	338	2.15	-	39.31	7.94	33.25
AV	11.60092G	38.14	54.00	-15.86	24.15	3	Horizontal	338	2.15	-	39.30	7.94	33.25
PK	17.38824G	60.09	68.20	-8.11	39.47	3	Horizontal	43	2.96	-	43.03	10.69	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.123G	72.77	74.00	-1.23	66.15	3	Vertical	345	2.05	-	33.55	5.22	32.15
PK	5.215G	119.95	Inf	-Inf	113.09	3	Vertical	345	2.05	-	33.70	5.31	32.15
AV	5.216G	106.42	Inf	-Inf	99.56	3	Vertical	345	2.05	-	33.70	5.31	32.15
PK	5.373G	63.63	74.00	-10.37	56.43	3	Vertical	345	2.05	-	33.95	5.39	32.14
AV	5.15G	53.50	54.00	-0.50	46.80	3	Vertical	345	2.05	-	33.60	5.25	32.15
AV	5.352G	49.93	54.00	-4.07	42.79	3	Vertical	345	2.05	-	33.90	5.38	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Z_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41076G	50.78	68.20	-17.42	37.71	3	Vertical	315	2.79	-	38.60	7.46	32.99
PK	15.624G	52.85	74.00	-21.15	38.82	3	Vertical	167	1.95	-	37.50	9.83	33.30
AV	15.62754G	38.91	54.00	-15.09	24.88	3	Vertical	167	1.95	-	37.50	9.83	33.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Z_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41514G	50.70	68.20	-17.50	37.62	3	Horizontal	15	2.28	-	38.60	7.47	32.99
PK	15.62538G	52.48	74.00	-21.52	38.45	3	Horizontal	154	1.28	-	37.50	9.83	33.30
AV	15.61566G	38.93	54.00	-15.07	24.89	3	Horizontal	154	1.28	-	37.50	9.83	33.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 92
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	62.48	74.00	-11.52	55.81	3	Vertical	260	2.15	-	33.58	5.24	32.15
PK	5.287G	119.07	Inf	-Inf	112.10	3	Vertical	260	2.15	-	33.77	5.34	32.14
AV	5.298G	106.61	Inf	-Inf	99.60	3	Vertical	260	2.15	-	33.80	5.35	32.14
PK	5.372G	70.94	74.00	-3.06	63.75	3	Vertical	260	2.15	-	33.94	5.39	32.14
PK	5.462G	60.68	68.20	-7.52	53.35	3	Vertical	260	2.15	-	34.00	5.46	32.13
AV	5.135G	48.51	54.00	-5.49	41.85	3	Vertical	260	2.15	-	33.57	5.24	32.15
AV	5.35G	53.16	54.00	-0.84	46.02	3	Vertical	260	2.15	-	33.90	5.38	32.14
AV	5.463G	48.57	Inf	-Inf	41.24	3	Vertical	260	2.15	-	34.00	5.46	32.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Z_4TX
Setting 92
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59332G	51.23	68.20	-16.97	38.27	3	Vertical	304	1.62	-	38.51	7.54	33.09
PK	15.85812G	53.19	74.00	-20.81	39.44	3	Vertical	15	1.19	-	37.38	9.94	33.57
AV	15.87186G	38.93	54.00	-15.07	25.22	3	Vertical	15	1.19	-	37.36	9.94	33.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Z_4TX
Setting 92
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59074G	50.88	68.20	-17.32	37.92	3	Horizontal	52	1.77	-	38.51	7.54	33.09
PK	15.85878G	53.33	74.00	-20.67	39.58	3	Horizontal	251	1.56	-	37.38	9.94	33.57
AV	15.8661G	39.02	54.00	-14.98	25.29	3	Horizontal	251	1.56	-	37.37	9.94	33.58

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 94
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	62.26	68.20	-5.94	55.13	3	Vertical	221	2.35	-	33.90	5.37	32.14
AV	5.35G	48.66	54.00	-5.34	41.53	3	Vertical	221	2.35	-	33.90	5.37	32.14
PK	5.435G	70.37	74.00	-3.63	63.06	3	Vertical	221	2.35	-	34.00	5.44	32.13
AV	5.437G	53.78	54.00	-0.22	46.47	3	Vertical	221	2.35	-	34.00	5.44	32.13
PK	5.468G	66.87	68.20	-1.33	59.53	3	Vertical	221	2.35	-	34.00	5.47	32.13
PK	5.523G	119.08	Inf	-Inf	111.69	3	Vertical	221	2.35	-	34.00	5.52	32.13
AV	5.541G	106.68	Inf	-Inf	99.27	3	Vertical	221	2.35	-	34.00	5.54	32.13
PK	5.771G	61.81	68.20	-6.39	54.56	3	Vertical	221	2.35	-	33.80	5.60	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 94
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05028G	51.38	74.00	-22.62	38.27	3	Vertical	179	1.99	-	38.65	7.72	33.26
AV	11.05004G	37.35	54.00	-16.65	24.24	3	Vertical	179	1.99	-	38.65	7.72	33.26
PK	16.57584G	54.92	68.20	-13.28	38.44	3	Vertical	19	2.64	-	39.33	10.29	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 94
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07104G	50.43	74.00	-23.57	37.29	3	Horizontal	289	1.29	-	38.67	7.73	33.26
AV	11.04662G	37.39	54.00	-16.61	24.29	3	Horizontal	289	1.29	-	38.65	7.72	33.27
PK	16.58772G	54.82	68.20	-13.38	38.32	3	Horizontal	149	2.02	-	39.36	10.29	33.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 98
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.81	74.00	-9.19	57.48	3	Vertical	227	2.20	-	34.00	5.46	32.13
AV	5.46G	51.89	54.00	-2.11	44.56	3	Vertical	227	2.20	-	34.00	5.46	32.13
PK	5.464G	65.95	68.20	-2.25	58.62	3	Vertical	227	2.20	-	34.00	5.46	32.13
PK	5.621G	121.70	Inf	-Inf	114.38	3	Vertical	227	2.20	-	33.86	5.60	32.14
AV	5.617G	108.93	Inf	-Inf	101.60	3	Vertical	227	2.20	-	33.87	5.60	32.14
PK	5.727G	67.85	68.20	-0.35	60.54	3	Vertical	227	2.20	-	33.85	5.60	32.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 98
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21088G	50.83	74.00	-23.17	37.50	3	Vertical	176	2.25	-	38.80	7.78	33.25
AV	11.217G	37.49	54.00	-16.51	24.15	3	Vertical	176	2.25	-	38.80	7.79	33.25
PK	16.81722G	55.94	68.20	-12.26	38.45	3	Vertical	103	1.17	-	40.45	10.41	33.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



EUT_Z_4TX
Setting 98
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21172G	51.19	74.00	-22.81	37.86	3	Horizontal	141	2.01	-	38.80	7.78	33.25
AV	11.22414G	37.49	54.00	-16.51	24.15	3	Horizontal	141	2.01	-	38.80	7.79	33.25
PK	16.8351G	56.41	68.20	-11.79	38.86	3	Horizontal	257	1.06	-	40.51	10.42	33.38


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 104
 02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	62.46	74.00	-11.54	55.13	3	Vertical	132	2.07	-	34.00	5.46	32.13
AV	5.458G	49.01	54.00	-4.99	41.68	3	Vertical	132	2.07	-	34.00	5.46	32.13
PK	5.47G	64.06	68.20	-4.14	56.72	3	Vertical	132	2.07	-	34.00	5.47	32.13
PK	5.697G	121.17	Inf	-Inf	113.82	3	Vertical	132	2.07	-	33.89	5.60	32.14
AV	5.698G	108.83	Inf	-Inf	101.47	3	Vertical	132	2.07	-	33.90	5.60	32.14
PK	5.852G	67.57	68.20	-0.63	60.26	3	Vertical	132	2.07	-	33.81	5.65	32.15


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 104
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36542G	51.34	74.00	-22.66	37.92	3	Vertical	317	1.22	-	38.80	7.85	33.23
AV	11.38954G	37.68	54.00	-16.32	24.25	3	Vertical	317	1.22	-	38.80	7.86	33.23
PK	17.07504G	57.35	68.20	-10.85	38.96	3	Vertical	146	2.73	-	41.30	10.54	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 104
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39086G	51.00	74.00	-23.00	37.57	3	Horizontal	93	2.32	-	38.80	7.86	33.23
AV	11.39068G	37.55	54.00	-16.45	24.12	3	Horizontal	93	2.32	-	38.80	7.86	33.23
PK	17.0811G	57.62	68.20	-10.58	39.21	3	Horizontal	151	2.47	-	41.32	10.54	33.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 100
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.13	68.94	-0.81	60.87	3	Vertical	140	2.19	-	33.80	5.60	32.14
PK	5.743G	121.91	Inf	-Inf	114.64	3	Vertical	140	2.19	-	33.81	5.60	32.14
AV	5.79G	108.16	Inf	-Inf	100.91	3	Vertical	140	2.19	-	33.80	5.60	32.15
PK	5.935G	66.69	68.20	-1.51	58.94	3	Vertical	140	2.19	-	34.17	5.74	32.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 100
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5488G	51.29	74.00	-22.71	37.45	3	Vertical	134	2.38	-	39.15	7.92	33.23
AV	11.565G	37.90	54.00	-16.10	24.01	3	Vertical	134	2.38	-	39.20	7.93	33.24
PK	17.33718G	58.17	68.20	-10.03	37.94	3	Vertical	212	1.14	-	42.72	10.67	33.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 100
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55066G	51.13	74.00	-22.87	37.29	3	Horizontal	279	2.45	-	39.15	7.92	33.23
AV	11.56386G	37.93	54.00	-16.07	24.05	3	Horizontal	279	2.45	-	39.19	7.93	33.24
PK	17.31936G	58.71	68.20	-9.49	38.61	3	Horizontal	176	1.38	-	42.62	10.66	33.18

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT_Z_4TX
Setting 84
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	73.77	74.00	-0.23	67.07	3	Vertical	265	2.31	-	33.60	5.25	32.15
AV	5.1492G	51.97	54.00	-2.03	45.27	3	Vertical	265	2.31	-	33.60	5.25	32.15
PK	5.2596G	114.40	Inf	-Inf	107.49	3	Vertical	265	2.31	-	33.72	5.33	32.14
AV	5.2564G	101.85	Inf	-Inf	94.95	3	Vertical	265	2.31	-	33.71	5.33	32.14
PK	5.3796G	73.31	74.00	-0.69	66.10	3	Vertical	265	2.31	-	33.96	5.39	32.14
AV	5.3844G	52.01	54.00	-1.99	44.79	3	Vertical	265	2.31	-	33.97	5.39	32.14
PK	5.4708G	67.42	68.20	-0.78	60.08	3	Vertical	265	2.31	-	34.00	5.47	32.13

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT_Z_4TX
Setting 84
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50408G	50.93	68.20	-17.27	37.88	3	Vertical	77	1.23	-	38.60	7.50	33.05
PK	15.7518G	52.76	74.00	-21.24	38.82	3	Vertical	22	2.42	-	37.50	9.89	33.45
AV	15.76344G	38.98	54.00	-15.02	25.05	3	Vertical	22	2.42	-	37.50	9.89	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT_Z_4TX
Setting 84
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49016G	51.64	68.20	-16.56	38.58	3	Horizontal	304	2.55	-	38.60	7.50	33.04
PK	15.74172G	53.25	74.00	-20.75	39.31	3	Horizontal	216	1.98	-	37.50	9.88	33.44
AV	15.76074G	38.99	54.00	-15.01	25.06	3	Horizontal	216	1.98	-	37.50	9.89	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 80
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3348G	64.49	68.20	-3.71	57.39	3	Vertical	218	1.97	-	33.87	5.37	32.14
PK	5.4148G	71.67	74.00	-2.33	64.40	3	Vertical	218	1.97	-	34.00	5.41	32.14
AV	5.4148G	53.21	54.00	-0.79	45.94	3	Vertical	218	1.97	-	34.00	5.41	32.14
PK	5.4612G	67.97	68.20	-0.23	60.64	3	Vertical	218	1.97	-	34.00	5.46	32.13
PK	5.5652G	115.55	Inf	-Inf	108.14	3	Vertical	218	1.97	-	33.97	5.57	32.13
AV	5.5412G	101.73	Inf	-Inf	94.32	3	Vertical	218	1.97	-	34.00	5.54	32.13
PK	5.7828G	67.15	68.20	-1.05	59.90	3	Vertical	218	1.97	-	33.80	5.60	32.15

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 80
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14072G	51.32	74.00	-22.68	38.08	3	Vertical	262	2.31	-	38.74	7.76	33.26
AV	11.14282G	37.40	54.00	-16.60	24.16	3	Vertical	262	2.31	-	38.74	7.76	33.26
PK	16.72374G	55.76	68.20	-12.44	38.89	3	Vertical	19	1.31	-	39.79	10.36	33.28

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT_Z_4TX
Setting 80
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14168G	51.02	74.00	-22.98	37.78	3	Horizontal	61	1.95	-	38.74	7.76	33.26
AV	11.14012G	37.44	54.00	-16.56	24.20	3	Horizontal	61	1.95	-	38.74	7.76	33.26
PK	16.722G	55.36	68.20	-12.84	38.50	3	Horizontal	7	2.07	-	39.78	10.36	33.28




For beamforming
For 4T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	AV	5.35G	53.84	54.00	-0.16	3	Vertical	268	2.30	-

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
 Setting 104
 02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	69.45	74.00	-4.55	62.76	3	Vertical	149	1.94	-	33.59	5.25	32.15
AV	5.1492G	53.48	54.00	-0.52	46.78	3	Vertical	149	1.94	-	33.60	5.25	32.15
PK	5.1842G	123.70	Inf	-Inf	116.90	3	Vertical	149	1.94	-	33.67	5.28	32.15
AV	5.1816G	111.19	Inf	-Inf	104.40	3	Vertical	149	1.94	-	33.66	5.28	32.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 104
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36726G	50.64	68.20	-17.56	37.52	3	Vertical	220	1.81	-	38.63	7.45	32.96
PK	15.52578G	52.31	74.00	-21.69	37.75	3	Vertical	190	1.45	-	37.95	9.79	33.18
AV	15.52512G	39.09	54.00	-14.91	24.53	3	Vertical	190	1.45	-	37.95	9.79	33.18

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
 Setting 104
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3513G	51.70	68.20	-16.50	38.56	3	Horizontal	89	1.04	-	38.65	7.44	32.95
PK	15.53892G	53.27	74.00	-20.73	38.81	3	Horizontal	265	1.16	-	37.87	9.79	33.20
AV	15.53256G	39.03	54.00	-14.97	24.53	3	Horizontal	265	1.16	-	37.90	9.79	33.19

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom



EUT_Z_4TX
Setting 110
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.95	74.00	-9.05	58.25	3	Vertical	41	2.18	-	33.60	5.25	32.15
AV	5.15G	51.56	54.00	-2.44	44.86	3	Vertical	41	2.18	-	33.60	5.25	32.15
PK	5.1976G	125.67	Inf	-Inf	118.82	3	Vertical	41	2.18	-	33.70	5.30	32.15
AV	5.202G	112.66	Inf	-Inf	105.81	3	Vertical	41	2.18	-	33.70	5.30	32.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5200MHz_TnomVnom



EUT_Z_4TX
 Setting 110
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40672G	50.74	68.20	-17.46	37.67	3	Vertical	4	1.45	-	38.60	7.46	32.99
PK	15.5943G	52.15	74.00	-21.85	38.06	3	Vertical	106	2.18	-	37.53	9.82	33.26
AV	15.59484G	38.96	54.00	-15.04	24.87	3	Vertical	106	2.18	-	37.53	9.82	33.26

802.11ax HEW20-BF_Nss2,(MCS0)_4TX


5200MHz_TnomVnom



EUT_Z_4TX
 Setting 110
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40372G	51.22	68.20	-16.98	38.15	3	Horizontal	348	2.22	-	38.60	7.46	32.99
PK	15.59586G	52.05	74.00	-21.95	37.97	3	Horizontal	344	1.26	-	37.52	9.82	33.26
AV	15.58836G	38.79	54.00	-15.21	24.66	3	Horizontal	344	1.26	-	37.57	9.81	33.25

802.11ax HEW20-BF_Nss2,(MCS0)_4TX
5240MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	61.74	74.00	-12.26	55.05	3	Vertical	221	2.24	-	33.59	5.25	32.15
AV	5.1464G	48.75	54.00	-5.25	42.06	3	Vertical	221	2.24	-	33.59	5.25	32.15
PK	5.2334G	123.28	Inf	-Inf	116.41	3	Vertical	221	2.24	-	33.70	5.32	32.15
AV	5.234G	111.48	Inf	-Inf	104.61	3	Vertical	221	2.24	-	33.70	5.32	32.15
PK	5.3804G	62.95	74.00	-11.05	55.74	3	Vertical	221	2.24	-	33.96	5.39	32.14
AV	5.351G	49.45	54.00	-4.55	42.31	3	Vertical	221	2.24	-	33.90	5.38	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
 Setting 110
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47892G	54.64	68.20	-13.56	41.59	3	Vertical	237	2.40	-	38.60	7.49	33.04
PK	15.72726G	52.77	74.00	-21.23	38.81	3	Vertical	282	1.18	-	37.50	9.88	33.42
AV	15.72102G	39.17	54.00	-14.83	25.21	3	Vertical	282	1.18	-	37.50	9.87	33.41

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
 Setting 110
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48804G	53.55	68.20	-14.65	40.49	3	Horizontal	45	1.77	-	38.60	7.50	33.04
PK	15.72174G	53.96	74.00	-20.04	40.00	3	Horizontal	207	2.14	-	37.50	9.87	33.41
AV	15.71952G	39.36	54.00	-14.64	25.40	3	Horizontal	207	2.14	-	37.50	9.87	33.41

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom



EUT_Z_4TX
Setting 108
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.05	74.00	-11.95	67.90	3	Vertical	13	2.91	-	31.70	5.53	43.08
AV	5.15G	48.69	54.00	-5.31	54.54	3	Vertical	13	2.91	-	31.70	5.53	43.08
PK	5.254G	125.94	Inf	-Inf	132.27	3	Vertical	13	2.91	-	31.10	5.60	43.03
AV	5.257G	113.61	Inf	-Inf	119.94	3	Vertical	13	2.91	-	31.10	5.60	43.03
PK	5.356G	63.71	74.00	-10.29	69.88	3	Vertical	13	2.91	-	31.14	5.67	42.98
AV	5.353G	51.12	54.00	-2.88	57.31	3	Vertical	13	2.91	-	31.12	5.67	42.98

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom



EUT_Z_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52666G	50.32	68.20	-17.88	37.30	3	Vertical	345	1.16	-	38.57	7.51	33.06
PK	15.7839G	52.19	74.00	-21.81	38.28	3	Vertical	54	2.49	-	37.50	9.90	33.49
AV	15.78054G	38.97	54.00	-15.03	25.05	3	Vertical	54	2.49	-	37.50	9.90	33.48

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 108
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5104G	50.88	68.20	-17.32	37.84	3	Horizontal	22	1.98	-	38.59	7.50	33.05
PK	15.76944G	52.80	74.00	-21.20	38.87	3	Horizontal	256	1.38	-	37.50	9.90	33.47
AV	15.77538G	38.93	54.00	-15.07	25.00	3	Horizontal	256	1.38	-	37.50	9.90	33.47

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom



EUT_Z_4TX
 Setting 103
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	125.94	Inf	-Inf	132.22	3	Vertical	88	2.28	-	31.10	5.63	43.01
AV	5.2984G	114.11	Inf	-Inf	120.39	3	Vertical	88	2.28	-	31.10	5.63	43.01
PK	5.3504G	65.48	74.00	-8.52	71.69	3	Vertical	88	2.28	-	31.10	5.67	42.98
AV	5.3504G	53.31	54.00	-0.69	59.52	3	Vertical	88	2.28	-	31.10	5.67	42.98

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
 Setting 103
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59028G	50.93	68.20	-17.27	37.97	3	Vertical	285	1.56	-	38.51	7.54	33.09
PK	15.90948G	52.45	74.00	-21.55	38.82	3	Vertical	214	2.80	-	37.30	9.96	33.63
AV	15.88908G	38.45	54.00	-15.55	24.79	3	Vertical	214	2.80	-	37.32	9.95	33.61

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 103
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60036G	50.37	74.00	-23.63	37.42	3	Horizontal	340	2.12	-	38.50	7.54	33.09
AV	10.6054G	37.26	54.00	-16.74	24.32	3	Horizontal	340	2.12	-	38.50	7.54	33.10
PK	15.90168G	51.65	74.00	-22.35	38.01	3	Horizontal	56	2.58	-	37.30	9.96	33.62
AV	15.88506G	38.61	54.00	-15.39	24.93	3	Horizontal	56	2.58	-	37.33	9.95	33.60

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 84
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3248G	122.33	Inf	-Inf	128.57	3	Vertical	268	2.30	-	31.10	5.65	42.99
AV	5.3236G	110.24	Inf	-Inf	116.48	3	Vertical	268	2.30	-	31.10	5.65	42.99
PK	5.3504G	68.87	74.00	-5.13	75.08	3	Vertical	268	2.30	-	31.10	5.67	42.98
AV	5.35G	53.84	54.00	-0.16	60.05	3	Vertical	268	2.30	-	31.10	5.67	42.98

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
 Setting 84
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65056G	50.48	74.00	-23.52	37.54	3	Vertical	344	1.02	-	38.50	7.56	33.12
AV	10.63466G	36.84	54.00	-17.16	23.90	3	Vertical	344	1.02	-	38.50	7.55	33.11
PK	15.95208G	51.63	74.00	-22.37	38.03	3	Vertical	133	2.28	-	37.30	9.98	33.68
AV	15.9459G	38.29	54.00	-15.71	24.69	3	Vertical	133	2.28	-	37.30	9.98	33.68

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 84
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63514G	50.57	74.00	-23.43	37.63	3	Horizontal	180	1.54	-	38.50	7.55	33.11
AV	10.62656G	36.75	54.00	-17.25	23.81	3	Horizontal	180	1.54	-	38.50	7.55	33.11
PK	15.94986G	51.60	74.00	-22.40	38.00	3	Horizontal	257	2.19	-	37.30	9.98	33.68
AV	15.95472G	38.34	54.00	-15.66	24.75	3	Horizontal	257	2.19	-	37.30	9.98	33.69

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	66.95	74.00	-7.05	59.62	3	Vertical	204	2.08	-	34.00	5.46	32.13
AV	5.459G	52.33	54.00	-1.67	45.00	3	Vertical	204	2.08	-	34.00	5.46	32.13
PK	5.4602G	66.07	68.20	-2.13	58.74	3	Vertical	204	2.08	-	34.00	5.46	32.13
PK	5.4968G	124.18	Inf	-Inf	116.81	3	Vertical	204	2.08	-	34.00	5.50	32.13
AV	5.494G	111.37	Inf	-Inf	104.01	3	Vertical	204	2.08	-	34.00	5.49	32.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom



EUT_Z_4TX
 Setting 97
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0132G	51.28	74.00	-22.72	38.23	3	Vertical	48	2.10	-	38.61	7.71	33.27
AV	11.01176G	37.27	54.00	-16.73	24.23	3	Vertical	48	2.10	-	38.61	7.70	33.27
PK	16.50342G	54.86	68.20	-13.34	38.57	3	Vertical	222	2.00	-	39.11	10.25	33.07

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
 Setting 97
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0057G	50.70	74.00	-23.30	37.66	3	Horizontal	347	1.04	-	38.61	7.70	33.27
AV	11.01428G	37.35	54.00	-16.65	24.30	3	Horizontal	347	1.04	-	38.61	7.71	33.27
PK	16.5114G	54.70	68.20	-13.50	38.39	3	Horizontal	232	2.45	-	39.13	10.26	33.08

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 110
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	61.86	74.00	-12.14	67.54	3	Vertical	259	2.14	-	31.50	5.75	42.93
AV	5.4582G	48.97	54.00	-5.03	54.64	3	Vertical	259	2.14	-	31.50	5.76	42.93
PK	5.4672G	61.73	68.20	-6.47	67.40	3	Vertical	259	2.14	-	31.50	5.76	42.93
PK	5.583G	126.51	Inf	-Inf	131.93	3	Vertical	259	2.14	-	31.57	5.87	42.86
AV	5.5758G	115.18	Inf	-Inf	120.62	3	Vertical	259	2.14	-	31.55	5.87	42.86
PK	5.727G	60.33	68.20	-7.87	65.30	3	Vertical	259	2.14	-	31.91	5.89	42.77

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
 Setting 110
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15508G	51.55	74.00	-22.45	38.28	3	Vertical	146	2.43	-	38.76	7.76	33.25
AV	11.16072G	37.96	54.00	-16.04	24.69	3	Vertical	146	2.43	-	38.76	7.76	33.25
PK	16.72686G	56.02	68.20	-12.18	39.13	3	Vertical	33	2.11	-	39.81	10.36	33.28

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
 Setting 110
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16252G	51.57	74.00	-22.43	38.29	3	Horizontal	212	1.50	-	38.76	7.77	33.25
AV	11.16024G	38.04	54.00	-15.96	24.77	3	Horizontal	212	1.50	-	38.76	7.76	33.25
PK	16.74918G	55.35	68.20	-12.85	38.29	3	Horizontal	206	1.71	-	39.99	10.37	33.30

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom



EUT_Z_4TX
Setting 76
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	118.67	Inf	-Inf	111.32	3	Vertical	219	1.80	-	33.89	5.60	32.14
AV	5.6964G	105.91	Inf	-Inf	98.56	3	Vertical	219	1.80	-	33.89	5.60	32.14
PK	5.7252G	67.40	68.20	-0.80	60.09	3	Vertical	219	1.80	-	33.85	5.60	32.14

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5700MHz_TnomVnom



EUT_Z_4TX
 Setting 76
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40384G	50.68	74.00	-23.32	37.24	3	Vertical	178	2.90	-	38.81	7.86	33.23
AV	11.4087G	37.51	54.00	-16.49	24.06	3	Vertical	178	2.90	-	38.82	7.86	33.23
PK	17.08716G	56.90	68.20	-11.30	38.45	3	Vertical	110	2.48	-	41.35	10.54	33.44

802.11ax HEW20-BF_Nss2,(MCS0)_4TX


5700MHz_TnomVnom



EUT_Z_4TX
Setting 76
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40378G	50.93	74.00	-23.07	37.49	3	Horizontal	179	1.84	-	38.81	7.86	33.23
AV	11.41104G	37.57	54.00	-16.43	24.12	3	Horizontal	179	1.84	-	38.82	7.86	33.23
PK	17.10372G	56.91	68.20	-11.29	38.36	3	Horizontal	100	2.98	-	41.42	10.55	33.42


802.11ax HEW20-BF_Nss2,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 105
 02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	125.72	Inf	-Inf	118.39	3	Vertical	31	2.22	-	33.87	5.60	32.14
AV	5.7136G	112.85	Inf	-Inf	105.52	3	Vertical	31	2.22	-	33.87	5.60	32.14
PK	5.8552G	61.18	68.20	-7.02	53.84	3	Vertical	31	2.22	-	33.83	5.66	32.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 105
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44024G	51.60	74.00	-22.40	38.07	3	Vertical	166	1.51	-	38.88	7.88	33.23
AV	11.42806G	37.80	54.00	-16.20	24.30	3	Vertical	166	1.51	-	38.86	7.87	33.23
PK	17.16186G	57.67	68.20	-10.53	38.68	3	Vertical	152	1.65	-	41.77	10.58	33.36


802.11ax HEW20-BF_Nss2,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 105
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45098G	51.30	74.00	-22.70	37.74	3	Horizontal	96	1.46	-	38.90	7.88	33.22
AV	11.42848G	37.78	54.00	-16.22	24.28	3	Horizontal	96	1.46	-	38.86	7.87	33.23
PK	17.16246G	57.96	68.20	-10.24	38.96	3	Horizontal	32	2.13	-	41.77	10.58	33.35

802.11ax HEW20-BF_Nss2,(MCS0)_4TX
5745MHz_TnomVnom



EUT_Z_4TX
 Setting 110
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	61.50	68.20	-6.70	66.84	3	Vertical	310	2.05	-	31.60	5.89	42.83
PK	5.744G	127.19	Inf	-Inf	132.08	3	Vertical	310	2.05	-	31.98	5.89	42.76
AV	5.747G	114.50	Inf	-Inf	119.38	3	Vertical	310	2.05	-	31.99	5.89	42.76
PK	5.944G	59.69	68.20	-8.51	64.08	3	Vertical	310	2.05	-	32.19	6.05	42.63

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48922G	51.29	74.00	-22.71	37.63	3	Vertical	179	1.91	-	38.98	7.90	33.22
AV	11.4831G	37.58	54.00	-16.42	23.94	3	Vertical	179	1.91	-	38.97	7.89	33.22
PK	17.24628G	57.32	68.20	-10.88	37.73	3	Vertical	164	1.40	-	42.23	10.62	33.26

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
 Setting 110
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47836G	50.96	74.00	-23.04	37.33	3	Horizontal	285	1.89	-	38.96	7.89	33.22
AV	11.48166G	37.63	54.00	-16.37	24.00	3	Horizontal	285	1.89	-	38.96	7.89	33.22
PK	17.22918G	58.35	68.20	-9.85	38.87	3	Horizontal	1	2.92	-	42.15	10.61	33.28

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 110
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.572G	64.02	68.20	-4.18	69.49	3	Vertical	216	2.20	-	31.54	5.86	42.87
PK	5.791G	126.13	Inf	-Inf	130.97	3	Vertical	216	2.20	-	32.00	5.89	42.73
AV	5.789G	115.13	Inf	-Inf	119.97	3	Vertical	216	2.20	-	32.00	5.89	42.73
PK	5.938G	60.38	68.20	-7.82	64.80	3	Vertical	216	2.20	-	32.18	6.04	42.64

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 110
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56862G	51.93	74.00	-22.07	38.03	3	Vertical	183	2.17	-	39.21	7.93	33.24
AV	11.56796G	37.96	54.00	-16.04	24.07	3	Vertical	183	2.17	-	39.20	7.93	33.24
PK	17.35878G	58.75	68.20	-9.45	38.35	3	Vertical	231	1.13	-	42.85	10.68	33.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
 Setting 110
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57186G	50.64	74.00	-23.36	36.73	3	Horizontal	188	2.97	-	39.22	7.93	33.24
AV	11.57972G	37.94	54.00	-16.06	24.01	3	Horizontal	188	2.97	-	39.24	7.93	33.24
PK	17.35932G	58.75	68.20	-9.45	38.34	3	Horizontal	195	1.94	-	42.86	10.68	33.13

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom



EUT_Z_4TX
Setting 110
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	63.32	68.20	-4.88	68.67	3	Vertical	33	3.00	-	31.60	5.89	42.84
PK	5.818G	127.25	Inf	-Inf	132.05	3	Vertical	33	3.00	-	32.00	5.91	42.71
AV	5.816G	115.38	Inf	-Inf	120.18	3	Vertical	33	3.00	-	32.00	5.91	42.71
PK	5.934G	60.33	68.20	-7.87	64.76	3	Vertical	33	3.00	-	32.17	6.04	42.64

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom



EUT_Z_4TX
 Setting 110
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64046G	51.56	74.00	-22.44	37.48	3	Vertical	50	1.62	-	39.38	7.96	33.26
AV	11.65126G	38.36	54.00	-15.64	24.26	3	Vertical	50	1.62	-	39.40	7.96	33.26
PK	17.48922G	59.50	68.20	-8.70	37.93	3	Vertical	250	1.67	-	43.81	10.74	32.98

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
 Setting 110
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6374G	52.10	74.00	-21.90	38.04	3	Horizontal	297	2.24	-	39.37	7.95	33.26
AV	11.64622G	38.41	54.00	-15.59	24.32	3	Horizontal	297	2.24	-	39.39	7.96	33.26
PK	17.48424G	59.89	68.20	-8.31	38.37	3	Horizontal	246	2.92	-	43.77	10.74	32.99

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom



EUT_Z_4TX
 Setting 97
 02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	69.38	74.00	-4.62	62.68	3	Vertical	89	2.17	-	33.60	5.25	32.15
AV	5.1452G	53.34	54.00	-0.66	46.65	3	Vertical	89	2.17	-	33.59	5.25	32.15
PK	5.1744G	120.32	Inf	-Inf	113.55	3	Vertical	89	2.17	-	33.65	5.27	32.15
AV	5.1736G	107.47	Inf	-Inf	100.70	3	Vertical	89	2.17	-	33.65	5.27	32.15

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3893G	51.09	68.20	-17.11	38.00	3	Vertical	280	1.89	-	38.61	7.46	32.98
PK	15.56592G	52.96	74.00	-21.04	38.69	3	Vertical	105	2.09	-	37.70	9.80	33.23
AV	15.55842G	39.02	54.00	-14.98	24.69	3	Vertical	105	2.09	-	37.75	9.80	33.22

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3836G	51.06	68.20	-17.14	37.96	3	Horizontal	101	1.84	-	38.62	7.45	32.97
PK	15.5664G	52.54	74.00	-21.46	38.27	3	Horizontal	122	1.51	-	37.70	9.80	33.23
AV	15.57618G	39.00	54.00	-15.00	24.79	3	Horizontal	122	1.51	-	37.64	9.81	33.24

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom



EUT_Z_4TX
Setting 107
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	72.71	74.00	-1.29	66.03	3	Vertical	90	2.17	-	33.59	5.24	32.15
AV	5.1472G	53.22	54.00	-0.78	46.53	3	Vertical	90	2.17	-	33.59	5.25	32.15
PK	5.2168G	124.75	Inf	-Inf	117.89	3	Vertical	90	2.17	-	33.70	5.31	32.15
AV	5.236G	110.34	Inf	-Inf	103.47	3	Vertical	90	2.17	-	33.70	5.32	32.15
PK	5.3632G	63.62	74.00	-10.38	56.45	3	Vertical	90	2.17	-	33.93	5.38	32.14
AV	5.3524G	50.69	54.00	-3.31	43.55	3	Vertical	90	2.17	-	33.90	5.38	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
 Setting 107
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46078G	52.28	68.20	-15.92	39.22	3	Vertical	351	2.72	-	38.60	7.48	33.02
PK	15.68898G	53.04	74.00	-20.96	39.05	3	Vertical	34	2.88	-	37.50	9.86	33.37
AV	15.68316G	39.09	54.00	-14.91	25.10	3	Vertical	34	2.88	-	37.50	9.86	33.37

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5230MHz_TnomVnom



EUT_Z_4TX
 Setting 107
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46384G	52.57	68.20	-15.63	39.51	3	Horizontal	293	2.03	-	38.60	7.49	33.03
PK	15.68538G	52.27	74.00	-21.73	38.28	3	Horizontal	64	2.75	-	37.50	9.86	33.37
AV	15.67878G	39.04	54.00	-14.96	25.04	3	Horizontal	64	2.75	-	37.50	9.86	33.36

802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5270MHz_TnomVnom



EUT_Z_4TX
Setting 97
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.44	74.00	-10.56	69.29	3	Vertical	103	2.22	-	31.70	5.53	43.08
AV	5.15G	50.75	54.00	-3.25	56.60	3	Vertical	103	2.22	-	31.70	5.53	43.08
PK	5.2556G	123.06	Inf	-Inf	129.39	3	Vertical	103	2.22	-	31.10	5.60	43.03
AV	5.273G	109.10	Inf	-Inf	115.41	3	Vertical	103	2.22	-	31.10	5.61	43.02
PK	5.3504G	66.57	74.00	-7.43	72.78	3	Vertical	103	2.22	-	31.10	5.67	42.98
AV	5.3528G	53.11	54.00	-0.89	59.30	3	Vertical	103	2.22	-	31.12	5.67	42.98

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom



EUT_Z_4TX
 Setting 97
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5445G	50.55	68.20	-17.65	37.54	3	Vertical	180	1.02	-	38.56	7.52	33.07
PK	15.8052G	52.76	74.00	-21.24	38.87	3	Vertical	42	2.50	-	37.49	9.91	33.51
AV	15.79662G	38.70	54.00	-15.30	24.79	3	Vertical	42	2.50	-	37.50	9.91	33.50

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52806G	50.78	68.20	-17.42	37.76	3	Horizontal	252	2.22	-	38.57	7.51	33.06
PK	15.80526G	52.57	74.00	-21.43	38.68	3	Horizontal	322	1.63	-	37.49	9.91	33.51
AV	15.80622G	38.74	54.00	-15.26	24.85	3	Horizontal	322	1.63	-	37.49	9.91	33.51

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 72
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2926G	116.94	Inf	-Inf	123.22	3	Vertical	93	1.80	-	31.10	5.63	43.01
AV	5.2926G	103.09	Inf	-Inf	109.38	3	Vertical	93	1.80	-	31.10	5.62	43.01
PK	5.3514G	68.35	74.00	-5.65	74.55	3	Vertical	93	1.80	-	31.11	5.67	42.98
AV	5.3508G	53.79	54.00	-0.21	60.00	3	Vertical	93	1.80	-	31.10	5.67	42.98

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 72
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60968G	51.12	74.00	-22.88	38.18	3	Vertical	226	1.45	-	38.50	7.54	33.10
AV	10.60596G	37.22	54.00	-16.78	24.28	3	Vertical	226	1.45	-	38.50	7.54	33.10
PK	15.92214G	51.75	74.00	-22.25	38.14	3	Vertical	93	2.02	-	37.30	9.96	33.65
AV	15.9378G	38.53	54.00	-15.47	24.93	3	Vertical	93	2.02	-	37.30	9.97	33.67

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
 Setting 72
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61028G	51.09	74.00	-22.91	38.15	3	Horizontal	163	2.07	-	38.50	7.54	33.10
AV	10.61124G	37.22	54.00	-16.78	24.28	3	Horizontal	163	2.07	-	38.50	7.54	33.10
PK	15.94104G	52.12	74.00	-21.88	38.52	3	Horizontal	360	1.72	-	37.30	9.97	33.67
AV	15.91914G	38.63	54.00	-15.37	25.01	3	Horizontal	360	1.72	-	37.30	9.96	33.64

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom



EUT_Z_4TX
Setting 89
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	64.88	74.00	-9.12	57.55	3	Vertical	205	2.18	-	34.00	5.46	32.13
PK	5.4604G	67.26	68.20	-0.94	59.93	3	Vertical	205	2.18	-	34.00	5.46	32.13
AV	5.4592G	51.37	54.00	-2.63	44.04	3	Vertical	205	2.18	-	34.00	5.46	32.13
PK	5.5128G	118.69	Inf	-Inf	111.31	3	Vertical	205	2.18	-	34.00	5.51	32.13
AV	5.4952G	106.48	Inf	-Inf	99.11	3	Vertical	205	2.18	-	34.00	5.50	32.13

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 89
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02156G	51.29	74.00	-22.71	38.23	3	Vertical	59	2.20	-	38.62	7.71	33.27
AV	11.01868G	37.53	54.00	-16.47	24.47	3	Vertical	59	2.20	-	38.62	7.71	33.27
PK	16.5309G	55.48	68.20	-12.72	39.12	3	Vertical	190	2.90	-	39.19	10.27	33.10

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 89
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02012G	50.52	74.00	-23.48	37.46	3	Horizontal	251	1.41	-	38.62	7.71	33.27
AV	11.01754G	37.47	54.00	-16.53	24.41	3	Horizontal	251	1.41	-	38.62	7.71	33.27
PK	16.51782G	55.17	68.20	-13.03	38.85	3	Horizontal	243	2.15	-	39.15	10.26	33.09

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 103
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	64.28	74.00	-9.72	56.96	3	Vertical	212	1.88	-	34.00	5.45	32.13
AV	5.4594G	51.70	54.00	-2.30	44.37	3	Vertical	212	1.88	-	34.00	5.46	32.13
PK	5.47G	65.97	68.20	-2.23	58.63	3	Vertical	212	1.88	-	34.00	5.47	32.13
PK	5.5446G	121.52	Inf	-Inf	114.11	3	Vertical	212	1.88	-	34.00	5.54	32.13
AV	5.5392G	109.07	Inf	-Inf	101.66	3	Vertical	212	1.88	-	34.00	5.54	32.13

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 103
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11266G	50.95	74.00	-23.05	37.75	3	Vertical	271	2.97	-	38.71	7.75	33.26
AV	11.10096G	37.29	54.00	-16.71	24.11	3	Vertical	271	2.97	-	38.70	7.74	33.26
PK	16.64376G	55.26	68.20	-12.94	38.66	3	Vertical	68	1.66	-	39.49	10.32	33.21

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 103
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10036G	50.73	74.00	-23.27	37.55	3	Horizontal	41	1.88	-	38.70	7.74	33.26
AV	11.10558G	37.32	54.00	-16.68	24.13	3	Horizontal	41	1.88	-	38.71	7.74	33.26
PK	16.66278G	54.89	68.20	-13.31	38.25	3	Horizontal	111	2.20	-	39.53	10.33	33.22

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom



EUT_Z_4TX
Setting 91
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6616G	118.88	Inf	-Inf	111.60	3	Vertical	196	2.29	-	33.82	5.60	32.14
AV	5.6748G	106.61	Inf	-Inf	99.30	3	Vertical	196	2.29	-	33.85	5.60	32.14
PK	5.7252G	67.87	68.20	-0.33	60.56	3	Vertical	196	2.29	-	33.85	5.60	32.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5670MHz_TnomVnom



EUT_Z_4TX
 Setting 91
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3478G	50.68	74.00	-23.32	37.28	3	Vertical	148	1.62	-	38.80	7.84	33.24
AV	11.3547G	36.93	54.00	-17.07	23.52	3	Vertical	148	1.62	-	38.80	7.84	33.23
PK	16.99548G	56.87	68.20	-11.33	38.92	3	Vertical	87	2.44	-	40.99	10.50	33.54

802.11ax HEW40-BF_Nss2,(MCS0)_4TX


5670MHz_TnomVnom



EUT_Z_4TX
 Setting 91
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34396G	50.45	74.00	-23.55	37.05	3	Horizontal	285	1.34	-	38.80	7.84	33.24
AV	11.33694G	36.95	54.00	-17.05	23.56	3	Horizontal	285	1.34	-	38.80	7.83	33.24
PK	17.00292G	56.60	68.20	-11.60	38.63	3	Horizontal	103	1.24	-	41.01	10.50	33.54


802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 104
 02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	122.32	Inf	-Inf	114.98	3	Vertical	135	2.09	-	33.88	5.60	32.14
AV	5.6964G	109.27	Inf	-Inf	101.92	3	Vertical	135	2.09	-	33.89	5.60	32.14
PK	5.854G	62.58	68.20	-5.62	55.26	3	Vertical	135	2.09	-	33.82	5.65	32.15


802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 104
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43122G	51.47	74.00	-22.53	37.97	3	Vertical	280	1.45	-	38.86	7.87	33.23
AV	11.43002G	37.73	54.00	-16.27	24.23	3	Vertical	280	1.45	-	38.86	7.87	33.23
PK	17.12664G	57.08	68.20	-11.12	38.36	3	Vertical	188	2.28	-	41.56	10.56	33.40

802.11ax HEW40-BF_Nss2,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 104
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43164G	51.28	74.00	-22.72	37.78	3	Horizontal	234	2.93	-	38.86	7.87	33.23
AV	11.42648G	37.81	54.00	-16.19	24.32	3	Horizontal	234	2.93	-	38.85	7.87	33.23
PK	17.13216G	57.38	68.20	-10.82	38.61	3	Horizontal	27	2.23	-	41.59	10.57	33.39

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom



EUT_Z_4TX
Setting 106
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	67.06	68.20	-1.14	72.39	3	Vertical	340	2.91	-	31.60	5.89	42.82
PK	5.746G	125.41	Inf	-Inf	130.30	3	Vertical	340	2.91	-	31.98	5.89	42.76
AV	5.757G	113.24	Inf	-Inf	118.10	3	Vertical	340	2.91	-	32.00	5.89	42.75
PK	5.925G	61.79	68.20	-6.41	66.26	3	Vertical	340	2.91	-	32.15	6.03	42.65

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom



EUT_Z_4TX
Setting 106
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52284G	50.61	74.00	-23.39	36.86	3	Vertical	192	1.33	-	39.07	7.91	33.23
AV	11.51174G	37.72	54.00	-16.28	24.00	3	Vertical	192	1.33	-	39.04	7.90	33.22
PK	17.26314G	57.81	68.20	-10.39	38.10	3	Vertical	318	1.28	-	42.32	10.63	33.24

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 106
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51636G	51.53	74.00	-22.47	37.79	3	Horizontal	97	2.92	-	39.05	7.91	33.22
AV	11.50394G	37.68	54.00	-16.32	23.99	3	Horizontal	97	2.92	-	39.01	7.90	33.22
PK	17.26284G	58.37	68.20	-9.83	38.67	3	Horizontal	241	2.22	-	42.31	10.63	33.24

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom



EUT_Z_4TX
 Setting 108
 06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.95	68.20	-4.25	69.28	3	Vertical	132	2.26	-	31.60	5.89	42.82
PK	5.782G	122.84	Inf	-Inf	127.69	3	Vertical	132	2.26	-	32.00	5.89	42.74
AV	5.781G	111.13	Inf	-Inf	115.98	3	Vertical	132	2.26	-	32.00	5.89	42.74
PK	5.926G	63.64	68.20	-4.56	68.11	3	Vertical	132	2.26	-	32.15	6.03	42.65

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom



EUT_Z_4TX
 Setting 108
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59642G	52.12	74.00	-21.88	38.14	3	Vertical	114	1.47	-	39.29	7.94	33.25
AV	11.60032G	38.12	54.00	-15.88	24.13	3	Vertical	114	1.47	-	39.30	7.94	33.25
PK	17.39574G	59.23	68.20	-8.97	38.55	3	Vertical	82	1.26	-	43.07	10.70	33.09

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
 Setting 108
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59534G	51.79	74.00	-22.21	37.80	3	Horizontal	37	1.08	-	39.29	7.94	33.24
AV	11.58478G	38.05	54.00	-15.95	24.11	3	Horizontal	37	1.08	-	39.25	7.93	33.24
PK	17.39142G	59.20	68.20	-9.00	38.54	3	Horizontal	150	1.36	-	43.05	10.70	33.09

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom



EUT_Z_4TX
Setting 97
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	70.16	74.00	-3.84	63.53	3	Vertical	92.5	2.16	-	33.55	5.23	32.15
PK	5.176G	121.38	Inf	-Inf	114.60	3	Vertical	92.5	2.16	-	33.65	5.28	32.15
AV	5.248G	106.29	Inf	-Inf	99.42	3	Vertical	92.5	2.16	-	33.70	5.32	32.15
PK	5.362G	63.58	74.00	-10.42	56.42	3	Vertical	92.5	2.16	-	33.92	5.38	32.14
AV	5.146G	53.80	54.00	-0.20	47.11	3	Vertical	92.5	2.16	-	33.59	5.25	32.15
AV	5.355G	51.71	54.00	-2.29	44.56	3	Vertical	92.5	2.16	-	33.91	5.38	32.14

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
 Setting 97
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41556G	51.02	68.20	-17.18	37.94	3	Vertical	284	2.06	-	38.60	7.47	32.99
PK	15.6336G	52.90	74.00	-21.10	38.87	3	Vertical	79	1.82	-	37.50	9.84	33.31
AV	15.62268G	38.79	54.00	-15.21	24.75	3	Vertical	79	1.82	-	37.50	9.83	33.29

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 97
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43068G	50.34	68.20	-17.86	37.27	3	Horizontal	130	2.70	-	38.60	7.47	33.00
PK	15.6318G	52.00	74.00	-22.00	37.98	3	Horizontal	119	2.14	-	37.50	9.83	33.31
AV	15.61962G	38.83	54.00	-15.17	24.79	3	Horizontal	119	2.14	-	37.50	9.83	33.29

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 95
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.123G	62.27	74.00	-11.73	55.65	3	Vertical	91	2.23	-	33.55	5.22	32.15
PK	5.318G	117.53	Inf	-Inf	110.47	3	Vertical	91	2.23	-	33.84	5.36	32.14
AV	5.285G	104.23	Inf	-Inf	97.26	3	Vertical	91	2.23	-	33.77	5.34	32.14
PK	5.364G	69.84	74.00	-4.16	62.67	3	Vertical	91	2.23	-	33.93	5.38	32.14
PK	5.467G	61.48	68.20	-6.72	54.14	3	Vertical	91	2.23	-	34.00	5.47	32.13
AV	5.148G	49.75	54.00	-4.25	43.05	3	Vertical	91	2.23	-	33.60	5.25	32.15
AV	5.35G	53.07	54.00	-0.93	45.93	3	Vertical	91	2.23	-	33.90	5.38	32.14
AV	5.465G	49.23	Inf	-Inf	41.90	3	Vertical	91	2.23	-	34.00	5.46	32.13

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
 Setting 95
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57118G	50.35	68.20	-17.85	37.37	3	Vertical	42	2.25	-	38.53	7.53	33.08
PK	15.87852G	52.39	74.00	-21.61	38.70	3	Vertical	253	1.41	-	37.34	9.95	33.60
AV	15.86742G	38.77	54.00	-15.23	25.04	3	Vertical	253	1.41	-	37.37	9.94	33.58

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
 Setting 95
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57496G	51.11	68.20	-17.09	38.13	3	Horizontal	275	1.18	-	38.53	7.53	33.08
PK	15.86658G	51.94	74.00	-22.06	38.21	3	Horizontal	203	2.18	-	37.37	9.94	33.58
AV	15.86844G	38.82	54.00	-15.18	25.10	3	Horizontal	203	2.18	-	37.36	9.94	33.58

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 91
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.335G	61.70	68.20	-6.50	54.60	3	Vertical	224	2.07	-	33.87	5.37	32.14
AV	5.35G	47.82	54.00	-6.18	40.69	3	Vertical	224	2.07	-	33.90	5.37	32.14
PK	5.456G	66.78	74.00	-7.22	59.45	3	Vertical	224	2.07	-	34.00	5.46	32.13
AV	5.46G	53.09	54.00	-0.91	45.76	3	Vertical	224	2.07	-	34.00	5.46	32.13
PK	5.466G	67.46	68.20	-0.74	60.12	3	Vertical	224	2.07	-	34.00	5.47	32.13
PK	5.544G	119.14	Inf	-Inf	111.73	3	Vertical	224	2.07	-	34.00	5.54	32.13
AV	5.544G	106.38	Inf	-Inf	98.97	3	Vertical	224	2.07	-	34.00	5.54	32.13
PK	5.768G	61.17	68.20	-7.03	53.92	3	Vertical	224	2.07	-	33.80	5.60	32.15

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
 Setting 91
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04932G	50.55	74.00	-23.45	37.45	3	Vertical	90	1.89	-	38.65	7.72	33.27
AV	11.04836G	37.27	54.00	-16.73	24.17	3	Vertical	90	1.89	-	38.65	7.72	33.27
PK	16.59576G	54.52	68.20	-13.68	37.99	3	Vertical	100	2.77	-	39.39	10.30	33.16

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 91
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05556G	50.74	74.00	-23.26	37.62	3	Horizontal	133	1.67	-	38.66	7.72	33.26
AV	11.0687G	37.16	54.00	-16.84	24.02	3	Horizontal	133	1.67	-	38.67	7.73	33.26
PK	16.57644G	54.99	68.20	-13.21	38.51	3	Horizontal	298	1.39	-	39.33	10.29	33.14

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom



EUT_Z_4TX
Setting 96
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	63.03	74.00	-10.97	55.70	3	Vertical	130	2.15	-	34.00	5.46	32.13
AV	5.455G	50.48	54.00	-3.52	43.15	3	Vertical	130	2.15	-	34.00	5.46	32.13
PK	5.624G	117.12	Inf	-Inf	109.81	3	Vertical	130	2.15	-	33.85	5.60	32.14
AV	5.624G	104.60	Inf	-Inf	97.29	3	Vertical	130	2.15	-	33.85	5.60	32.14
PK	5.736G	67.76	68.20	-0.44	60.47	3	Vertical	130	2.15	-	33.83	5.60	32.14

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5610MHz_TnomVnom



EUT_Z_4TX
Setting 96
02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21796G	51.03	74.00	-22.97	37.69	3	Vertical	32	2.13	-	38.80	7.79	33.25
AV	11.21346G	37.26	54.00	-16.74	23.92	3	Vertical	32	2.13	-	38.80	7.79	33.25
PK	16.82262G	55.83	68.20	-12.37	38.32	3	Vertical	151	2.99	-	40.47	10.41	33.37

802.11ax HEW80-BF_Nss2,(MCS0)_4TX


5610MHz_TnomVnom



EUT_Z_4TX
 Setting 96
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22564G	51.04	74.00	-22.96	37.70	3	Horizontal	197	1.78	-	38.80	7.79	33.25
AV	11.22744G	37.43	54.00	-16.57	24.09	3	Horizontal	197	1.78	-	38.80	7.79	33.25
PK	16.833G	56.01	68.20	-12.19	38.47	3	Horizontal	47	2.43	-	40.50	10.42	33.38


802.11ax HEW80-BF_Nss2,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 104
 02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	61.66	74.00	-12.34	54.33	3	Vertical	203	1.98	-	34.00	5.46	32.13
AV	5.46G	49.08	54.00	-4.92	41.75	3	Vertical	203	1.98	-	34.00	5.46	32.13
PK	5.466G	62.43	68.20	-5.77	55.09	3	Vertical	203	1.98	-	34.00	5.47	32.13
PK	5.708G	119.06	Inf	-Inf	111.72	3	Vertical	203	1.98	-	33.88	5.60	32.14
AV	5.688G	105.62	Inf	-Inf	98.28	3	Vertical	203	1.98	-	33.88	5.60	32.14
PK	5.85G	66.83	68.20	-1.37	59.53	3	Vertical	203	1.98	-	33.80	5.65	32.15

802.11ax HEW80-BF_Nss2,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 104
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3737G	52.00	74.00	-22.00	38.58	3	Vertical	48	1.43	-	38.80	7.85	33.23
AV	11.39056G	37.66	54.00	-16.34	24.23	3	Vertical	48	1.43	-	38.80	7.86	33.23
PK	17.08092G	57.69	68.20	-10.51	39.28	3	Vertical	121	2.77	-	41.32	10.54	33.45


802.11ax HEW80-BF_Nss2,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 Setting 104
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38978G	50.92	74.00	-23.08	37.49	3	Horizontal	328	1.26	-	38.80	7.86	33.23
AV	11.3833G	37.59	54.00	-16.41	24.17	3	Horizontal	328	1.26	-	38.80	7.85	33.23
PK	17.05866G	56.64	68.20	-11.56	38.35	3	Horizontal	161	1.18	-	41.23	10.53	33.47

802.11ax HEW80-BF_Nss2,(MCS0)_4TX
5775MHz_TnomVnom



EUT_Z_4TX
Setting 100
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	67.89	68.20	-0.31	60.61	3	Vertical	150.5	1.80	-	33.82	5.60	32.14
PK	5.779G	117.85	Inf	-Inf	110.60	3	Vertical	150.5	1.80	-	33.80	5.60	32.15
AV	5.783G	104.80	Inf	-Inf	97.55	3	Vertical	150.5	1.80	-	33.80	5.60	32.15
PK	5.933G	65.18	68.20	-3.02	57.44	3	Vertical	150.5	1.80	-	34.17	5.73	32.16

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom



EUT_Z_4TX
 Setting 100
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55018G	51.90	74.00	-22.10	38.06	3	Vertical	290	1.71	-	39.15	7.92	33.23
AV	11.56368G	37.91	54.00	-16.09	24.03	3	Vertical	290	1.71	-	39.19	7.93	33.24
PK	17.33238G	59.35	68.20	-8.85	39.15	3	Vertical	173	2.80	-	42.69	10.67	33.16

802.11ax HEW80-BF_Nss2,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
 Setting 100
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53584G	51.57	74.00	-22.43	37.78	3	Horizontal	192	1.06	-	39.11	7.91	33.23
AV	11.56284G	37.95	54.00	-16.05	24.07	3	Horizontal	192	1.06	-	39.19	7.93	33.24
PK	17.33154G	58.92	68.20	-9.28	38.72	3	Horizontal	167	2.54	-	42.69	10.67	33.16

802.11ax HEW160-BF_Nss2,(MCS0)_4TX


5250MHz Straddle 5.15-5.25GHz_TnomVnom



EUT_Z_4TX
Setting 79
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	72.67	74.00	-1.33	65.97	3	Vertical	90	2.35	-	33.60	5.25	32.15
AV	5.1476G	51.13	54.00	-2.87	44.43	3	Vertical	90	2.35	-	33.60	5.25	32.15
PK	5.3044G	109.61	Inf	-Inf	102.59	3	Vertical	90	2.35	-	33.81	5.35	32.14
AV	5.3012G	97.16	Inf	-Inf	90.15	3	Vertical	90	2.35	-	33.80	5.35	32.14
PK	5.3652G	73.54	74.00	-0.46	66.37	3	Vertical	90	2.35	-	33.93	5.38	32.14
PK	5.4644G	66.93	68.20	-1.27	59.60	3	Vertical	90	2.35	-	34.00	5.46	32.13
AV	5.418G	50.49	54.00	-3.51	43.20	3	Vertical	90	2.35	-	34.00	5.42	32.13


802.11ax HEW160-BF_Nss2,(MCS0)_4TX
5250MHz Straddle 5.15-5.25GHz_TnomVnom



EUT_Z_4TX
 Setting 79
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49364G	51.19	68.20	-17.01	38.14	3	Vertical	90	2.15	-	38.60	7.50	33.05
PK	15.75024G	52.54	74.00	-21.46	38.60	3	Vertical	172	1.88	-	37.50	9.89	33.45
AV	15.7557G	38.96	54.00	-15.04	25.02	3	Vertical	172	1.88	-	37.50	9.89	33.45

802.11ax HEW160-BF_Nss2,(MCS0)_4TX
5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT_Z_4TX
 Setting 79
 02-B-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49412G	51.30	68.20	-16.90	38.25	3	Horizontal	100	1.17	-	38.60	7.50	33.05
PK	15.76146G	52.43	74.00	-21.57	38.50	3	Horizontal	34	1.41	-	37.50	9.89	33.46
AV	15.76026G	38.97	54.00	-15.03	25.04	3	Horizontal	34	1.41	-	37.50	9.89	33.46

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

5570MHz_TnomVnom



EUT_Z_4TX
Setting 78
02-B-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	59.90	68.20	-8.30	52.81	3	Vertical	235	2.15	-	33.86	5.37	32.14
PK	5.3892G	69.90	74.00	-4.10	62.67	3	Vertical	235	2.15	-	33.98	5.39	32.14
PK	5.4692G	67.56	68.20	-0.64	60.22	3	Vertical	235	2.15	-	34.00	5.47	32.13
AV	5.4452G	51.93	54.00	-2.07	44.61	3	Vertical	235	2.15	-	34.00	5.45	32.13
PK	5.5956G	112.57	Inf	-Inf	105.20	3	Vertical	235	2.15	-	33.91	5.60	32.14
AV	5.5892G	100.44	Inf	-Inf	93.07	3	Vertical	235	2.15	-	33.92	5.59	32.14
PK	5.77G	66.65	68.20	-1.55	59.40	3	Vertical	235	2.15	-	33.80	5.60	32.15