


### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 107  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5915G	53.79	74.00	-20.21	39.79	3	Horizontal	61.1	1.90	-	39.27	7.66	32.93
AV	11.59G	39.24	54.00	-14.76	25.24	3	Horizontal	61.1	1.90	-	39.27	7.66	32.93

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 80  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	68.40	74.00	-5.60	61.63	3	Vertical	101	1.76	-	33.50	5.00	31.73
AV	5.149G	53.87	54.00	-0.13	47.10	3	Vertical	101	1.76	-	33.50	5.00	31.73
PK	5.205G	113.62	Inf	-Inf	106.70	3	Vertical	101	1.76	-	33.51	5.10	31.69
AV	5.206G	100.81	Inf	-Inf	93.89	3	Vertical	101	1.76	-	33.51	5.10	31.69
PK	5.357G	59.68	74.00	-14.32	52.53	3	Vertical	101	1.76	-	33.71	5.02	31.58
AV	5.353G	47.10	54.00	-6.90	39.95	3	Vertical	101	1.76	-	33.71	5.02	31.58

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5210MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 80  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4301G	51.85	68.20	-16.35	38.74	3	Vertical	317	2.10	-	38.40	7.25	32.54
PK	15.6272G	53.94	74.00	-20.06	40.17	3	Vertical	146	1.77	-	37.55	9.07	32.85
AV	15.6244G	39.71	54.00	-14.29	25.94	3	Vertical	146	1.77	-	37.55	9.07	32.85

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 80  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4306G	51.26	68.20	-16.94	38.15	3	Horizontal	247	2.85	-	38.40	7.25	32.54
PK	15.6385G	53.36	74.00	-20.64	39.62	3	Horizontal	347	1.71	-	37.52	9.07	32.85
AV	15.6142G	39.51	54.00	-14.49	25.73	3	Horizontal	347	1.71	-	37.57	9.06	32.85

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 82  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.101G	59.27	74.00	-14.73	52.64	3	Vertical	191	2.72	-	33.50	4.90	31.77
AV	5.147G	46.97	54.00	-7.03	40.21	3	Vertical	191	2.72	-	33.50	4.99	31.73
PK	5.302G	113.36	Inf	-Inf	106.23	3	Vertical	191	2.72	-	33.70	5.05	31.62
AV	5.277G	101.52	Inf	-Inf	94.45	3	Vertical	191	2.72	-	33.65	5.06	31.64
PK	5.36G	69.24	74.00	-4.76	62.07	3	Vertical	191	2.72	-	33.72	5.02	31.57
AV	5.353G	53.86	54.00	-0.14	46.71	3	Vertical	191	2.72	-	33.71	5.02	31.58
PK	5.523G	59.67	68.20	-8.53	52.12	3	Vertical	191	2.72	-	33.90	5.12	31.47

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5290MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 82  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5876G	52.37	68.20	-15.83	39.16	3	Vertical	245	2.05	-	38.49	7.31	32.59
PK	15.8885G	53.38	74.00	-20.62	39.60	3	Vertical	214	2.93	-	37.49	9.16	32.87
AV	15.8648G	40.36	54.00	-13.64	26.62	3	Vertical	214	2.93	-	37.46	9.15	32.87

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 82  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5839G	52.28	68.20	-15.92	39.09	3	Horizontal	252	2.99	-	38.48	7.30	32.59
PK	15.8779G	53.27	74.00	-20.73	39.50	3	Horizontal	171	1.96	-	37.48	9.16	32.87
AV	15.8755G	40.22	54.00	-13.78	26.45	3	Horizontal	171	1.96	-	37.48	9.16	32.87

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 76  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3412G	57.75	68.20	-10.45	50.61	3	Vertical	210	2.16	-	33.70	5.03	31.59
PK	5.4564G	67.83	74.00	-6.17	60.37	3	Vertical	210	2.16	-	33.90	5.06	31.50
AV	5.4556G	51.27	54.00	-2.73	43.81	3	Vertical	210	2.16	-	33.90	5.06	31.50
PK	5.4628G	67.98	68.20	-0.22	60.52	3	Vertical	210	2.16	-	33.90	5.06	31.50
PK	5.5084G	113.78	Inf	-Inf	106.24	3	Vertical	210	2.16	-	33.90	5.11	31.47
AV	5.5476G	100.92	Inf	-Inf	93.34	3	Vertical	210	2.16	-	33.90	5.15	31.47
PK	5.726G	57.24	68.20	-10.96	49.88	3	Vertical	210	2.16	-	33.75	5.07	31.46

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07752G	52.11	74.00	-21.89	38.84	3	Vertical	176	1.23	-	38.58	7.48	32.79
AV	11.04144G	38.75	54.00	-15.25	25.52	3	Vertical	176	1.23	-	38.54	7.46	32.77

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05136G	52.59	74.00	-21.41	39.35	3	Horizontal	97	2.18	-	38.55	7.47	32.78
AV	11.04616G	38.68	54.00	-15.32	25.44	3	Horizontal	97	2.18	-	38.55	7.47	32.78

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 84  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	65.89	74.00	-8.11	58.44	3	Vertical	209	2.25	-	33.90	5.05	31.50
AV	5.46G	49.95	54.00	-4.05	42.49	3	Vertical	209	2.25	-	33.90	5.06	31.50
PK	5.468G	68.01	68.20	-0.19	60.53	3	Vertical	209	2.25	-	33.90	5.07	31.49
PK	5.606G	117.62	Inf	-Inf	110.01	3	Vertical	209	2.25	-	33.89	5.19	31.47
AV	5.604G	104.87	Inf	-Inf	97.25	3	Vertical	209	2.25	-	33.89	5.20	31.47
PK	5.743G	64.46	68.20	-3.74	57.07	3	Vertical	209	2.25	-	33.79	5.06	31.46

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5610MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 84  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2206G	52.84	74.00	-21.16	39.45	3	Vertical	175	1.45	-	38.70	7.53	32.84
AV	11.2154G	39.06	54.00	-14.94	25.66	3	Vertical	175	1.45	-	38.70	7.53	32.83

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 5610MHz\_TnomVnom



EUT Z\_4TX\_Dipole  
Setting 84  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1981G	53.17	74.00	-20.83	39.78	3	Horizontal	270	1.42	-	38.70	7.52	32.83
AV	11.2083G	38.99	54.00	-15.01	25.60	3	Horizontal	270	1.42	-	38.70	7.52	32.83


**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX\_Dipole  
 Setting 95  
 02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	60.41	74.00	-13.59	52.97	3	Vertical	110	1.80	-	33.90	5.05	31.51
PK	5.462G	60.79	68.20	-7.41	53.33	3	Vertical	110	1.80	-	33.90	5.06	31.50
AV	5.459G	47.36	54.00	-6.64	39.90	3	Vertical	110	1.80	-	33.90	5.06	31.50
PK	5.659G	119.35	Inf	-Inf	111.89	3	Vertical	110	1.80	-	33.78	5.14	31.46
AV	5.702G	106.00	Inf	-Inf	98.66	3	Vertical	110	1.80	-	33.70	5.10	31.46
PK	5.86G	68.14	68.20	-0.06	60.58	3	Vertical	110	1.80	-	33.84	5.18	31.46


**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX\_Dipole  
 Setting 95  
 02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3759G	55.49	74.00	-18.51	42.02	3	Vertical	93	1.65	-	38.78	7.58	32.89
AV	11.38G	41.92	54.00	-12.08	28.45	3	Vertical	93	1.65	-	38.78	7.58	32.89

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX\_Dipole  
 Setting 95  
 02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3687G	52.98	74.00	-21.02	39.52	3	Horizontal	45	1.28	-	38.77	7.58	32.89
AV	11.3908G	39.24	54.00	-14.76	25.75	3	Horizontal	45	1.28	-	38.79	7.59	32.89

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5775MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 86  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.16	68.94	-0.78	60.67	3	Vertical	74	1.80	-	33.80	5.15	31.46
PK	5.737G	115.74	Inf	-Inf	108.37	3	Vertical	74	1.80	-	33.77	5.06	31.46
AV	5.737G	102.45	Inf	-Inf	95.08	3	Vertical	74	1.80	-	33.77	5.06	31.46
PK	5.928G	63.18	68.20	-5.02	55.19	3	Vertical	74	1.80	-	34.06	5.38	31.45
PK	5.651G	68.76	68.94	-0.18	61.27	3	Vertical	74	1.80	-	33.80	5.15	31.46

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 86  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5384G	54.26	74.00	-19.74	40.43	3	Vertical	100	2.82	-	39.12	7.64	32.93
AV	11.5432G	39.89	54.00	-14.11	26.05	3	Vertical	100	2.82	-	39.13	7.64	32.93

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 5775MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 86  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5694G	53.19	74.00	-20.81	39.26	3	Horizontal	346	1.65	-	39.21	7.65	32.93
AV	11.5687G	39.68	54.00	-14.32	25.75	3	Horizontal	346	1.65	-	39.21	7.65	32.93

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 74  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	69.59	74.00	-4.41	62.83	3	Vertical	338.7	1.80	-	33.50	4.99	31.73
AV	5.1316G	53.82	54.00	-0.18	47.10	3	Vertical	338.7	1.80	-	33.50	4.96	31.74
PK	5.282G	111.93	Inf	-Inf	104.84	3	Vertical	338.7	1.80	-	33.66	5.06	31.63
AV	5.2516G	100.30	Inf	-Inf	93.28	3	Vertical	338.7	1.80	-	33.60	5.07	31.65
PK	5.3716G	69.84	74.00	-4.16	62.66	3	Vertical	338.7	1.80	-	33.74	5.01	31.57
AV	5.3556G	53.28	54.00	-0.72	46.13	3	Vertical	338.7	1.80	-	33.71	5.02	31.58
PK	5.4628G	63.56	68.20	-4.64	56.10	3	Vertical	338.7	1.80	-	33.90	5.06	31.50

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 74  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7668G	53.14	74.00	-20.86	39.48	3	Vertical	101	2.13	-	37.40	9.12	32.86
AV	15.7617G	39.73	54.00	-14.27	26.07	3	Vertical	101	2.13	-	37.40	9.12	32.86

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 74  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7565G	53.67	74.00	-20.33	40.02	3	Horizontal	298	2.44	-	37.40	9.11	32.86
AV	15.7735G	39.73	54.00	-14.27	26.07	3	Horizontal	298	2.44	-	37.40	9.12	32.86

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 68  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	60.03	68.20	-8.17	52.89	3	Vertical	336	1.72	-	33.70	5.04	31.60
PK	5.421G	68.43	74.00	-5.57	61.10	3	Vertical	336	1.72	-	33.84	5.02	31.53
PK	5.4628G	67.06	68.20	-1.14	59.60	3	Vertical	336	1.72	-	33.90	5.06	31.50
AV	5.4516G	49.37	54.00	-4.63	41.93	3	Vertical	336	1.72	-	33.90	5.05	31.51
PK	5.4932G	113.07	Inf	-Inf	105.56	3	Vertical	336	1.72	-	33.90	5.09	31.48
AV	5.5876G	97.70	Inf	-Inf	90.08	3	Vertical	336	1.72	-	33.90	5.19	31.47
PK	5.73G	61.78	68.20	-6.42	54.41	3	Vertical	336	1.72	-	33.76	5.07	31.46

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 68  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1568G	52.79	74.00	-21.21	39.44	3	Vertical	324	1.80	-	38.66	7.50	32.81
AV	11.141G	38.83	54.00	-15.17	25.50	3	Vertical	324	1.80	-	38.64	7.50	32.81

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 68  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1267G	51.64	74.00	-22.36	38.32	3	Horizontal	207	2.45	-	38.63	7.49	32.80
AV	11.1295G	38.65	54.00	-15.35	25.32	3	Horizontal	207	2.45	-	38.63	7.50	32.80

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 89  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	71.64	74.00	-2.36	64.87	3	Vertical	36	2.29	-	33.50	5.00	31.73
AV	5.1494G	53.77	54.00	-0.23	47.00	3	Vertical	36	2.29	-	33.50	5.00	31.73
PK	5.177G	120.82	Inf	-Inf	113.98	3	Vertical	36	2.29	-	33.50	5.05	31.71
AV	5.1762G	108.38	Inf	-Inf	101.54	3	Vertical	36	2.29	-	33.50	5.05	31.71

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 89  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5535G	53.93	74.00	-20.07	39.99	3	Vertical	327	1.63	-	37.74	9.04	32.84
AV	15.5419G	40.03	54.00	-13.97	26.06	3	Vertical	327	1.63	-	37.77	9.04	32.84

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5180MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 89  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5408G	53.34	74.00	-20.66	39.36	3	Horizontal	187	1.23	-	37.78	9.04	32.84
AV	15.5155G	39.52	54.00	-14.48	25.48	3	Horizontal	187	1.23	-	37.85	9.03	32.84

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5200MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 105  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.00	74.00	-4.00	63.23	3	Vertical	32	2.78	-	33.50	5.00	31.73
AV	5.15G	53.92	54.00	-0.08	47.15	3	Vertical	32	2.78	-	33.50	5.00	31.73
PK	5.2012G	124.03	Inf	-Inf	117.12	3	Vertical	32	2.78	-	33.50	5.10	31.69
AV	5.2036G	111.76	Inf	-Inf	104.84	3	Vertical	32	2.78	-	33.51	5.10	31.69

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 5200MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 105  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59184G	54.43	74.00	-19.57	40.60	3	Vertical	264	1.54	-	37.62	9.06	32.85
AV	15.59628G	40.40	54.00	-13.60	26.58	3	Vertical	264	1.54	-	37.61	9.06	32.85

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 5200MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 105  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59964G	53.79	74.00	-20.21	39.98	3	Horizontal	144	2.87	-	37.60	9.06	32.85
AV	15.5958G	40.04	54.00	-13.96	26.22	3	Horizontal	144	2.87	-	37.61	9.06	32.85

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 127  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	68.07	74.00	-5.93	61.30	3	Vertical	338	1.84	-	33.50	5.00	31.73
AV	5.15G	53.22	54.00	-0.78	46.45	3	Vertical	338	1.84	-	33.50	5.00	31.73
PK	5.2358G	126.56	Inf	-Inf	119.58	3	Vertical	338	1.84	-	33.57	5.08	31.67
AV	5.2382G	114.29	Inf	-Inf	107.29	3	Vertical	338	1.84	-	33.58	5.08	31.66
PK	5.3546G	64.74	74.00	-9.26	57.59	3	Vertical	338	1.84	-	33.71	5.02	31.58
AV	5.35G	51.47	54.00	-2.53	44.33	3	Vertical	338	1.84	-	33.70	5.02	31.58

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4706G	52.39	68.20	-15.81	39.28	3	Vertical	103	2.24	-	38.40	7.26	32.55
PK	15.7178G	59.30	74.00	-14.70	45.66	3	Vertical	43	1.80	-	37.40	9.10	32.86
AV	15.7184G	43.36	54.00	-10.64	29.72	3	Vertical	43	1.80	-	37.40	9.10	32.86

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5240MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4664G	52.22	68.20	-15.98	39.11	3	Horizontal	203	2.39	-	38.40	7.26	32.55
PK	15.7243G	54.50	74.00	-19.50	40.86	3	Horizontal	145	1.93	-	37.40	9.10	32.86
AV	15.7224G	40.93	54.00	-13.07	27.29	3	Horizontal	145	1.93	-	37.40	9.10	32.86

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.83	74.00	-10.17	57.06	3	Vertical	142	2.11	-	33.50	5.00	31.73
AV	5.1496G	50.45	54.00	-3.55	43.68	3	Vertical	142	2.11	-	33.50	5.00	31.73
PK	5.2612G	127.73	Inf	-Inf	120.69	3	Vertical	142	2.11	-	33.62	5.07	31.65
AV	5.2582G	115.43	Inf	-Inf	108.39	3	Vertical	142	2.11	-	33.62	5.07	31.65
PK	5.35G	66.62	74.00	-7.38	59.47	3	Vertical	142	2.11	-	33.70	5.03	31.58
AV	5.35G	53.62	54.00	-0.38	46.47	3	Vertical	142	2.11	-	33.70	5.03	31.58

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7735G	59.55	74.00	-14.45	45.89	3	Vertical	305	2.76	-	37.40	9.12	32.86
AV	15.7733G	46.14	54.00	-7.86	32.48	3	Vertical	305	2.76	-	37.40	9.12	32.86

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 5260MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7749G	54.26	74.00	-19.74	40.60	3	Horizontal	216	2.63	-	37.40	9.12	32.86
AV	15.782G	41.47	54.00	-12.53	27.81	3	Horizontal	216	2.63	-	37.40	9.12	32.86

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 104  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	124.33	Inf	-Inf	117.19	3	Vertical	147	2.20	-	33.70	5.05	31.61
AV	5.3008G	111.73	Inf	-Inf	104.60	3	Vertical	147	2.20	-	33.70	5.05	31.62
PK	5.35G	71.33	74.00	-2.67	64.18	3	Vertical	147	2.20	-	33.70	5.03	31.58
AV	5.35G	53.82	54.00	-0.18	46.67	3	Vertical	147	2.20	-	33.70	5.03	31.58

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 104  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8906G	56.07	74.00	-17.93	42.29	3	Vertical	214	1.85	-	37.49	9.16	32.87
AV	15.894G	41.58	54.00	-12.42	27.80	3	Vertical	214	1.85	-	37.49	9.16	32.87

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 104  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.906G	54.17	74.00	-19.83	40.38	3	Horizontal	294	1.80	-	37.49	9.17	32.87
AV	15.8938G	39.83	54.00	-14.17	26.05	3	Horizontal	294	1.80	-	37.49	9.16	32.87

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 89  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3154G	120.92	Inf	-Inf	113.79	3	Vertical	337	1.80	-	33.70	5.04	31.61
AV	5.3184G	107.95	Inf	-Inf	100.81	3	Vertical	337	1.80	-	33.70	5.04	31.60
PK	5.3532G	71.41	74.00	-2.59	64.26	3	Vertical	337	1.80	-	33.71	5.02	31.58
AV	5.3512G	53.82	54.00	-0.18	46.68	3	Vertical	337	1.80	-	33.70	5.02	31.58

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 89  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.961G	53.93	74.00	-20.07	40.18	3	Vertical	180	1.75	-	37.44	9.19	32.88
AV	15.9576G	40.02	54.00	-13.98	26.27	3	Vertical	180	1.75	-	37.44	9.19	32.88

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 5320MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 89  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9422G	53.02	74.00	-20.98	39.26	3	Horizontal	270	2.99	-	37.46	9.18	32.88
AV	15.9353G	39.69	54.00	-14.31	25.92	3	Horizontal	270	2.99	-	37.46	9.18	32.87

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 80  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.46	74.00	-10.54	56.00	3	Vertical	106	1.97	-	33.90	5.06	31.50
AV	5.4598G	49.05	54.00	-4.95	41.59	3	Vertical	106	1.97	-	33.90	5.06	31.50
PK	5.47G	67.96	68.20	-0.24	60.48	3	Vertical	106	1.97	-	33.90	5.07	31.49
PK	5.5024G	119.34	Inf	-Inf	111.81	3	Vertical	106	1.97	-	33.90	5.10	31.47
AV	5.4956G	107.25	Inf	-Inf	99.72	3	Vertical	106	1.97	-	33.90	5.10	31.47

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 80  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0021G	52.49	74.00	-21.51	39.30	3	Vertical	319	1.81	-	38.50	7.45	32.76
AV	11.0208G	39.02	54.00	-14.98	25.81	3	Vertical	319	1.81	-	38.52	7.46	32.77

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 80  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0189G	52.72	74.00	-21.28	39.51	3	Horizontal	8	1.00	-	38.52	7.46	32.77
AV	11.0115G	39.15	54.00	-14.85	25.95	3	Horizontal	8	1.00	-	38.51	7.45	32.76

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 127  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	60.95	68.20	-7.25	53.80	3	Vertical	206	2.28	-	33.70	5.03	31.58
AV	5.35G	48.67	54.00	-5.33	41.52	3	Vertical	206	2.28	-	33.70	5.03	31.58
PK	5.46G	65.27	74.00	-8.73	57.81	3	Vertical	206	2.28	-	33.90	5.06	31.50
AV	5.46G	52.35	54.00	-1.65	44.89	3	Vertical	206	2.28	-	33.90	5.06	31.50
PK	5.47G	66.59	68.20	-1.61	59.11	3	Vertical	206	2.28	-	33.90	5.07	31.49
PK	5.577G	128.71	Inf	-Inf	121.10	3	Vertical	206	2.28	-	33.90	5.18	31.47
AV	5.578G	116.74	Inf	-Inf	109.13	3	Vertical	206	2.28	-	33.90	5.18	31.47
PK	5.742G	64.29	68.20	-3.91	56.91	3	Vertical	206	2.28	-	33.78	5.06	31.46

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

#### 5580MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15796G	57.12	74.00	-16.88	43.76	3	Vertical	123	2.01	-	38.66	7.51	32.81
AV	11.15936G	44.48	54.00	-9.52	31.12	3	Vertical	123	2.01	-	38.66	7.51	32.81
PK	16.74252G	60.38	68.20	-7.82	44.11	3	Vertical	-0	2.59	-	39.96	9.27	32.96

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15676G	52.52	74.00	-21.48	39.17	3	Horizontal	139	1.04	-	38.66	7.50	32.81
AV	11.161G	39.16	54.00	-14.84	25.80	3	Horizontal	139	1.04	-	38.66	7.51	32.81
PK	16.74888G	55.36	68.20	-12.84	39.06	3	Horizontal	5	2.95	-	39.99	9.27	32.96

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6952G	119.59	Inf	-Inf	112.24	3	Vertical	104	2.07	-	33.71	5.10	31.46
AV	5.6974G	106.07	Inf	-Inf	98.72	3	Vertical	104	2.07	-	33.71	5.10	31.46
PK	5.725G	68.09	68.20	-0.11	60.72	3	Vertical	104	2.07	-	33.75	5.08	31.46

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40408G	52.87	74.00	-21.13	39.37	3	Vertical	85	1.31	-	38.81	7.59	32.90
AV	11.3916G	38.78	54.00	-15.22	25.29	3	Vertical	85	1.31	-	38.79	7.59	32.89

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX


### 5700MHz\_TnomVnom



EUT Z\_4TX\_Dipole  
Setting 76  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39862G	52.63	74.00	-21.37	39.14	3	Horizontal	122	1.43	-	38.80	7.59	32.90
AV	11.3916G	38.85	54.00	-15.15	25.36	3	Horizontal	122	1.43	-	38.79	7.59	32.89


**802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Z\_4TX\_Dipole  
 Setting 127  
 02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7112G	128.24	Inf	-Inf	120.89	3	Vertical	106	2.12	-	33.72	5.09	31.46
AV	5.7208G	115.47	Inf	-Inf	108.11	3	Vertical	106	2.12	-	33.74	5.08	31.46
PK	5.8504G	67.14	68.20	-1.06	59.65	3	Vertical	106	2.12	-	33.80	5.15	31.46


**802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX\_Dipole  
 Setting 127  
 02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43736G	60.72	74.00	-13.28	47.16	3	Vertical	151	2.03	-	38.87	7.60	32.91
AV	11.43406G	44.39	54.00	-9.61	30.83	3	Vertical	151	2.03	-	38.87	7.60	32.91

**802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX\_Dipole  
 Setting 127  
 02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4337G	53.56	74.00	-20.44	40.00	3	Horizontal	224	1.00	-	38.87	7.60	32.91
AV	11.44024G	39.43	54.00	-14.57	25.86	3	Horizontal	224	1.00	-	38.88	7.60	32.91

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 125  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.61	68.94	-0.33	61.12	3	Vertical	178	1.02	-	33.80	5.15	31.46
PK	5.736G	126.79	Inf	-Inf	119.42	3	Vertical	178	1.02	-	33.77	5.06	31.46
AV	5.738G	113.43	Inf	-Inf	106.05	3	Vertical	178	1.02	-	33.78	5.06	31.46
PK	5.967G	61.77	68.20	-6.43	53.62	3	Vertical	178	1.02	-	34.10	5.50	31.45

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 125  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4865G	59.49	74.00	-14.51	45.83	3	Vertical	150	1.92	-	38.97	7.62	32.93
AV	11.48554G	42.97	54.00	-11.03	29.31	3	Vertical	150	1.92	-	38.97	7.62	32.93

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 125  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4888G	56.62	74.00	-17.38	42.95	3	Horizontal	183.6	1.73	-	38.98	7.62	32.93
AV	11.4888G	41.62	54.00	-12.38	27.95	3	Horizontal	183.6	1.73	-	38.98	7.62	32.93

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	64.49	68.20	-3.71	56.99	3	Vertical	225	1.74	-	33.81	5.15	31.46
PK	5.778G	126.63	Inf	-Inf	119.33	3	Vertical	225	1.74	-	33.74	5.02	31.46
AV	5.778G	114.50	Inf	-Inf	107.20	3	Vertical	225	1.74	-	33.74	5.02	31.46
PK	5.936G	63.57	68.20	-4.63	55.54	3	Vertical	225	1.74	-	34.07	5.41	31.45

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 127  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57144G	55.93	74.00	-18.07	42.00	3	Vertical	98	1.80	-	39.21	7.65	32.93
AV	11.57G	41.12	54.00	-12.88	27.19	3	Vertical	98	1.80	-	39.21	7.65	32.93

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 127  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.573G	54.13	74.00	-19.87	40.19	3	Horizontal	225	1.33	-	39.22	7.65	32.93
AV	11.57102G	39.32	54.00	-14.68	25.39	3	Horizontal	225	1.33	-	39.21	7.65	32.93

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 126  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	62.52	68.20	-5.68	55.00	3	Vertical	70	1.91	-	33.82	5.16	31.46
PK	5.826G	125.64	Inf	-Inf	118.27	3	Vertical	70	1.91	-	33.75	5.08	31.46
AV	5.826G	113.37	Inf	-Inf	106.00	3	Vertical	70	1.91	-	33.75	5.08	31.46
PK	5.929G	67.49	68.20	-0.71	59.49	3	Vertical	70	1.91	-	34.06	5.39	31.45

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 126  
02-B-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65002G	55.11	74.00	-18.89	41.01	3	Vertical	187	2.26	-	39.35	7.68	32.93
AV	11.65496G	40.57	54.00	-13.43	26.47	3	Vertical	187	2.26	-	39.35	7.68	32.93

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 126  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64906G	54.12	74.00	-19.88	40.02	3	Horizontal	212	1.75	-	39.35	7.68	32.93
AV	11.65214G	39.81	54.00	-14.19	25.71	3	Horizontal	212	1.75	-	39.35	7.68	32.93

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 5190MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 80  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.19	74.00	-0.81	66.42	3	Vertical	145	2.63	-	33.50	5.00	31.73
AV	5.15G	51.33	54.00	-2.67	44.56	3	Vertical	145	2.63	-	33.50	5.00	31.73
PK	5.1736G	112.75	Inf	-Inf	105.91	3	Vertical	145	2.63	-	33.50	5.05	31.71
AV	5.2036G	100.81	Inf	-Inf	93.89	3	Vertical	145	2.63	-	33.51	5.10	31.69

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 5190MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 80  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57004G	52.85	74.00	-21.15	38.96	3	Vertical	299	1.06	-	37.69	9.05	32.85
AV	15.56598G	39.34	54.00	-14.66	25.44	3	Vertical	299	1.06	-	37.70	9.05	32.85

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 5190MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 80  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57226G	53.86	74.00	-20.14	39.98	3	Horizontal	228	2.21	-	37.68	9.05	32.85
AV	15.57286G	39.34	54.00	-14.66	25.46	3	Horizontal	228	2.21	-	37.68	9.05	32.85

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 106  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1328G	68.77	74.00	-5.23	62.04	3	Vertical	18	1.80	-	33.50	4.97	31.74
AV	5.1496G	53.54	54.00	-0.46	46.77	3	Vertical	18	1.80	-	33.50	5.00	31.73
PK	5.2232G	121.45	Inf	-Inf	114.48	3	Vertical	18	1.80	-	33.55	5.09	31.67
AV	5.2364G	107.96	Inf	-Inf	100.98	3	Vertical	18	1.80	-	33.57	5.08	31.67

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 106  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6853G	52.93	74.00	-21.07	39.26	3	Vertical	70	1.35	-	37.43	9.09	32.85
AV	15.68978G	39.05	54.00	-14.95	25.40	3	Vertical	70	1.35	-	37.42	9.09	32.86

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 106  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68774G	52.81	74.00	-21.19	39.16	3	Horizontal	169	1.87	-	37.42	9.09	32.86
AV	15.69254G	39.05	54.00	-14.95	25.41	3	Horizontal	169	1.87	-	37.41	9.09	32.86

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 104  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.254G	122.25	Inf	-Inf	115.22	3	Vertical	32	1.96	-	33.61	5.07	31.65
AV	5.2728G	108.10	Inf	-Inf	101.03	3	Vertical	32	1.96	-	33.65	5.06	31.64
PK	5.3524G	69.98	74.00	-4.02	62.84	3	Vertical	32	1.96	-	33.70	5.02	31.58
AV	5.35G	53.78	54.00	-0.22	46.63	3	Vertical	32	1.96	-	33.70	5.03	31.58

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 104  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81004G	53.77	74.00	-20.23	40.09	3	Vertical	255	1.37	-	37.41	9.13	32.86
AV	15.8102G	39.50	54.00	-14.50	25.82	3	Vertical	255	1.37	-	37.41	9.13	32.86

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 5270MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 104  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81146G	53.31	74.00	-20.69	39.63	3	Horizontal	59	1.77	-	37.41	9.13	32.86
AV	15.8062G	39.45	54.00	-14.55	25.77	3	Horizontal	59	1.77	-	37.41	9.13	32.86

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 84  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	116.45	Inf	-Inf	109.31	3	Vertical	145	1.80	-	33.70	5.05	31.61
AV	5.3048G	103.12	Inf	-Inf	95.98	3	Vertical	145	1.80	-	33.70	5.05	31.61
PK	5.3532G	70.35	74.00	-3.65	63.20	3	Vertical	145	1.80	-	33.71	5.02	31.58
AV	5.35G	53.90	54.00	-0.10	46.75	3	Vertical	145	1.80	-	33.70	5.03	31.58

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 84  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6188G	52.67	74.00	-21.33	39.47	3	Vertical	18	132	-	38.48	7.32	32.60
AV	10.61818G	38.53	54.00	-15.47	25.33	3	Vertical	18	132	-	38.48	7.32	32.60

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 84  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6196G	52.39	74.00	-21.61	39.19	3	Horizontal	40	1.65	-	38.48	7.32	32.60
AV	10.61538G	38.46	54.00	-15.54	25.26	3	Horizontal	40	1.65	-	38.48	7.32	32.60

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 74  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.30	74.00	-10.70	55.84	3	Vertical	336	1.73	-	33.90	5.06	31.50
AV	5.4588G	49.29	54.00	-4.71	41.83	3	Vertical	336	1.73	-	33.90	5.06	31.50
PK	5.4644G	67.62	68.20	-0.58	60.16	3	Vertical	336	1.73	-	33.90	5.06	31.50
PK	5.498G	115.31	Inf	-Inf	107.78	3	Vertical	336	1.73	-	33.90	5.10	31.47
AV	5.4956G	101.83	Inf	-Inf	94.30	3	Vertical	336	1.73	-	33.90	5.10	31.47

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 74  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02468G	52.47	74.00	-21.53	39.26	3	Vertical	85	2.28	-	38.52	7.46	32.77
AV	11.0249G	38.92	54.00	-15.08	25.71	3	Vertical	85	2.28	-	38.52	7.46	32.77

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 74  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01766G	52.57	74.00	-21.43	39.36	3	Horizontal	230	2.08	-	38.52	7.46	32.77
AV	11.01862G	38.76	54.00	-15.24	25.55	3	Horizontal	230	2.08	-	38.52	7.46	32.77

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 106  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	67.45	74.00	-6.55	59.99	3	Vertical	8	2.24	-	33.90	5.06	31.50
AV	5.46G	51.66	54.00	-2.34	44.20	3	Vertical	8	2.24	-	33.90	5.06	31.50
PK	5.463G	68.08	68.20	-0.12	60.62	3	Vertical	8	2.24	-	33.90	5.06	31.50
PK	5.5554G	120.41	Inf	-Inf	112.82	3	Vertical	8	2.24	-	33.90	5.16	31.47
AV	5.5554G	106.91	Inf	-Inf	99.32	3	Vertical	8	2.24	-	33.90	5.16	31.47

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 106  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.095G	52.58	74.00	-21.42	39.30	3	Vertical	166	1.17	-	38.59	7.48	32.79
AV	11.09544G	38.58	54.00	-15.42	25.29	3	Vertical	166	1.17	-	38.60	7.48	32.79

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 106  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10006G	53.26	74.00	-20.74	39.96	3	Horizontal	171	2.40	-	38.60	7.49	32.79
AV	11.09584G	38.59	54.00	-15.41	25.30	3	Horizontal	171	2.40	-	38.60	7.48	32.79

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 85  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	119.96	Inf	-Inf	112.53	3	Vertical	75	1.80	-	33.76	5.13	31.46
AV	5.664G	104.50	Inf	-Inf	97.05	3	Vertical	75	1.80	-	33.77	5.14	31.46
PK	5.7288G	67.52	68.20	-0.68	60.15	3	Vertical	75	1.80	-	33.76	5.07	31.46

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 5670MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 85  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34394G	51.86	74.00	-22.14	38.43	3	Vertical	227	2.30	-	38.74	7.57	32.88
AV	11.3384G	38.02	54.00	-15.98	24.59	3	Vertical	227	2.30	-	38.74	7.57	32.88

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX


### 5670MHz\_TnomVnom



EUT Z\_4TX\_Dipole  
Setting 85  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33656G	52.38	74.00	-21.62	38.94	3	Horizontal	4	1.26	-	38.74	7.57	32.87
AV	11.34472G	38.20	54.00	-15.80	24.77	3	Horizontal	4	1.26	-	38.74	7.57	32.88


**802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Z\_4TX\_Dipole  
 Setting 114  
 02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	121.29	Inf	-Inf	113.93	3	Vertical	11	2.04	-	33.71	5.11	31.46
AV	5.6956G	108.91	Inf	-Inf	101.56	3	Vertical	11	2.04	-	33.71	5.10	31.46
PK	5.8516G	67.69	68.20	-0.51	60.19	3	Vertical	11	2.04	-	33.81	5.15	31.46


**802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX\_Dipole  
 Setting 114  
 02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4157G	55.73	74.00	-18.27	42.20	3	Vertical	93	1.95	-	38.83	7.60	32.90
AV	11.41504G	41.42	54.00	-12.58	27.89	3	Vertical	93	1.95	-	38.83	7.60	32.90

**802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX\_Dipole  
 Setting 114  
 02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42234G	53.78	74.00	-20.22	40.24	3	Horizontal	118	2.12	-	38.84	7.60	32.90
AV	11.41554G	39.85	54.00	-14.15	26.32	3	Horizontal	118	2.12	-	38.83	7.60	32.90

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 108  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.66	68.94	-0.28	61.17	3	Vertical	14	1.80	-	33.80	5.15	31.46
PK	5.747G	120.90	Inf	-Inf	113.52	3	Vertical	14	1.80	-	33.79	5.05	31.46
AV	5.761G	107.71	Inf	-Inf	100.35	3	Vertical	14	1.80	-	33.78	5.04	31.46
PK	5.932G	63.63	68.20	-4.57	55.62	3	Vertical	14	1.80	-	34.06	5.40	31.45

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 5755MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 108  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50616G	55.25	74.00	-18.75	41.53	3	Vertical	149	1.80	-	39.02	7.63	32.93
AV	11.50526G	40.57	54.00	-13.43	26.85	3	Vertical	149	1.80	-	39.02	7.63	32.93

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 5755MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 108  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50578G	52.75	74.00	-21.25	39.03	3	Horizontal	122	1.98	-	39.02	7.63	32.93
AV	11.50584G	39.41	54.00	-14.59	25.69	3	Horizontal	122	1.98	-	39.02	7.63	32.93

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 5795MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 109  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	65.67	70.42	-4.75	58.19	3	Vertical	106	1.88	-	33.79	5.15	31.46
PK	5.784G	122.64	Inf	-Inf	115.35	3	Vertical	106	1.88	-	33.73	5.02	31.46
AV	5.78G	109.12	Inf	-Inf	101.82	3	Vertical	106	1.88	-	33.74	5.02	31.46
PK	5.93G	67.72	68.20	-0.48	59.72	3	Vertical	106	1.88	-	34.06	5.39	31.45

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 109  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58666G	53.49	74.00	-20.51	39.50	3	Vertical	8.7	2.07	-	39.26	7.66	32.93
AV	11.58502G	39.87	54.00	-14.13	25.89	3	Vertical	8.7	2.07	-	39.26	7.65	32.93

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

#### 5795MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 109  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59274G	53.11	74.00	-20.89	39.10	3	Horizontal	89	1.85	-	39.28	7.66	32.93
AV	11.58586G	39.59	54.00	-14.41	25.60	3	Horizontal	89	1.85	-	39.26	7.66	32.93

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

#### 5210MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 81  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	69.82	74.00	-4.18	63.06	3	Vertical	145	2.21	-	33.50	4.99	31.73
AV	5.15G	53.76	54.00	-0.24	46.99	3	Vertical	145	2.21	-	33.50	5.00	31.73
PK	5.2196G	112.07	Inf	-Inf	105.12	3	Vertical	145	2.21	-	33.54	5.09	31.68
AV	5.218G	100.24	Inf	-Inf	93.29	3	Vertical	145	2.21	-	33.54	5.09	31.68
PK	5.3524G	61.07	74.00	-12.93	53.93	3	Vertical	145	2.21	-	33.70	5.02	31.58
AV	5.3508G	48.79	54.00	-5.21	41.65	3	Vertical	145	2.21	-	33.70	5.02	31.58

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

#### 5210MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 81  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62744G	53.06	74.00	-20.94	39.29	3	Vertical	78	1.20	-	37.55	9.07	32.85
AV	15.63072G	39.23	54.00	-14.77	25.47	3	Vertical	78	1.20	-	37.54	9.07	32.85

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

#### 5210MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 81  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.634G	53.43	74.00	-20.57	39.68	3	Horizontal	302	1.52	-	37.53	9.07	32.85
AV	15.62862G	39.13	54.00	-14.87	25.37	3	Horizontal	302	1.52	-	37.54	9.07	32.85

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

#### 5290MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 85  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	59.53	74.00	-14.47	52.79	3	Vertical	316	1.80	-	33.50	4.98	31.74
AV	5.15G	47.13	54.00	-6.87	40.36	3	Vertical	316	1.80	-	33.50	5.00	31.73
PK	5.2924G	111.66	Inf	-Inf	104.55	3	Vertical	316	1.80	-	33.68	5.05	31.62
AV	5.2804G	99.57	Inf	-Inf	92.48	3	Vertical	316	1.80	-	33.66	5.06	31.63
PK	5.3564G	69.87	74.00	-4.13	62.72	3	Vertical	316	1.80	-	33.71	5.02	31.58
AV	5.3524G	53.11	54.00	-0.89	45.97	3	Vertical	316	1.80	-	33.70	5.02	31.58
PK	5.482G	59.92	68.20	-8.28	52.42	3	Vertical	316	1.80	-	33.90	5.08	31.48

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

#### 5290MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 85  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87414G	53.79	74.00	-20.21	40.03	3	Vertical	296	2.07	-	37.47	9.16	32.87
AV	15.86662G	39.64	54.00	-14.36	25.89	3	Vertical	296	2.07	-	37.47	9.15	32.87

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

#### 5290MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 85  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87118G	53.78	74.00	-20.22	40.03	3	Horizontal	319	2.39	-	37.47	9.15	32.87
AV	15.87492G	39.62	54.00	-14.38	25.86	3	Horizontal	319	2.39	-	37.47	9.16	32.87

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 76  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	58.54	68.20	-9.66	51.40	3	Vertical	109	2.16	-	33.70	5.03	31.59
AV	5.35G	45.58	54.00	-8.42	38.43	3	Vertical	109	2.16	-	33.70	5.03	31.58
PK	5.4468G	69.96	74.00	-4.04	62.53	3	Vertical	109	2.16	-	33.89	5.05	31.51
PK	5.4668G	67.61	68.20	-0.59	60.13	3	Vertical	109	2.16	-	33.90	5.07	31.49
AV	5.4596G	50.98	54.00	-3.02	43.52	3	Vertical	109	2.16	-	33.90	5.06	31.50
PK	5.526G	112.79	Inf	-Inf	105.23	3	Vertical	109	2.16	-	33.90	5.13	31.47
AV	5.526G	100.20	Inf	-Inf	92.64	3	Vertical	109	2.16	-	33.90	5.13	31.47
PK	5.73G	57.57	68.20	-10.63	50.20	3	Vertical	109	2.16	-	33.76	5.07	31.46

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06308G	52.40	74.00	-21.60	39.15	3	Vertical	52	1.58	-	38.56	7.47	32.78
AV	11.0555G	38.43	54.00	-15.57	25.18	3	Vertical	52	1.58	-	38.56	7.47	32.78

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 76  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.057G	52.41	74.00	-21.59	39.16	3	Horizontal	163	2.47	-	38.56	7.47	32.78
AV	11.0561G	38.47	54.00	-15.53	25.22	3	Horizontal	163	2.47	-	38.56	7.47	32.78

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 87  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	62.55	74.00	-11.45	55.09	3	Vertical	109	1.66	-	33.90	5.06	31.50
AV	5.4588G	48.54	54.00	-5.46	41.08	3	Vertical	109	1.66	-	33.90	5.06	31.50
PK	5.4636G	66.45	68.20	-1.75	58.99	3	Vertical	109	1.66	-	33.90	5.06	31.50
PK	5.6044G	114.85	Inf	-Inf	107.23	3	Vertical	109	1.66	-	33.89	5.20	31.47
AV	5.598G	102.73	Inf	-Inf	95.10	3	Vertical	109	1.66	-	33.90	5.20	31.47
PK	5.7284G	67.31	68.20	-0.89	59.94	3	Vertical	109	1.66	-	33.76	5.07	31.46

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

#### 5610MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 87  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22186G	52.21	74.00	-21.79	38.82	3	Vertical	113	1.87	-	38.70	7.53	32.84
AV	11.2237G	38.41	54.00	-15.59	25.02	3	Vertical	113	1.87	-	38.70	7.53	32.84

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 87  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22368G	52.23	74.00	-21.77	38.84	3	Horizontal	217	1.33	-	38.70	7.53	32.84
AV	11.21872G	38.48	54.00	-15.52	25.08	3	Horizontal	217	1.33	-	38.70	7.53	32.83

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX


### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT Z\_4TX\_Dipole  
Setting 96  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6836G	116.85	Inf	-Inf	109.46	3	Vertical	8	2.08	-	33.73	5.12	31.46
AV	5.6724G	104.27	Inf	-Inf	96.84	3	Vertical	8	2.08	-	33.76	5.13	31.46
PK	5.85G	67.15	68.20	-1.05	59.66	3	Vertical	8	2.08	-	33.80	5.15	31.46


**802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX\_Dipole  
 Setting 96  
 02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38404G	52.33	74.00	-21.67	38.86	3	Vertical	165	1.81	-	38.78	7.58	32.89
AV	11.37964G	38.73	54.00	-15.27	25.26	3	Vertical	165	1.81	-	38.78	7.58	32.89

**802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX\_Dipole  
 Setting 96  
 02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37812G	52.67	74.00	-21.33	39.20	3	Horizontal	79	2.28	-	38.78	7.58	32.89
AV	11.37898G	38.70	54.00	-15.30	25.23	3	Horizontal	79	2.28	-	38.78	7.58	32.89

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

#### 5775MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 86  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	66.58	68.20	-1.62	59.01	3	Vertical	201	2.19	-	33.86	5.18	31.47
PK	5.758G	114.60	Inf	-Inf	107.24	3	Vertical	201	2.19	-	33.78	5.04	31.46
AV	5.747G	101.95	Inf	-Inf	94.57	3	Vertical	201	2.19	-	33.79	5.05	31.46
PK	5.937G	63.18	68.20	-5.02	55.15	3	Vertical	201	2.19	-	34.07	5.41	31.45

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

#### 5775MHz\_TnomVnom




EUT\_Z\_4TX\_Dipol  
Setting 86  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5524G	52.91	74.00	-21.09	39.04	3	Vertical	351	1.55	-	39.16	7.64	32.93
AV	11.5502G	38.91	54.00	-15.09	25.05	3	Vertical	351	1.55	-	39.15	7.64	32.93

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

#### 5775MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 86  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55438G	53.04	74.00	-20.96	39.17	3	Horizontal	78	2.17	-	39.16	7.64	32.93
AV	11.55624G	38.94	54.00	-15.06	25.06	3	Horizontal	78	2.17	-	39.17	7.64	32.93

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 79  
02-B-B-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	73.25	74.00	-0.75	66.48	3	Vertical	339	1.83	-	33.50	5.00	31.73
AV	5.1444G	52.50	54.00	-1.50	45.74	3	Vertical	339	1.83	-	33.50	4.99	31.73
PK	5.2572G	110.54	Inf	-Inf	103.51	3	Vertical	339	1.83	-	33.61	5.07	31.65
AV	5.2476G	97.80	Inf	-Inf	90.78	3	Vertical	339	1.83	-	33.60	5.08	31.66
PK	5.4096G	71.86	74.00	-2.14	64.57	3	Vertical	339	1.83	-	33.82	5.01	31.54
AV	5.4084G	51.65	54.00	-2.35	44.36	3	Vertical	339	1.83	-	33.82	5.01	31.54
PK	5.4624G	66.96	68.20	-1.24	59.50	3	Vertical	339	1.83	-	33.90	5.06	31.50

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 79  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74606G	53.05	74.00	-20.95	39.40	3	Vertical	156	1.77	-	37.40	9.11	32.86
AV	15.75322G	39.26	54.00	-14.74	25.61	3	Vertical	156	1.77	-	37.40	9.11	32.86

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 79  
02-B-B-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75406G	53.56	74.00	-20.44	39.91	3	Horizontal	248	1.61	-	37.40	9.11	32.86
AV	15.75272G	39.22	54.00	-14.78	25.57	3	Horizontal	248	1.61	-	37.40	9.11	32.86

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT\_Z\_4TX\_Dipole  
Setting 77  
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.274G	60.98	68.20	-7.22	53.91	3	Vertical	13	1.80	-	33.65	5.06	31.64
PK	5.4532G	73.85	74.00	-0.15	66.40	3	Vertical	13	1.80	-	33.90	5.05	31.50
PK	5.4612G	63.52	68.20	-4.68	56.06	3	Vertical	13	1.80	-	33.90	5.06	31.50
AV	5.4596G	51.62	54.00	-2.38	44.16	3	Vertical	13	1.80	-	33.90	5.06	31.50
PK	5.5444G	108.86	Inf	-Inf	101.29	3	Vertical	13	1.80	-	33.90	5.14	31.47
AV	5.5652G	96.87	Inf	-Inf	89.27	3	Vertical	13	1.80	-	33.90	5.17	31.47
PK	5.794G	61.76	68.20	-6.44	54.50	3	Vertical	13	1.80	-	33.71	5.01	31.46

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

#### 5570MHz\_TnomVnom




EUT Z\_4TX\_Dipole  
Setting 77  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1377G	53.33	74.00	-20.67	40.00	3	Vertical	213	2.95	-	38.64	7.50	32.81
AV	11.1581G	38.73	54.00	-15.27	25.37	3	Vertical	213	2.95	-	38.66	7.51	32.81

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

### 5570MHz\_TnomVnom



EUT Z\_4TX\_Dipole  
Setting 77  
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1489G	53.44	74.00	-20.56	40.10	3	Horizontal	118	2.03	-	38.65	7.50	32.81
AV	11.131G	38.68	54.00	-15.32	25.35	3	Horizontal	118	2.03	-	38.63	7.50	32.80