


5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 25
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57935G	58.99	74.00	-15.01	38.74	3	Horizontal	29	1.97	-	39.22	11.81	30.78			
AV	11.57794G	47.18	54.00	-6.82	26.94	3	Horizontal	29	1.97	-	39.21	11.81	30.78			
PK	17.38902G	62.75	68.20	-5.45	39.25	3	Horizontal	352	2.13	-	43.23	12.53	32.26			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 21
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.133G	65.46	74.00	-8.54	55.83	3	Vertical	274	1.80	-	33.60	6.97	30.94			
AV	5.1445G	51.86	54.00	-2.14	42.22	3	Vertical	274	1.80	-	33.60	6.97	30.93			
PK	5.2395G	107.48	Inf	-Inf	97.58	3	Vertical	274	1.80	-	33.78	7.00	30.88			
AV	5.18G	99.00	Inf	-Inf	89.25	3	Vertical	274	1.80	-	33.66	7.00	30.91			
PK	5.447G	60.01	74.00	-13.99	49.65	3	Vertical	274	1.80	-	34.00	7.12	30.76			
AV	5.455G	47.73	54.00	-6.27	37.34	3	Vertical	274	1.80	-	34.01	7.14	30.76			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 21
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	62.26	74.00	-11.74	52.62	3	Horizontal	56	1.80	-	33.60	6.97	30.93			
AV	5.142G	47.25	54.00	-6.75	37.61	3	Horizontal	56	1.80	-	33.60	6.97	30.93			
PK	5.1765G	101.14	Inf	-Inf	91.41	3	Horizontal	56	1.80	-	33.65	6.99	30.91			
AV	5.181G	92.00	Inf	-Inf	82.25	3	Horizontal	56	1.80	-	33.66	7.00	30.91			
PK	5.453G	59.11	74.00	-14.89	48.73	3	Horizontal	56	1.80	-	34.01	7.13	30.76			
AV	5.4595G	47.30	54.00	-6.70	36.87	3	Horizontal	56	1.80	-	34.02	7.16	30.75			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 21
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4203G	57.20	68.20	-11.00	38.17	3	Vertical	209	1.21	-	38.46	11.08	30.51			
PK	15.63597G	57.62	74.00	-16.38	40.01	3	Vertical	33	2.70	-	37.76	11.85	32.00			
AV	15.61971G	45.56	54.00	-8.44	27.88	3	Vertical	33	2.70	-	37.82	11.85	31.99			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 21
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43344G	57.00	68.20	-11.20	37.99	3	Horizontal	173	1.26	-	38.43	11.09	30.51			
PK	15.61752G	57.34	74.00	-16.66	39.65	3	Horizontal	238	2.03	-	37.83	11.85	31.99			
AV	15.6204G	45.45	54.00	-8.55	27.77	3	Horizontal	238	2.03	-	37.82	11.85	31.99			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 20
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	59.79	74.00	-14.21	50.15	3	Vertical	0	1.47	-	33.60	6.97	30.93			
AV	5.107G	47.35	54.00	-6.65	37.75	3	Vertical	0	1.47	-	33.60	6.95	30.95			
PK	5.2525G	111.20	Inf	-Inf	101.27	3	Vertical	0	1.47	-	33.80	7.00	30.87			
AV	5.2525G	101.36	Inf	-Inf	91.43	3	Vertical	0	1.47	-	33.80	7.00	30.87			
PK	5.36G	64.20	74.00	-9.80	54.12	3	Vertical	0	1.47	-	33.92	6.97	30.81			
AV	5.354G	52.02	54.00	-1.98	41.95	3	Vertical	0	1.47	-	33.91	6.97	30.81			
PK	5.5G	60.53	68.20	-7.67	49.87	3	Vertical	0	1.47	-	34.10	7.29	30.73			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 20
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.106G	58.17	74.00	-15.83	48.57	3	Horizontal	238	2.20	-	33.60	6.95	30.95			
AV	5.1145G	46.48	54.00	-7.52	36.88	3	Horizontal	238	2.20	-	33.60	6.95	30.95			
PK	5.252G	102.06	Inf	-Inf	92.13	3	Horizontal	238	2.20	-	33.80	7.00	30.87			
AV	5.261G	94.13	Inf	-Inf	84.18	3	Horizontal	238	2.20	-	33.82	6.99	30.86			
PK	5.4555G	60.58	74.00	-13.42	50.18	3	Horizontal	238	2.20	-	34.01	7.14	30.75			
AV	5.354G	47.41	54.00	-6.59	37.34	3	Horizontal	238	2.20	-	33.91	6.97	30.81			
PK	5.4845G	60.23	68.20	-7.97	49.66	3	Horizontal	238	2.20	-	34.07	7.24	30.74			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 20
02-R-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.56518G	57.71	68.20	-10.49	38.43	3	Vertical	139	2.21	-	38.60	11.17	30.49			
PK	15.87231G	57.11	74.00	-16.89	39.81	3	Vertical	264	3.00	-	37.59	11.86	32.15			
AV	15.88134G	44.74	54.00	-9.26	27.40	3	Vertical	264	3.00	-	37.63	11.86	32.15			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
Setting 20
02-R-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5926G	58.19	68.20	-10.01	38.89	3	Horizontal	145	2.10	-	38.60	11.19	30.49			
PK	15.87195G	57.19	74.00	-16.81	39.89	3	Horizontal	298	1.27	-	37.59	11.86	32.15			
AV	15.88212G	44.84	54.00	-9.16	27.50	3	Horizontal	298	1.27	-	37.63	11.86	32.15			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 21
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.322G	60.69	68.20	-7.51	50.64	3	Vertical	321	1.80	-	33.90	6.98	30.83			
AV	5.35G	48.21	54.00	-5.79	38.15	3	Vertical	321	1.80	-	33.90	6.97	30.81			
PK	5.4545G	66.18	74.00	-7.82	55.79	3	Vertical	321	1.80	-	34.01	7.14	30.76			
AV	5.458G	50.89	54.00	-3.11	40.47	3	Vertical	321	1.80	-	34.02	7.15	30.75			
PK	5.4655G	65.47	68.20	-2.73	55.01	3	Vertical	321	1.80	-	34.03	7.18	30.75			
PK	5.4935G	112.78	Inf	-Inf	102.15	3	Vertical	321	1.80	-	34.09	7.27	30.73			
AV	5.499G	103.72	Inf	-Inf	93.06	3	Vertical	321	1.80	-	34.10	7.29	30.73			
PK	5.7785G	62.10	68.20	-6.10	50.92	3	Vertical	321	1.80	-	34.06	7.78	30.66			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 21
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2925G	59.33	68.20	-8.87	49.31	3	Horizontal	220	1.80	-	33.88	6.99	30.85			
AV	5.35G	46.47	54.00	-7.53	36.41	3	Horizontal	220	1.80	-	33.90	6.97	30.81			
PK	5.452G	59.94	74.00	-14.06	49.57	3	Horizontal	220	1.80	-	34.00	7.13	30.76			
PK	5.4655G	60.35	68.20	-7.85	49.89	3	Horizontal	220	1.80	-	34.03	7.18	30.75			
AV	5.4595G	48.02	54.00	-5.98	37.59	3	Horizontal	220	1.80	-	34.02	7.16	30.75			
PK	5.494G	103.60	Inf	-Inf	92.97	3	Horizontal	220	1.80	-	34.09	7.27	30.73			
AV	5.4985G	93.54	Inf	-Inf	82.88	3	Horizontal	220	1.80	-	34.10	7.29	30.73			
PK	5.737G	61.05	68.20	-7.15	49.98	3	Horizontal	220	1.80	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 21
02-R-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.06813G	57.83	74.00	-16.17	38.25	3	Vertical	332	2.17	-	38.60	11.49	30.51			
AV	11.04656G	45.74	54.00	-8.26	26.17	3	Vertical	332	2.17	-	38.60	11.47	30.50			
PK	16.60479G	58.69	68.20	-9.51	38.97	3	Vertical	328	2.31	-	39.62	12.16	32.06			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 21
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05976G	58.07	74.00	-15.93	38.50	3	Horizontal	275	1.67	-	38.60	11.48	30.51			
AV	11.04866G	45.91	54.00	-8.09	26.33	3	Horizontal	275	1.67	-	38.60	11.48	30.50			
PK	16.59978G	58.57	68.20	-9.63	38.88	3	Horizontal	267	1.66	-	39.60	12.15	32.06			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4295G	66.98	74.00	-7.02	56.69	3	Vertical	297	2.39	-	34.00	7.06	30.77			
PK	5.464G	65.33	68.20	-2.87	54.88	3	Vertical	297	2.39	-	34.03	7.17	30.75			
AV	5.459G	50.89	54.00	-3.11	40.47	3	Vertical	297	2.39	-	34.02	7.15	30.75			
PK	5.577G	114.74	Inf	-Inf	103.91	3	Vertical	297	2.39	-	34.00	7.54	30.71			
AV	5.582G	104.43	Inf	-Inf	93.58	3	Vertical	297	2.39	-	34.00	7.56	30.71			
PK	5.7255G	64.30	68.20	-3.90	53.25	3	Vertical	297	2.39	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.366G	59.82	74.00	-14.18	49.73	3	Horizontal	191	1.80	-	33.93	6.97	30.81			
PK	5.4635G	61.13	68.20	-7.07	50.68	3	Horizontal	191	1.80	-	34.03	7.17	30.75			
AV	5.46G	47.79	54.00	-6.21	37.36	3	Horizontal	191	1.80	-	34.02	7.16	30.75			
PK	5.5805G	104.97	Inf	-Inf	94.12	3	Horizontal	191	1.80	-	34.00	7.56	30.71			
AV	5.581G	94.50	Inf	-Inf	83.65	3	Horizontal	191	1.80	-	34.00	7.56	30.71			
PK	5.826G	62.18	68.20	-6.02	50.96	3	Horizontal	191	1.80	-	34.05	7.82	30.65			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21757G	58.39	74.00	-15.61	38.75	3	Vertical	4	2.94	-	38.64	11.58	30.58			
AV	11.23497G	46.27	54.00	-7.73	26.60	3	Vertical	4	2.94	-	38.67	11.59	30.59			
PK	16.83186G	60.75	68.20	-7.45	40.09	3	Vertical	136	1.80	-	40.49	12.27	32.10			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2104G	58.72	74.00	-15.28	39.10	3	Horizontal	244	2.76	-	38.62	11.58	30.58			
AV	11.23476G	46.16	54.00	-7.84	26.49	3	Horizontal	244	2.76	-	38.67	11.59	30.59			
PK	16.84218G	60.87	68.20	-7.33	40.15	3	Horizontal	214	2.30	-	40.55	12.27	32.10			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.448G	62.68	74.00	-11.32	52.32	3	Vertical	294	1.80	-	34.00	7.12	30.76			
AV	5.447G	49.56	54.00	-4.44	39.20	3	Vertical	294	1.80	-	34.00	7.12	30.76			
PK	5.4685G	62.74	68.20	-5.46	52.26	3	Vertical	294	1.80	-	34.04	7.19	30.75			
PK	5.653G	112.64	Inf	-Inf	101.66	3	Vertical	294	1.80	-	34.00	7.67	30.69			
AV	5.658G	105.15	Inf	-Inf	94.17	3	Vertical	294	1.80	-	34.00	7.67	30.69			
PK	5.9115G	62.38	68.20	-5.82	50.94	3	Vertical	294	1.80	-	34.20	7.87	30.63			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4525G	59.05	74.00	-14.95	48.67	3	Horizontal	237	1.80	-	34.01	7.13	30.76			
PK	5.4635G	60.76	68.20	-7.44	50.31	3	Horizontal	237	1.80	-	34.03	7.17	30.75			
AV	5.459G	47.77	54.00	-6.23	37.35	3	Horizontal	237	1.80	-	34.02	7.15	30.75			
PK	5.652G	102.78	Inf	-Inf	91.80	3	Horizontal	237	1.80	-	34.00	7.67	30.69			
AV	5.653G	94.66	Inf	-Inf	83.68	3	Horizontal	237	1.80	-	34.00	7.67	30.69			
PK	5.879G	61.69	68.20	-6.51	50.36	3	Horizontal	237	1.80	-	34.12	7.85	30.64			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.36929G	59.39	74.00	-14.61	39.62	3	Vertical	229	2.83	-	38.74	11.68	30.65			
AV	11.38501G	47.09	54.00	-6.91	27.29	3	Vertical	229	2.83	-	38.77	11.69	30.66			
PK	17.0562G	61.54	68.20	-6.66	39.90	3	Vertical	8	1.63	-	41.41	12.37	32.14			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37247G	59.61	74.00	-14.39	39.84	3	Horizontal	145	1.46	-	38.74	11.68	30.65			
AV	11.38156G	47.16	54.00	-6.84	27.37	3	Horizontal	145	1.46	-	38.76	11.69	30.66			
PK	17.0769G	60.63	68.20	-7.57	38.95	3	Horizontal	214	2.26	-	41.45	12.38	32.15			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 25
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	66.06	68.20	-2.14	55.09	3	Vertical	164	1.80	-	34.00	7.66	30.69			
PK	5.7395G	118.78	Inf	-Inf	107.70	3	Vertical	164	1.80	-	34.00	7.75	30.67			
AV	5.7445G	109.93	Inf	-Inf	98.85	3	Vertical	164	1.80	-	34.00	7.75	30.67			
PK	5.93G	64.06	68.20	-4.14	52.61	3	Vertical	164	1.80	-	34.20	7.88	30.63			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 25
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	65.47	68.94	-3.47	54.49	3	Horizontal	220	2.20	-	34.00	7.67	30.69			
PK	5.7495G	108.92	Inf	-Inf	97.84	3	Horizontal	220	2.20	-	34.00	7.75	30.67			
AV	5.745G	99.67	Inf	-Inf	88.59	3	Horizontal	220	2.20	-	34.00	7.75	30.67			
PK	5.9315G	62.63	68.20	-5.57	51.17	3	Horizontal	220	2.20	-	34.20	7.89	30.63			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 25
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54568G	60.17	74.00	-13.83	40.04	3	Vertical	284	2.49	-	39.09	11.79	30.75			
AV	11.56131G	47.48	54.00	-6.52	27.29	3	Vertical	284	2.49	-	39.15	11.80	30.76			
PK	17.32209G	63.26	68.20	-4.94	40.17	3	Vertical	334	1.80	-	42.83	12.50	32.24			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 25
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56245G	59.26	74.00	-14.74	39.07	3	Horizontal	138	2.34	-	39.15	11.80	30.76			
AV	11.56347G	47.21	54.00	-6.79	27.02	3	Horizontal	138	2.34	-	39.15	11.80	30.76			
PK	17.32974G	62.42	68.20	-5.78	39.28	3	Horizontal	190	2.06	-	42.88	12.50	32.24			

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 19
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.126G	63.51	74.00	-10.49	53.89	3	Vertical	296.8	1.85	-	33.60	6.96	30.94			
AV	5.142G	49.84	54.00	-4.16	40.20	3	Vertical	296.8	1.85	-	33.60	6.97	30.93			
AV	5.186G	99.58	Inf	-Inf	89.82	3	Vertical	296.8	1.85	-	33.67	7.00	30.91			
PK	5.2532G	106.10	Inf	-Inf	96.16	3	Vertical	296.8	1.85	-	33.81	7.00	30.87			
PK	5.3668G	62.91	74.00	-11.09	52.81	3	Vertical	296.8	1.85	-	33.93	6.97	30.80			
AV	5.354G	52.32	54.00	-1.68	42.25	3	Vertical	296.8	1.85	-	33.91	6.97	30.81			
PK	5.5836G	60.11	68.20	-8.09	49.25	3	Vertical	296.8	1.85	-	34.00	7.57	30.71			

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 19
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1156G	64.15	74.00	-9.85	54.54	3	Horizontal	129	1.01	-	33.60	6.96	30.95			
AV	5.1212G	47.82	54.00	-6.18	38.20	3	Horizontal	129	1.01	-	33.60	6.96	30.94			
PK	5.1852G	97.83	Inf	-Inf	88.07	3	Horizontal	129	1.01	-	33.67	7.00	30.91			
AV	5.1796G	87.65	Inf	-Inf	77.90	3	Horizontal	129	1.01	-	33.66	7.00	30.91			
PK	5.406G	61.61	74.00	-12.39	51.41	3	Horizontal	129	1.01	-	34.00	6.98	30.78			
AV	5.4492G	47.44	54.00	-6.56	37.08	3	Horizontal	129	1.01	-	34.00	7.12	30.76			
PK	5.6388G	59.92	68.20	-8.28	48.97	3	Horizontal	129	1.01	-	34.00	7.65	30.70			

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 19
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5105G	57.85	68.20	-10.35	38.69	3	Vertical	140	1.49	-	38.52	11.13	30.49			
PK	15.76092G	57.73	74.00	-16.27	40.47	3	Vertical	122	2.97	-	37.48	11.86	32.08			
AV	15.7515G	44.92	54.00	-9.08	27.63	3	Vertical	122	2.97	-	37.50	11.86	32.07			

5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 19
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49733G	57.53	68.20	-10.67	38.40	3	Horizontal	234	1.46	-	38.49	11.13	30.49			
PK	15.74127G	56.89	74.00	-17.11	39.57	3	Horizontal	80	1.43	-	37.52	11.86	32.06			
AV	15.74859G	45.01	54.00	-8.99	27.72	3	Horizontal	80	1.43	-	37.50	11.86	32.07			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 22
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2572G	62.78	68.20	-5.42	52.84	3	Vertical	297.7	2.20	-	33.81	7.00	30.87			
PK	5.438G	64.18	74.00	-9.82	53.85	3	Vertical	297.7	2.20	-	34.00	7.09	30.76			
AV	5.35G	50.81	54.00	-3.19	40.75	3	Vertical	297.7	2.20	-	33.90	6.97	30.81			
AV	5.3532G	51.61	54.00	-2.39	41.54	3	Vertical	297.7	2.20	-	33.91	6.97	30.81			
PK	5.47G	62.00	68.20	-6.20	51.52	3	Vertical	297.7	2.20	-	34.04	7.19	30.75			
AV	5.498G	100.67	Inf	-Inf	90.02	3	Vertical	297.7	2.20	-	34.10	7.28	30.73			
PK	5.562G	109.32	Inf	-Inf	98.55	3	Vertical	297.7	2.20	-	34.00	7.49	30.72			
PK	5.7268G	64.75	68.20	-3.45	53.70	3	Vertical	297.7	2.20	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3172G	65.24	68.20	-2.96	55.19	3	Horizontal	215	1.80	-	33.90	6.98	30.83			
AV	5.35G	46.94	54.00	-7.06	36.88	3	Horizontal	215	1.80	-	33.90	6.97	30.81			
PK	5.4436G	67.86	74.00	-6.14	57.52	3	Horizontal	215	1.80	-	34.00	7.10	30.76			
AV	5.434G	49.94	54.00	-4.06	39.64	3	Horizontal	215	1.80	-	34.00	7.07	30.77			
PK	5.4636G	65.57	68.20	-2.63	55.12	3	Horizontal	215	1.80	-	34.03	7.17	30.75			
PK	5.4988G	106.84	Inf	-Inf	96.18	3	Horizontal	215	1.80	-	34.10	7.29	30.73			
AV	5.5044G	94.37	Inf	-Inf	83.71	3	Horizontal	215	1.80	-	34.09	7.30	30.73			
PK	5.726G	63.87	68.20	-4.33	52.82	3	Horizontal	215	1.80	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 22
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14207G	57.95	74.00	-16.05	38.36	3	Vertical	292	1.91	-	38.60	11.54	30.55			
AV	11.15158G	45.71	54.00	-8.29	26.12	3	Vertical	292	1.91	-	38.60	11.54	30.55			
PK	16.71105G	60.09	68.20	-8.11	40.04	3	Vertical	65	1.30	-	39.92	12.21	32.08			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT Y_2TX
Setting 22
02-R-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14009G	57.77	74.00	-16.23	38.18	3	Horizontal	63	1.42	-	38.60	11.53	30.54			
AV	11.13442G	45.74	54.00	-8.26	26.15	3	Horizontal	63	1.42	-	38.60	11.53	30.54			
PK	16.70736G	59.68	68.20	-8.52	39.64	3	Horizontal	246	1.65	-	39.91	12.21	32.08			

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 18
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	5.1432G	49.29	54.00	-4.71	39.65	3	Vertical	288.7	1.61	-	33.60	6.97	30.93			
PK	5.3328G	63.14	68.20	-5.06	53.08	3	Vertical	288.7	1.61	-	33.90	6.98	30.82			
AV	5.3532G	50.68	54.00	-3.32	40.61	3	Vertical	288.7	1.61	-	33.91	6.97	30.81			
PK	5.4552G	67.94	74.00	-6.06	57.55	3	Vertical	288.7	1.61	-	34.01	7.14	30.76			
PK	5.4624G	66.91	68.20	-1.29	56.47	3	Vertical	288.7	1.61	-	34.02	7.17	30.75			
PK	5.5068G	112.38	Inf	-Inf	101.71	3	Vertical	288.7	1.61	-	34.09	7.31	30.73			
AV	5.4984G	102.33	Inf	-Inf	91.68	3	Vertical	288.7	1.61	-	34.10	7.28	30.73			
PK	5.892G	61.46	68.20	-6.74	50.07	3	Vertical	288.7	1.61	-	34.17	7.86	30.64			

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 18
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2404G	59.28	68.20	-8.92	49.38	3	Horizontal	214.7	1.61	-	33.78	7.00	30.88			
AV	5.1468G	47.18	54.00	-6.82	37.53	3	Horizontal	214.7	1.61	-	33.60	6.98	30.93			
PK	5.4576G	59.41	74.00	-14.59	48.99	3	Horizontal	214.7	1.61	-	34.02	7.15	30.75			
AV	5.46G	48.13	54.00	-5.87	37.70	3	Horizontal	214.7	1.61	-	34.02	7.16	30.75			
PK	5.4624G	59.30	68.20	-8.90	48.86	3	Horizontal	214.7	1.61	-	34.02	7.17	30.75			
PK	5.5044G	94.07	Inf	-Inf	83.41	3	Horizontal	214.7	1.61	-	34.09	7.30	30.73			
AV	5.5008G	93.86	Inf	-Inf	83.20	3	Horizontal	214.7	1.61	-	34.10	7.29	30.73			
PK	5.9604G	61.99	68.20	-6.21	50.49	3	Horizontal	214.7	1.61	-	34.22	7.90	30.62			

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 18
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23173G	58.26	74.00	-15.74	38.60	3	Vertical	3	1.80	-	38.66	11.59	30.59			
AV	11.22846G	46.30	54.00	-7.70	26.64	3	Vertical	3	1.80	-	38.66	11.59	30.59			
PK	16.81659G	61.87	68.20	-6.33	41.30	3	Vertical	1	3.00	-	40.40	12.26	32.09			

5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX



EUT_Y_2TX
Setting 18
02-R-V-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21316G	58.61	74.00	-15.39	38.98	3	Horizontal	35	2.87	-	38.63	11.58	30.58			
AV	11.22519G	46.27	54.00	-7.73	26.61	3	Horizontal	35	2.87	-	38.65	11.59	30.58			
PK	16.83363G	61.22	68.20	-6.98	40.55	3	Horizontal	360	2.17	-	40.50	12.27	32.10			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.5312G	35.61	54.00	-18.39	Vertical

Mode 1



Mode 1

