


5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

04/12/2024




5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

PSD

5570MHz

04/12/2024




5.47-5.725GHz_EHT240-BF_Nss1,(MCS0)_2TX

PSD

5610MHz Straddle 5.47-5.725GHz

04/12/2024




5.725-5.85GHz_EHT240-BF_Nss1,(MCS0)_2TX

PSD

5610MHz Straddle 5.725-5.85GHz

04/12/2024






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	QP	49.4M	35.91	40.00	-4.09	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	34.85M	32.94	40.00	-7.06	-8.83	3	Vertical	145	1.00	-	41.77	21.35	0.51	30.69		
QP	49.4M	35.91	40.00	-4.09	-16.10	3	Vertical	316	1.00	"Worst"	52.01	14.09	0.64	30.83		
QP	75.59M	32.24	40.00	-7.76	-17.46	3	Vertical	227	1.50	-	49.70	12.53	0.81	30.80		
PK	116.33M	39.06	43.50	-4.44	-11.71	3	Vertical	227	1.00	-	50.77	18.19	1.07	30.97		
PK	181.32M	36.21	43.50	-7.29	-14.67	3	Vertical	0	1.25	-	50.88	15.23	1.38	31.28		
PK	246.31M	33.64	46.00	-12.36	-10.21	3	Vertical	218	1.00	-	43.85	19.06	1.63	30.90		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	31.94M	30.32	40.00	-9.68	-7.38	3	Horizontal	178	1.00		37.70	23.05	0.48	30.91		
PK	49.4M	32.28	40.00	-7.72	-16.10	3	Horizontal	189	3.00	-	48.38	14.09	0.64	30.83		
QP	109.54M	36.43	43.50	-7.07	-11.92	3	Horizontal	295	3.00	"Worst"	48.35	17.90	1.03	30.85		
QP	181.32M	35.48	43.50	-8.02	-14.67	3	Horizontal	248	1.50	-	50.15	15.23	1.38	31.28		
PK	204.6M	35.57	43.50	-7.93	-14.38	3	Horizontal	67	1.50	-	49.95	15.05	1.49	30.92		
PK	744.89M	34.00	46.00	-12.00	-3.45	3	Horizontal	96	1.00	-	37.45	25.70	2.93	32.08		




Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1.(MCS0)_2TX	Pass	AV	5.1457G	52.98	54.00	-1.02	3	Vertical	335	1.84	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 23
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	66.50	74.00	-7.50	56.85	3	Vertical	333	1.85	-	33.60	6.98	30.93			
AV	5.15G	52.85	54.00	-1.15	43.20	3	Vertical	333	1.85	-	33.60	6.98	30.93			
PK	5.1814G	123.00	Inf	-Inf	113.25	3	Vertical	333	1.85	-	33.66	7.00	30.91			
AV	5.1811G	113.23	Inf	-Inf	103.48	3	Vertical	333	1.85	-	33.66	7.00	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 23
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	62.37	74.00	-11.63	52.72	3	Horizontal	215	1.99	-	33.60	6.98	30.93			
AV	5.1485G	49.31	54.00	-4.69	39.66	3	Horizontal	215	1.99	-	33.60	6.98	30.93			
PK	5.1792G	114.69	Inf	-Inf	104.94	3	Horizontal	215	1.99	-	33.66	7.00	30.91			
AV	5.1789G	104.80	Inf	-Inf	95.05	3	Horizontal	215	1.99	-	33.66	7.00	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 23
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3597G	57.80	68.20	-10.40	38.70	3	Vertical	218	1.80	-	38.58	11.04	30.52			
PK	15.53863G	62.57	74.00	-11.43	44.63	3	Vertical	158	1.80	-	38.02	11.85	31.93			
AV	15.53858G	48.14	54.00	-5.86	30.20	3	Vertical	158	1.80	-	38.02	11.85	31.93			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 23
02-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36061G	57.58	68.20	-10.62	38.48	3	Horizontal	24	2.92	-	38.58	11.04	30.52			
PK	15.54485G	61.76	74.00	-12.24	43.84	3	Horizontal	216	2.11	-	38.01	11.85	31.94			
AV	15.53577G	48.15	54.00	-5.85	30.20	3	Horizontal	216	2.11	-	38.03	11.85	31.93			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26.5
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	67.54	74.00	-6.46	57.89	3	Vertical	333	1.53	-	33.60	6.98	30.93			
AV	5.15G	52.64	54.00	-1.36	42.99	3	Vertical	333	1.53	-	33.60	6.98	30.93			
PK	5.2008G	126.00	Inf	-Inf	116.19	3	Vertical	333	1.53	-	33.70	7.01	30.90			
AV	5.2012G	116.42	Inf	-Inf	106.61	3	Vertical	333	1.53	-	33.70	7.01	30.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26.5
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	61.21	74.00	-12.79	51.56	3	Horizontal	220	1.96	-	33.60	6.98	30.93			
AV	5.1488G	49.11	54.00	-4.89	39.46	3	Horizontal	220	1.96	-	33.60	6.98	30.93			
PK	5.1992G	117.48	Inf	-Inf	107.67	3	Horizontal	220	1.96	-	33.70	7.01	30.90			
AV	5.199G	107.64	Inf	-Inf	97.83	3	Horizontal	220	1.96	-	33.70	7.01	30.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26.5
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39757G	58.76	68.20	-9.44	39.71	3	Vertical	248	1.99	-	38.50	11.06	30.51			
PK	15.5825G	62.11	74.00	-11.89	44.28	3	Vertical	320	1.80	-	37.94	11.85	31.96			
AV	15.57575G	48.14	54.00	-5.86	30.30	3	Vertical	320	1.80	-	37.95	11.85	31.96			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26.5
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40115G	58.03	68.20	-10.17	38.98	3	Horizontal	193	1.76	-	38.50	11.06	30.51			
PK	15.6044G	62.30	74.00	-11.70	44.55	3	Horizontal	191	1.79	-	37.88	11.85	31.98			
AV	15.59628G	48.16	54.00	-5.84	30.37	3	Horizontal	191	1.79	-	37.91	11.85	31.97			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 27
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	62.41	74.00	-11.59	52.77	3	Vertical	332	1.58	-	33.60	6.97	30.93			
AV	5.1494G	49.44	54.00	-4.56	39.79	3	Vertical	332	1.58	-	33.60	6.98	30.93			
PK	5.2415G	127.79	Inf	-Inf	117.88	3	Vertical	332	1.58	-	33.78	7.00	30.87			
AV	5.2412G	117.33	Inf	-Inf	107.42	3	Vertical	332	1.58	-	33.78	7.00	30.87			
PK	5.3657G	62.21	74.00	-11.79	52.12	3	Vertical	332	1.58	-	33.93	6.97	30.81			
AV	5.3537G	49.62	54.00	-4.38	39.55	3	Vertical	332	1.58	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 27
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1098G	61.09	74.00	-12.91	51.49	3	Horizontal	195	2.56	-	33.60	6.95	30.95			
AV	5.1479G	48.41	54.00	-5.59	38.76	3	Horizontal	195	2.56	-	33.60	6.98	30.93			
PK	5.2412G	120.99	Inf	-Inf	111.08	3	Horizontal	195	2.56	-	33.78	7.00	30.87			
AV	5.2409G	111.05	Inf	-Inf	101.15	3	Horizontal	195	2.56	-	33.78	7.00	30.88			
PK	5.3738G	61.80	74.00	-12.20	51.68	3	Horizontal	195	2.56	-	33.95	6.97	30.80			
AV	5.3762G	48.92	54.00	-5.08	38.80	3	Horizontal	195	2.56	-	33.95	6.97	30.80			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48285G	57.91	68.20	-10.29	38.81	3	Vertical	137	2.98	-	38.47	11.12	30.49			
PK	15.71588G	60.71	74.00	-13.29	43.33	3	Vertical	56	1.80	-	37.57	11.86	32.05			
AV	15.71612G	47.03	54.00	-6.97	29.65	3	Vertical	56	1.80	-	37.57	11.86	32.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47689G	57.92	68.20	-10.28	38.86	3	Horizontal	319	1.15	-	38.45	11.11	30.50			
PK	15.71922G	60.62	74.00	-13.38	43.25	3	Horizontal	186	2.49	-	37.56	11.86	32.05			
AV	15.71576G	47.02	54.00	-6.98	29.64	3	Horizontal	186	2.49	-	37.57	11.86	32.05			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 27
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1499G	61.44	74.00	-12.56	51.79	3	Vertical	185	1.72	-	33.60	6.98	30.93			
AV	5.1448G	49.12	54.00	-4.88	39.48	3	Vertical	185	1.72	-	33.60	6.97	30.93			
PK	5.2609G	126.32	Inf	-Inf	116.37	3	Vertical	185	1.72	-	33.82	6.99	30.86			
AV	5.2612G	116.79	Inf	-Inf	106.84	3	Vertical	185	1.72	-	33.82	6.99	30.86			
PK	5.3908G	62.57	74.00	-11.43	52.42	3	Vertical	185	1.72	-	33.98	6.96	30.79			
AV	5.3539G	49.59	54.00	-4.41	39.52	3	Vertical	185	1.72	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 27
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1325G	61.11	74.00	-12.89	51.48	3	Horizontal	214	2.03	-	33.60	6.97	30.94			
AV	5.1496G	48.46	54.00	-5.54	38.81	3	Horizontal	214	2.03	-	33.60	6.98	30.93			
PK	5.2588G	118.67	Inf	-Inf	108.72	3	Horizontal	214	2.03	-	33.82	7.00	30.87			
AV	5.2588G	109.22	Inf	-Inf	99.27	3	Horizontal	214	2.03	-	33.82	7.00	30.87			
PK	5.3578G	62.05	74.00	-11.95	51.97	3	Horizontal	214	2.03	-	33.92	6.97	30.81			
AV	5.4097G	49.16	54.00	-4.84	38.95	3	Horizontal	214	2.03	-	34.00	6.99	30.78			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51948G	58.13	68.20	-10.07	38.94	3	Vertical	2	1.96	-	38.54	11.14	30.49			
PK	15.78021G	60.34	74.00	-13.66	43.13	3	Vertical	55	1.79	-	37.44	11.86	32.09			
AV	15.77641G	46.41	54.00	-7.59	29.19	3	Vertical	55	1.79	-	37.45	11.86	32.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52071G	58.58	68.20	-9.62	39.39	3	Horizontal	244	1.80	-	38.54	11.14	30.49			
PK	15.77576G	60.41	74.00	-13.59	43.19	3	Horizontal	298	2.38	-	37.45	11.86	32.09			
AV	15.77646G	46.53	54.00	-7.47	29.31	3	Horizontal	298	2.38	-	37.45	11.86	32.09			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 26
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3014G	126.33	Inf	-Inf	116.29	3	Vertical	335	1.34	-	33.90	6.98	30.84			
AV	5.3012G	116.16	Inf	-Inf	106.12	3	Vertical	335	1.34	-	33.90	6.98	30.84			
PK	5.3512G	66.50	74.00	-7.50	56.44	3	Vertical	335	1.34	-	33.90	6.97	30.81			
AV	5.3518G	52.61	54.00	-1.39	42.55	3	Vertical	335	1.34	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 26
02-E-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2992G	118.53	Inf	-Inf	108.48	3	Horizontal	215	1.94	-	33.90	6.99	30.84			
AV	5.299G	108.54	Inf	-Inf	98.49	3	Horizontal	215	1.94	-	33.90	6.99	30.84			
PK	5.3846G	62.25	74.00	-11.75	52.11	3	Horizontal	215	1.94	-	33.97	6.96	30.79			
AV	5.35G	49.31	54.00	-4.69	39.25	3	Horizontal	215	1.94	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 26
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6025G	58.35	74.00	-15.65	39.06	3	Vertical	42	2.51	-	38.59	11.19	30.49			
AV	10.60493G	44.39	54.00	-9.61	25.10	3	Vertical	42	2.51	-	38.59	11.19	30.49			
PK	15.9025G	60.73	74.00	-13.27	43.34	3	Vertical	279	1.80	-	37.69	11.87	32.17			
AV	15.90382G	46.61	54.00	-7.39	29.23	3	Vertical	279	1.80	-	37.68	11.87	32.17			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 26
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59744G	58.32	68.20	-9.88	39.02	3	Horizontal	48	2.81	-	38.60	11.19	30.49			
AV	10.60457G	44.50	54.00	-9.50	25.21	3	Horizontal	48	2.81	-	38.59	11.19	30.49			
PK	15.90199G	61.38	74.00	-12.62	43.99	3	Horizontal	140	1.80	-	37.69	11.87	32.17			
AV	15.90423G	46.66	54.00	-7.34	29.28	3	Horizontal	140	1.80	-	37.68	11.87	32.17			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 23
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3214G	123.21	Inf	-Inf	113.16	3	Vertical	334	1.53	-	33.90	6.98	30.83			
AV	5.3213G	113.35	Inf	-Inf	103.30	3	Vertical	334	1.53	-	33.90	6.98	30.83			
PK	5.3516G	65.86	74.00	-8.14	55.80	3	Vertical	334	1.53	-	33.90	6.97	30.81			
AV	5.3517G	52.63	54.00	-1.37	42.57	3	Vertical	334	1.53	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 23
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.322G	115.29	Inf	-Inf	105.24	3	Horizontal	197	1.80	-	33.90	6.98	30.83			
AV	5.3215G	104.31	Inf	-Inf	94.26	3	Horizontal	197	1.80	-	33.90	6.98	30.83			
PK	5.351G	62.68	74.00	-11.32	52.62	3	Horizontal	197	1.80	-	33.90	6.97	30.81			
AV	5.3511G	49.82	54.00	-4.18	39.76	3	Horizontal	197	1.80	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 23
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64052G	59.13	74.00	-14.87	39.88	3	Vertical	304	2.64	-	38.52	11.22	30.49			
AV	10.63878G	44.68	54.00	-9.32	25.43	3	Vertical	304	2.64	-	38.52	11.22	30.49			
PK	15.96217G	61.30	74.00	-12.70	44.14	3	Vertical	55	1.02	-	37.50	11.87	32.21			
AV	15.95849G	47.36	54.00	-6.64	30.19	3	Vertical	55	1.02	-	37.50	11.87	32.20			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 23
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63988G	59.10	74.00	-14.90	39.85	3	Horizontal	49	2.82	-	38.52	11.22	30.49			
AV	10.63596G	44.86	54.00	-9.14	25.61	3	Horizontal	49	2.82	-	38.53	11.21	30.49			
PK	15.95891G	62.15	74.00	-11.85	44.98	3	Horizontal	301	1.85	-	37.50	11.87	32.20			
AV	15.95556G	47.46	54.00	-6.54	30.29	3	Horizontal	301	1.85	-	37.50	11.87	32.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 22
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4532G	64.25	74.00	-9.75	53.86	3	Vertical	338	2.15	-	34.01	7.14	30.76			
AV	5.4582G	51.42	54.00	-2.58	41.00	3	Vertical	338	2.15	-	34.02	7.15	30.75			
PK	5.47G	65.66	68.20	-2.54	55.18	3	Vertical	338	2.15	-	34.04	7.19	30.75			
PK	5.5007G	123.44	Inf	-Inf	112.78	3	Vertical	338	2.15	-	34.10	7.29	30.73			
AV	5.5006G	113.66	Inf	-Inf	103.00	3	Vertical	338	2.15	-	34.10	7.29	30.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 22
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4579G	62.23	74.00	-11.77	51.81	3	Horizontal	214	1.82	-	34.02	7.15	30.75			
AV	5.4581G	49.73	54.00	-4.27	39.31	3	Horizontal	214	1.82	-	34.02	7.15	30.75			
PK	5.468G	62.65	68.20	-5.55	52.18	3	Horizontal	214	1.82	-	34.04	7.18	30.75			
PK	5.4993G	116.77	Inf	-Inf	106.11	3	Horizontal	214	1.82	-	34.10	7.29	30.73			
AV	5.4993G	106.80	Inf	-Inf	96.14	3	Horizontal	214	1.82	-	34.10	7.29	30.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 22
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00338G	59.12	74.00	-14.88	39.55	3	Vertical	66	1.80	-	38.60	11.45	30.48			
AV	11.00129G	44.34	54.00	-9.66	24.77	3	Vertical	66	1.80	-	38.60	11.45	30.48			
PK	16.50274G	64.15	68.20	-4.05	45.27	3	Vertical	331	2.71	-	38.82	12.11	32.05			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 22
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99996G	58.05	74.00	-15.95	38.49	3	Horizontal	342	1.80	-	38.60	11.44	30.48			
AV	11.00392G	44.34	54.00	-9.66	24.77	3	Horizontal	342	1.80	-	38.60	11.45	30.48			
PK	16.50143G	63.41	68.20	-4.79	44.54	3	Horizontal	67	1.80	-	38.81	12.11	32.05			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4376G	63.16	74.00	-10.84	52.84	3	Vertical	336	1.57	-	34.00	7.08	30.76			
PK	5.4608G	63.41	68.20	-4.79	52.98	3	Vertical	336	1.57	-	34.02	7.16	30.75			
AV	5.46G	50.54	54.00	-3.46	40.11	3	Vertical	336	1.57	-	34.02	7.16	30.75			
PK	5.5808G	127.60	Inf	-Inf	116.75	3	Vertical	336	1.57	-	34.00	7.56	30.71			
AV	5.5808G	117.77	Inf	-Inf	106.92	3	Vertical	336	1.57	-	34.00	7.56	30.71			
PK	5.7252G	63.28	68.20	-4.92	52.23	3	Vertical	336	1.57	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	62.33	74.00	-11.67	51.91	3	Horizontal	214	1.76	-	34.02	7.15	30.75			
AV	5.4572G	49.53	54.00	-4.47	39.12	3	Horizontal	214	1.76	-	34.01	7.15	30.75			
PK	5.4668G	61.77	68.20	-6.43	51.31	3	Horizontal	214	1.76	-	34.03	7.18	30.75			
PK	5.5792G	120.16	Inf	-Inf	109.32	3	Horizontal	214	1.76	-	34.00	7.55	30.71			
AV	5.5792G	110.59	Inf	-Inf	99.75	3	Horizontal	214	1.76	-	34.00	7.55	30.71			
PK	5.7588G	63.02	68.20	-5.18	51.91	3	Horizontal	214	1.76	-	34.02	7.76	30.67			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 26
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16295G	65.22	74.00	-8.78	45.62	3	Vertical	247	2.51	-	38.60	11.55	30.55			
AV	11.15795G	50.70	54.00	-3.30	31.10	3	Vertical	247	2.51	-	38.60	11.55	30.55			
PK	16.74035G	65.09	68.20	-3.11	44.97	3	Vertical	241	2.60	-	39.98	12.22	32.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 26
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1543G	64.34	74.00	-9.66	44.75	3	Horizontal	244	2.03	-	38.60	11.54	30.55			
AV	11.15985G	50.61	54.00	-3.39	31.01	3	Horizontal	244	2.03	-	38.60	11.55	30.55			
PK	16.7311G	65.61	68.20	-2.59	45.51	3	Horizontal	317	2.88	-	39.96	12.22	32.08			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 22
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7007G	122.53	Inf	-Inf	111.50	3	Vertical	9	1.82	-	34.00	7.71	30.68			
AV	5.7005G	112.78	Inf	-Inf	101.75	3	Vertical	9	1.82	-	34.00	7.71	30.68			
PK	5.7252G	67.17	68.20	-1.03	56.12	3	Vertical	9	1.82	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 22
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6994G	116.24	Inf	-Inf	105.21	3	Horizontal	214	1.77	-	34.00	7.71	30.68			
AV	5.6994G	106.48	Inf	-Inf	95.45	3	Horizontal	214	1.77	-	34.00	7.71	30.68			
PK	5.7255G	64.51	68.20	-3.69	53.46	3	Horizontal	214	1.77	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 22
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4228G	59.55	74.00	-14.45	39.66	3	Vertical	70	1.80	-	38.85	11.71	30.67			
AV	11.4019G	45.79	54.00	-8.21	25.95	3	Vertical	70	1.80	-	38.80	11.70	30.66			
PK	17.10355G	62.98	68.20	-5.22	41.23	3	Vertical	110	2.25	-	41.52	12.39	32.16			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 22
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3986G	59.19	74.00	-14.81	39.35	3	Horizontal	4	1.28	-	38.80	11.70	30.66			
AV	11.4131G	45.35	54.00	-8.65	25.48	3	Horizontal	4	1.28	-	38.83	11.71	30.67			
PK	17.11695G	62.47	68.20	-5.73	40.63	3	Horizontal	256	1.85	-	41.60	12.40	32.16			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7192G	126.81	Inf	-Inf	115.76	3	Vertical	346	1.79	-	34.00	7.73	30.68			
AV	5.7192G	117.28	Inf	-Inf	106.23	3	Vertical	346	1.79	-	34.00	7.73	30.68			
PK	5.866G	62.96	68.20	-5.24	51.70	3	Vertical	346	1.79	-	34.06	7.84	30.64			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7208G	119.92	Inf	-Inf	108.87	3	Horizontal	213	1.66	-	34.00	7.73	30.68			
AV	5.7196G	110.35	Inf	-Inf	99.30	3	Horizontal	213	1.66	-	34.00	7.73	30.68			
PK	5.8892G	62.76	68.20	-5.44	51.38	3	Horizontal	213	1.66	-	34.16	7.86	30.64			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25.5
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43445G	66.39	74.00	-7.61	46.48	3	Vertical	287	1.91	-	38.87	11.72	30.68			
AV	11.43865G	51.93	54.00	-2.07	32.01	3	Vertical	287	1.91	-	38.88	11.72	30.68			
PK	17.14345G	62.62	68.20	-5.58	40.62	3	Vertical	3	1.13	-	41.76	12.41	32.17			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25.5
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4344G	65.18	74.00	-8.82	45.27	3	Horizontal	248	1.87	-	38.87	11.72	30.68			
AV	11.4399G	51.90	54.00	-2.10	31.98	3	Horizontal	248	1.87	-	38.88	11.72	30.68			
PK	17.1382G	61.95	68.20	-6.25	39.98	3	Horizontal	65	1.80	-	41.73	12.41	32.17			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.635G	62.76	68.20	-5.44	51.81	3	Vertical	9	2.28	-	34.00	7.65	30.70			
PK	5.7455G	125.96	Inf	-Inf	114.88	3	Vertical	9	2.28	-	34.00	7.75	30.67			
AV	5.7455G	116.43	Inf	-Inf	105.35	3	Vertical	9	2.28	-	34.00	7.75	30.67			
PK	5.9665G	63.30	68.20	-4.90	51.78	3	Vertical	9	2.28	-	34.23	7.91	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.496G	62.93	68.20	-5.27	52.29	3	Horizontal	213	1.76	-	34.09	7.28	30.73			
PK	5.744G	119.61	Inf	-Inf	108.53	3	Horizontal	213	1.76	-	34.00	7.75	30.67			
AV	5.7445G	110.48	Inf	-Inf	99.40	3	Horizontal	213	1.76	-	34.00	7.75	30.67			
PK	5.9405G	63.16	68.20	-5.04	51.69	3	Horizontal	213	1.76	-	34.20	7.89	30.62			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48965G	65.55	74.00	-8.45	45.52	3	Vertical	287	1.95	-	38.98	11.76	30.71			
AV	11.4838G	51.28	54.00	-2.72	31.26	3	Vertical	287	1.95	-	38.97	11.75	30.70			
PK	17.25105G	63.03	68.20	-5.17	40.47	3	Vertical	11	1.80	-	42.31	12.46	32.21			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48965G	64.72	74.00	-9.28	44.69	3	Horizontal	191	1.76	-	38.98	11.76	30.71			
AV	11.48995G	50.61	54.00	-3.39	30.58	3	Horizontal	191	1.76	-	38.98	11.76	30.71			
PK	17.25525G	63.39	68.20	-4.81	40.79	3	Horizontal	105	1.80	-	42.34	12.47	32.21			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.579G	63.32	68.20	-4.88	52.48	3	Vertical	344	1.75	-	34.00	7.55	30.71			
PK	5.784G	125.45	Inf	-Inf	114.25	3	Vertical	344	1.75	-	34.07	7.79	30.66			
AV	5.7845G	116.53	Inf	-Inf	105.33	3	Vertical	344	1.75	-	34.07	7.79	30.66			
PK	5.9345G	63.12	68.20	-5.08	51.66	3	Vertical	344	1.75	-	34.20	7.89	30.63			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.574G	62.57	68.20	-5.63	51.75	3	Horizontal	215	1.73	-	34.00	7.53	30.71			
PK	5.785G	120.32	Inf	-Inf	109.12	3	Horizontal	215	1.73	-	34.07	7.79	30.66			
AV	5.7855G	110.80	Inf	-Inf	99.60	3	Horizontal	215	1.73	-	34.07	7.79	30.66			
PK	6.024G	63.58	68.20	-4.62	51.95	3	Horizontal	215	1.73	-	34.30	7.97	30.64			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56444G	64.51	74.00	-9.49	44.31	3	Vertical	286	2.13	-	39.16	11.80	30.76			
AV	11.56975G	50.83	54.00	-3.17	30.61	3	Vertical	286	2.13	-	39.18	11.81	30.77			
PK	17.3665G	62.57	68.20	-5.63	39.20	3	Vertical	85	1.00	-	43.10	12.52	32.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5644G	62.95	74.00	-11.05	42.75	3	Horizontal	247	1.80	-	39.16	11.80	30.76			
AV	11.56975G	49.69	54.00	-4.31	29.47	3	Horizontal	247	1.80	-	39.18	11.81	30.77			
PK	17.35395G	63.98	68.20	-4.22	40.70	3	Horizontal	144	2.03	-	43.02	12.51	32.25			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.578G	63.42	68.20	-4.78	52.58	3	Vertical	344	1.80	-	34.00	7.55	30.71			
PK	5.824G	126.27	Inf	-Inf	115.05	3	Vertical	344	1.80	-	34.05	7.82	30.65			
AV	5.8245G	116.73	Inf	-Inf	105.51	3	Vertical	344	1.80	-	34.05	7.82	30.65			
PK	5.985G	63.51	68.20	-4.69	51.93	3	Vertical	344	1.80	-	34.27	7.92	30.61			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.5935G	62.41	68.20	-5.79	51.52	3	Horizontal	213	1.71	-	34.00	7.60	30.71				
PK	5.8255G	119.21	Inf	-Inf	107.99	3	Horizontal	213	1.71	-	34.05	7.82	30.65				
AV	5.8255G	109.91	Inf	-Inf	98.69	3	Horizontal	213	1.71	-	34.05	7.82	30.65				
PK	6.0285G	63.16	68.20	-5.04	51.53	3	Horizontal	213	1.71	-	34.30	7.97	30.64				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6442G	64.21	74.00	-9.79	43.89	3	Vertical	286	2.09	-	39.30	11.85	30.83			
AV	11.65G	50.74	54.00	-3.26	30.42	3	Vertical	286	2.09	-	39.30	11.86	30.84			
PK	17.48985G	64.24	68.20	-3.96	39.86	3	Vertical	119	1.80	-	44.10	12.58	32.30			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64435G	62.37	74.00	-11.63	42.05	3	Horizontal	249	1.80	-	39.30	11.85	30.83			
AV	11.64995G	48.32	54.00	-5.68	28.00	3	Horizontal	249	1.80	-	39.30	11.86	30.84			
PK	17.4966G	64.28	68.20	-3.92	39.83	3	Horizontal	1	1.80	-	44.17	12.58	32.30			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 23
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	69.04	74.00	-4.96	59.40	3	Vertical	335	1.84	-	33.60	6.97	30.93			
AV	5.1457G	52.98	54.00	-1.02	43.34	3	Vertical	335	1.84	-	33.60	6.97	30.93			
PK	5.1848G	124.21	Inf	-Inf	114.45	3	Vertical	335	1.84	-	33.67	7.00	30.91			
AV	5.1811G	111.62	Inf	-Inf	101.87	3	Vertical	335	1.84	-	33.66	7.00	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 23
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1477G	63.13	74.00	-10.87	53.48	3	Horizontal	193	2.71	-	33.60	6.98	30.93			
AV	5.1488G	49.20	54.00	-4.80	39.55	3	Horizontal	193	2.71	-	33.60	6.98	30.93			
PK	5.1795G	115.90	Inf	-Inf	106.15	3	Horizontal	193	2.71	-	33.66	7.00	30.91			
AV	5.1809G	103.17	Inf	-Inf	93.42	3	Horizontal	193	2.71	-	33.66	7.00	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 23
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3602G	57.61	68.20	-10.59	38.51	3	Vertical	92	2.73	-	38.58	11.04	30.52			
PK	15.54072G	62.12	74.00	-11.88	44.19	3	Vertical	134	1.92	-	38.02	11.85	31.94			
AV	15.54015G	47.92	54.00	-6.08	29.99	3	Vertical	134	1.92	-	38.02	11.85	31.94			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 23
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3604G	57.45	68.20	-10.75	38.35	3	Horizontal	38	2.04	-	38.58	11.04	30.52			
PK	15.53943G	61.96	74.00	-12.04	44.03	3	Horizontal	162	2.84	-	38.02	11.85	31.94			
AV	15.54071G	47.94	54.00	-6.06	30.01	3	Horizontal	162	2.84	-	38.02	11.85	31.94			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26.5
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	67.75	74.00	-6.25	58.11	3	Vertical	338	1.68	-	33.60	6.97	30.93			
AV	5.1452G	52.44	54.00	-1.56	42.80	3	Vertical	338	1.68	-	33.60	6.97	30.93			
PK	5.2012G	126.76	Inf	-Inf	116.95	3	Vertical	338	1.68	-	33.70	7.01	30.90			
AV	5.2008G	114.45	Inf	-Inf	104.64	3	Vertical	338	1.68	-	33.70	7.01	30.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26.5
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	66.18	74.00	-7.82	56.53	3	Horizontal	214	1.81	-	33.60	6.98	30.93			
AV	5.15G	51.04	54.00	-2.96	41.39	3	Horizontal	214	1.81	-	33.60	6.98	30.93			
PK	5.1926G	117.68	Inf	-Inf	107.88	3	Horizontal	214	1.81	-	33.69	7.01	30.90			
AV	5.1928G	104.98	Inf	-Inf	95.18	3	Horizontal	214	1.81	-	33.69	7.01	30.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26.5
02-E-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.40089G	57.78	68.20	-10.42	38.73	3	Vertical	117	2.26	-	38.50	11.06	30.51			
PK	15.6G	61.38	74.00	-12.62	43.60	3	Vertical	353	1.45	-	37.90	11.85	31.97			
AV	15.57745G	48.04	54.00	-5.96	30.20	3	Vertical	353	1.45	-	37.95	11.85	31.96			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 26.5
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39929G	57.78	68.20	-10.42	38.73	3	Horizontal	203	2.92	-	38.50	11.06	30.51			
PK	15.5786G	61.73	74.00	-12.27	43.90	3	Horizontal	316	1.49	-	37.94	11.85	31.96			
AV	15.57675G	48.05	54.00	-5.95	30.21	3	Horizontal	316	1.49	-	37.95	11.85	31.96			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0936G	61.37	74.00	-12.63	51.82	3	Vertical	338	1.76	-	33.57	6.94	30.96			
AV	5.15G	49.24	54.00	-4.76	39.59	3	Vertical	338	1.76	-	33.60	6.98	30.93			
PK	5.2439G	127.80	Inf	-Inf	117.88	3	Vertical	338	1.76	-	33.79	7.00	30.87			
AV	5.2406G	115.55	Inf	-Inf	105.65	3	Vertical	338	1.76	-	33.78	7.00	30.88			
PK	5.354G	61.79	74.00	-12.21	51.72	3	Vertical	338	1.76	-	33.91	6.97	30.81			
AV	5.3537G	49.65	54.00	-4.35	39.58	3	Vertical	338	1.76	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	61.11	74.00	-12.89	51.46	3	Horizontal	194	3.00	-	33.60	6.98	30.93			
AV	5.1482G	48.46	54.00	-5.54	38.81	3	Horizontal	194	3.00	-	33.60	6.98	30.93			
PK	5.2397G	118.71	Inf	-Inf	108.81	3	Horizontal	194	3.00	-	33.78	7.00	30.88			
AV	5.2406G	107.36	Inf	-Inf	97.46	3	Horizontal	194	3.00	-	33.78	7.00	30.88			
PK	5.3771G	61.44	74.00	-12.56	51.32	3	Horizontal	194	3.00	-	33.95	6.97	30.80			
AV	5.3732G	48.97	54.00	-5.03	38.85	3	Horizontal	194	3.00	-	33.95	6.97	30.80			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.48025G	57.64	68.20	-10.56	38.56	3	Vertical	89	2.21	-	38.46	11.11	30.49			
PK	15.71961G	60.00	74.00	-14.00	42.63	3	Vertical	158	1.47	-	37.56	11.86	32.05			
AV	15.71922G	46.29	54.00	-7.71	28.92	3	Vertical	158	1.47	-	37.56	11.86	32.05			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47956G	57.81	68.20	-10.39	38.73	3	Horizontal	139	1.36	-	38.46	11.11	30.49			
PK	15.7192G	60.89	74.00	-13.11	43.52	3	Horizontal	77	2.72	-	37.56	11.86	32.05			
AV	15.71911G	46.27	54.00	-7.73	28.90	3	Horizontal	77	2.72	-	37.56	11.86	32.05			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1382G	61.21	74.00	-12.79	51.57	3	Vertical	340	1.74	-	33.60	6.97	30.93			
AV	5.1493G	48.92	54.00	-5.08	39.27	3	Vertical	340	1.74	-	33.60	6.98	30.93			
PK	5.2609G	127.91	Inf	-Inf	117.96	3	Vertical	340	1.74	-	33.82	6.99	30.86			
AV	5.2609G	115.12	Inf	-Inf	105.17	3	Vertical	340	1.74	-	33.82	6.99	30.86			
PK	5.3569G	62.21	74.00	-11.79	52.14	3	Vertical	340	1.74	-	33.91	6.97	30.81			
AV	5.3536G	49.77	54.00	-4.23	39.70	3	Vertical	340	1.74	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1292G	60.44	74.00	-13.56	50.82	3	Horizontal	216	1.65	-	33.60	6.96	30.94			
AV	5.1478G	48.43	54.00	-5.57	38.78	3	Horizontal	216	1.65	-	33.60	6.98	30.93			
PK	5.2582G	119.11	Inf	-Inf	109.16	3	Horizontal	216	1.65	-	33.82	7.00	30.87			
AV	5.2591G	107.18	Inf	-Inf	97.22	3	Horizontal	216	1.65	-	33.82	7.00	30.86			
PK	5.3788G	61.83	74.00	-12.17	51.70	3	Horizontal	216	1.65	-	33.96	6.97	30.80			
AV	5.3785G	49.05	54.00	-4.95	38.92	3	Horizontal	216	1.65	-	33.96	6.97	30.80			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49565G	57.59	68.20	-10.61	38.47	3	Vertical	329	1.08	-	38.49	11.12	30.49			
PK	15.78045G	60.30	74.00	-13.70	43.09	3	Vertical	11	2.25	-	37.44	11.86	32.09			
AV	15.77959G	46.01	54.00	-7.99	28.80	3	Vertical	11	2.25	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5041G	58.08	68.20	-10.12	38.93	3	Horizontal	89	2.14	-	38.51	11.13	30.49			
PK	15.78046G	60.20	74.00	-13.80	42.99	3	Horizontal	200	1.61	-	37.44	11.86	32.09			
AV	15.77938G	46.00	54.00	-8.00	28.79	3	Horizontal	200	1.61	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 25.5
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3012G	125.89	Inf	-Inf	115.85	3	Vertical	336	1.80	-	33.90	6.98	30.84			
AV	5.3018G	114.13	Inf	-Inf	104.09	3	Vertical	336	1.80	-	33.90	6.98	30.84			
PK	5.3608G	66.07	74.00	-7.93	55.99	3	Vertical	336	1.80	-	33.92	6.97	30.81			
AV	5.35G	52.31	54.00	-1.69	42.25	3	Vertical	336	1.80	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 25.5
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2984G	116.90	Inf	-Inf	106.85	3	Horizontal	215	1.58	-	33.90	6.99	30.84			
AV	5.2988G	105.16	Inf	-Inf	95.11	3	Horizontal	215	1.58	-	33.90	6.99	30.84			
PK	5.353G	62.65	74.00	-11.35	52.58	3	Horizontal	215	1.58	-	33.91	6.97	30.81			
AV	5.3514G	49.89	54.00	-4.11	39.83	3	Horizontal	215	1.58	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 25.5
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59908G	59.01	68.20	-9.19	39.71	3	Vertical	257	2.94	-	38.60	11.19	30.49			
PK	15.90005G	59.84	74.00	-14.16	42.44	3	Vertical	19	2.47	-	37.70	11.87	32.17			
AV	15.90034G	46.44	54.00	-7.56	29.04	3	Vertical	19	2.47	-	37.70	11.87	32.17			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 25.5
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60074G	58.62	74.00	-15.38	39.32	3	Horizontal	320	1.60	-	38.60	11.19	30.49			
PK	15.89955G	60.59	74.00	-13.41	43.19	3	Horizontal	137	2.92	-	37.70	11.87	32.17			
AV	15.90069G	46.47	54.00	-7.53	29.07	3	Horizontal	137	2.92	-	37.70	11.87	32.17			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 23
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3277G	124.01	Inf	-Inf	113.96	3	Vertical	332	1.62	-	33.90	6.98	30.83			
AV	5.3273G	110.74	Inf	-Inf	100.69	3	Vertical	332	1.62	-	33.90	6.98	30.83			
PK	5.3518G	66.73	74.00	-7.27	56.67	3	Vertical	332	1.62	-	33.90	6.97	30.81			
AV	5.35G	52.56	54.00	-1.44	42.50	3	Vertical	332	1.62	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 23
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3212G	117.46	Inf	-Inf	107.41	3	Horizontal	193	2.52	-	33.90	6.98	30.83			
AV	5.3209G	103.81	Inf	-Inf	93.76	3	Horizontal	193	2.52	-	33.90	6.98	30.83			
PK	5.3511G	63.25	74.00	-10.75	53.19	3	Horizontal	193	2.52	-	33.90	6.97	30.81			
AV	5.3598G	49.32	54.00	-4.68	39.24	3	Horizontal	193	2.52	-	33.92	6.97	30.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 23
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63914G	58.89	74.00	-15.11	39.64	3	Vertical	330	2.44	-	38.52	11.22	30.49			
AV	10.63915G	44.81	54.00	-9.19	25.56	3	Vertical	330	2.44	-	38.52	11.22	30.49			
PK	15.95958G	60.93	74.00	-13.07	43.76	3	Vertical	242	2.17	-	37.50	11.87	32.20			
AV	15.96076G	47.22	54.00	-6.78	30.05	3	Vertical	242	2.17	-	37.50	11.87	32.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 23
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63959G	59.35	74.00	-14.65	40.10	3	Horizontal	14	2.27	-	38.52	11.22	30.49			
AV	10.63904G	44.84	54.00	-9.16	25.59	3	Horizontal	14	2.27	-	38.52	11.22	30.49			
PK	15.95941G	61.01	74.00	-12.99	43.84	3	Horizontal	46	1.35	-	37.50	11.87	32.20			
AV	15.96076G	47.22	54.00	-6.78	30.05	3	Horizontal	46	1.35	-	37.50	11.87	32.20			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 23
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	65.40	74.00	-8.60	54.98	3	Vertical	343	2.23	-	34.02	7.15	30.75			
AV	5.46G	51.31	54.00	-2.69	40.88	3	Vertical	343	2.23	-	34.02	7.16	30.75			
PK	5.4634G	65.76	68.20	-2.44	55.31	3	Vertical	343	2.23	-	34.03	7.17	30.75			
PK	5.4994G	125.32	Inf	-Inf	114.66	3	Vertical	343	2.23	-	34.10	7.29	30.73			
AV	5.499G	112.83	Inf	-Inf	102.17	3	Vertical	343	2.23	-	34.10	7.29	30.73			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 23
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4128G	62.68	74.00	-11.32	52.46	3	Horizontal	216	1.64	-	34.00	7.00	30.78			
PK	5.4686G	62.24	68.20	-5.96	51.76	3	Horizontal	216	1.64	-	34.04	7.19	30.75			
AV	5.4578G	49.84	54.00	-4.16	39.42	3	Horizontal	216	1.64	-	34.02	7.15	30.75			
PK	5.4976G	118.24	Inf	-Inf	107.59	3	Horizontal	216	1.64	-	34.10	7.28	30.73			
AV	5.4992G	106.57	Inf	-Inf	95.91	3	Horizontal	216	1.64	-	34.10	7.29	30.73			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 23
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99907G	58.46	74.00	-15.54	38.90	3	Vertical	19	2.65	-	38.60	11.44	30.48			
AV	11.00093G	44.00	54.00	-10.00	24.43	3	Vertical	19	2.65	-	38.60	11.45	30.48			
PK	16.49948G	63.48	68.20	-4.72	44.62	3	Vertical	61	1.85	-	38.80	12.11	32.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 23
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00049G	57.90	74.00	-16.10	38.33	3	Horizontal	332	2.18	-	38.60	11.45	30.48			
AV	11.00063G	43.99	54.00	-10.01	24.42	3	Horizontal	332	2.18	-	38.60	11.45	30.48			
PK	16.49951G	63.33	68.20	-4.87	44.47	3	Horizontal	299	1.80	-	38.80	12.11	32.05			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.422G	62.76	74.00	-11.24	52.50	3	Vertical	339	2.30	-	34.00	7.03	30.77			
AV	5.4188G	50.21	54.00	-3.79	39.97	3	Vertical	339	2.30	-	34.00	7.02	30.78			
PK	5.4636G	62.13	68.20	-6.07	51.68	3	Vertical	339	2.30	-	34.03	7.17	30.75			
PK	5.582G	128.71	Inf	-Inf	117.86	3	Vertical	339	2.30	-	34.00	7.56	30.71			
AV	5.5792G	116.59	Inf	-Inf	105.75	3	Vertical	339	2.30	-	34.00	7.55	30.71			
PK	5.7684G	62.35	68.20	-5.85	51.21	3	Vertical	339	2.30	-	34.04	7.77	30.67			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.404G	62.49	74.00	-11.51	52.30	3	Horizontal	214	1.77	-	34.00	6.97	30.78			
PK	5.462G	62.64	68.20	-5.56	52.21	3	Horizontal	214	1.77	-	34.02	7.16	30.75			
AV	5.4452G	49.37	54.00	-4.63	39.02	3	Horizontal	214	1.77	-	34.00	7.11	30.76			
PK	5.5788G	121.72	Inf	-Inf	110.88	3	Horizontal	214	1.77	-	34.00	7.55	30.71			
AV	5.5788G	109.49	Inf	-Inf	98.65	3	Horizontal	214	1.77	-	34.00	7.55	30.71			
PK	5.732G	63.30	68.20	-4.90	52.23	3	Horizontal	214	1.77	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15926G	60.33	74.00	-13.67	40.73	3	Vertical	298	2.25	-	38.60	11.55	30.55			
AV	11.15903G	46.18	54.00	-7.82	26.58	3	Vertical	298	2.25	-	38.60	11.55	30.55			
PK	16.74074G	63.78	68.20	-4.42	43.66	3	Vertical	0	2.32	-	39.98	12.22	32.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 27
02-E--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1596G	60.52	74.00	-13.48	40.92	3	Horizontal	280	2.42	-	38.60	11.55	30.55			
AV	11.159G	46.18	54.00	-7.82	26.58	3	Horizontal	280	2.42	-	38.60	11.55	30.55			
PK	16.7394G	63.59	68.20	-4.61	43.47	3	Horizontal	104	1.65	-	39.98	12.22	32.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 18.5
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6993G	120.59	Inf	-Inf	109.56	3	Vertical	143	1.80	-	34.00	7.71	30.68			
AV	5.7007G	108.00	Inf	-Inf	96.97	3	Vertical	143	1.80	-	34.00	7.71	30.68			
PK	5.7261G	67.06	68.20	-1.14	56.01	3	Vertical	143	1.80	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 18.5
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7003G	114.68	Inf	-Inf	103.65	3	Horizontal	213	1.77	-	34.00	7.71	30.68			
AV	5.6994G	102.75	Inf	-Inf	91.72	3	Horizontal	213	1.77	-	34.00	7.71	30.68			
PK	5.7427G	63.56	68.20	-4.64	52.48	3	Horizontal	213	1.77	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 18.5
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39907G	59.40	74.00	-14.60	39.56	3	Vertical	307	2.30	-	38.80	11.70	30.66			
AV	11.39939G	44.85	54.00	-9.15	25.01	3	Vertical	307	2.30	-	38.80	11.70	30.66			
PK	17.09986G	63.53	68.20	-4.67	41.80	3	Vertical	42	2.71	-	41.50	12.39	32.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 18.5
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39914G	58.88	74.00	-15.12	39.04	3	Horizontal	142	1.84	-	38.80	11.70	30.66			
AV	11.39951G	44.83	54.00	-9.17	24.99	3	Horizontal	142	1.84	-	38.80	11.70	30.66			
PK	17.0999G	62.95	68.20	-5.25	41.22	3	Horizontal	251	2.75	-	41.50	12.39	32.16			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7208G	127.92	Inf	-Inf	116.87	3	Vertical	342	1.53	-	34.00	7.73	30.68			
AV	5.7208G	116.23	Inf	-Inf	105.18	3	Vertical	342	1.53	-	34.00	7.73	30.68			
PK	5.9176G	63.17	68.20	-5.03	51.72	3	Vertical	342	1.53	-	34.20	7.88	30.63			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7192G	121.31	Inf	-Inf	110.26	3	Horizontal	213	1.69	-	34.00	7.73	30.68			
AV	5.7196G	109.83	Inf	-Inf	98.78	3	Horizontal	213	1.69	-	34.00	7.73	30.68			
PK	5.8852G	63.38	68.20	-4.82	52.02	3	Horizontal	213	1.69	-	34.14	7.86	30.64			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4364G	66.65	74.00	-7.35	46.74	3	Vertical	287	1.78	-	38.87	11.72	30.68			
AV	11.4382G	51.98	54.00	-2.02	32.06	3	Vertical	287	1.78	-	38.88	11.72	30.68			
PK	17.16097G	64.78	68.20	-3.42	42.70	3	Vertical	64	1.85	-	41.84	12.42	32.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43965G	66.29	74.00	-7.71	46.37	3	Horizontal	244	1.78	-	38.88	11.72	30.68			
AV	11.43805G	51.89	54.00	-2.11	31.97	3	Horizontal	244	1.78	-	38.88	11.72	30.68			
PK	17.15953G	64.88	68.20	-3.32	42.80	3	Horizontal	291	2.18	-	41.84	12.42	32.18			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 27
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5585G	63.74	68.20	-4.46	52.98	3	Vertical	10	1.93	-	34.00	7.48	30.72			
PK	5.7465G	126.57	Inf	-Inf	115.49	3	Vertical	10	1.93	-	34.00	7.75	30.67			
AV	5.746G	115.49	Inf	-Inf	104.41	3	Vertical	10	1.93	-	34.00	7.75	30.67			
PK	5.9755G	63.48	68.20	-4.72	51.94	3	Vertical	10	1.93	-	34.25	7.91	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.535G	62.39	68.20	-5.81	51.67	3	Horizontal	214	1.76	-	34.03	7.41	30.72			
PK	5.7445G	121.72	Inf	-Inf	110.64	3	Horizontal	214	1.76	-	34.00	7.75	30.67			
AV	5.744G	110.19	Inf	-Inf	99.11	3	Horizontal	214	1.76	-	34.00	7.75	30.67			
PK	5.9665G	62.71	68.20	-5.49	51.19	3	Horizontal	214	1.76	-	34.23	7.91	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4837G	65.89	74.00	-8.11	45.87	3	Vertical	285	2.14	-	38.97	11.75	30.70			
AV	11.48845G	51.36	54.00	-2.64	31.32	3	Vertical	285	2.14	-	38.98	11.76	30.70			
PK	17.23509G	63.28	68.20	-4.92	40.81	3	Vertical	195	1.51	-	42.21	12.46	32.20			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49035G	64.62	74.00	-9.38	44.59	3	Horizontal	247	1.90	-	38.98	11.76	30.71			
AV	11.4886G	50.87	54.00	-3.13	30.83	3	Horizontal	247	1.90	-	38.98	11.76	30.70			
PK	17.23431G	64.11	68.20	-4.09	41.64	3	Horizontal	98	1.85	-	42.21	12.46	32.20			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6085G	63.46	68.20	-4.74	52.53	3	Vertical	14	1.99	-	34.00	7.63	30.70			
PK	5.785G	126.80	Inf	-Inf	115.60	3	Vertical	14	1.99	-	34.07	7.79	30.66			
AV	5.7855G	115.98	Inf	-Inf	104.78	3	Vertical	14	1.99	-	34.07	7.79	30.66			
PK	5.9735G	63.20	68.20	-5.00	51.66	3	Vertical	14	1.99	-	34.25	7.91	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5745G	63.19	68.20	-5.01	52.36	3	Horizontal	214	1.74	-	34.00	7.54	30.71			
PK	5.7845G	121.05	Inf	-Inf	109.85	3	Horizontal	214	1.74	-	34.07	7.79	30.66			
AV	5.7845G	110.39	Inf	-Inf	99.19	3	Horizontal	214	1.74	-	34.07	7.79	30.66			
PK	5.983G	63.10	68.20	-5.10	51.52	3	Horizontal	214	1.74	-	34.27	7.92	30.61			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57032G	64.22	74.00	-9.78	44.00	3	Vertical	234	2.80	-	39.18	11.81	30.77			
AV	11.56918G	49.92	54.00	-4.08	29.70	3	Vertical	234	2.80	-	39.18	11.81	30.77			
PK	17.35445G	63.63	68.20	-4.57	40.34	3	Vertical	111	2.75	-	43.03	12.51	32.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57015G	63.77	74.00	-10.23	43.55	3	Horizontal	59	2.32	-	39.18	11.81	30.77			
AV	11.57005G	48.97	54.00	-5.03	28.75	3	Horizontal	59	2.32	-	39.18	11.81	30.77			
PK	17.35511G	63.57	68.20	-4.63	40.28	3	Horizontal	169	1.43	-	43.03	12.51	32.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 27
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6205G	62.75	68.20	-5.45	51.81	3	Vertical	140	1.90	-	34.00	7.64	30.70			
PK	5.8245G	126.66	Inf	-Inf	115.44	3	Vertical	140	1.90	-	34.05	7.82	30.65			
AV	5.824G	115.89	Inf	-Inf	104.67	3	Vertical	140	1.90	-	34.05	7.82	30.65			
PK	5.942G	63.86	68.20	-4.34	52.39	3	Vertical	140	1.90	-	34.20	7.89	30.62			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 27
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5845G	62.69	68.20	-5.51	51.83	3	Horizontal	213	1.72	-	34.00	7.57	30.71			
PK	5.824G	120.29	Inf	-Inf	109.07	3	Horizontal	213	1.72	-	34.05	7.82	30.65			
AV	5.826G	109.57	Inf	-Inf	98.35	3	Horizontal	213	1.72	-	34.05	7.82	30.65			
PK	5.9915G	62.80	68.20	-5.40	51.21	3	Horizontal	213	1.72	-	34.28	7.92	30.61			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64961G	62.26	74.00	-11.74	41.94	3	Vertical	50	2.26	-	39.30	11.86	30.84			
AV	11.65082G	48.57	54.00	-5.43	28.25	3	Vertical	50	2.26	-	39.30	11.86	30.84			
PK	17.47569G	64.10	68.20	-4.10	39.86	3	Vertical	100	2.53	-	43.96	12.57	32.29			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 27
02-E-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64992G	6.33	74.00	-67.67	-13.99	3	Horizontal	181	2.12	-	39.30	11.86	30.84			
AV	11.65079G	48.53	54.00	-5.47	28.21	3	Horizontal	181	2.12	-	39.30	11.86	30.84			
PK	17.47569G	63.65	68.20	-4.55	39.41	3	Horizontal	32	1.74	-	43.96	12.57	32.29			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 16.5
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	66.09	74.00	-7.91	56.44	3	Vertical	336	1.86	-	33.60	6.98	30.93			
AV	5.15G	52.74	54.00	-1.26	43.09	3	Vertical	336	1.86	-	33.60	6.98	30.93			
PK	5.1916G	114.64	Inf	-Inf	104.86	3	Vertical	336	1.86	-	33.68	7.00	30.90			
AV	5.192G	102.22	Inf	-Inf	92.44	3	Vertical	336	1.86	-	33.68	7.00	30.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 16.5
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1454G	61.56	74.00	-12.44	51.92	3	Horizontal	216	1.63	-	33.60	6.97	30.93			
AV	5.1458G	49.48	54.00	-4.52	39.84	3	Horizontal	216	1.63	-	33.60	6.97	30.93			
PK	5.1864G	106.52	Inf	-Inf	96.76	3	Horizontal	216	1.63	-	33.67	7.00	30.91			
AV	5.1878G	94.79	Inf	-Inf	85.01	3	Horizontal	216	1.63	-	33.68	7.00	30.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 16.5
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36065G	56.97	68.20	-11.23	37.87	3	Vertical	181	1.32	-	38.58	11.04	30.52			
PK	15.5811G	61.61	74.00	-12.39	43.78	3	Vertical	57	1.36	-	37.94	11.85	31.96			
AV	15.55245G	48.28	54.00	-5.72	30.37	3	Vertical	57	1.36	-	38.00	11.85	31.94			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 16.5
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39035G	57.32	68.20	-10.88	38.26	3	Horizontal	145	1.63	-	38.52	11.06	30.52			
PK	15.54905G	61.41	74.00	-12.59	43.50	3	Horizontal	280	1.23	-	38.00	11.85	31.94			
AV	15.56765G	48.25	54.00	-5.75	30.39	3	Horizontal	280	1.23	-	37.96	11.85	31.95			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 24
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1466G	64.65	74.00	-9.35	55.00	3	Vertical	335	1.76	-	33.60	6.98	30.93			
AV	5.1499G	52.05	54.00	-1.95	42.40	3	Vertical	335	1.76	-	33.60	6.98	30.93			
PK	5.2327G	122.70	Inf	-Inf	112.81	3	Vertical	335	1.76	-	33.77	7.00	30.88			
AV	5.2321G	111.16	Inf	-Inf	101.28	3	Vertical	335	1.76	-	33.76	7.00	30.88			
PK	5.3602G	62.61	74.00	-11.39	52.53	3	Vertical	335	1.76	-	33.92	6.97	30.81			
AV	5.3542G	50.92	54.00	-3.08	40.85	3	Vertical	335	1.76	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 24
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1286G	61.30	74.00	-12.70	51.68	3	Horizontal	216	1.68	-	33.60	6.96	30.94			
AV	5.1442G	49.00	54.00	-5.00	39.36	3	Horizontal	216	1.68	-	33.60	6.97	30.93			
PK	5.2267G	114.86	Inf	-Inf	104.99	3	Horizontal	216	1.68	-	33.75	7.00	30.88			
AV	5.227G	102.20	Inf	-Inf	92.33	3	Horizontal	216	1.68	-	33.75	7.00	30.88			
PK	5.3611G	61.72	74.00	-12.28	51.64	3	Horizontal	216	1.68	-	33.92	6.97	30.81			
AV	5.3695G	49.31	54.00	-4.69	39.20	3	Horizontal	216	1.68	-	33.94	6.97	30.80			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 24
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4542G	58.76	68.20	-9.44	39.75	3	Vertical	141	1.04	-	38.41	11.10	30.50			
PK	15.6878G	60.63	74.00	-13.37	43.18	3	Vertical	56	2.03	-	37.62	11.86	32.03			
AV	15.6662G	47.53	54.00	-6.47	30.03	3	Vertical	56	2.03	-	37.67	11.85	32.02			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 24
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4743G	57.95	68.20	-10.25	38.89	3	Horizontal	169	2.04	-	38.45	11.11	30.50			
PK	15.68295G	60.73	74.00	-13.27	43.27	3	Horizontal	196	1.80	-	37.63	11.86	32.03			
AV	15.6708G	47.42	54.00	-6.58	29.92	3	Horizontal	196	1.80	-	37.66	11.86	32.02			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 24.5
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1302G	61.50	74.00	-12.50	51.88	3	Vertical	337	1.71	-	33.60	6.96	30.94			
AV	5.1479G	49.63	54.00	-4.37	39.98	3	Vertical	337	1.71	-	33.60	6.98	30.93			
PK	5.2733G	123.43	Inf	-Inf	113.45	3	Vertical	337	1.71	-	33.85	6.99	30.86			
AV	5.2721G	111.62	Inf	-Inf	101.65	3	Vertical	337	1.71	-	33.84	6.99	30.86			
PK	5.35G	64.39	74.00	-9.61	54.33	3	Vertical	337	1.71	-	33.90	6.97	30.81			
AV	5.3567G	52.12	54.00	-1.88	42.05	3	Vertical	337	1.71	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 24.5
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1335G	60.87	74.00	-13.13	51.24	3	Horizontal	214	1.88	-	33.60	6.97	30.94			
AV	5.1482G	48.72	54.00	-5.28	39.07	3	Horizontal	214	1.88	-	33.60	6.98	30.93			
PK	5.267G	114.31	Inf	-Inf	104.35	3	Horizontal	214	1.88	-	33.83	6.99	30.86			
AV	5.2661G	102.33	Inf	-Inf	92.37	3	Horizontal	214	1.88	-	33.83	6.99	30.86			
PK	5.417G	62.39	74.00	-11.61	52.15	3	Horizontal	214	1.88	-	34.00	7.02	30.78			
AV	5.35G	49.50	54.00	-4.50	39.44	3	Horizontal	214	1.88	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 24.5
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5169G	58.88	68.20	-9.32	39.70	3	Vertical	89	1.80	-	38.53	11.14	30.49			
PK	15.7876G	59.73	74.00	-14.27	42.54	3	Vertical	206	3.00	-	37.42	11.86	32.09			
AV	15.81625G	46.35	54.00	-7.65	29.17	3	Vertical	206	3.00	-	37.43	11.86	32.11			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 24.5
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5426G	57.37	68.20	-10.83	38.12	3	Horizontal	93	2.70	-	38.59	11.15	30.49			
PK	15.8133G	59.23	74.00	-14.77	42.05	3	Horizontal	290	1.13	-	37.43	11.86	32.11			
AV	15.7878G	46.20	54.00	-7.80	29.01	3	Horizontal	290	1.13	-	37.42	11.86	32.09			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 18
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.296G	116.00	Inf	-Inf	105.96	3	Vertical	332	1.80	-	33.89	6.99	30.84			
AV	5.2974G	103.43	Inf	-Inf	93.39	3	Vertical	332	1.80	-	33.89	6.99	30.84			
PK	5.356G	67.12	74.00	-6.88	57.05	3	Vertical	332	1.80	-	33.91	6.97	30.81			
AV	5.3556G	52.56	54.00	-1.44	42.49	3	Vertical	332	1.80	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 18
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3056G	108.04	Inf	-Inf	98.00	3	Horizontal	214	1.80	-	33.90	6.98	30.84			
AV	5.3062G	95.39	Inf	-Inf	85.35	3	Horizontal	214	1.80	-	33.90	6.98	30.84			
PK	5.35G	62.43	74.00	-11.57	52.37	3	Horizontal	214	1.80	-	33.90	6.97	30.81			
AV	5.3504G	50.87	54.00	-3.13	40.81	3	Horizontal	214	1.80	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 18
02-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6238G	58.91	74.00	-15.09	39.64	3	Vertical	191	2.77	-	38.55	11.21	30.49			
AV	10.63295G	45.26	54.00	-8.74	26.01	3	Vertical	191	2.77	-	38.53	11.21	30.49			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 18
02-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63135G	58.94	74.00	-15.06	39.68	3	Horizontal	198	1.44	-	38.54	11.21	30.49			
AV	10.6057G	45.21	54.00	-8.79	25.92	3	Horizontal	198	1.44	-	38.59	11.19	30.49			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 20
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4566G	64.16	74.00	-9.84	53.75	3	Vertical	336	1.79	-	34.01	7.15	30.75			
AV	5.4594G	50.58	54.00	-3.42	40.15	3	Vertical	336	1.79	-	34.02	7.16	30.75			
PK	5.4698G	67.06	68.20	-1.14	56.58	3	Vertical	336	1.79	-	34.04	7.19	30.75			
PK	5.511G	119.23	Inf	-Inf	108.55	3	Vertical	336	1.79	-	34.08	7.33	30.73			
AV	5.511G	107.00	Inf	-Inf	96.32	3	Vertical	336	1.79	-	34.08	7.33	30.73			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 20
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4166G	62.34	74.00	-11.66	52.11	3	Horizontal	215	1.70	-	34.00	7.01	30.78			
PK	5.468G	63.96	68.20	-4.24	53.49	3	Horizontal	215	1.70	-	34.04	7.18	30.75			
AV	5.4588G	50.04	54.00	-3.96	39.62	3	Horizontal	215	1.70	-	34.02	7.15	30.75			
PK	5.5076G	113.98	Inf	-Inf	103.31	3	Horizontal	215	1.70	-	34.08	7.32	30.73			
AV	5.509G	101.71	Inf	-Inf	91.04	3	Horizontal	215	1.70	-	34.08	7.32	30.73			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 20
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00515G	57.95	74.00	-16.05	38.38	3	Vertical	211	1.01	-	38.60	11.45	30.48			
AV	11.02335G	44.49	54.00	-9.51	24.92	3	Vertical	211	1.01	-	38.60	11.46	30.49			
PK	16.52005G	63.59	68.20	-4.61	44.56	3	Vertical	182	2.31	-	38.96	12.12	32.05			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 20
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0249G	57.89	74.00	-16.11	38.32	3	Horizontal	31	1.80	-	38.60	11.46	30.49			
AV	11.008G	44.75	54.00	-9.25	25.18	3	Horizontal	31	1.80	-	38.60	11.45	30.48			
PK	16.51595G	63.98	68.20	-4.22	44.98	3	Horizontal	215	1.80	-	38.93	12.12	32.05			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 25
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4381G	64.00	74.00	-10.00	53.67	3	Vertical	342	2.30	-	34.00	7.09	30.76			
AV	5.451G	51.36	54.00	-2.64	40.99	3	Vertical	342	2.30	-	34.00	7.13	30.76			
PK	5.4684G	66.81	68.20	-1.39	56.33	3	Vertical	342	2.30	-	34.04	7.19	30.75			
PK	5.5509G	124.13	Inf	-Inf	113.39	3	Vertical	342	2.30	-	34.00	7.46	30.72			
AV	5.5488G	112.91	Inf	-Inf	102.18	3	Vertical	342	2.30	-	34.00	7.45	30.72			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 25
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.442G	62.39	74.00	-11.61	52.05	3	Horizontal	217	1.70	-	34.00	7.10	30.76			
AV	5.4507G	49.86	54.00	-4.14	39.49	3	Horizontal	217	1.70	-	34.00	7.13	30.76			
PK	5.4654G	63.91	68.20	-4.29	53.45	3	Horizontal	217	1.70	-	34.03	7.18	30.75			
PK	5.5491G	117.65	Inf	-Inf	106.92	3	Horizontal	217	1.70	-	34.00	7.45	30.72			
AV	5.5491G	105.63	Inf	-Inf	94.90	3	Horizontal	217	1.70	-	34.00	7.45	30.72			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 25
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0894G	58.69	74.00	-15.31	39.11	3	Vertical	248	2.40	-	38.60	11.50	30.52			
AV	11.11715G	45.81	54.00	-8.19	26.22	3	Vertical	248	2.40	-	38.60	11.52	30.53			
PK	16.65165G	63.69	68.20	-4.51	43.78	3	Vertical	209	1.38	-	39.80	12.18	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 25
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1153G	59.52	74.00	-14.48	39.93	3	Horizontal	100	2.52	-	38.60	11.52	30.53			
AV	11.09875G	45.68	54.00	-8.32	26.10	3	Horizontal	100	2.52	-	38.60	11.51	30.53			
PK	16.6742G	64.20	68.20	-4.00	44.23	3	Horizontal	172	2.76	-	39.85	12.19	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 21
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6709G	120.01	Inf	-Inf	109.02	3	Vertical	342	1.68	-	34.00	7.68	30.69			
AV	5.6691G	107.54	Inf	-Inf	96.55	3	Vertical	342	1.68	-	34.00	7.68	30.69			
PK	5.7252G	66.89	68.20	-1.31	55.84	3	Vertical	342	1.68	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 21
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6694G	114.62	Inf	-Inf	103.63	3	Horizontal	212	1.77	-	34.00	7.68	30.69			
AV	5.6691G	102.62	Inf	-Inf	91.63	3	Horizontal	212	1.77	-	34.00	7.68	30.69			
PK	5.7417G	63.38	68.20	-4.82	52.30	3	Horizontal	212	1.77	-	34.00	7.75	30.67			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 21
02-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3176G	58.65	74.00	-15.35	38.93	3	Vertical	142	1.80	-	38.70	11.65	30.63			
AV	11.3286G	44.97	54.00	-9.03	25.25	3	Vertical	142	1.80	-	38.70	11.65	30.63			
PK	17.01935G	65.65	68.20	-2.55	44.03	3	Vertical	164	2.80	-	41.40	12.35	32.13			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 21
02-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35915G	58.57	74.00	-15.43	38.83	3	Horizontal	37	2.45	-	38.72	11.67	30.65			
AV	11.33285G	44.92	54.00	-9.08	25.19	3	Horizontal	37	2.45	-	38.70	11.66	30.63			
PK	17.01015G	65.19	68.20	-3.01	43.56	3	Horizontal	58	1.66	-	41.40	12.35	32.12			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7073G	124.13	Inf	-Inf	113.09	3	Vertical	142	1.80	-	34.00	7.72	30.68			
AV	5.7091G	112.95	Inf	-Inf	101.91	3	Vertical	142	1.80	-	34.00	7.72	30.68			
PK	5.8504G	62.75	68.20	-5.45	51.57	3	Vertical	142	1.80	-	34.00	7.83	30.65			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7094G	119.26	Inf	-Inf	108.22	3	Horizontal	214	1.78	-	34.00	7.72	30.68			
AV	5.7091G	107.24	Inf	-Inf	96.20	3	Horizontal	214	1.78	-	34.00	7.72	30.68			
PK	5.8513G	62.22	68.20	-5.98	51.03	3	Horizontal	214	1.78	-	34.01	7.83	30.65			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41652G	62.90	74.00	-11.10	43.03	3	Vertical	285	1.91	-	38.83	11.71	30.67			
AV	11.41658G	48.98	54.00	-5.02	29.11	3	Vertical	285	1.91	-	38.83	11.71	30.67			
PK	17.13724G	65.72	68.20	-2.48	43.76	3	Vertical	122	1.51	-	41.72	12.41	32.17			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41808G	62.71	74.00	-11.29	42.83	3	Horizontal	243	1.78	-	38.84	11.71	30.67			
AV	11.4192G	48.75	54.00	-5.25	28.87	3	Horizontal	243	1.78	-	38.84	11.71	30.67			
PK	17.1364G	65.40	68.20	-2.80	43.44	3	Horizontal	65	2.32	-	41.72	12.41	32.17			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 25
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6395G	67.07	68.20	-1.13	56.11	3	Vertical	13	2.01	-	34.00	7.66	30.70			
PK	5.7555G	124.01	Inf	-Inf	112.91	3	Vertical	13	2.01	-	34.01	7.76	30.67			
AV	5.756G	112.39	Inf	-Inf	101.29	3	Vertical	13	2.01	-	34.01	7.76	30.67			
PK	5.949G	63.33	68.20	-4.87	51.85	3	Vertical	13	2.01	-	34.20	7.90	30.62			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 25
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6505G	63.48	68.57	-5.09	52.50	3	Horizontal	212	1.72	-	34.00	7.67	30.69			
PK	5.756G	118.63	Inf	-Inf	107.53	3	Horizontal	212	1.72	-	34.01	7.76	30.67			
AV	5.7545G	107.09	Inf	-Inf	95.99	3	Horizontal	212	1.72	-	34.01	7.76	30.67			
PK	5.929G	63.21	68.20	-4.99	51.76	3	Horizontal	212	1.72	-	34.20	7.88	30.63			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 25
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50806G	62.58	74.00	-11.42	42.51	3	Vertical	286	2.13	-	39.02	11.77	30.72			
AV	11.50914G	48.63	54.00	-5.37	28.56	3	Vertical	286	2.13	-	39.02	11.77	30.72			
PK	17.25754G	65.14	68.20	-3.06	42.52	3	Vertical	259	1.52	-	42.36	12.47	32.21			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 25
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51164G	61.33	74.00	-12.67	41.26	3	Horizontal	191	1.68	-	39.02	11.77	30.72			
AV	11.50938G	47.81	54.00	-6.19	27.74	3	Horizontal	191	1.68	-	39.02	11.77	30.72			
PK	17.26914G	65.48	68.20	-2.72	42.78	3	Horizontal	275	1.48	-	42.45	12.47	32.22			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 25
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6145G	63.25	68.20	-4.95	52.32	3	Vertical	14	1.98	-	34.00	7.63	30.70			
PK	5.7925G	124.44	Inf	-Inf	113.22	3	Vertical	14	1.98	-	34.09	7.79	30.66			
AV	5.794G	112.60	Inf	-Inf	101.38	3	Vertical	14	1.98	-	34.09	7.79	30.66			
PK	5.9285G	63.85	68.20	-4.35	52.40	3	Vertical	14	1.98	-	34.20	7.88	30.63			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 25
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.586G	63.20	68.20	-5.00	52.34	3	Horizontal	213	1.79	-	34.00	7.57	30.71			
PK	5.7955G	118.35	Inf	-Inf	107.12	3	Horizontal	213	1.79	-	34.09	7.80	30.66			
AV	5.794G	107.36	Inf	-Inf	96.14	3	Horizontal	213	1.79	-	34.09	7.79	30.66			
PK	5.9855G	63.17	68.20	-5.03	51.59	3	Horizontal	213	1.79	-	34.27	7.92	30.61			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 25
02-E-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58776G	63.51	74.00	-10.49	43.22	3	Vertical	249	2.34	-	39.25	11.82	30.78			
AV	11.58774G	49.80	54.00	-4.20	29.51	3	Vertical	249	2.34	-	39.25	11.82	30.78			
PK	17.37664G	64.47	68.20	-3.73	41.05	3	Vertical	167	1.90	-	43.16	12.52	32.26			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 25
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58934G	63.19	74.00	-10.81	42.90	3	Horizontal	246	1.83	-	39.26	11.82	30.79			
AV	11.58966G	48.90	54.00	-5.10	28.61	3	Horizontal	246	1.83	-	39.26	11.82	30.79			
PK	17.3909G	64.94	68.20	-3.26	41.42	3	Horizontal	11	2.19	-	43.25	12.53	32.26			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 17
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	64.76	74.00	-9.24	55.12	3	Vertical	328	1.66	-	33.60	6.97	30.93			
AV	5.136G	52.22	54.00	-1.78	42.58	3	Vertical	328	1.66	-	33.60	6.97	30.93			
PK	5.216G	112.05	Inf	-Inf	102.20	3	Vertical	328	1.66	-	33.73	7.01	30.89			
AV	5.216G	99.34	Inf	-Inf	89.49	3	Vertical	328	1.66	-	33.73	7.01	30.89			
PK	5.3552G	62.27	74.00	-11.73	52.20	3	Vertical	328	1.66	-	33.91	6.97	30.81			
AV	5.354G	49.75	54.00	-4.25	39.68	3	Vertical	328	1.66	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 17
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	62.44	74.00	-11.56	52.80	3	Horizontal	214	1.79	-	33.60	6.97	30.93			
AV	5.1448G	50.48	54.00	-3.52	40.84	3	Horizontal	214	1.79	-	33.60	6.97	30.93			
PK	5.2444G	103.58	Inf	-Inf	93.66	3	Horizontal	214	1.79	-	33.79	7.00	30.87			
AV	5.2048G	91.54	Inf	-Inf	81.72	3	Horizontal	214	1.79	-	33.71	7.01	30.90			
PK	5.3792G	61.25	74.00	-12.75	51.12	3	Horizontal	214	1.79	-	33.96	6.97	30.80			
AV	5.4032G	49.27	54.00	-4.73	39.08	3	Horizontal	214	1.79	-	34.00	6.97	30.78			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 17
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42574G	57.88	68.20	-10.32	38.86	3	Vertical	239	2.97	-	38.45	11.08	30.51			
PK	15.6384G	60.61	74.00	-13.39	43.01	3	Vertical	168	1.74	-	37.75	11.85	32.00			
AV	15.62052G	47.30	54.00	-6.70	29.62	3	Vertical	168	1.74	-	37.82	11.85	31.99			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 17
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42674G	57.58	68.20	-10.62	38.56	3	Horizontal	244	2.28	-	38.45	11.08	30.51			
PK	15.62806G	60.15	74.00	-13.85	42.50	3	Horizontal	247	1.91	-	37.79	11.85	31.99			
AV	15.62092G	47.17	54.00	-6.83	29.49	3	Horizontal	247	1.91	-	37.82	11.85	31.99			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 16.5
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0952G	61.40	74.00	-12.60	51.84	3	Vertical	334	1.80	-	33.58	6.94	30.96			
AV	5.136G	48.43	54.00	-5.57	38.79	3	Vertical	334	1.80	-	33.60	6.97	30.93			
PK	5.298G	113.16	Inf	-Inf	103.11	3	Vertical	334	1.80	-	33.90	6.99	30.84			
AV	5.2964G	100.39	Inf	-Inf	90.35	3	Vertical	334	1.80	-	33.89	6.99	30.84			
PK	5.3596G	66.05	74.00	-7.95	55.97	3	Vertical	334	1.80	-	33.92	6.97	30.81			
AV	5.358G	52.95	54.00	-1.05	42.87	3	Vertical	334	1.80	-	33.92	6.97	30.81			
PK	5.4728G	62.40	68.20	-5.80	51.90	3	Vertical	334	1.80	-	34.05	7.20	30.75			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 16.5
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0976G	60.96	74.00	-13.04	51.39	3	Horizontal	195	2.42	-	33.59	6.94	30.96			
AV	5.148G	48.68	54.00	-5.32	39.03	3	Horizontal	195	2.42	-	33.60	6.98	30.93			
PK	5.2952G	105.21	Inf	-Inf	95.17	3	Horizontal	195	2.42	-	33.89	6.99	30.84			
AV	5.2936G	92.56	Inf	-Inf	82.53	3	Horizontal	195	2.42	-	33.89	6.99	30.85			
PK	5.356G	62.70	74.00	-11.30	52.63	3	Horizontal	195	2.42	-	33.91	6.97	30.81			
AV	5.3592G	50.22	54.00	-3.78	40.14	3	Horizontal	195	2.42	-	33.92	6.97	30.81			
PK	5.4776G	62.71	68.20	-5.49	52.17	3	Horizontal	195	2.42	-	34.06	7.22	30.74			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 16.5
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57973G	58.03	68.20	-10.17	38.74	3	Vertical	264	1.56	-	38.60	11.18	30.49			
PK	15.86222G	59.65	74.00	-14.35	42.38	3	Vertical	192	2.51	-	37.55	11.86	32.14			
AV	15.87474G	46.12	54.00	-7.88	28.81	3	Vertical	192	2.51	-	37.60	11.86	32.15			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 16.5
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57955G	58.03	68.20	-10.17	38.74	3	Horizontal	328	1.63	-	38.60	11.18	30.49			
PK	15.86044G	59.87	74.00	-14.13	42.61	3	Horizontal	339	1.95	-	37.54	11.86	32.14			
AV	15.8794G	46.02	54.00	-7.98	28.69	3	Horizontal	339	1.95	-	37.62	11.86	32.15			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 20
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3435G	62.30	68.20	-5.90	52.25	3	Vertical	345	2.21	-	33.90	6.97	30.82			
PK	5.46G	64.99	74.00	-9.01	54.56	3	Vertical	345	2.21	-	34.02	7.16	30.75			
AV	5.46G	51.49	54.00	-2.51	41.06	3	Vertical	345	2.21	-	34.02	7.16	30.75			
PK	5.464G	67.11	68.20	-1.09	56.66	3	Vertical	345	2.21	-	34.03	7.17	30.75			
PK	5.5295G	116.12	Inf	-Inf	105.41	3	Vertical	345	2.21	-	34.04	7.39	30.72			
AV	5.5275G	103.98	Inf	-Inf	93.27	3	Vertical	345	2.21	-	34.05	7.38	30.72			
PK	5.7575G	62.82	68.20	-5.38	51.71	3	Vertical	345	2.21	-	34.02	7.76	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 20
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3185G	62.20	68.20	-6.00	52.15	3	Horizontal	213	1.79	-	33.90	6.98	30.83			
PK	5.4435G	63.18	74.00	-10.82	52.84	3	Horizontal	213	1.79	-	34.00	7.10	30.76			
AV	5.4455G	50.43	54.00	-3.57	40.08	3	Horizontal	213	1.79	-	34.00	7.11	30.76			
PK	5.468G	62.32	68.20	-5.88	51.85	3	Horizontal	213	1.79	-	34.04	7.18	30.75			
PK	5.5275G	109.78	Inf	-Inf	99.07	3	Horizontal	213	1.79	-	34.05	7.38	30.72			
AV	5.5275G	97.46	Inf	-Inf	86.75	3	Horizontal	213	1.79	-	34.05	7.38	30.72			
PK	5.7515G	63.03	68.20	-5.17	51.94	3	Horizontal	213	1.79	-	34.00	7.76	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 20
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05995G	58.51	74.00	-15.49	38.94	3	Vertical	64	2.00	-	38.60	11.48	30.51			
AV	11.06084G	44.24	54.00	-9.76	24.67	3	Vertical	64	2.00	-	38.60	11.48	30.51			
PK	16.59019G	63.14	68.20	-5.06	43.53	3	Vertical	297	2.66	-	39.52	12.15	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 20
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06036G	57.62	74.00	-16.38	38.05	3	Horizontal	347	2.46	-	38.60	11.48	30.51			
AV	11.0607G	44.29	54.00	-9.71	24.72	3	Horizontal	347	2.46	-	38.60	11.48	30.51			
PK	16.59002G	62.59	68.20	-5.61	42.98	3	Horizontal	320	2.39	-	39.52	12.15	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 23.5
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.42G	64.05	74.00	-9.95	53.79	3	Vertical	342	1.64	-	34.00	7.03	30.77			
AV	5.4235G	51.76	54.00	-2.24	41.49	3	Vertical	342	1.64	-	34.00	7.04	30.77			
PK	5.47G	64.29	68.20	-3.91	53.81	3	Vertical	342	1.64	-	34.04	7.19	30.75			
PK	5.607G	119.42	Inf	-Inf	108.49	3	Vertical	342	1.64	-	34.00	7.63	30.70			
AV	5.6085G	108.36	Inf	-Inf	97.43	3	Vertical	342	1.64	-	34.00	7.63	30.70			
PK	5.7255G	64.53	68.20	-3.67	53.48	3	Vertical	342	1.64	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




16/11/2024

EUT_Y_2TX
Setting 23.5
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3985G	63.13	74.00	-10.87	52.96	3	Horizontal	212	1.80	-	34.00	6.96	30.79			
PK	5.4615G	61.47	68.20	-6.73	51.04	3	Horizontal	212	1.80	-	34.02	7.16	30.75			
AV	5.4455G	49.88	54.00	-4.12	39.53	3	Horizontal	212	1.80	-	34.00	7.11	30.76			
PK	5.6095G	112.20	Inf	-Inf	101.27	3	Horizontal	212	1.80	-	34.00	7.63	30.70			
AV	5.609G	100.44	Inf	-Inf	89.51	3	Horizontal	212	1.80	-	34.00	7.63	30.70			
PK	5.725G	63.72	68.20	-4.48	52.67	3	Horizontal	212	1.80	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 23.5
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22892G	58.23	74.00	-15.77	38.57	3	Vertical	201	2.11	-	38.66	11.59	30.59			
AV	11.22792G	44.57	54.00	-9.43	24.90	3	Vertical	201	2.11	-	38.66	11.59	30.58			
PK	16.82552G	64.08	68.20	-4.12	43.47	3	Vertical	331	2.41	-	40.45	12.26	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 23.5
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21122G	58.10	74.00	-15.90	38.48	3	Horizontal	287	1.23	-	38.62	11.58	30.58			
AV	11.22112G	44.46	54.00	-9.54	24.81	3	Horizontal	287	1.23	-	38.64	11.59	30.58			
PK	16.83834G	64.21	68.20	-3.99	43.51	3	Horizontal	150	2.65	-	40.53	12.27	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.445G	63.75	74.00	-10.25	53.40	3	Vertical	341	1.80	-	34.00	7.11	30.76			
PK	5.465G	63.43	68.20	-4.77	52.98	3	Vertical	341	1.80	-	34.03	7.17	30.75			
AV	5.4575G	51.29	54.00	-2.71	40.87	3	Vertical	341	1.80	-	34.02	7.15	30.75			
PK	5.689G	123.04	Inf	-Inf	112.02	3	Vertical	341	1.80	-	34.00	7.70	30.68			
AV	5.689G	109.58	Inf	-Inf	98.56	3	Vertical	341	1.80	-	34.00	7.70	30.68			
PK	5.8505G	67.14	68.20	-1.06	55.96	3	Vertical	341	1.80	-	34.00	7.83	30.65			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.444G	62.01	74.00	-11.99	51.66	3	Horizontal	213	1.80	-	34.00	7.11	30.76			
PK	5.4625G	61.81	68.20	-6.39	51.37	3	Horizontal	213	1.80	-	34.02	7.17	30.75			
AV	5.4595G	49.83	54.00	-4.17	39.40	3	Horizontal	213	1.80	-	34.02	7.16	30.75			
PK	5.6895G	116.31	Inf	-Inf	105.29	3	Horizontal	213	1.80	-	34.00	7.70	30.68			
AV	5.689G	103.97	Inf	-Inf	92.95	3	Horizontal	213	1.80	-	34.00	7.70	30.68			
PK	5.8565G	63.99	68.20	-4.21	52.76	3	Horizontal	213	1.80	-	34.03	7.84	30.64			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.37358G	59.64	74.00	-14.36	39.86	3	Vertical	282	1.90	-	38.75	11.68	30.65				
AV	11.37602G	46.01	54.00	-7.99	26.23	3	Vertical	282	1.90	-	38.75	11.68	30.65				
PK	17.07294G	65.11	68.20	-3.09	43.43	3	Vertical	19	1.04	-	41.45	12.38	32.15				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37706G	60.04	74.00	-13.96	40.26	3	Horizontal	243	1.78	-	38.75	11.68	30.65			
AV	11.379G	45.84	54.00	-8.16	26.04	3	Horizontal	243	1.78	-	38.76	11.69	30.65			
PK	17.0791G	65.24	68.20	-2.96	43.55	3	Horizontal	312	2.31	-	41.46	12.38	32.15			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 23
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.638G	66.75	68.20	-1.45	55.80	3	Vertical	12	2.01	-	34.00	7.65	30.70			
PK	5.777G	120.35	Inf	-Inf	109.18	3	Vertical	12	2.01	-	34.05	7.78	30.66			
AV	5.776G	107.91	Inf	-Inf	96.74	3	Vertical	12	2.01	-	34.05	7.78	30.66			
PK	5.9355G	64.85	68.20	-3.35	53.39	3	Vertical	12	2.01	-	34.20	7.89	30.63			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 23
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6515G	66.12	69.31	-3.19	55.14	3	Horizontal	213	1.79	-	34.00	7.67	30.69			
PK	5.776G	115.44	Inf	-Inf	104.27	3	Horizontal	213	1.79	-	34.05	7.78	30.66			
AV	5.774G	102.60	Inf	-Inf	91.43	3	Horizontal	213	1.79	-	34.05	7.78	30.66			
PK	6G	63.22	68.20	-4.98	51.60	3	Horizontal	213	1.79	-	34.30	7.93	30.61			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 23
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5569G	57.78	74.00	-16.22	37.61	3	Vertical	18	3.00	-	39.13	11.80	30.76			
AV	11.55078G	44.81	54.00	-9.19	24.67	3	Vertical	18	3.00	-	39.10	11.79	30.75			
PK	17.31856G	65.40	68.20	-2.80	42.32	3	Vertical	316	1.47	-	42.81	12.50	32.23			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 23
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54588G	58.30	74.00	-15.70	38.17	3	Horizontal	188	2.61	-	39.09	11.79	30.75			
AV	11.55078G	44.78	54.00	-9.22	24.64	3	Horizontal	188	2.61	-	39.10	11.79	30.75			
PK	17.31862G	65.40	68.20	-2.80	42.32	3	Horizontal	243	1.80	-	42.81	12.50	32.23			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 16
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1156G	64.61	74.00	-9.39	55.00	3	Vertical	331	1.63	-	33.60	6.96	30.95			
AV	5.114G	51.47	54.00	-2.53	41.87	3	Vertical	331	1.63	-	33.60	6.95	30.95			
PK	5.2572G	108.99	Inf	-Inf	99.05	3	Vertical	331	1.63	-	33.81	7.00	30.87			
AV	5.2564G	96.63	Inf	-Inf	86.69	3	Vertical	331	1.63	-	33.81	7.00	30.87			
PK	5.3628G	65.09	74.00	-8.91	55.00	3	Vertical	331	1.63	-	33.93	6.97	30.81			
AV	5.3588G	52.98	54.00	-1.02	42.90	3	Vertical	331	1.63	-	33.92	6.97	30.81			
PK	5.5484G	62.15	68.20	-6.05	51.42	3	Vertical	331	1.63	-	34.00	7.45	30.72			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 16
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0284G	61.00	74.00	-13.00	51.69	3	Horizontal	213	1.78	-	33.40	6.90	30.99			
AV	5.1428G	49.27	54.00	-4.73	39.63	3	Horizontal	213	1.78	-	33.60	6.97	30.93			
PK	5.2636G	99.75	Inf	-Inf	89.79	3	Horizontal	213	1.78	-	33.83	6.99	30.86			
AV	5.2428G	88.30	Inf	-Inf	78.38	3	Horizontal	213	1.78	-	33.79	7.00	30.87			
PK	5.4092G	61.89	74.00	-12.11	51.68	3	Horizontal	213	1.78	-	34.00	6.99	30.78			
AV	5.4068G	49.63	54.00	-4.37	39.43	3	Horizontal	213	1.78	-	34.00	6.98	30.78			
PK	5.498G	63.25	68.20	-4.95	52.60	3	Horizontal	213	1.78	-	34.10	7.28	30.73			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 16
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49148G	57.32	68.20	-10.88	38.21	3	Vertical	117	2.57	-	38.48	11.12	30.49			
PK	15.75904G	59.55	74.00	-14.45	42.29	3	Vertical	216	1.38	-	37.48	11.86	32.08			
AV	15.74684G	46.10	54.00	-7.90	28.80	3	Vertical	216	1.38	-	37.51	11.86	32.07			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 16
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50568G	57.62	68.20	-10.58	38.47	3	Horizontal	79	2.50	-	38.51	11.13	30.49			
PK	15.74638G	59.61	74.00	-14.39	42.31	3	Horizontal	21	1.11	-	37.51	11.86	32.07			
AV	15.7431G	46.08	54.00	-7.92	28.78	3	Horizontal	21	1.11	-	37.51	11.86	32.07			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 18
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3335G	62.97	68.20	-5.23	52.91	3	Vertical	331	1.43	-	33.90	6.98	30.82			
PK	5.394G	66.52	74.00	-7.48	56.36	3	Vertical	331	1.43	-	33.99	6.96	30.79			
AV	5.416G	52.37	54.00	-1.63	42.14	3	Vertical	331	1.43	-	34.00	7.01	30.78			
PK	5.4675G	63.38	68.20	-4.82	52.92	3	Vertical	331	1.43	-	34.03	7.18	30.75			
PK	5.5565G	110.15	Inf	-Inf	99.39	3	Vertical	331	1.43	-	34.00	7.48	30.72			
AV	5.576G	97.59	Inf	-Inf	86.76	3	Vertical	331	1.43	-	34.00	7.54	30.71			
PK	5.7355G	65.37	68.20	-2.83	54.30	3	Vertical	331	1.43	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 18
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3475G	61.57	68.20	-6.63	51.52	3	Horizontal	216	1.80	-	33.90	6.97	30.82			
PK	5.4395G	62.55	74.00	-11.45	52.22	3	Horizontal	216	1.80	-	34.00	7.09	30.76			
AV	5.444G	50.20	54.00	-3.80	39.85	3	Horizontal	216	1.80	-	34.00	7.11	30.76			
PK	5.4655G	61.74	68.20	-6.46	51.28	3	Horizontal	216	1.80	-	34.03	7.18	30.75			
PK	5.5645G	102.62	Inf	-Inf	91.83	3	Horizontal	216	1.80	-	34.00	7.50	30.71			
AV	5.5675G	91.38	Inf	-Inf	80.58	3	Horizontal	216	1.80	-	34.00	7.51	30.71			
PK	5.725G	63.52	68.20	-4.68	52.47	3	Horizontal	216	1.80	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 18
02-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1337G	58.40	74.00	-15.60	38.81	3	Vertical	110	2.99	-	38.60	11.53	30.54			
AV	11.1345G	44.36	54.00	-9.64	24.77	3	Vertical	110	2.99	-	38.60	11.53	30.54			
PK	16.70634G	63.06	68.20	-5.14	43.02	3	Vertical	56	1.79	-	39.91	12.21	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 18
02-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1494G	57.82	74.00	-16.18	38.23	3	Horizontal	272	2.10	-	38.60	11.54	30.55			
AV	11.13798G	44.30	54.00	-9.70	24.71	3	Horizontal	272	2.10	-	38.60	11.53	30.54			
PK	16.71126G	63.88	68.20	-4.32	43.83	3	Horizontal	67	2.36	-	39.92	12.21	32.08			

5.47-5.725GHz_EHT240_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 16
02-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3324G	66.32	68.20	-1.88	56.26	3	Vertical	330	1.79	-	33.90	6.98	30.82			
AV	5.354G	52.15	54.00	-1.85	42.08	3	Vertical	330	1.79	-	33.91	6.97	30.81			
PK	5.386G	65.25	74.00	-8.75	55.11	3	Vertical	330	1.79	-	33.97	6.96	30.79			
PK	5.47G	65.12	68.20	-3.08	54.64	3	Vertical	330	1.79	-	34.04	7.19	30.75			
PK	5.4972G	105.52	Inf	-Inf	94.88	3	Vertical	330	1.79	-	34.09	7.28	30.73			
AV	5.5172G	93.66	Inf	-Inf	82.97	3	Vertical	330	1.79	-	34.07	7.35	30.73			
PK	5.8668G	64.08	68.20	-4.12	52.81	3	Vertical	330	1.79	-	34.07	7.84	30.64			

5.47-5.725GHz_EHT240_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 16
02-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2548G	62.87	68.20	-5.33	52.93	3	Horizontal	214	1.68	-	33.81	7.00	30.87			
PK	5.4036G	62.37	74.00	-11.63	52.18	3	Horizontal	214	1.68	-	34.00	6.97	30.78			
AV	5.362G	50.10	54.00	-3.90	40.02	3	Horizontal	214	1.68	-	33.92	6.97	30.81			
PK	5.4684G	63.43	68.20	-4.77	52.95	3	Horizontal	214	1.68	-	34.04	7.19	30.75			
PK	5.5284G	101.27	Inf	-Inf	90.57	3	Horizontal	214	1.68	-	34.04	7.38	30.72			
AV	5.5076G	89.34	Inf	-Inf	78.67	3	Horizontal	214	1.68	-	34.08	7.32	30.73			
PK	5.8756G	63.48	68.20	-4.72	52.17	3	Horizontal	214	1.68	-	34.10	7.85	30.64			

5.47-5.725GHz_EHT240_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 16
02-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21992G	58.21	74.00	-15.79	38.57	3	Vertical	6	1.65	-	38.64	11.58	30.58			
AV	11.21318G	44.49	54.00	-9.51	24.86	3	Vertical	6	1.65	-	38.63	11.58	30.58			
PK	16.82754G	64.11	68.20	-4.09	43.48	3	Vertical	1	1.80	-	40.47	12.26	32.10			

5.47-5.725GHz_EHT240_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX



EUT_Y_2TX
Setting 16
02-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21056G	58.66	74.00	-15.34	39.04	3	Horizontal	134	1.00	-	38.62	11.58	30.58			
AV	11.22856G	44.78	54.00	-9.22	25.12	3	Horizontal	134	1.00	-	38.66	11.59	30.59			
PK	16.8188G	63.69	68.20	-4.51	43.11	3	Horizontal	168	1.80	-	40.41	12.26	32.09			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.96	54.00	-1.04	3	Vertical	290	2.13	-

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 25
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1489G	64.11	74.00	-9.89	54.46	3	Vertical	0.3	1.83	-	33.60	6.98	30.93			
AV	5.1496G	51.76	54.00	-2.24	42.11	3	Vertical	0.3	1.83	-	33.60	6.98	30.93			
PK	5.1788G	119.95	Inf	-Inf	110.20	3	Vertical	0.3	1.83	-	33.66	7.00	30.91			
AV	5.1809G	109.01	Inf	-Inf	99.26	3	Vertical	0.3	1.83	-	33.66	7.00	30.91			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 25
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1463G	70.79	74.00	-3.21	61.14	3	Horizontal	246	2.03	-	33.60	6.98	30.93			
AV	5.1496G	52.26	54.00	-1.74	42.61	3	Horizontal	246	2.03	-	33.60	6.98	30.93			
PK	5.1804G	114.39	Inf	-Inf	104.64	3	Horizontal	246	2.03	-	33.66	7.00	30.91			
AV	5.1793G	103.49	Inf	-Inf	93.74	3	Horizontal	246	2.03	-	33.66	7.00	30.91			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 25
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36672G	57.56	68.20	-10.64	38.47	3	Vertical	161	2.84	-	38.57	11.04	30.52			
PK	15.55338G	58.43	74.00	-15.57	40.53	3	Vertical	170	1.80	-	37.99	11.85	31.94			
AV	15.5265G	45.60	54.00	-8.40	27.63	3	Vertical	170	1.80	-	38.05	11.85	31.93			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 25
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37368G	57.54	68.20	-10.66	38.46	3	Horizontal	7	1.80	-	38.55	11.05	30.52			
PK	15.55041G	57.98	74.00	-16.02	40.07	3	Horizontal	91	2.10	-	38.00	11.85	31.94			
AV	15.54612G	45.56	54.00	-8.44	27.64	3	Horizontal	91	2.10	-	38.01	11.85	31.94			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	71.03	74.00	-2.97	61.38	3	Vertical	295	1.80	-	33.60	6.98	30.93			
AV	5.147G	49.21	54.00	-4.79	39.56	3	Vertical	295	1.80	-	33.60	6.98	30.93			
PK	5.201G	121.41	Inf	-Inf	111.60	3	Vertical	295	1.80	-	33.70	7.01	30.90			
AV	5.207G	110.64	Inf	-Inf	100.81	3	Vertical	295	1.80	-	33.71	7.01	30.89			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1406G	59.19	74.00	-14.81	49.55	3	Horizontal	175	2.96	-	33.60	6.97	30.93			
AV	5.1084G	46.70	54.00	-7.30	37.10	3	Horizontal	175	2.96	-	33.60	6.95	30.95			
PK	5.192G	111.12	Inf	-Inf	101.34	3	Horizontal	175	2.96	-	33.68	7.00	30.90			
AV	5.1972G	102.29	Inf	-Inf	92.49	3	Horizontal	175	2.96	-	33.69	7.01	30.90			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.3856G	57.60	68.20	-10.60	38.54	3	Vertical	334	1.03	-	38.53	11.05	30.52			
PK	15.59733G	58.53	74.00	-15.47	40.74	3	Vertical	199	1.77	-	37.91	11.85	31.97			
AV	15.60054G	45.71	54.00	-8.29	27.93	3	Vertical	199	1.77	-	37.90	11.85	31.97			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39964G	57.24	68.20	-10.96	38.19	3	Horizontal	0	1.80	-	38.50	11.06	30.51			
PK	15.59463G	58.39	74.00	-15.61	40.60	3	Horizontal	325	1.00	-	37.91	11.85	31.97			
AV	15.59478G	45.67	54.00	-8.33	27.88	3	Horizontal	325	1.00	-	37.91	11.85	31.97			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1296G	59.89	74.00	-14.11	50.27	3	Vertical	354	1.80	-	33.60	6.96	30.94			
AV	5.144G	47.47	54.00	-6.53	37.83	3	Vertical	354	1.80	-	33.60	6.97	30.93			
PK	5.2382G	120.91	Inf	-Inf	111.01	3	Vertical	354	1.80	-	33.78	7.00	30.88			
AV	5.243G	108.71	Inf	-Inf	98.79	3	Vertical	354	1.80	-	33.79	7.00	30.87			
PK	5.3528G	60.43	74.00	-13.57	50.36	3	Vertical	354	1.80	-	33.91	6.97	30.81			
AV	5.3543G	47.84	54.00	-6.16	37.77	3	Vertical	354	1.80	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1461G	59.15	74.00	-14.85	49.51	3	Horizontal	178	2.94	-	33.60	6.97	30.93			
AV	5.1326G	46.54	54.00	-7.46	36.91	3	Horizontal	178	2.94	-	33.60	6.97	30.94			
PK	5.2418G	112.08	Inf	-Inf	102.17	3	Horizontal	178	2.94	-	33.78	7.00	30.87			
AV	5.2367G	101.23	Inf	-Inf	91.34	3	Horizontal	178	2.94	-	33.77	7.00	30.88			
PK	5.354G	59.41	74.00	-14.59	49.34	3	Horizontal	178	2.94	-	33.91	6.97	30.81			
AV	5.354G	47.19	54.00	-6.81	37.12	3	Horizontal	178	2.94	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4914G	57.43	68.20	-10.77	38.32	3	Vertical	330	1.17	-	38.48	11.12	30.49			
PK	15.72369G	56.77	74.00	-17.23	39.41	3	Vertical	82	2.22	-	37.55	11.86	32.05			
AV	15.7296G	44.82	54.00	-9.18	27.48	3	Vertical	82	2.22	-	37.54	11.86	32.06			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49272G	58.12	68.20	-10.08	39.00	3	Horizontal	43	1.80	-	38.49	11.12	30.49			
PK	15.714G	56.54	74.00	-17.46	39.16	3	Horizontal	158	1.79	-	37.57	11.86	32.05			
AV	15.73032G	44.81	54.00	-9.19	27.47	3	Horizontal	158	1.79	-	37.54	11.86	32.06			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1499G	59.11	74.00	-14.89	49.46	3	Vertical	293	1.80	-	33.60	6.98	30.93			
AV	5.1463G	47.05	54.00	-6.95	37.40	3	Vertical	293	1.80	-	33.60	6.98	30.93			
PK	5.269G	118.21	Inf	-Inf	108.24	3	Vertical	293	1.80	-	33.84	6.99	30.86			
AV	5.2624G	106.92	Inf	-Inf	96.97	3	Vertical	293	1.80	-	33.82	6.99	30.86			
PK	5.3584G	59.87	74.00	-14.13	49.79	3	Vertical	293	1.80	-	33.92	6.97	30.81			
AV	5.3542G	49.00	54.00	-5.00	38.93	3	Vertical	293	1.80	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	59.77	74.00	-14.23	50.15	3	Horizontal	241	1.79	-	33.60	6.96	30.94			
AV	5.1103G	46.47	54.00	-7.53	36.87	3	Horizontal	241	1.79	-	33.60	6.95	30.95			
PK	5.2666G	108.55	Inf	-Inf	98.59	3	Horizontal	241	1.79	-	33.83	6.99	30.86			
AV	5.2681G	96.81	Inf	-Inf	86.84	3	Horizontal	241	1.79	-	33.84	6.99	30.86			
PK	5.3953G	59.29	74.00	-14.71	49.13	3	Horizontal	241	1.79	-	33.99	6.96	30.79			
AV	5.4019G	47.13	54.00	-6.87	36.94	3	Horizontal	241	1.79	-	34.00	6.97	30.78			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52363G	57.17	68.20	-11.03	37.97	3	Vertical	70	2.78	-	38.55	11.14	30.49			
PK	15.77724G	56.82	74.00	-17.18	39.60	3	Vertical	267	1.76	-	37.45	11.86	32.09			
AV	15.76689G	44.66	54.00	-9.34	27.41	3	Vertical	267	1.76	-	37.47	11.86	32.08			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5131G	57.97	68.20	-10.23	38.79	3	Horizontal	190	2.04	-	38.53	11.14	30.49			
PK	15.78573G	57.24	74.00	-16.76	40.04	3	Horizontal	98	2.08	-	37.43	11.86	32.09			
AV	15.77979G	44.63	54.00	-9.37	27.42	3	Horizontal	98	2.08	-	37.44	11.86	32.09			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3024G	116.92	Inf	-Inf	106.88	3	Vertical	333	1.80	-	33.90	6.98	30.84			
AV	5.3014G	107.25	Inf	-Inf	97.21	3	Vertical	333	1.80	-	33.90	6.98	30.84			
PK	5.3512G	68.95	74.00	-5.05	58.89	3	Vertical	333	1.80	-	33.90	6.97	30.81			
AV	5.3538G	49.17	54.00	-4.83	39.10	3	Vertical	333	1.80	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.302G	108.15	Inf	-Inf	98.11	3	Horizontal	239	1.74	-	33.90	6.98	30.84			
AV	5.3026G	97.24	Inf	-Inf	87.20	3	Horizontal	239	1.74	-	33.90	6.98	30.84			
PK	5.3548G	59.58	74.00	-14.42	49.51	3	Horizontal	239	1.74	-	33.91	6.97	30.81			
AV	5.3798G	46.94	54.00	-7.06	36.81	3	Horizontal	239	1.74	-	33.96	6.97	30.80			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6102G	57.91	74.00	-16.09	38.62	3	Vertical	351	2.21	-	38.58	11.20	30.49			
AV	10.61083G	45.97	54.00	-8.03	26.68	3	Vertical	351	2.21	-	38.58	11.20	30.49			
PK	15.88935G	56.39	74.00	-17.61	39.02	3	Vertical	247	1.94	-	37.66	11.87	32.16			
AV	15.89664G	44.71	54.00	-9.29	27.31	3	Vertical	247	1.94	-	37.69	11.87	32.16			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60387G	57.60	74.00	-16.40	38.31	3	Horizontal	69	1.05	-	38.59	11.19	30.49			
AV	10.61143G	45.99	54.00	-8.01	26.70	3	Horizontal	69	1.05	-	38.58	11.20	30.49			
PK	15.90312G	56.74	74.00	-17.26	39.35	3	Horizontal	360	1.39	-	37.69	11.87	32.17			
AV	15.89391G	44.67	54.00	-9.33	27.28	3	Horizontal	360	1.39	-	37.68	11.87	32.16			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 23
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3213G	120.22	Inf	-Inf	110.17	3	Vertical	293.4	1.79	-	33.90	6.98	30.83			
AV	5.3193G	108.98	Inf	-Inf	98.93	3	Vertical	293.4	1.79	-	33.90	6.98	30.83			
PK	5.3527G	62.00	74.00	-12.00	51.93	3	Vertical	293.4	1.79	-	33.91	6.97	30.81			
AV	5.3537G	50.84	54.00	-3.16	40.77	3	Vertical	293.4	1.79	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3218G	109.03	Inf	-Inf	98.98	3	Horizontal	240	1.80	-	33.90	6.98	30.83			
AV	5.3221G	97.57	Inf	-Inf	87.52	3	Horizontal	240	1.80	-	33.90	6.98	30.83			
PK	5.3553G	64.68	74.00	-9.32	54.61	3	Horizontal	240	1.80	-	33.91	6.97	30.81			
AV	5.3555G	47.41	54.00	-6.59	37.34	3	Horizontal	240	1.80	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6328G	57.98	74.00	-16.02	38.73	3	Vertical	199	1.40	-	38.53	11.21	30.49			
AV	10.64528G	45.98	54.00	-8.02	26.74	3	Vertical	199	1.40	-	38.51	11.22	30.49			
PK	15.95982G	56.59	74.00	-17.41	39.42	3	Vertical	331	1.81	-	37.50	11.87	32.20			
AV	15.94554G	44.14	54.00	-9.86	26.95	3	Vertical	331	1.81	-	37.52	11.87	32.20			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64501G	58.39	74.00	-15.61	39.15	3	Horizontal	21	1.73	-	38.51	11.22	30.49			
AV	10.63262G	45.90	54.00	-8.10	26.65	3	Horizontal	21	1.73	-	38.53	11.21	30.49			
PK	15.96975G	56.63	74.00	-17.37	39.47	3	Horizontal	218	2.88	-	37.50	11.87	32.21			
AV	15.96522G	44.25	54.00	-9.75	27.09	3	Horizontal	218	2.88	-	37.50	11.87	32.21			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 22
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	61.49	74.00	-12.51	51.11	3	Vertical	284	1.68	-	34.01	7.13	30.76			
AV	5.4572G	49.47	54.00	-4.53	39.06	3	Vertical	284	1.68	-	34.01	7.15	30.75			
PK	5.4667G	62.07	68.20	-6.13	51.61	3	Vertical	284	1.68	-	34.03	7.18	30.75			
PK	5.4991G	119.99	Inf	-Inf	109.33	3	Vertical	284	1.68	-	34.10	7.29	30.73			
AV	5.5007G	108.21	Inf	-Inf	97.55	3	Vertical	284	1.68	-	34.10	7.29	30.73			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4567G	61.56	74.00	-12.44	51.15	3	Horizontal	213	1.80	-	34.01	7.15	30.75			
AV	5.4596G	47.55	54.00	-6.45	37.12	3	Horizontal	213	1.80	-	34.02	7.16	30.75			
PK	5.4685G	61.42	68.20	-6.78	50.94	3	Horizontal	213	1.80	-	34.04	7.19	30.75			
PK	5.5084G	106.35	Inf	-Inf	95.68	3	Horizontal	213	1.80	-	34.08	7.32	30.73			
AV	5.4989G	97.30	Inf	-Inf	86.64	3	Horizontal	213	1.80	-	34.10	7.29	30.73			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98512G	58.05	74.00	-15.95	38.49	3	Vertical	67	2.27	-	38.60	11.44	30.48			
AV	11.00966G	45.77	54.00	-8.23	26.20	3	Vertical	67	2.27	-	38.60	11.45	30.48			
PK	16.50162G	58.01	68.20	-10.19	39.14	3	Vertical	201	1.55	-	38.81	12.11	32.05			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99709G	58.15	74.00	-15.85	38.59	3	Horizontal	321	2.31	-	38.60	11.44	30.48			
AV	10.99058G	45.90	54.00	-8.10	26.34	3	Horizontal	321	2.31	-	38.60	11.44	30.48			
PK	16.48689G	57.63	68.20	-10.57	38.86	3	Horizontal	313	2.69	-	38.72	12.10	32.05			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 22
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4524G	60.81	74.00	-13.19	50.44	3	Vertical	287	2.28	-	34.00	7.13	30.76			
AV	5.4152G	48.78	54.00	-5.22	38.55	3	Vertical	287	2.28	-	34.00	7.01	30.78			
PK	5.4632G	59.52	68.20	-8.68	49.07	3	Vertical	287	2.28	-	34.03	7.17	30.75			
PK	5.5824G	116.00	Inf	-Inf	105.15	3	Vertical	287	2.28	-	34.00	7.56	30.71			
AV	5.5784G	106.25	Inf	-Inf	95.41	3	Vertical	287	2.28	-	34.00	7.55	30.71			
PK	5.7716G	62.02	68.20	-6.18	50.87	3	Vertical	287	2.28	-	34.04	7.77	30.66			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 22
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4544G	59.19	74.00	-14.81	48.80	3	Horizontal	235	1.80	-	34.01	7.14	30.76			
AV	5.458G	47.53	54.00	-6.47	37.11	3	Horizontal	235	1.80	-	34.02	7.15	30.75			
PK	5.4696G	59.20	68.20	-9.00	48.72	3	Horizontal	235	1.80	-	34.04	7.19	30.75			
PK	5.578G	107.31	Inf	-Inf	96.47	3	Horizontal	235	1.80	-	34.00	7.55	30.71			
AV	5.5828G	96.24	Inf	-Inf	85.39	3	Horizontal	235	1.80	-	34.00	7.56	30.71			
PK	5.7508G	61.50	68.20	-6.70	50.41	3	Horizontal	235	1.80	-	34.00	7.76	30.67			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16414G	58.81	74.00	-15.19	39.22	3	Vertical	21	1.75	-	38.60	11.55	30.56			
AV	11.16816G	45.76	54.00	-8.24	26.17	3	Vertical	21	1.75	-	38.60	11.55	30.56			
PK	16.75167G	60.13	68.20	-8.07	39.98	3	Vertical	168	2.16	-	40.01	12.23	32.09			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17224G	58.59	74.00	-15.41	39.00	3	Horizontal	54	1.80	-	38.60	11.55	30.56			
AV	11.17176G	45.72	54.00	-8.28	26.13	3	Horizontal	54	1.80	-	38.60	11.55	30.56			
PK	16.75023G	60.18	68.20	-8.02	40.04	3	Horizontal	220	1.01	-	40.00	12.23	32.09			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 22
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7005G	118.43	Inf	-Inf	107.40	3	Vertical	4	1.78	-	34.00	7.71	30.68			
AV	5.7006G	106.92	Inf	-Inf	95.89	3	Vertical	4	1.78	-	34.00	7.71	30.68			
PK	5.7254G	67.09	68.20	-1.11	56.04	3	Vertical	4	1.78	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1-6
TXBF

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7014G	106.90	Inf	-Inf	95.87	3	Horizontal	143	1.73	-	34.00	7.71	30.68			
AV	5.7057G	95.55	Inf	-Inf	84.51	3	Horizontal	143	1.73	-	34.00	7.72	30.68			
PK	5.7251G	64.94	68.20	-3.26	53.89	3	Horizontal	143	1.73	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40714G	58.99	74.00	-15.01	39.15	3	Vertical	46	1.21	-	38.81	11.70	30.67			
AV	11.39919G	46.94	54.00	-7.06	27.10	3	Vertical	46	1.21	-	38.80	11.70	30.66			
PK	17.11287G	60.81	68.20	-7.39	38.99	3	Vertical	35	1.93	-	41.58	12.40	32.16			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4039G	59.54	74.00	-14.46	39.70	3	Horizontal	132	2.60	-	38.81	11.70	30.67			
AV	11.40063G	46.83	54.00	-7.17	26.99	3	Horizontal	132	2.60	-	38.80	11.70	30.66			
PK	17.11149G	60.72	68.20	-7.48	38.91	3	Horizontal	231	2.90	-	41.57	12.40	32.16			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7116G	116.79	Inf	-Inf	105.75	3	Vertical	3	1.93	-	34.00	7.72	30.68			
AV	5.7128G	105.53	Inf	-Inf	94.49	3	Vertical	3	1.93	-	34.00	7.72	30.68			
PK	5.8936G	62.61	68.20	-5.59	51.22	3	Vertical	3	1.93	-	34.17	7.86	30.64			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7124G	108.82	Inf	-Inf	97.78	3	Horizontal	320	2.83	-	34.00	7.72	30.68			
AV	5.7128G	97.47	Inf	-Inf	86.43	3	Horizontal	320	2.83	-	34.00	7.72	30.68			
PK	5.8524G	62.06	68.20	-6.14	50.87	3	Horizontal	320	2.83	-	34.01	7.83	30.65			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43151G	58.23	74.00	-15.77	38.33	3	Vertical	95	2.50	-	38.86	11.72	30.68			
AV	11.42545G	46.23	54.00	-7.77	26.34	3	Vertical	95	2.50	-	38.85	11.72	30.68			
PK	17.15661G	61.38	68.20	-6.82	39.31	3	Vertical	22	2.74	-	41.83	12.42	32.18			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.42716G	58.43	74.00	-15.57	38.54	3	Horizontal	290	1.55	-	38.85	11.72	30.68			
AV	11.42515G	46.22	54.00	-7.78	26.34	3	Horizontal	290	1.55	-	38.85	11.71	30.68			
PK	17.16711G	61.57	68.20	-6.63	39.46	3	Horizontal	346	1.89	-	41.87	12.42	32.18			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 28
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6475G	61.25	68.20	-6.95	50.28	3	Vertical	169.9	1.94	-	34.00	7.66	30.69			
PK	5.7445G	125.01	Inf	-Inf	113.93	3	Vertical	169.9	1.94	-	34.00	7.75	30.67			
AV	5.746G	113.70	Inf	-Inf	102.62	3	Vertical	169.9	1.94	-	34.00	7.75	30.67			
PK	5.979G	62.09	68.20	-6.11	50.53	3	Vertical	169.9	1.94	-	34.26	7.92	30.62			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5305G	60.32	68.20	-7.88	49.61	3	Horizontal	217	1.58	-	34.04	7.39	30.72			
PK	5.7465G	113.19	Inf	-Inf	102.11	3	Horizontal	217	1.58	-	34.00	7.75	30.67			
AV	5.741G	101.48	Inf	-Inf	90.40	3	Horizontal	217	1.58	-	34.00	7.75	30.67			
PK	5.9325G	61.68	68.20	-6.52	50.22	3	Horizontal	217	1.58	-	34.20	7.89	30.63			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48658G	59.47	74.00	-14.53	39.45	3	Vertical	338	2.45	-	38.97	11.75	30.70			
AV	11.50029G	46.44	54.00	-7.56	26.39	3	Vertical	338	2.45	-	39.00	11.76	30.71			
PK	17.2335G	62.56	68.20	-5.64	40.10	3	Vertical	18	2.91	-	42.20	12.46	32.20			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49021G	58.39	74.00	-15.61	38.36	3	Horizontal	324	2.57	-	38.98	11.76	30.71			
AV	11.50413G	46.38	54.00	-7.62	26.31	3	Horizontal	324	2.57	-	39.01	11.77	30.71			
PK	17.23608G	61.86	68.20	-6.34	39.38	3	Horizontal	101	1.07	-	42.22	12.46	32.20			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	61.82	68.20	-6.38	50.84	3	Vertical	343	1.66	-	34.00	7.67	30.69			
PK	5.784G	123.20	Inf	-Inf	112.00	3	Vertical	343	1.66	-	34.07	7.79	30.66			
AV	5.784G	112.78	Inf	-Inf	101.58	3	Vertical	343	1.66	-	34.07	7.79	30.66			
PK	5.932G	62.40	68.20	-5.80	50.94	3	Vertical	343	1.66	-	34.20	7.89	30.63			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5445G	61.27	68.20	-6.93	50.54	3	Horizontal	210	1.80	-	34.01	7.44	30.72			
PK	5.7855G	114.34	Inf	-Inf	103.14	3	Horizontal	210	1.80	-	34.07	7.79	30.66			
AV	5.7865G	100.70	Inf	-Inf	89.50	3	Horizontal	210	1.80	-	34.07	7.79	30.66			
PK	6.0295G	62.04	68.20	-6.16	50.40	3	Horizontal	210	1.80	-	34.30	7.98	30.64			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56991G	58.55	74.00	-15.45	38.33	3	Vertical	2	2.95	-	39.18	11.81	30.77			
AV	11.56949G	47.08	54.00	-6.92	26.86	3	Vertical	2	2.95	-	39.18	11.81	30.77			
PK	17.3436G	62.88	68.20	-5.32	39.65	3	Vertical	242	1.27	-	42.96	12.51	32.24			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57114G	58.94	74.00	-15.06	38.72	3	Horizontal	239	2.41	-	39.18	11.81	30.77			
AV	11.56874G	46.89	54.00	-7.11	26.68	3	Horizontal	239	2.41	-	39.17	11.81	30.77			
PK	17.364G	62.70	68.20	-5.50	39.35	3	Horizontal	18	1.38	-	43.08	12.52	32.25			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 28
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.609G	61.43	68.20	-6.77	50.50	3	Vertical	172.1	2.05	-	34.00	7.63	30.70			
PK	5.826G	124.89	Inf	-Inf	113.67	3	Vertical	172.1	2.05	-	34.05	7.82	30.65			
AV	5.826G	113.58	Inf	-Inf	102.36	3	Vertical	172.1	2.05	-	34.05	7.82	30.65			
PK	5.9775G	62.59	68.20	-5.61	51.03	3	Vertical	172.1	2.05	-	34.26	7.92	30.62			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6295G	59.99	68.20	-8.21	49.04	3	Horizontal	212	1.79	-	34.00	7.65	30.70			
PK	5.826G	114.37	Inf	-Inf	103.15	3	Horizontal	212	1.79	-	34.05	7.82	30.65			
AV	5.8255G	103.76	Inf	-Inf	92.54	3	Horizontal	212	1.79	-	34.05	7.82	30.65			
PK	5.9855G	61.53	68.20	-6.67	49.95	3	Horizontal	212	1.79	-	34.27	7.92	30.61			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64763G	58.51	74.00	-15.49	38.18	3	Vertical	213	2.48	-	39.30	11.86	30.83			
AV	11.66212G	46.62	54.00	-7.38	26.25	3	Vertical	213	2.48	-	39.35	11.87	30.85			
PK	17.48667G	64.04	68.20	-4.16	39.69	3	Vertical	271	1.77	-	44.07	12.58	32.30			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66242G	58.71	74.00	-15.29	38.34	3	Horizontal	220	2.11	-	39.35	11.87	30.85			
AV	11.65555G	46.69	54.00	-7.31	26.35	3	Horizontal	220	2.11	-	39.32	11.86	30.84			
PK	17.48706G	63.98	68.20	-4.22	39.63	3	Horizontal	278	2.21	-	44.07	12.58	32.30			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 20
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	64.35	74.00	-9.65	54.70	3	Vertical	290	2.13	-	33.60	6.98	30.93			
AV	5.15G	52.96	54.00	-1.04	43.31	3	Vertical	290	2.13	-	33.60	6.98	30.93			
PK	5.1928G	113.68	Inf	-Inf	103.88	3	Vertical	290	2.13	-	33.69	7.01	30.90			
AV	5.1826G	103.47	Inf	-Inf	93.71	3	Vertical	290	2.13	-	33.67	7.00	30.91			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 20
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1392G	62.84	74.00	-11.16	53.20	3	Horizontal	178	2.97	-	33.60	6.97	30.93			
AV	5.1492G	47.27	54.00	-6.73	37.62	3	Horizontal	178	2.97	-	33.60	6.98	30.93			
PK	5.1824G	104.90	Inf	-Inf	95.15	3	Horizontal	178	2.97	-	33.66	7.00	30.91			
AV	5.1822G	94.94	Inf	-Inf	85.19	3	Horizontal	178	2.97	-	33.66	7.00	30.91			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 20
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37667G	57.40	68.20	-10.80	38.32	3	Vertical	24	2.67	-	38.55	11.05	30.52			
PK	15.57263G	58.44	74.00	-15.56	40.60	3	Vertical	156	1.80	-	37.95	11.85	31.96			
AV	15.56905G	45.50	54.00	-8.50	27.64	3	Vertical	156	1.80	-	37.96	11.85	31.95			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 20
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37551G	57.88	68.20	-10.32	38.80	3	Horizontal	170	1.78	-	38.55	11.05	30.52			
PK	15.56934G	58.35	74.00	-15.65	40.49	3	Horizontal	179	1.80	-	37.96	11.85	31.95			
AV	15.56974G	45.41	54.00	-8.59	27.55	3	Horizontal	179	1.80	-	37.96	11.85	31.95			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1166G	72.65	74.00	-1.35	63.03	3	Vertical	300	2.22	-	33.60	6.96	30.94			
AV	5.1484G	48.48	54.00	-5.52	38.83	3	Vertical	300	2.22	-	33.60	6.98	30.93			
PK	5.2213G	120.98	Inf	-Inf	111.13	3	Vertical	300	2.22	-	33.74	7.00	30.89			
AV	5.2258G	108.02	Inf	-Inf	98.15	3	Vertical	300	2.22	-	33.75	7.00	30.88			
PK	5.3761G	65.93	74.00	-8.07	55.81	3	Vertical	300	2.22	-	33.95	6.97	30.80			
AV	5.3539G	49.85	54.00	-4.15	39.78	3	Vertical	300	2.22	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1349G	64.43	74.00	-9.57	54.79	3	Horizontal	243	1.78	-	33.60	6.97	30.93			
AV	5.1487G	46.83	54.00	-7.17	37.18	3	Horizontal	243	1.78	-	33.60	6.98	30.93			
PK	5.2174G	110.56	Inf	-Inf	100.71	3	Horizontal	243	1.78	-	33.73	7.01	30.89			
AV	5.2216G	101.44	Inf	-Inf	91.59	3	Horizontal	243	1.78	-	33.74	7.00	30.89			
PK	5.3704G	59.76	74.00	-14.24	49.65	3	Horizontal	243	1.78	-	33.94	6.97	30.80			
AV	5.3539G	46.96	54.00	-7.04	36.89	3	Horizontal	243	1.78	-	33.91	6.97	30.81			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 28
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46146G	57.84	68.20	-10.36	38.82	3	Vertical	156	1.80	-	38.42	11.10	30.50			
PK	15.69126G	58.90	74.00	-15.10	41.45	3	Vertical	79	2.17	-	37.62	11.86	32.03			
AV	15.68815G	45.03	54.00	-8.97	27.58	3	Vertical	79	2.17	-	37.62	11.86	32.03			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 28
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46356G	57.47	68.20	-10.73	38.44	3	Horizontal	354	1.00	-	38.43	11.10	30.50			
PK	15.69308G	57.58	74.00	-16.42	40.14	3	Horizontal	206	1.61	-	37.61	11.86	32.03			
AV	15.69174G	44.99	54.00	-9.01	27.54	3	Horizontal	206	1.61	-	37.62	11.86	32.03			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1287G	59.73	74.00	-14.27	50.11	3	Vertical	2	1.76	-	33.60	6.96	30.94			
AV	5.1356G	47.24	54.00	-6.76	37.60	3	Vertical	2	1.76	-	33.60	6.97	30.93			
PK	5.2574G	116.36	Inf	-Inf	106.42	3	Vertical	2	1.76	-	33.81	7.00	30.87			
AV	5.2568G	105.56	Inf	-Inf	95.62	3	Vertical	2	1.76	-	33.81	7.00	30.87			
PK	5.3723G	68.02	74.00	-5.98	57.91	3	Vertical	2	1.76	-	33.94	6.97	30.80			
AV	5.3537G	48.43	54.00	-5.57	38.36	3	Vertical	2	1.76	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 28
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	58.92	74.00	-15.08	49.28	3	Horizontal	238	1.94	-	33.60	6.97	30.93			
AV	5.1434G	46.57	54.00	-7.43	36.93	3	Horizontal	238	1.94	-	33.60	6.97	30.93			
PK	5.2619G	109.06	Inf	-Inf	99.11	3	Horizontal	238	1.94	-	33.82	6.99	30.86			
AV	5.2658G	95.91	Inf	-Inf	85.95	3	Horizontal	238	1.94	-	33.83	6.99	30.86			
PK	5.4113G	59.24	74.00	-14.76	49.02	3	Horizontal	238	1.94	-	34.00	7.00	30.78			
AV	5.4173G	47.06	54.00	-6.94	36.82	3	Horizontal	238	1.94	-	34.00	7.02	30.78			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 28
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54259G	58.49	68.20	-9.71	39.24	3	Vertical	360	1.77	-	38.59	11.15	30.49			
PK	15.81158G	57.23	74.00	-16.77	40.06	3	Vertical	15	1.80	-	37.42	11.86	32.11			
AV	15.81035G	44.29	54.00	-9.71	27.12	3	Vertical	15	1.80	-	37.42	11.86	32.11			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 28
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5397G	57.93	68.20	-10.27	38.69	3	Horizontal	129	2.97	-	38.58	11.15	30.49			
PK	15.80686G	56.64	74.00	-17.36	39.48	3	Horizontal	53	1.00	-	37.41	11.86	32.11			
AV	15.81251G	44.30	54.00	-9.70	27.12	3	Horizontal	53	1.00	-	37.43	11.86	32.11			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 19
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2924G	113.87	Inf	-Inf	103.85	3	Vertical	292.7	1.79	-	33.88	6.99	30.85			
AV	5.3016G	103.83	Inf	-Inf	93.79	3	Vertical	292.7	1.79	-	33.90	6.98	30.84			
PK	5.3538G	64.36	74.00	-9.64	54.29	3	Vertical	292.7	1.79	-	33.91	6.97	30.81			
AV	5.3538G	52.04	54.00	-1.96	41.97	3	Vertical	292.7	1.79	-	33.91	6.97	30.81			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 19
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3014G	103.73	Inf	-Inf	93.69	3	Horizontal	236	1.93	-	33.90	6.98	30.84			
AV	5.3022G	93.93	Inf	-Inf	83.89	3	Horizontal	236	1.93	-	33.90	6.98	30.84			
PK	5.3508G	62.61	74.00	-11.39	52.55	3	Horizontal	236	1.93	-	33.90	6.97	30.81			
AV	5.3506G	47.60	54.00	-6.40	37.54	3	Horizontal	236	1.93	-	33.90	6.97	30.81			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 19
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61873G	58.96	74.00	-15.04	39.69	3	Vertical	8	1.76	-	38.56	11.20	30.49			
AV	10.6157G	45.81	54.00	-8.19	26.53	3	Vertical	8	1.76	-	38.57	11.20	30.49			
PK	15.93455G	56.95	74.00	-17.05	39.71	3	Vertical	338	1.80	-	37.56	11.87	32.19			
AV	15.92685G	44.49	54.00	-9.51	27.21	3	Vertical	338	1.80	-	37.59	11.87	32.18			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 19
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62217G	58.52	74.00	-15.48	39.24	3	Horizontal	347	1.80	-	38.56	11.21	30.49			
AV	10.61664G	45.91	54.00	-8.09	26.63	3	Horizontal	347	1.80	-	38.57	11.20	30.49			
PK	15.93079G	57.83	74.00	-16.17	40.57	3	Horizontal	258	1.75	-	37.58	11.87	32.19			
AV	15.92747G	44.39	54.00	-9.61	27.11	3	Horizontal	258	1.75	-	37.59	11.87	32.18			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 23
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4144G	63.97	74.00	-10.03	53.74	3	Vertical	320.8	1.80	-	34.00	7.01	30.78			
PK	5.4652G	65.38	68.20	-2.82	54.92	3	Vertical	320.8	1.80	-	34.03	7.18	30.75			
AV	5.46G	51.23	54.00	-2.77	40.80	3	Vertical	320.8	1.80	-	34.02	7.16	30.75			
PK	5.508G	115.92	Inf	-Inf	105.25	3	Vertical	320.8	1.80	-	34.08	7.32	30.73			
AV	5.5092G	105.32	Inf	-Inf	94.65	3	Vertical	320.8	1.80	-	34.08	7.32	30.73			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4552G	67.01	74.00	-6.99	56.62	3	Horizontal	211	2.15	-	34.01	7.14	30.76			
PK	5.4612G	66.76	68.20	-1.44	56.33	3	Horizontal	211	2.15	-	34.02	7.16	30.75			
AV	5.4598G	49.09	54.00	-4.91	38.66	3	Horizontal	211	2.15	-	34.02	7.16	30.75			
PK	5.5274G	105.24	Inf	-Inf	94.53	3	Horizontal	211	2.15	-	34.05	7.38	30.72			
AV	5.498G	95.30	Inf	-Inf	84.65	3	Horizontal	211	2.15	-	34.10	7.28	30.73			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 23
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01633G	58.26	74.00	-15.74	38.69	3	Vertical	66	2.97	-	38.60	11.46	30.49			
AV	11.01984G	45.88	54.00	-8.12	26.31	3	Vertical	66	2.97	-	38.60	11.46	30.49			
PK	16.53101G	58.71	68.20	-9.49	39.59	3	Vertical	259	1.50	-	39.05	12.12	32.05			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 23
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02414G	58.25	74.00	-15.75	38.68	3	Horizontal	221	1.54	-	38.60	11.46	30.49			
AV	11.01789G	45.72	54.00	-8.28	26.15	3	Horizontal	221	1.54	-	38.60	11.46	30.49			
PK	16.52529G	58.37	68.20	-9.83	39.30	3	Horizontal	142	1.80	-	39.00	12.12	32.05			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.436G	67.18	74.00	-6.82	56.87	3	Vertical	307	1.74	-	34.00	7.08	30.77			
PK	5.4672G	62.37	68.20	-5.83	51.91	3	Vertical	307	1.74	-	34.03	7.18	30.75			
AV	5.4591G	48.46	54.00	-5.54	38.03	3	Vertical	307	1.74	-	34.02	7.16	30.75			
PK	5.5356G	115.05	Inf	-Inf	104.33	3	Vertical	307	1.74	-	34.03	7.41	30.72			
AV	5.541G	105.59	Inf	-Inf	94.86	3	Vertical	307	1.74	-	34.02	7.43	30.72			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4573G	59.94	74.00	-14.06	49.53	3	Horizontal	193	2.90	-	34.01	7.15	30.75			
AV	5.4597G	47.55	54.00	-6.45	37.12	3	Horizontal	193	2.90	-	34.02	7.16	30.75			
PK	5.466G	59.42	68.20	-8.78	48.96	3	Horizontal	193	2.90	-	34.03	7.18	30.75			
PK	5.5353G	107.31	Inf	-Inf	96.59	3	Horizontal	193	2.90	-	34.03	7.41	30.72			
AV	5.532G	93.29	Inf	-Inf	82.57	3	Horizontal	193	2.90	-	34.04	7.40	30.72			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10996G	58.80	74.00	-15.20	39.22	3	Vertical	33	2.83	-	38.60	11.51	30.53			
AV	11.08809G	46.35	54.00	-7.65	26.77	3	Vertical	33	2.83	-	38.60	11.50	30.52			
PK	16.662G	60.30	68.20	-7.90	40.37	3	Vertical	320	1.80	-	39.82	12.18	32.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 22
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09058G	58.64	74.00	-15.36	39.06	3	Horizontal	311	1.80	-	38.60	11.50	30.52			
AV	11.0919G	46.11	54.00	-7.89	26.53	3	Horizontal	311	1.80	-	38.60	11.50	30.52			
PK	16.63686G	59.83	68.20	-8.37	39.98	3	Horizontal	0	2.15	-	39.75	12.17	32.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 23
02-R-E-3-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6596G	117.91	Inf	-Inf	106.93	3	Vertical	312	1.62	-	34.00	7.67	30.69			
AV	5.669G	104.64	Inf	-Inf	93.65	3	Vertical	312	1.62	-	34.00	7.68	30.69			
PK	5.7276G	62.30	68.20	-5.90	51.25	3	Vertical	312	1.62	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6574G	105.85	Inf	-Inf	94.87	3	Horizontal	238	1.74	-	34.00	7.67	30.69			
AV	5.6584G	96.57	Inf	-Inf	85.59	3	Horizontal	238	1.74	-	34.00	7.67	30.69			
PK	5.7252G	67.03	68.20	-1.17	55.98	3	Horizontal	238	1.74	-	34.00	7.73	30.68			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35014G	59.55	74.00	-14.45	39.82	3	Vertical	20	1.80	-	38.70	11.67	30.64			
AV	11.34711G	47.04	54.00	-6.96	27.31	3	Vertical	20	1.80	-	38.70	11.67	30.64			
PK	17.02233G	61.64	68.20	-6.56	40.01	3	Vertical	71	1.92	-	41.40	12.36	32.13			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35299G	59.32	74.00	-14.68	39.58	3	Horizontal	3	1.12	-	38.71	11.67	30.64			
AV	11.34456G	47.05	54.00	-6.95	27.33	3	Horizontal	3	1.12	-	38.70	11.66	30.64			
PK	16.99899G	61.70	68.20	-6.50	40.08	3	Horizontal	357	2.98	-	41.40	12.34	32.12			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.718G	114.20	Inf	-Inf	103.15	3	Vertical	336	1.80	-	34.00	7.73	30.68			
AV	5.7004G	105.83	Inf	-Inf	94.80	3	Vertical	336	1.80	-	34.00	7.71	30.68			
PK	5.8584G	62.08	68.20	-6.12	50.85	3	Vertical	336	1.80	-	34.03	7.84	30.64			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.72G	106.39	Inf	-Inf	95.34	3	Horizontal	330	2.81	-	34.00	7.73	30.68			
AV	5.6992G	96.80	Inf	-Inf	85.77	3	Horizontal	330	2.81	-	34.00	7.71	30.68			
PK	5.8764G	62.48	68.20	-5.72	51.16	3	Horizontal	330	2.81	-	34.11	7.85	30.64			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41874G	58.98	74.00	-15.02	39.10	3	Vertical	155	2.18	-	38.84	11.71	30.67			
AV	11.40863G	47.12	54.00	-6.88	27.27	3	Vertical	155	2.18	-	38.82	11.70	30.67			
PK	17.12964G	61.59	68.20	-6.61	39.67	3	Vertical	208	1.80	-	41.68	12.41	32.17			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42951G	59.58	74.00	-14.42	39.68	3	Horizontal	242	2.77	-	38.86	11.72	30.68			
AV	11.40605G	47.16	54.00	-6.84	27.32	3	Horizontal	242	2.77	-	38.81	11.70	30.67			
PK	17.13711G	61.30	68.20	-6.90	39.34	3	Horizontal	90	2.82	-	41.72	12.41	32.17			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6445G	66.77	68.20	-1.43	55.81	3	Vertical	172	1.99	-	34.00	7.66	30.70			
PK	5.7445G	116.26	Inf	-Inf	105.18	3	Vertical	172	1.99	-	34.00	7.75	30.67			
AV	5.746G	106.28	Inf	-Inf	95.20	3	Vertical	172	1.99	-	34.00	7.75	30.67			
PK	5.947G	61.94	68.20	-6.26	50.46	3	Vertical	172	1.99	-	34.20	7.90	30.62			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6365G	63.07	68.20	-5.13	52.12	3	Horizontal	212	1.80	-	34.00	7.65	30.70			
PK	5.769G	107.24	Inf	-Inf	96.10	3	Horizontal	212	1.80	-	34.04	7.77	30.67			
AV	5.745G	96.46	Inf	-Inf	85.38	3	Horizontal	212	1.80	-	34.00	7.75	30.67			
PK	5.949G	61.68	68.20	-6.52	50.20	3	Horizontal	212	1.80	-	34.20	7.90	30.62			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.5097G	59.12	74.00	-14.88	39.05	3	Vertical	22	1.60	-	39.02	11.77	30.72			
AV	11.51261G	47.09	54.00	-6.91	27.01	3	Vertical	22	1.60	-	39.03	11.77	30.72			
PK	17.26203G	62.38	68.20	-5.82	39.72	3	Vertical	161	1.48	-	42.40	12.47	32.21			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 23
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51348G	59.48	74.00	-14.52	39.40	3	Horizontal	103	2.17	-	39.03	11.77	30.72			
AV	11.51909G	47.10	54.00	-6.90	27.02	3	Horizontal	103	2.17	-	39.04	11.77	30.73			
PK	17.25417G	62.77	68.20	-5.43	40.18	3	Horizontal	25	2.05	-	42.33	12.47	32.21			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 25
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.652G	66.22	69.68	-3.46	55.24	3	Vertical	173	2.16	-	34.00	7.67	30.69			
PK	5.78G	116.93	Inf	-Inf	105.75	3	Vertical	173	2.16	-	34.06	7.78	30.66			
AV	5.781G	107.31	Inf	-Inf	96.13	3	Vertical	173	2.16	-	34.06	7.78	30.66			
PK	5.94G	66.87	68.20	-1.33	55.40	3	Vertical	173	2.16	-	34.20	7.89	30.62			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 25
02-R-V-1-6
TXBF

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	63.80	68.20	-4.40	52.83	3	Horizontal	220	1.80	-	34.00	7.66	30.69			
PK	5.79G	111.40	Inf	-Inf	100.19	3	Horizontal	220	1.80	-	34.08	7.79	30.66			
AV	5.7815G	98.50	Inf	-Inf	87.32	3	Horizontal	220	1.80	-	34.06	7.78	30.66			
PK	5.9505G	62.97	68.20	-5.23	51.49	3	Horizontal	220	1.80	-	34.20	7.90	30.62			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX



EUT_Y_2TX
Setting 25
02-R-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59972G	60.06	74.00	-13.94	39.72	3	Vertical	177	2.29	-	39.30	11.83	30.79			
AV	11.57719G	47.20	54.00	-6.80	26.95	3	Vertical	177	2.29	-	39.21	11.81	30.77			
PK	17.38464G	62.70	68.20	-5.50	39.22	3	Vertical	179	1.79	-	43.21	12.53	32.26			