

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

6995MHz

16/02/2025

CF (Hz)
6.995G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.00	-1.00	-6.93	-7.07	-6.85	-6.92

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

7095MHz

16/02/2025

CF (Hz)
7.095G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.06	-1.06	-7.44	-7.36	-6.57	-6.88

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

5955MHz

16/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6195MHz

16/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6415MHz

16/02/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6435MHz

16/02/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6475MHz

16/02/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6515MHz

16/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6535MHz

16/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6695MHz

16/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6875MHz

16/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6895MHz

16/02/2025



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6995MHz

16/02/2025

CF (Hz)
6.995G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.01	-1.01	-7.41	-7.01	-6.68	-6.66

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

7095MHz

16/02/2025

CF (Hz)
7.095G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.99	-0.99	-7.43	-7.27	-6.50	-6.79

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

5965MHz

16/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6205MHz

16/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6405MHz

16/02/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6445MHz

16/02/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6485MHz

16/02/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6525MHz

16/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6565MHz

16/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6685MHz

16/02/2025



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6885MHz

16/02/2025

CF (Hz)
6.885G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.91	-1.91	-8.16	-8.01	-7.35	-7.87

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6925MHz

16/02/2025

CF (Hz)
6.925G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.01	-1.01	-7.22	-6.98	-6.59	-6.91

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

7005MHz

16/02/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

7085MHz

16/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

5985MHz

16/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6225MHz

16/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6385MHz

16/02/2025




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.98	-1.98	-7.78	-8.02	-7.93	-7.91

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6465MHz

16/02/2025




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.58	-1.58	-7.65	-7.80	-7.49	-7.28

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6545MHz

16/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6625MHz

16/02/2025



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6705MHz

16/02/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.95	-1.95	-8.19	-8.10	-7.42	-7.81

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6785MHz

16/02/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.86	-1.86	-8.31	-8.26	-7.06	-7.84

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6865MHz

16/02/2025

CF (Hz)
6.865G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.99	-1.99	-8.18	-8.33	-7.37	-7.94

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6945MHz

16/02/2025

CF (Hz)
6.945G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.90	-0.90	-7.00	-6.70	-6.81	-6.84

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

7025MHz

16/02/2025

CF (Hz)
7.025G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.91	-0.91	-6.91	-7.01	-6.65	-6.89

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

6025MHz

16/02/2025

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.82	-1.82	-6.98	-8.45	-8.27	-7.68

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

6185MHz

16/02/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

6345MHz

16/02/2025




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

6505MHz

16/02/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

6665MHz

16/02/2025



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

6825MHz

16/02/2025

CF (Hz)
6.825G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.86	-1.86	-8.16	-7.78	-7.51	-7.69

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

6985MHz

16/02/2025

CF (Hz)
6.985G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.97	-0.97	-7.08	-6.80	-6.87	-6.93

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

PSD

6105MHz

16/02/2025

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.89	-1.89	-7.59	-7.69	-7.97	-8.07

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

PSD

6265MHz

16/02/2025

CF (Hz)
6.265G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.88	-1.88	-7.53	-7.77	-7.49	-7.85

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

PSD

6425MHz

16/02/2025

CF (Hz)
6.425G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.83	-1.83	-7.96	-7.28	-7.84	-7.89

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

PSD

6585MHz

16/02/2025

CF (Hz)
6.585G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.52	-1.52	-7.68	-7.25	-7.55	-7.44

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

PSD

6745MHz

16/02/2025

CF (Hz)
6.745G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.98	-1.98	-8.19	-7.90	-7.51	-7.96

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

PSD

6905MHz

16/02/2025

CF (Hz)
6.905G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.00	-2.00	-7.95	-7.93	-7.91	-7.83

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

5955MHz

16/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6195MHz

16/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6415MHz

16/02/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6435MHz

16/02/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6475MHz

16/02/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6515MHz

16/02/2025



6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6535MHz

16/02/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.12	0.12	-5.86	-5.64	-5.95	-5.86

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6695MHz

16/02/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.24	0.24	-5.80	-5.82	-5.48	-5.75

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6875MHz

16/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6895MHz

16/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6995MHz

16/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

7095MHz

16/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

5965MHz

16/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6205MHz

16/02/2025



5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6405MHz

16/02/2025

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.26	0.26	-5.61	-5.79	-5.61	-5.85

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6445MHz

16/02/2025

CF (Hz)
6.445G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.18	0.18	-5.97	-5.78	-5.82	-5.59

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6485MHz

16/02/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6525MHz

16/02/2025



6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6565MHz

16/02/2025

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.24	0.24	-6.01	-5.68	-5.65	-5.56

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6685MHz

16/02/2025

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.21	0.21	-5.98	-5.88	-5.42	-5.67

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6885MHz

16/02/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6925MHz

16/02/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

7005MHz

16/02/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

7085MHz

16/02/2025



5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

5985MHz

16/02/2025

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.16	0.16	-5.99	-5.79	-6.08	-5.42

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6225MHz

16/02/2025

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.23	0.23	-6.05	-5.50	-5.57	-5.71

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6385MHz

16/02/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.24	0.24	-5.75	-5.72	-5.79	-5.68

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6465MHz

16/02/2025

CF (Hz)
6.465G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.15	0.15	-5.83	-5.95	-5.89	-5.60

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6545MHz

16/02/2025

CF (Hz)
6.545G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.03	0.03	-5.99	-5.96	-5.91	-5.72

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6625MHz

16/02/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.23	0.23	-6.05	-5.81	-5.37	-5.65

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6705MHz

16/02/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.04	0.04	-6.11	-6.03	-5.62	-5.98

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6785MHz

16/02/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.21	0.21	-6.03	-5.94	-5.44	-5.68

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6865MHz

16/02/2025

CF (Hz)
6.865G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.08	0.08	-6.14	-6.19	-5.45	-5.78

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6945MHz

16/02/2025

CF (Hz)
6.945G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.54	0.54	-5.54	-5.12	-5.56	-5.52

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

7025MHz

16/02/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

PSD

6025MHz

16/02/2025



5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

PSD

6185MHz

16/02/2025

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.18	0.18	-5.80	-5.67	-5.66	-5.42

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

PSD

6345MHz

16/02/2025

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.13	0.13	-5.86	-5.66	-5.77	-5.99

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

PSD

6505MHz

16/02/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

PSD

6665MHz

16/02/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

PSD

6825MHz

16/02/2025




6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

PSD

6985MHz

16/02/2025



5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

PSD

6105MHz

16/02/2025

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.23	0.23	-5.42	-5.81	-5.81	-5.83

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

PSD

6265MHz

16/02/2025

CF (Hz)
6.265G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.21	0.21	-5.38	-5.83	-5.65	-5.50

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

PSD

6425MHz

16/02/2025

CF (Hz)
6.425G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.23	0.23	-5.72	-5.45	-5.80	-5.79

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

PSD

6585MHz

16/02/2025

CF (Hz)
6.585G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.15	0.15	-6.13	-5.73	-5.82	-5.60

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

PSD

6745MHz

16/02/2025




6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

PSD

6905MHz

16/02/2025



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	16.11	22.88
802.11be EHT20-BF_Nss1,(MCS0)_4TX	15.20	21.97
802.11be EHT20-BF_Nss2,(MCS0)_4TX	17.07	21.73
802.11be EHT40-BF_Nss1,(MCS0)_4TX	12.25	19.02
802.11be EHT40-BF_Nss2,(MCS0)_4TX	14.39	19.05
802.11be EHT80-BF_Nss1,(MCS0)_4TX	9.76	16.53
802.11be EHT80-BF_Nss2,(MCS0)_4TX	11.97	16.63
802.11be EHT160-BF_Nss1,(MCS0)_4TX	7.49	14.26
802.11be EHT160-BF_Nss2,(MCS0)_4TX	8.86	13.52
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.71	11.48
802.11be EHT320-BF_Nss2,(MCS0)_4TX	5.57	10.23
6.525-6.875GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	16.04	22.83
802.11be EHT20-BF_Nss1,(MCS0)_4TX	15.14	21.93
802.11be EHT20-BF_Nss2,(MCS0)_4TX	17.19	21.93
802.11be EHT40-BF_Nss1,(MCS0)_4TX	12.19	18.98
802.11be EHT40-BF_Nss2,(MCS0)_4TX	14.72	19.46
802.11be EHT80-BF_Nss1,(MCS0)_4TX	9.82	16.61
802.11be EHT80-BF_Nss2,(MCS0)_4TX	12.14	16.88
802.11be EHT160-BF_Nss1,(MCS0)_4TX	6.98	13.77
802.11be EHT160-BF_Nss2,(MCS0)_4TX	8.98	13.72

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.77	10.60	10.52	9.95	10.13	16.11	22.88	23.00
6195MHz	Pass	6.77	10.46	10.50	10.18	9.86	16.06	22.83	23.00
6415MHz	Pass	6.77	10.37	10.19	9.94	10.01	16.03	22.80	23.00
6535MHz	Pass	6.79	10.12	10.42	10.20	10.29	16.04	22.83	23.00
6695MHz	Pass	6.79	10.18	10.25	10.34	10.03	16.04	22.83	23.00
6855MHz	Pass	6.79	10.13	9.87	10.67	9.98	15.88	22.67	23.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.77	9.07	8.81	8.33	8.77	14.70	21.47	23.00
6195MHz	Pass	6.77	9.33	9.37	9.12	8.77	15.09	21.86	23.00
6415MHz	Pass	6.77	9.55	9.36	9.02	8.90	15.20	21.97	23.00
6535MHz	Pass	6.79	9.02	9.30	8.90	9.51	15.14	21.93	23.00
6695MHz	Pass	6.79	8.75	9.02	8.93	8.91	14.88	21.67	23.00
6855MHz	Pass	6.79	8.72	8.91	8.90	8.96	14.83	21.62	23.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	6.77	4.08	4.13	3.39	3.98	9.84	16.61	23.00
6205MHz	Pass	6.77	5.94	6.69	6.26	6.14	12.21	18.98	23.00
6405MHz	Pass	6.77	6.22	6.64	6.25	5.99	12.25	19.02	23.00
6565MHz	Pass	6.79	5.88	6.43	6.09	6.46	12.19	18.98	23.00
6685MHz	Pass	6.79	5.92	6.36	6.33	6.14	12.14	18.93	23.00
6845MHz	Pass	6.79	5.67	6.04	6.32	6.24	12.03	18.82	23.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.77	1.66	1.84	1.00	1.79	7.51	14.28	23.00
6225MHz	Pass	6.77	3.61	3.94	3.65	3.47	9.56	16.33	23.00
6385MHz	Pass	6.77	3.51	4.09	3.84	3.58	9.76	16.53	23.00
6625MHz	Pass	6.79	3.21	3.70	4.08	3.60	9.61	16.40	23.00
6705MHz	Pass	6.79	3.32	3.70	4.15	3.75	9.71	16.50	23.00
6785MHz	Pass	6.79	3.19	3.85	4.21	4.01	9.82	16.61	23.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.77	0.95	-0.37	-0.45	-0.21	6.02	12.79	23.00
6185MHz	Pass	6.77	1.51	1.57	1.26	1.46	7.16	13.93	23.00
6345MHz	Pass	6.77	1.43	1.64	1.59	1.50	7.49	14.26	23.00
6665MHz	Pass	6.79	0.73	1.33	1.09	1.12	6.98	13.77	23.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.77	-1.73	-2.13	-2.21	-2.17	3.76	10.53	23.00
6265MHz	Pass	6.77	-1.12	-1.21	-1.02	-0.83	4.71	11.48	23.00
802.11be EHT20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	4.66	9.77	9.72	9.29	9.77	15.60	20.26	23.00
6195MHz	Pass	4.66	11.06	11.36	11.12	10.79	17.07	21.73	23.00
6415MHz	Pass	4.66	11.02	11.00	10.90	10.81	16.91	21.57	23.00
6535MHz	Pass	4.74	10.88	11.63	10.94	11.35	17.19	21.93	23.00
6695MHz	Pass	4.74	10.60	10.90	11.01	11.16	16.89	21.63	23.00
6855MHz	Pass	4.74	10.53	10.91	11.33	11.30	16.99	21.73	23.00
802.11be EHT40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	4.66	5.03	5.14	4.45	5.22	10.96	15.62	23.00
6205MHz	Pass	4.66	8.18	8.67	8.51	8.39	14.39	19.05	23.00
6405MHz	Pass	4.66	8.02	8.57	8.20	8.14	14.20	18.86	23.00
6565MHz	Pass	4.74	8.28	8.97	8.76	8.96	14.72	19.46	23.00
6685MHz	Pass	4.74	8.33	8.65	8.57	8.48	14.48	19.22	23.00
6845MHz	Pass	4.74	8.01	8.31	8.79	8.81	14.48	19.22	23.00
802.11be EHT80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	4.66	2.20	2.15	1.70	2.92	8.24	12.90	23.00
6225MHz	Pass	4.66	5.52	5.96	5.84	5.55	11.67	16.33	23.00
6385MHz	Pass	4.66	5.91	6.15	5.90	5.90	11.97	16.63	23.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6625MHz	Pass	4.74	5.74	6.18	6.42	6.03	12.11	16.85	23.00
6705MHz	Pass	4.74	5.73	6.05	6.56	5.98	12.05	16.79	23.00
6785MHz	Pass	4.74	5.56	6.22	6.35	6.41	12.14	16.88	23.00
802.11be EHT160-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	4.66	2.19	0.75	0.94	1.00	7.28	11.94	23.00
6185MHz	Pass	4.66	2.99	2.91	2.93	2.94	8.59	13.25	23.00
6345MHz	Pass	4.66	2.79	3.03	2.90	2.80	8.86	13.52	23.00
6665MHz	Pass	4.74	2.36	3.23	3.26	3.21	8.98	13.72	23.00
802.11be EHT320-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	4.66	-0.85	-1.47	-1.51	-1.33	4.54	9.20	23.00
6265MHz	Pass	4.66	-0.38	-0.07	-0.20	-0.29	5.57	10.23	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5955MHz

17/02/2025




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

6195MHz

17/02/2025



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

6415MHz

17/02/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.774

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.03	16.03	10.37	10.19	9.94	10.01

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

6535MHz

17/02/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.774

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.04	16.04	10.12	10.42	10.20	10.29

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

6695MHz

17/02/2025




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

6855MHz

17/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

5955MHz

18/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6195MHz

18/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6415MHz

18/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6535MHz

18/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6695MHz

18/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

PSD

6855MHz

18/02/2025



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

5965MHz

18/02/2025

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.133

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.84	9.84	4.08	4.13	3.39	3.98

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6205MHz

18/02/2025

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.133

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.21	12.21	5.94	6.69	6.26	6.14

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6405MHz

18/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6565MHz

18/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6685MHz

18/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

PSD

6845MHz

18/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

5985MHz

18/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6225MHz

18/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6385MHz

18/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6625MHz

18/02/2025



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6705MHz

18/02/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.416

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.71	9.71	3.32	3.70	4.15	3.75

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

PSD

6785MHz

18/02/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.416

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Port 3 ☐

Port 4 ☐

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.82	9.82	3.19	3.85	4.21	4.01

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

6025MHz

18/02/2025

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.727

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.02	6.02	0.95	-0.37	-0.45	-0.21

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

6185MHz

18/02/2025

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.727

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.16	7.16	1.51	1.57	1.26	1.46

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

6345MHz

18/02/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

PSD

6665MHz

18/02/2025



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

PSD

6105MHz

18/02/2025

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.833

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Port 3 ☒

Port 4 ☒

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.76	3.76	-1.73	-2.13	-2.21	-2.17

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

PSD

6265MHz

18/02/2025

CF (Hz)
6.265G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.833

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Port 3 ☒

Port 4 ☒


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.71	4.71	-1.12	-1.21	-1.02	-0.83

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

5955MHz

18/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6195MHz

18/02/2025



5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6415MHz

18/02/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.217

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.91	16.91	11.02	11.00	10.90	10.81

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6535MHz

18/02/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.217

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
17.19	17.19	10.88	11.63	10.94	11.35

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6695MHz

18/02/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.217

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.89	16.89	10.60	10.90	11.01	11.16

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

PSD

6855MHz

18/02/2025

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.217

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.99	16.99	10.53	10.91	11.33	11.30

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

5965MHz

18/02/2025

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.626

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.96	10.96	5.03	5.14	4.45	5.22

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6205MHz

18/02/2025

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.626

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.39	14.39	8.18	8.67	8.51	8.39

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6405MHz

18/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6565MHz

18/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6685MHz

18/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

PSD

6845MHz

18/02/2025



5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

5985MHz

18/02/2025

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.799

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.24	8.24	2.20	2.15	1.70	2.92

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6225MHz

18/02/2025

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.799

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.67	11.67	5.52	5.96	5.84	5.55

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6385MHz

18/02/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.799

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.97	11.97	5.91	6.15	5.90	5.90

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6625MHz

18/02/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.799

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.11	12.11	5.74	6.18	6.42	6.03


6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6705MHz

18/02/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.799
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.05	12.05	5.73	6.05	6.56	5.98


6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

PSD

6785MHz

18/02/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.799
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.14	12.14	5.56	6.22	6.35	6.41

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

PSD

6025MHz

18/02/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

PSD

6185MHz

18/02/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

PSD

6345MHz

18/02/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

PSD

6665MHz

18/02/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

PSD

6105MHz

18/02/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

PSD

6265MHz

18/02/2025






Radiated Emissions below 1GHz

Appendix D.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	58.13M	35.84	40.00	-4.16	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	43.58M	35.83	40.00	-4.17	-13.58	3	Vertical	360	1.00	-	49.41	16.54	0.59	30.71		
PK	58.13M	35.84	40.00	-4.16	-17.98	3	Vertical	298	1.50	"Worst"	53.82	12.55	0.70	31.23		
PK	67.83M	33.34	40.00	-6.66	-17.81	3	Vertical	352	1.25	-	51.15	12.26	0.77	30.84		
PK	88M	30.94	43.50	-12.56	-15.41	3	Vertical	62	1.50	-	46.35	14.51	0.91	30.83		
PK	149.31M	30.21	43.50	-13.29	-13.57	3	Vertical	220	1.00	-	43.78	16.53	1.23	31.33		
PK	626.55M	32.32	46.00	-13.68	-3.59	3	Vertical	134	1.00	-	35.91	25.48	2.69	31.76		

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	44.55M	29.55	40.00	-10.45	-14.12	3	Horizontal	54	1.50	-	43.67	16.05	0.60	30.77		
PK	66.86M	29.78	40.00	-10.22	-17.88	3	Horizontal	305	3.00	-	47.66	12.25	0.76	30.89		
PK	67.83M	30.02	40.00	-9.98	-17.81	3	Horizontal	262	3.00	"Worst"	47.83	12.26	0.77	30.84		
PK	92.08M	29.81	43.50	-13.69	-14.58	3	Horizontal	136	2.00	-	44.39	15.33	0.94	30.85		
PK	227.88M	33.47	46.00	-12.53	-13.43	3	Horizontal	96	1.50	-	46.90	15.92	1.56	30.91		
PK	633.34M	31.01	46.00	-14.99	-3.65	3	Horizontal	119	1.50	-	34.66	25.41	2.70	31.76		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40-BF_Nss2,(MCS0)_4TX	Pass	RMS	7.1252G	67.16	68.20	-1.04	3	Vertical	149	1.79	-

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


5955MHz_TX

EUT Y_4TX
Setting 94
03-P-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9224G	82.74	88.20	-5.46	75.75	3	Vertical	145	2.08	-	34.10	8.09	35.20			
RMS	5.9234G	66.77	68.20	-1.43	59.78	3	Vertical	145	2.08	-	34.10	8.09	35.20			
PK	5.962G	122.71	Inf	-Inf	115.67	3	Vertical	145	2.08	-	34.10	8.13	35.19			
RMS	5.9622G	115.52	Inf	-Inf	108.48	3	Vertical	145	2.08	-	34.10	8.13	35.19			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


5955MHz_TX

EUT Y_4TX
Setting 94
03-P-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9106G	72.96	88.20	-15.24	65.98	3	Horizontal	228	1.69	-	34.10	8.08	35.20			
RMS	5.922G	57.71	68.20	-10.49	50.72	3	Horizontal	228	1.69	-	34.10	8.09	35.20			
PK	5.9488G	119.68	Inf	-Inf	112.66	3	Horizontal	228	1.69	-	34.10	8.12	35.20			
RMS	5.9494G	111.68	Inf	-Inf	104.66	3	Horizontal	228	1.69	-	34.10	8.12	35.20			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


5955MHz_TX

EUT Y_4TX
Setting 94
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91292G	56.04	74.00	-17.96	50.89	3	Vertical	347	2.67	-	38.70	11.79	45.34			
AV	11.91311G	42.71	54.00	-11.29	37.56	3	Vertical	347	2.67	-	38.70	11.79	45.34			
PK	17.86287G	63.16	74.00	-10.84	50.52	3	Vertical	311	2.39	-	42.78	14.18	44.32			
AV	17.86784G	49.74	54.00	-4.26	37.02	3	Vertical	311	2.39	-	42.85	14.19	44.32			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


5955MHz_TX

EUT Y_4TX
Setting 94
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91375G	55.37	74.00	-18.63	50.21	3	Horizontal	189	1.35	-	38.70	11.80	45.34			
AV	11.91344G	42.71	54.00	-11.29	37.56	3	Horizontal	189	1.35	-	38.70	11.79	45.34			
PK	17.86793G	62.71	74.00	-11.29	49.99	3	Horizontal	144	2.19	-	42.85	14.19	44.32			
AV	17.86702G	49.74	54.00	-4.26	37.04	3	Horizontal	144	2.19	-	42.84	14.18	44.32			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 94
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82548G	54.07	83.54	-29.47	45.36	1	Vertical	19	1.73	-	39.10	17.28	47.67			
AV	23.8252G	40.12	63.54	-23.42	31.41	1	Vertical	19	1.73	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


5955MHz_TX

EUT Y_4TX
Setting 94
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81544G	54.80	83.54	-28.74	46.09	1	Horizontal	132	2.08	-	39.10	17.28	47.67			
AV	23.82528G	40.16	63.54	-23.38	31.45	1	Horizontal	132	2.08	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38693G	56.99	74.00	-17.01	52.03	3	Vertical	107	1.48	-	38.73	11.80	45.57			
AV	12.38885G	43.77	54.00	-10.23	38.82	3	Vertical	107	1.48	-	38.72	11.80	45.57			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6195MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38618G	56.72	74.00	-17.28	51.76	3	Horizontal	349	1.26	-	38.73	11.80	45.57			
AV	12.38648G	43.74	54.00	-10.26	38.78	3	Horizontal	349	1.26	-	38.73	11.80	45.57			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5871G	48.39	83.54	-35.15	43.73	1	Vertical	44	2.64	-	37.80	15.25	48.39			
AV	18.58986G	34.11	63.54	-29.43	29.45	1	Vertical	44	2.64	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58976G	47.81	83.54	-35.73	43.15	1	Horizontal	307	2.78	-	37.80	15.25	48.39			
AV	18.58948G	34.05	63.54	-29.49	29.39	1	Horizontal	307	2.78	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83231G	57.08	88.20	-31.12	50.74	3	Vertical	150	1.35	-	39.83	11.77	45.26			
RMS	12.82641G	44.40	68.20	-23.80	38.08	3	Vertical	150	1.35	-	39.81	11.77	45.26			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83445G	58.77	88.20	-29.43	52.42	3	Horizontal	344	1.57	-	39.84	11.77	45.26			
RMS	12.82633G	44.40	68.20	-23.80	38.08	3	Horizontal	344	1.57	-	39.81	11.77	45.26			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24626G	48.00	83.54	-35.54	43.59	1	Vertical	298	2.82	-	37.99	15.22	48.80			
AV	19.2498G	33.70	63.54	-29.84	29.28	1	Vertical	298	2.82	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6415MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24804G	48.11	83.54	-35.43	43.70	1	Horizontal	31	2.03	-	37.99	15.22	48.80			
AV	19.24968G	33.65	63.54	-29.89	29.23	1	Horizontal	31	2.03	-	38.00	15.22	48.80			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87407G	58.72	88.20	-29.48	52.22	3	Vertical	106	1.02	-	39.95	11.76	45.21			
RMS	12.87413G	44.75	68.20	-23.45	38.25	3	Vertical	106	1.02	-	39.95	11.76	45.21			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86658G	57.34	88.20	-30.86	50.86	3	Horizontal	73	2.89	-	39.93	11.77	45.22			
RMS	12.87382G	44.75	68.20	-23.45	38.25	3	Horizontal	73	2.89	-	39.95	11.76	45.21			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6435MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30292G	48.00	83.54	-35.54	43.79	1	Vertical	306	2.24	-	37.80	15.21	48.80			
AV	19.30406G	33.95	63.54	-29.59	29.74	1	Vertical	306	2.24	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30758G	47.92	83.54	-35.62	43.71	1	Horizontal	74	1.02	-	37.80	15.21	48.80			
AV	19.30332G	33.94	63.54	-29.60	29.73	1	Horizontal	74	1.02	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6475MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	12.95313G	56.91	88.20	-31.29	50.17	3	Vertical	82	1.74	-	40.10	11.76	45.12				
RMS	12.945G	44.21	68.20	-23.99	37.49	3	Vertical	82	1.74	-	40.09	11.76	45.13				

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6475MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94584G	57.54	88.20	-30.66	50.82	3	Horizontal	215	2.86	-	40.09	11.76	45.13			
RMS	12.94511G	44.21	68.20	-23.99	37.49	3	Horizontal	215	2.86	-	40.09	11.76	45.13			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6475MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42652G	48.48	83.54	-35.06	44.29	1	Vertical	42	2.51	-	37.79	15.20	48.80			
AV	19.42896G	34.38	63.54	-29.16	30.20	1	Vertical	42	2.51	-	37.78	15.20	48.80			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6475MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.4211G	48.32	83.54	-35.22	44.10	1	Horizontal	102	2.60	-	37.82	15.20	48.80			
AV	19.42822G	34.37	63.54	-29.17	30.18	1	Horizontal	102	2.60	-	37.79	15.20	48.80			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6515MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03438G	57.54	88.20	-30.66	50.87	3	Vertical	305	2.51	-	39.96	11.75	45.04			
RMS	13.0347G	44.79	68.20	-23.41	38.12	3	Vertical	305	2.51	-	39.96	11.75	45.04			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6515MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02579G	57.76	88.20	-30.44	51.06	3	Horizontal	263	2.04	-	40.00	11.75	45.05			
RMS	13.03449G	44.79	68.20	-23.41	38.12	3	Horizontal	263	2.04	-	39.96	11.75	45.04			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6515MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54338G	47.91	83.54	-35.63	43.80	1	Vertical	165	1.40	-	37.71	15.20	48.80			
AV	19.54994G	34.14	63.54	-29.40	30.04	1	Vertical	165	1.40	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6515MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54554G	48.85	83.54	-34.69	44.74	1	Horizontal	189	1.28	-	37.71	15.20	48.80			
AV	19.54002G	34.12	63.54	-29.42	30.00	1	Horizontal	189	1.28	-	37.72	15.20	48.80			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6535MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0698G	47.72	88.20	-40.48	29.77	3	Vertical	316	2.04	-	39.86	11.75	33.66			
RMS	13.06534G	33.38	68.20	-34.82	15.43	3	Vertical	316	2.04	-	39.87	11.75	33.67			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6535MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06855G	47.67	88.20	-40.53	29.73	3	Horizontal	339	2.73	-	39.86	11.75	33.67			
RMS	13.06502G	33.40	68.20	-34.80	15.45	3	Horizontal	339	2.73	-	39.87	11.75	33.67			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6535MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60474G	48.86	83.54	-34.68	44.77	1	Vertical	80	1.79	-	37.70	15.19	48.80			
AV	19.60638G	34.57	63.54	-28.97	30.48	1	Vertical	80	1.79	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6535MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60572G	49.25	83.54	-34.29	45.16	1	Horizontal	288	2.78	-	37.70	15.19	48.80			
AV	19.60438G	34.61	63.54	-28.93	30.52	1	Horizontal	288	2.78	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39086G	56.77	74.00	-17.23	49.49	3	Vertical	32	1.82	-	40.30	11.73	44.75			
AV	13.38508G	44.28	54.00	-9.72	37.00	3	Vertical	32	1.82	-	40.30	11.73	44.75			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6695MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39272G	56.92	74.00	-17.08	49.64	3	Horizontal	331	1.81	-	40.30	11.73	44.75			
AV	13.38506G	44.30	54.00	-9.70	37.02	3	Horizontal	331	1.81	-	40.30	11.73	44.75			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08798G	49.46	83.54	-34.08	45.20	1	Vertical	303	1.85	-	37.80	15.24	48.78			
AV	20.08522G	34.56	63.54	-28.98	30.30	1	Vertical	303	1.85	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6695MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0807G	48.44	83.54	-35.10	44.18	1	Horizontal	266	2.27	-	37.80	15.24	48.78			
AV	20.08524G	34.59	63.54	-28.95	30.33	1	Horizontal	266	2.27	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71852G	53.64	88.20	-34.56	44.07	3	Vertical	327	2.27	-	40.24	12.63	43.30			
RMS	13.71498G	41.37	68.20	-26.83	31.80	3	Vertical	327	2.27	-	40.23	12.63	43.29			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70865G	54.51	88.20	-33.69	44.96	3	Horizontal	274	1.42	-	40.22	12.62	43.29			
RMS	13.71861G	41.36	68.20	-26.84	31.79	3	Horizontal	274	1.42	-	40.24	12.63	43.30			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5657G	49.33	83.54	-34.21	44.50	1	Vertical	133	1.53	-	37.90	15.63	48.70			
AV	20.56467G	36.58	63.54	-26.96	31.75	1	Vertical	133	1.53	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56471G	49.35	83.54	-34.19	44.52	1	Horizontal	215	1.51	-	37.90	15.63	48.70			
AV	20.56498G	36.59	63.54	-26.95	31.76	1	Horizontal	215	1.51	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6875MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.74974G	58.16	88.20	-30.04	50.25	3	Vertical	105	1.54	-	40.70	11.70	44.49			
RMS	13.75043G	45.20	68.20	-23.00	37.28	3	Vertical	105	1.54	-	40.70	11.70	44.48			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6875MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.75275G	57.79	88.20	-30.41	49.88	3	Horizontal	87	2.18	-	40.69	11.70	44.48			
RMS	13.74734G	45.22	68.20	-22.98	37.30	3	Horizontal	87	2.18	-	40.71	11.70	44.49			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6875MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62062G	50.19	83.54	-33.35	45.31	1	Vertical	82	1.20	-	37.90	15.68	48.70			
AV	20.62434G	35.76	63.54	-27.78	30.88	1	Vertical	82	1.20	-	37.90	15.68	48.70			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6875MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62568G	50.19	83.54	-33.35	45.31	1	Horizontal	332	2.73	-	37.90	15.68	48.70			
AV	20.62484G	35.74	63.54	-27.80	30.86	1	Horizontal	332	2.73	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78626G	58.34	88.20	-29.86	50.47	3	Vertical	349	2.19	-	40.63	11.70	44.46			
RMS	13.79416G	45.43	68.20	-22.77	37.57	3	Vertical	349	2.19	-	40.61	11.70	44.45			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78675G	58.02	88.20	-30.18	50.15	3	Horizontal	112	2.92	-	40.63	11.70	44.46			
RMS	13.7941G	45.45	68.20	-22.75	37.59	3	Horizontal	112	2.92	-	40.61	11.70	44.45			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68366G	49.65	83.54	-33.89	44.72	1	Vertical	260	2.77	-	37.90	15.73	48.70			
AV	20.68582G	35.94	63.54	-27.60	31.01	1	Vertical	260	2.77	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6895MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68702G	49.66	83.54	-33.88	44.73	1	Horizontal	333	1.15	-	37.90	15.73	48.70			
AV	20.68534G	35.95	63.54	-27.59	31.02	1	Horizontal	333	1.15	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6995MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9886G	58.62	88.20	-29.58	50.38	3	Vertical	54	1.79	-	40.88	11.68	44.32			
RMS	13.98794G	45.91	68.20	-22.29	37.67	3	Vertical	54	1.79	-	40.88	11.68	44.32			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6995MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98627G	58.68	88.20	-29.52	50.45	3	Horizontal	142	1.10	-	40.87	11.68	44.32			
RMS	13.99426G	45.91	68.20	-22.29	37.65	3	Horizontal	142	1.10	-	40.89	11.68	44.31			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6995MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98946G	50.70	83.54	-32.84	45.44	1	Vertical	207	1.93	-	37.98	15.98	48.70			
AV	20.98998G	36.04	63.54	-27.50	30.78	1	Vertical	207	1.93	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6995MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98792G	49.96	83.54	-33.58	44.70	1	Horizontal	319	2.90	-	37.98	15.98	48.70			
AV	20.98916G	36.05	63.54	-27.49	30.79	1	Horizontal	319	2.90	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


7095MHz_TX

EUT Y_4TX
Setting 93
03-P-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0976G	123.78	Inf	-Inf	113.98	3	Vertical	67	1.95	-	36.49	8.45	35.14			
RMS	7.0986G	116.19	Inf	-Inf	106.39	3	Vertical	67	1.95	-	36.49	8.45	35.14			
PK	7.1368G	80.50	88.20	-7.70	70.43	3	Vertical	67	1.95	-	36.72	8.49	35.14			
RMS	7.137G	64.44	68.20	-3.76	54.37	3	Vertical	67	1.95	-	36.72	8.49	35.14			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


7095MHz_TX

EUT Y_4TX
Setting 93
03-P-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.091G	121.09	Inf	-Inf	111.32	3	Horizontal	296	2.14	-	36.46	8.45	35.14			
RMS	7.0922G	113.54	Inf	-Inf	103.76	3	Horizontal	296	2.14	-	36.47	8.45	35.14			
PK	7.1292G	82.43	88.20	-5.77	72.41	3	Horizontal	296	2.14	-	36.68	8.48	35.14			
RMS	7.1302G	67.10	68.20	-1.10	57.08	3	Horizontal	296	2.14	-	36.68	8.48	35.14			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


7095MHz_TX

EUT_Y_4TX
Setting 93
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	14.1871G	58.66	88.20	-29.54	50.49	3	Vertical	133	1.18	-	40.90	11.83	44.56				
RMS	14.18503G	46.09	68.20	-22.11	37.92	3	Vertical	133	1.18	-	40.90	11.83	44.56				

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


7095MHz_TX

EUT_Y_4TX
Setting 93
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18954G	59.40	88.20	-28.80	51.24	3	Horizontal	98	1.34	-	40.90	11.83	44.57			
RMS	14.18909G	46.08	68.20	-22.12	37.92	3	Horizontal	98	1.34	-	40.90	11.83	44.57			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


7095MHz_TX

EUT Y_4TX
Setting 93
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2807G	51.20	83.54	-32.34	45.57	1	Vertical	334	1.91	-	38.06	16.21	48.64			
AV	21.2899G	36.90	63.54	-26.64	31.24	1	Vertical	334	1.91	-	38.08	16.22	48.64			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


7095MHz_TX

EUT_Y_4TX
Setting 93
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2885G	51.04	83.54	-32.50	45.38	1	Horizontal	290	1.94	-	38.08	16.22	48.64			
AV	21.28984G	36.89	63.54	-26.65	31.23	1	Horizontal	290	1.94	-	38.08	16.22	48.64			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 91
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	78.62	88.20	-9.58	71.63	3	Vertical	153	2.02	-	34.10	8.09	35.20			
RMS	5.9248G	66.81	68.20	-1.39	59.82	3	Vertical	153	2.02	-	34.10	8.09	35.20			
PK	5.9624G	123.76	Inf	-Inf	116.72	3	Vertical	153	2.02	-	34.10	8.13	35.19			
RMS	5.96G	112.62	Inf	-Inf	105.58	3	Vertical	153	2.02	-	34.10	8.13	35.19			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 91
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	76.71	88.20	-11.49	69.72	3	Horizontal	211	1.61	-	34.10	8.09	35.20			
RMS	5.925G	64.06	68.20	-4.14	57.07	3	Horizontal	211	1.61	-	34.10	8.09	35.20			
PK	5.9506G	118.29	Inf	-Inf	111.26	3	Horizontal	211	1.61	-	34.10	8.12	35.19			
RMS	5.9594G	107.25	Inf	-Inf	100.21	3	Horizontal	211	1.61	-	34.10	8.13	35.19			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 91
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90732G	54.98	74.00	-19.02	39.21	3	Vertical	359	2.16	-	38.70	11.79	34.72			
AV	11.91598G	42.49	54.00	-11.51	26.72	3	Vertical	359	2.16	-	38.70	11.80	34.73			
PK	17.86518G	57.42	74.00	-16.58	34.03	3	Vertical	270	2.22	-	42.81	14.18	33.60			
AV	17.87036G	46.69	54.00	-7.31	23.21	3	Vertical	270	2.22	-	42.89	14.19	33.60			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 91
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90052G	52.91	74.00	-21.09	37.14	3	Horizontal	335	2.09	-	38.70	11.79	34.72			
AV	11.91528G	40.64	54.00	-13.36	24.87	3	Horizontal	335	2.09	-	38.70	11.80	34.73			
PK	17.86542G	58.07	74.00	-15.93	34.67	3	Horizontal	360	2.73	-	42.82	14.18	33.60			
AV	17.875G	46.82	54.00	-7.18	23.28	3	Horizontal	360	2.73	-	42.95	14.19	33.60			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 91
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81982G	49.29	83.54	-34.25	40.58	1	Vertical	107	1.62	-	39.10	17.28	47.67			
AV	23.81997G	44.62	63.54	-18.92	35.91	1	Vertical	107	1.62	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 91
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81999G	51.90	83.54	-31.64	43.19	1	Horizontal	65	1.50	-	39.10	17.28	47.67			
AV	23.81999G	48.57	63.54	-14.97	39.86	1	Horizontal	65	1.50	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	12.39409G	57.02	74.00	-16.98	40.58	3	Vertical	27	1.39	-	38.71	11.80	34.07				
AV	12.39008G	43.45	54.00	-10.55	27.01	3	Vertical	27	1.39	-	38.72	11.80	34.08				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38812G	56.09	74.00	-17.91	39.65	3	Horizontal	92	2.86	-	38.72	11.80	34.08			
AV	12.39497G	43.45	54.00	-10.55	27.01	3	Horizontal	92	2.86	-	38.71	11.80	34.07			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59658G	65.62	83.54	-17.92	60.97	1	Vertical	186.2	1.70	-	37.80	15.25	48.40			
AV	18.59922G	51.27	63.54	-12.27	46.62	1	Vertical	186.2	1.70	-	37.80	15.25	48.40			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58062G	61.29	83.54	-22.25	56.61	1	Horizontal	203	1.86	-	37.80	15.26	48.38			
AV	18.58134G	45.62	63.54	-17.92	40.94	1	Horizontal	203	1.86	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82615G	56.29	88.20	-31.91	38.56	3	Vertical	126	2.94	-	39.80	11.77	33.84			
RMS	12.83478G	44.29	68.20	-23.91	26.52	3	Vertical	126	2.94	-	39.84	11.77	33.84			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83488G	56.83	88.20	-31.37	39.06	3	Horizontal	256	1.92	-	39.84	11.77	33.84			
RMS	12.8304G	44.25	68.20	-23.95	26.50	3	Horizontal	256	1.92	-	39.82	11.77	33.84			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2477G	58.75	83.54	-24.79	54.34	1	Vertical	213.6	1.80	-	37.99	15.22	48.80			
AV	19.24551G	43.49	63.54	-20.05	39.09	1	Vertical	213.6	1.80	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24659G	57.62	83.54	-25.92	53.21	1	Horizontal	319	1.80	-	37.99	15.22	48.80			
AV	19.24686G	43.41	63.54	-20.13	39.00	1	Horizontal	319	1.80	-	37.99	15.22	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87396G	55.96	88.20	-32.24	38.09	3	Vertical	342	2.58	-	39.95	11.76	33.84			
RMS	12.87117G	44.51	68.20	-23.69	26.65	3	Vertical	342	2.58	-	39.94	11.76	33.84			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87094G	55.97	88.20	-32.23	38.11	3	Horizontal	331	1.56	-	39.94	11.76	33.84			
RMS	12.87298G	44.49	68.20	-23.71	26.62	3	Horizontal	331	1.56	-	39.95	11.76	33.84			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.29867G	62.81	83.54	-20.73	58.59	1	Vertical	238.9	1.82	-	37.81	15.21	48.80			
AV	19.29693G	47.15	63.54	-16.39	42.93	1	Vertical	238.9	1.82	-	37.81	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30074G	59.82	83.54	-23.72	55.61	1	Horizontal	324	1.80	-	37.80	15.21	48.80			
AV	19.30131G	45.40	63.54	-18.14	41.19	1	Horizontal	324	1.80	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.95365G	55.06	88.20	-33.14	37.03	3	Vertical	271	2.58	-	40.10	11.76	33.83			
RMS	12.945G	43.49	68.20	-24.71	25.47	3	Vertical	271	2.58	-	40.09	11.76	33.83			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94571G	55.42	88.20	-32.78	37.40	3	Horizontal	249	1.73	-	40.09	11.76	33.83			
RMS	12.94509G	43.49	68.20	-24.71	25.47	3	Horizontal	249	1.73	-	40.09	11.76	33.83			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.41996G	56.73	83.54	-26.81	52.51	1	Vertical	253	1.85	-	37.82	15.20	48.80			
AV	19.41894G	41.97	63.54	-21.57	37.75	1	Vertical	253	1.85	-	37.82	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.41909G	58.16	83.54	-25.38	53.94	1	Horizontal	322.3	1.60	-	37.82	15.20	48.80			
AV	19.42146G	44.54	63.54	-19.00	40.33	1	Horizontal	322.3	1.60	-	37.81	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02965G	56.44	88.20	-31.76	38.47	3	Vertical	218	2.44	-	39.98	11.75	33.76			
RMS	13.03027G	44.23	68.20	-23.97	26.26	3	Vertical	218	2.44	-	39.98	11.75	33.76			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02531G	55.63	88.20	-32.57	37.65	3	Horizontal	320	2.02	-	40.00	11.75	33.77			
RMS	13.03024G	44.24	68.20	-23.96	26.27	3	Horizontal	320	2.02	-	39.98	11.75	33.76			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX

EUT Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.55856G	49.68	83.54	-33.86	45.58	1	Vertical	251	2.01	-	37.70	15.20	48.80			
AV	19.55028G	36.79	63.54	-26.75	32.69	1	Vertical	251	2.01	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX

EUT_Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.55556G	55.32	83.54	-28.22	51.22	1	Horizontal	333	1.72	-	37.70	15.20	48.80			
AV	19.54935G	40.74	63.54	-22.80	36.64	1	Horizontal	333	1.72	-	37.70	15.20	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07211G	56.06	88.20	-32.14	38.11	3	Vertical	244	2.63	-	39.86	11.75	33.66			
RMS	13.06587G	43.89	68.20	-24.31	25.94	3	Vertical	244	2.63	-	39.87	11.75	33.67			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06557G	56.53	88.20	-31.67	38.58	3	Horizontal	69	2.96	-	39.87	11.75	33.67			
RMS	13.06596G	43.94	68.20	-24.26	25.99	3	Horizontal	69	2.96	-	39.87	11.75	33.67			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60221G	49.09	83.54	-34.45	45.00	1	Vertical	241	1.80	-	37.70	15.19	48.80			
AV	19.6071G	35.24	63.54	-28.30	31.15	1	Vertical	241	1.80	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_Y_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60404G	55.10	83.54	-28.44	51.01	1	Horizontal	324	1.89	-	37.70	15.19	48.80			
AV	19.60359G	40.63	63.54	-22.91	36.54	1	Horizontal	324	1.89	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38937G	56.14	74.00	-17.86	37.01	3	Vertical	60	1.89	-	40.30	11.73	32.90			
AV	13.385G	44.37	54.00	-9.63	25.25	3	Vertical	60	1.89	-	40.30	11.73	32.91			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38584G	55.82	74.00	-18.18	36.69	3	Horizontal	186	1.04	-	40.30	11.73	32.90			
AV	13.39022G	44.42	54.00	-9.58	25.28	3	Horizontal	186	1.04	-	40.30	11.73	32.89			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08438G	46.56	83.54	-36.98	42.30	1	Vertical	189	2.75	-	37.80	15.24	48.78			
AV	20.08442G	32.54	63.54	-31.00	28.28	1	Vertical	189	2.75	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08498G	46.29	83.54	-37.25	42.03	1	Horizontal	336	1.23	-	37.80	15.24	48.78			
AV	20.08435G	32.60	63.54	-30.94	28.34	1	Horizontal	336	1.23	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70941G	54.24	88.20	-33.96	44.69	3	Vertical	63	1.32	-	40.22	12.62	43.29			
RMS	13.70987G	41.68	68.20	-26.52	32.13	3	Vertical	63	1.32	-	40.22	12.62	43.29			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71039G	53.70	88.20	-34.50	44.15	3	Horizontal	47	2.24	-	40.22	12.62	43.29			
RMS	13.71029G	41.66	68.20	-26.54	32.11	3	Horizontal	47	2.24	-	40.22	12.62	43.29			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56575G	48.23	83.54	-35.31	43.40	1	Vertical	109	1.53	-	37.90	15.63	48.70			
AV	20.56467G	36.89	63.54	-26.65	32.06	1	Vertical	109	1.53	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56521G	48.80	83.54	-34.74	43.97	1	Horizontal	51	1.55	-	37.90	15.63	48.70			
AV	20.56412G	36.88	63.54	-26.66	32.05	1	Horizontal	51	1.55	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	13.74693G	57.28	88.20	-30.92	37.85	3	Vertical	182	1.00	-	40.71	11.70	32.98				
RMS	13.745G	44.94	68.20	-23.26	25.51	3	Vertical	182	1.00	-	40.71	11.70	32.98				

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	13.75045G	56.61	88.20	-31.59	37.20	3	Horizontal	328	2.21	-	40.70	11.70	32.99				
RMS	13.745G	45.02	68.20	-23.18	25.59	3	Horizontal	328	2.21	-	40.71	11.70	32.98				

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62405G	46.58	83.54	-36.96	41.70	1	Vertical	4	1.02	-	37.90	15.68	48.70			
AV	20.62478G	33.16	63.54	-30.38	28.28	1	Vertical	4	1.02	-	37.90	15.68	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6875MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62516G	46.44	83.54	-37.10	41.56	1	Horizontal	149	2.30	-	37.90	15.68	48.70			
AV	20.62484G	33.27	63.54	-30.27	28.39	1	Horizontal	149	2.30	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79332G	57.07	88.20	-31.13	37.81	3	Vertical	56	2.91	-	40.61	11.70	33.05			
RMS	13.7902G	45.10	68.20	-23.10	25.82	3	Vertical	56	2.91	-	40.62	11.70	33.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79286G	56.09	88.20	-32.11	36.83	3	Horizontal	167	2.34	-	40.61	11.70	33.05			
RMS	13.78515G	45.09	68.20	-23.11	25.79	3	Horizontal	167	2.34	-	40.63	11.70	33.03			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68539G	47.04	83.54	-36.50	42.11	1	Vertical	184	2.97	-	37.90	15.73	48.70			
AV	20.68581G	33.66	63.54	-29.88	28.73	1	Vertical	184	2.97	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68517G	47.07	83.54	-36.47	42.14	1	Horizontal	141	2.82	-	37.90	15.73	48.70			
AV	20.68482G	33.67	63.54	-29.87	28.74	1	Horizontal	141	2.82	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98974G	57.71	88.20	-30.49	38.48	3	Vertical	197	1.96	-	40.88	11.68	33.33			
RMS	13.99019G	45.65	68.20	-22.55	26.42	3	Vertical	197	1.96	-	40.88	11.68	33.33			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9861G	58.43	88.20	-29.77	39.20	3	Horizontal	157	2.70	-	40.87	11.68	33.32			
RMS	13.98512G	45.65	68.20	-22.55	26.42	3	Horizontal	157	2.70	-	40.87	11.68	33.32			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98582G	47.86	83.54	-35.68	42.62	1	Vertical	19	2.45	-	37.97	15.97	48.70			
AV	20.98512G	34.01	63.54	-29.53	28.77	1	Vertical	19	2.45	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9849G	47.99	83.54	-35.55	42.75	1	Horizontal	4	2.93	-	37.97	15.97	48.70			
AV	20.9852G	33.98	63.54	-29.56	28.74	1	Horizontal	4	2.93	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 85
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0962G	123.10	Inf	-Inf	113.31	3	Vertical	268.8	1.80	-	36.48	8.45	35.14			
RMS	7.1037G	113.35	Inf	-Inf	103.51	3	Vertical	268.8	1.80	-	36.52	8.46	35.14			
PK	7.1253G	81.22	88.20	-6.98	71.23	3	Vertical	268.8	1.80	-	36.65	8.48	35.14			
RMS	7.1253G	66.59	68.20	-1.61	56.60	3	Vertical	268.8	1.80	-	36.65	8.48	35.14			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 85
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0986G	115.31	Inf	-Inf	105.51	3	Horizontal	87.5	1.80	-	36.49	8.45	35.14			
RMS	7.1037G	106.45	Inf	-Inf	96.61	3	Horizontal	87.5	1.80	-	36.52	8.46	35.14			
PK	7.1259G	74.61	88.20	-13.59	64.61	3	Horizontal	87.5	1.80	-	36.66	8.48	35.14			
RMS	7.125G	60.31	68.20	-7.89	50.32	3	Horizontal	87.5	1.80	-	36.65	8.48	35.14			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_Y_4TX
Setting 85
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19096G	57.63	88.20	-30.57	38.42	3	Vertical	226	1.50	-	40.90	11.83	33.52			
RMS	14.19059G	46.05	68.20	-22.15	26.84	3	Vertical	226	1.50	-	40.90	11.83	33.52			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 85
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19438G	57.91	88.20	-30.29	38.71	3	Horizontal	110	2.40	-	40.90	11.83	33.53			
RMS	14.19021G	46.07	68.20	-22.13	26.86	3	Horizontal	110	2.40	-	40.90	11.83	33.52			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_Y_4TX
Setting 85
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28521G	48.76	83.54	-34.78	43.11	1	Vertical	93	1.85	-	38.07	16.22	48.64			
AV	21.28568G	34.85	63.54	-28.69	29.20	1	Vertical	93	1.85	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 85
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28417G	47.97	83.54	-35.57	42.32	1	Horizontal	66	1.55	-	38.07	16.22	48.64			
AV	21.28553G	34.75	63.54	-28.79	29.10	1	Horizontal	66	1.55	-	38.07	16.22	48.64			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 81
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	84.00	88.20	-4.20	77.01	3	Vertical	251.1	1.67	-	34.10	8.09	35.20			
RMS	5.925G	66.86	68.20	-1.34	59.87	3	Vertical	251.1	1.67	-	34.10	8.09	35.20			
PK	5.9758G	121.09	Inf	-Inf	114.04	3	Vertical	251.1	1.67	-	34.10	8.14	35.19			
RMS	5.9722G	110.58	Inf	-Inf	103.53	3	Vertical	251.1	1.67	-	34.10	8.14	35.19			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 81
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	73.51	88.20	-14.69	66.52	3	Horizontal	212.9	1.71	-	34.10	8.09	35.20			
RMS	5.9209G	57.43	68.20	-10.77	50.44	3	Horizontal	212.9	1.71	-	34.10	8.09	35.20			
PK	5.9824G	112.83	Inf	-Inf	105.77	3	Horizontal	212.9	1.71	-	34.10	8.15	35.19			
RMS	5.983G	102.37	Inf	-Inf	95.31	3	Horizontal	212.9	1.71	-	34.10	8.15	35.19			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 81
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93248G	53.54	74.00	-20.46	37.79	3	Vertical	172	1.84	-	38.70	11.80	34.75			
AV	11.93022G	42.51	54.00	-11.49	26.76	3	Vertical	172	1.84	-	38.70	11.80	34.75			
PK	17.89462G	62.70	74.00	-11.30	38.87	3	Vertical	282	2.07	-	43.22	14.20	33.59			
AV	17.89561G	50.87	54.00	-3.13	27.02	3	Vertical	282	2.07	-	43.24	14.20	33.59			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 81
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92649G	54.71	74.00	-19.29	38.95	3	Horizontal	122	1.03	-	38.70	11.80	34.74			
AV	11.93021G	42.48	54.00	-11.52	26.73	3	Horizontal	122	1.03	-	38.70	11.80	34.75			
PK	17.8933G	64.07	74.00	-9.93	40.25	3	Horizontal	186	1.48	-	43.21	14.20	33.59			
AV	17.89526G	50.98	54.00	-3.02	27.14	3	Horizontal	186	1.48	-	43.23	14.20	33.59			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 81
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.8516G	51.13	83.54	-32.41	42.40	1	Vertical	88	1.37	-	39.10	17.29	47.66			
AV	23.86134G	38.23	63.54	-25.31	29.52	1	Vertical	88	1.37	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 81
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	23.86566G	51.28	83.54	-32.26	42.57	1	Horizontal	42	2.33	-	39.07	17.29	47.65				
AV	23.8597G	38.27	63.54	-25.27	29.56	1	Horizontal	42	2.33	-	39.08	17.29	47.66				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40775G	54.96	74.00	-19.04	38.50	3	Vertical	37	1.99	-	38.70	11.80	34.04			
AV	12.41413G	43.47	54.00	-10.53	27.00	3	Vertical	37	1.99	-	38.70	11.80	34.03			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41367G	55.84	74.00	-18.16	39.37	3	Horizontal	179	2.85	-	38.70	11.80	34.03			
AV	12.41468G	43.48	54.00	-10.52	27.01	3	Horizontal	179	2.85	-	38.70	11.80	34.03			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6144G	45.79	83.54	-37.75	41.12	1	Vertical	141	1.24	-	37.83	15.25	48.41			
AV	18.61428G	32.74	63.54	-30.80	28.07	1	Vertical	141	1.24	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61532G	45.98	83.54	-37.56	41.32	1	Horizontal	277	2.30	-	37.83	15.25	48.42			
AV	18.61427G	32.73	63.54	-30.81	28.06	1	Horizontal	277	2.30	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80582G	55.57	88.20	-32.63	37.93	3	Vertical	350	1.14	-	39.72	11.77	33.85			
RMS	12.80517G	44.04	68.20	-24.16	26.40	3	Vertical	350	1.14	-	39.72	11.77	33.85			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81179G	55.31	88.20	-32.89	37.64	3	Horizontal	223	2.52	-	39.75	11.77	33.85			
RMS	12.805G	43.96	68.20	-24.24	26.32	3	Horizontal	223	2.52	-	39.72	11.77	33.85			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21519G	46.48	83.54	-37.06	42.20	1	Vertical	118	1.28	-	37.86	15.22	48.80			
AV	19.21407G	32.38	63.54	-31.16	28.10	1	Vertical	118	1.28	-	37.86	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21596G	45.97	83.54	-37.57	41.69	1	Horizontal	14	1.78	-	37.86	15.22	48.80			
AV	19.216G	32.51	63.54	-31.03	28.23	1	Horizontal	14	1.78	-	37.86	15.22	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.89274G	57.54	88.20	-30.66	39.63	3	Vertical	256	1.04	-	39.99	11.76	33.84			
RMS	12.88767G	44.60	68.20	-23.60	26.70	3	Vertical	256	1.04	-	39.98	11.76	33.84			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88641G	56.40	88.20	-31.80	38.51	3	Horizontal	329	2.48	-	39.97	11.76	33.84			
RMS	12.8885G	44.59	68.20	-23.61	26.69	3	Horizontal	329	2.48	-	39.98	11.76	33.84			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.33482G	45.54	83.54	-38.00	41.33	1	Vertical	111	1.14	-	37.80	15.21	48.80			
AV	19.33576G	32.12	63.54	-31.42	27.91	1	Vertical	111	1.14	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.3347G	46.01	83.54	-37.53	41.80	1	Horizontal	360	1.30	-	37.80	15.21	48.80			
AV	19.33569G	32.02	63.54	-31.52	27.81	1	Horizontal	360	1.30	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.9667G	54.92	88.20	-33.28	36.89	3	Vertical	275	1.19	-	40.10	11.76	33.83			
RMS	12.96503G	43.25	68.20	-24.95	25.22	3	Vertical	275	1.19	-	40.10	11.76	33.83			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97432G	54.47	88.20	-33.73	36.44	3	Horizontal	285	1.40	-	40.10	11.76	33.83			
RMS	12.965G	43.28	68.20	-24.92	25.25	3	Horizontal	285	1.40	-	40.10	11.76	33.83			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.4551G	45.34	83.54	-38.20	41.23	1	Vertical	92	2.03	-	37.71	15.20	48.80			
AV	19.45453G	31.88	63.54	-31.66	27.77	1	Vertical	92	2.03	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.45411G	45.26	83.54	-38.28	41.15	1	Horizontal	181	1.89	-	37.71	15.20	48.80			
AV	19.45485G	31.85	63.54	-31.69	27.74	1	Horizontal	181	1.89	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04543G	55.49	88.20	-32.71	37.54	3	Vertical	141	2.26	-	39.92	11.75	33.72			
RMS	13.045G	44.12	68.20	-24.08	26.17	3	Vertical	141	2.26	-	39.92	11.75	33.72			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05068G	55.16	88.20	-33.04	37.22	3	Horizontal	319	1.49	-	39.90	11.75	33.71			
RMS	13.045G	44.16	68.20	-24.04	26.21	3	Horizontal	319	1.49	-	39.92	11.75	33.72			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57571G	45.82	83.54	-37.72	41.72	1	Vertical	219	2.52	-	37.70	15.20	48.80			
AV	19.57499G	32.07	63.54	-31.47	27.97	1	Vertical	219	2.52	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6525MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57544G	45.36	83.54	-38.18	41.26	1	Horizontal	128	1.21	-	37.70	15.20	48.80			
AV	19.57416G	32.00	63.54	-31.54	27.90	1	Horizontal	128	1.21	-	37.70	15.20	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12782G	56.40	88.20	-31.80	38.26	3	Vertical	213	2.59	-	39.91	11.75	33.52			
RMS	13.12508G	43.82	68.20	-24.38	25.70	3	Vertical	213	2.59	-	39.90	11.75	33.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12932G	55.18	88.20	-33.02	37.03	3	Horizontal	359	2.45	-	39.92	11.75	33.52			
RMS	13.125G	43.79	68.20	-24.41	25.67	3	Horizontal	359	2.45	-	39.90	11.75	33.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69549G	46.00	83.54	-37.54	41.91	1	Vertical	320	2.67	-	37.70	15.19	48.80			
AV	19.69577G	32.50	63.54	-31.04	28.41	1	Vertical	320	2.67	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69528G	46.28	83.54	-37.26	42.19	1	Horizontal	196	1.73	-	37.70	15.19	48.80			
AV	19.69566G	32.47	63.54	-31.07	28.38	1	Horizontal	196	1.73	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36712G	56.10	74.00	-17.90	37.02	3	Vertical	64	2.86	-	40.30	11.73	32.95			
AV	13.37025G	44.06	54.00	-9.94	24.97	3	Vertical	64	2.86	-	40.30	11.73	32.94			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36561G	55.64	74.00	-18.36	36.56	3	Horizontal	11	2.38	-	40.30	11.73	32.95			
AV	13.37028G	44.11	54.00	-9.89	25.02	3	Horizontal	11	2.38	-	40.30	11.73	32.94			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05575G	45.83	83.54	-37.71	41.60	1	Vertical	60	2.02	-	37.80	15.22	48.79			
AV	20.0544G	32.36	63.54	-31.18	28.14	1	Vertical	60	2.02	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05448G	46.89	83.54	-36.65	42.67	1	Horizontal	356	2.19	-	37.80	15.21	48.79			
AV	20.05438G	32.32	63.54	-31.22	28.10	1	Horizontal	356	2.19	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6845MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68999G	53.15	88.20	-35.05	43.64	3	Vertical	82	1.33	-	40.20	12.60	43.29			
RMS	13.69037G	41.19	68.20	-27.01	31.68	3	Vertical	82	1.33	-	40.20	12.60	43.29			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6845MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69097G	53.25	88.20	-34.95	43.74	3	Horizontal	249	2.50	-	40.20	12.60	43.29			
RMS	13.6892G	41.18	68.20	-27.02	31.67	3	Horizontal	249	2.50	-	40.20	12.60	43.29			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6845MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53428G	47.80	83.54	-35.74	42.99	1	Vertical	212	1.53	-	37.90	15.61	48.70			
AV	20.53408G	36.07	63.54	-27.47	31.26	1	Vertical	212	1.53	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6845MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53415G	47.64	83.54	-35.90	42.83	1	Horizontal	46	1.52	-	37.90	15.61	48.70			
AV	20.53563G	36.04	63.54	-27.50	31.23	1	Horizontal	46	1.52	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76528G	56.92	88.20	-31.28	37.56	3	Vertical	330	2.81	-	40.67	11.70	33.01			
RMS	13.77041G	45.06	68.20	-23.14	25.71	3	Vertical	330	2.81	-	40.66	11.70	33.01			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76838G	56.50	88.20	-31.70	37.15	3	Horizontal	260	1.91	-	40.66	11.70	33.01			
RMS	13.77046G	45.08	68.20	-23.12	25.73	3	Horizontal	260	1.91	-	40.66	11.70	33.01			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65509G	46.94	83.54	-36.60	42.04	1	Vertical	91	2.25	-	37.90	15.70	48.70			
AV	20.65408G	33.31	63.54	-30.23	28.41	1	Vertical	91	2.25	-	37.90	15.70	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6885MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65428G	46.99	83.54	-36.55	42.09	1	Horizontal	214	1.26	-	37.90	15.70	48.70			
AV	20.6551G	33.34	63.54	-30.20	28.44	1	Horizontal	214	1.26	-	37.90	15.70	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.852G	57.66	88.20	-30.54	38.49	3	Vertical	163	2.71	-	40.61	11.69	33.13			
RMS	13.85126G	45.59	68.20	-22.61	26.42	3	Vertical	163	2.71	-	40.61	11.69	33.13			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.85248G	57.87	88.20	-30.33	38.70	3	Horizontal	132	2.97	-	40.61	11.69	33.13			
RMS	13.85256G	45.65	68.20	-22.55	26.48	3	Horizontal	132	2.97	-	40.61	11.69	33.13			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77596G	48.25	83.54	-35.29	43.25	1	Vertical	84	2.71	-	37.90	15.80	48.70			
AV	20.77574G	34.60	63.54	-28.94	29.60	1	Vertical	84	2.71	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6925MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77451G	47.80	83.54	-35.74	42.80	1	Horizontal	72	2.51	-	37.90	15.80	48.70			
AV	20.7758G	34.52	63.54	-29.02	29.52	1	Horizontal	72	2.51	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.01079G	57.91	88.20	-30.29	38.69	3	Vertical	82	1.08	-	40.88	11.69	33.35			
RMS	14.00558G	45.81	68.20	-22.39	26.59	3	Vertical	82	1.08	-	40.89	11.68	33.35			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00869G	58.74	88.20	-29.46	39.52	3	Horizontal	352	2.90	-	40.88	11.69	33.35			
RMS	14.005G	45.86	68.20	-22.34	26.63	3	Horizontal	352	2.90	-	40.89	11.68	33.34			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	21.01592G	47.15	83.54	-36.39	41.85	1	Vertical	187	2.38	-	38.00	16.00	48.70				
AV	21.01532G	33.98	63.54	-29.56	28.68	1	Vertical	187	2.38	-	38.00	16.00	48.70				

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7005MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01572G	47.65	83.54	-35.89	42.35	1	Horizontal	137	1.22	-	38.00	16.00	48.70			
AV	21.01458G	33.91	63.54	-29.63	28.61	1	Horizontal	137	1.22	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 79
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0871G	119.88	Inf	-Inf	110.13	3	Vertical	72	1.88	-	36.45	8.44	35.14			
RMS	7.0892G	108.55	Inf	-Inf	98.78	3	Vertical	72	1.88	-	36.46	8.45	35.14			
PK	7.1252G	81.89	88.20	-6.31	71.90	3	Vertical	72	1.88	-	36.65	8.48	35.14			
RMS	7.1252G	66.74	68.20	-1.46	56.75	3	Vertical	72	1.88	-	36.65	8.48	35.14			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX

EUT Y_4TX
Setting 79
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0694G	112.78	Inf	-Inf	103.11	3	Horizontal	184	2.20	-	36.38	8.43	35.14			
RMS	7.0673G	101.93	Inf	-Inf	92.27	3	Horizontal	184	2.20	-	36.37	8.43	35.14			
PK	7.1255G	74.50	88.20	-13.70	64.51	3	Horizontal	184	2.20	-	36.65	8.48	35.14			
RMS	7.1258G	57.19	68.20	-11.01	47.20	3	Horizontal	184	2.20	-	36.65	8.48	35.14			