


5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6425MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27489G	47.52	83.54	-36.02	43.21	1	Horizontal	159	1.31	-	37.90	15.21	48.80			
AV	19.27445G	32.41	63.54	-31.13	28.10	1	Horizontal	159	1.31	-	37.90	15.21	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6585MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17231G	59.09	88.20	-29.11	40.77	3	Vertical	82	2.60	-	40.00	11.74	33.42			
RMS	13.16826G	46.00	68.20	-22.20	27.69	3	Vertical	82	2.60	-	40.00	11.74	33.43			

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6585MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17289G	59.82	88.20	-28.38	41.50	3	Horizontal	60	2.16	-	40.00	11.74	33.42			
RMS	13.17034G	45.90	68.20	-22.30	27.58	3	Horizontal	60	2.16	-	40.00	11.74	33.42			

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6585MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75561G	46.57	83.54	-36.97	42.49	1	Vertical	6	2.49	-	37.70	15.18	48.80			
AV	19.75532G	32.89	63.54	-30.65	28.81	1	Vertical	6	2.49	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6585MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.756G	46.00	83.54	-37.54	41.92	1	Horizontal	58	2.47	-	37.70	15.18	48.80			
AV	19.75503G	32.77	63.54	-30.77	28.69	1	Horizontal	58	2.47	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6745MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49062G	60.58	88.20	-27.62	40.83	3	Vertical	61	1.65	-	40.68	11.72	32.65			
RMS	13.48755G	46.92	68.20	-21.28	27.18	3	Vertical	61	1.65	-	40.68	11.72	32.66			

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6745MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49371G	60.42	88.20	-27.78	40.66	3	Horizontal	163	1.95	-	40.69	11.72	32.65			
RMS	13.48964G	47.01	68.20	-21.19	27.26	3	Horizontal	163	1.95	-	40.68	11.72	32.65			

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6745MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.23592G	48.02	83.54	-35.52	43.61	1	Vertical	62	1.59	-	37.80	15.36	48.75				
AV	20.23478G	33.92	63.54	-29.62	29.51	1	Vertical	62	1.59	-	37.80	15.36	48.75				

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6745MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23467G	47.31	83.54	-36.23	42.90	1	Horizontal	358	1.08	-	37.80	15.36	48.75			
AV	20.23457G	34.00	63.54	-29.54	29.59	1	Horizontal	358	1.08	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 85
03-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
RMS	6.8834G	98.30	Inf	-Inf	88.80	3	Vertical	345.8	1.79	-	35.90	8.75	35.15			
PK	6.8858G	109.41	Inf	-Inf	99.92	3	Vertical	345.8	1.79	-	35.90	8.74	35.15			
RMS	7.1258G	57.78	68.20	-10.42	47.79	3	Vertical	345.8	1.79	-	36.65	8.48	35.14			
PK	7.1666G	76.48	88.20	-11.72	66.24	3	Vertical	345.8	1.79	-	36.87	8.51	35.14			
AV	7.25G	52.53	54.00	-1.47	42.01	3	Vertical	345.8	1.79	-	37.10	8.57	35.15			
PK	7.2962G	65.21	74.00	-8.79	54.75	3	Vertical	345.8	1.79	-	37.01	8.60	35.15			

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 85
03-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8594G	104.39	Inf	-Inf	94.82	3	Horizontal	139	1.37	-	35.90	8.83	35.16			
RMS	6.8618G	94.29	Inf	-Inf	84.72	3	Horizontal	139	1.37	-	35.90	8.82	35.15			
RMS	7.1258G	53.30	68.20	-14.90	43.31	3	Horizontal	139	1.37	-	36.65	8.48	35.14			
PK	7.1642G	75.01	88.20	-13.19	64.78	3	Horizontal	139	1.37	-	36.86	8.51	35.14			
AV	7.25G	48.21	54.00	-5.79	37.69	3	Horizontal	139	1.37	-	37.10	8.57	35.15			
PK	7.2866G	64.24	74.00	-9.76	53.76	3	Horizontal	139	1.37	-	37.03	8.60	35.15			

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 85
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80943G	60.96	88.20	-27.24	41.74	3	Vertical	61	1.24	-	40.60	11.69	33.07			
RMS	13.81088G	47.02	68.20	-21.18	27.80	3	Vertical	61	1.24	-	40.60	11.69	33.07			

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 85
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80806G	61.43	88.20	-26.77	42.21	3	Horizontal	233	2.16	-	40.60	11.69	33.07			
RMS	13.80703G	47.00	68.20	-21.20	27.78	3	Horizontal	233	2.16	-	40.60	11.69	33.07			

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6905MHz_TX

EUT_Y_4TX
Setting 85
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71537G	47.35	83.54	-36.19	42.40	1	Vertical	305	1.98	-	37.90	15.75	48.70			
AV	20.71516G	33.73	63.54	-29.81	28.78	1	Vertical	305	1.98	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6905MHz_TX

EUT Y_4TX
Setting 85
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71468G	47.13	83.54	-36.41	42.18	1	Horizontal	1	2.94	-	37.90	15.75	48.70			
AV	20.71569G	33.74	63.54	-29.80	28.79	1	Horizontal	1	2.94	-	37.90	15.75	48.70			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.925G	67.07	68.20	-1.13	3	Vertical	90	1.80	-

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_V_4TX
Setting 94
03-P-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9224G	82.74	88.20	-5.46	75.75	3	Vertical	145	2.08	-	34.10	8.09	35.20			
RMS	5.9234G	66.77	68.20	-1.43	59.78	3	Vertical	145	2.08	-	34.10	8.09	35.20			
PK	5.962G	122.71	Inf	-Inf	115.67	3	Vertical	145	2.08	-	34.10	8.13	35.19			
RMS	5.9622G	115.52	Inf	-Inf	108.48	3	Vertical	145	2.08	-	34.10	8.13	35.19			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 94
03-P-G-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9106G	72.96	88.20	-15.24	65.98	3	Horizontal	228	1.69	-	34.10	8.08	35.20			
RMS	5.922G	57.71	68.20	-10.49	50.72	3	Horizontal	228	1.69	-	34.10	8.09	35.20			
PK	5.9488G	119.68	Inf	-Inf	112.66	3	Horizontal	228	1.69	-	34.10	8.12	35.20			
RMS	5.9494G	111.68	Inf	-Inf	104.66	3	Horizontal	228	1.69	-	34.10	8.12	35.20			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 94
03-P-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91292G	56.04	74.00	-17.96	50.89	3	Vertical	347	2.67	-	38.70	11.79	45.34			
AV	11.91311G	42.71	54.00	-11.29	37.56	3	Vertical	347	2.67	-	38.70	11.79	45.34			
PK	17.86287G	63.16	74.00	-10.84	50.52	3	Vertical	311	2.39	-	42.78	14.18	44.32			
AV	17.86784G	49.74	54.00	-4.26	37.02	3	Vertical	311	2.39	-	42.85	14.19	44.32			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 94
03-P-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91375G	55.37	74.00	-18.63	50.21	3	Horizontal	189	1.35	-	38.70	11.80	45.34				
AV	11.91344G	42.71	54.00	-11.29	37.56	3	Horizontal	189	1.35	-	38.70	11.79	45.34				
PK	17.86793G	62.71	74.00	-11.29	49.99	3	Horizontal	144	2.19	-	42.85	14.19	44.32				
AV	17.86702G	49.74	54.00	-4.26	37.04	3	Horizontal	144	2.19	-	42.84	14.18	44.32				

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_V_4TX
Setting 94
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82548G	54.07	83.54	-29.47	45.36	1	Vertical	19	1.73	-	39.10	17.28	47.67			
AV	23.8252G	40.12	63.54	-23.42	31.41	1	Vertical	19	1.73	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


5955MHz_TX

EUT_V_4TX
Setting 94
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81544G	54.80	83.54	-28.74	46.09	1	Horizontal	132	2.08	-	39.10	17.28	47.67			
AV	23.82528G	40.16	63.54	-23.38	31.45	1	Horizontal	132	2.08	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6195MHz_TX

EUT_V_4TX
Setting 100
03-P-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38693G	56.99	74.00	-17.01	52.03	3	Vertical	107	1.48	-	38.73	11.80	45.57			
AV	12.38885G	43.77	54.00	-10.23	38.82	3	Vertical	107	1.48	-	38.72	11.80	45.57			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_V_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38618G	56.72	74.00	-17.28	51.76	3	Horizontal	349	1.26	-	38.73	11.80	45.57			
AV	12.38648G	43.74	54.00	-10.26	38.78	3	Horizontal	349	1.26	-	38.73	11.80	45.57			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5871G	48.39	83.54	-35.15	43.73	1	Vertical	44	2.64	-	37.80	15.25	48.39			
AV	18.58986G	34.11	63.54	-29.43	29.45	1	Vertical	44	2.64	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58976G	47.81	83.54	-35.73	43.15	1	Horizontal	307	2.78	-	37.80	15.25	48.39			
AV	18.58948G	34.05	63.54	-29.49	29.39	1	Horizontal	307	2.78	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT_V_4TX
Setting 100
03-P-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83231G	57.08	88.20	-31.12	50.74	3	Vertical	150	1.35	-	39.83	11.77	45.26			
RMS	12.82641G	44.40	68.20	-23.80	38.08	3	Vertical	150	1.35	-	39.81	11.77	45.26			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6415MHz_TX

EUT_V_4TX
Setting 100
03-P-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83445G	58.77	88.20	-29.43	52.42	3	Horizontal	344	1.57	-	39.84	11.77	45.26			
RMS	12.82633G	44.40	68.20	-23.80	38.08	3	Horizontal	344	1.57	-	39.81	11.77	45.26			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24626G	48.00	83.54	-35.54	43.59	1	Vertical	298	2.82	-	37.99	15.22	48.80			
AV	19.2498G	33.70	63.54	-29.84	29.28	1	Vertical	298	2.82	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6415MHz_TX

EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24804G	48.11	83.54	-35.43	43.70	1	Horizontal	31	2.03	-	37.99	15.22	48.80			
AV	19.24968G	33.65	63.54	-29.89	29.23	1	Horizontal	31	2.03	-	38.00	15.22	48.80			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0698G	47.72	88.20	-40.48	29.77	3	Vertical	316	2.04	-	39.86	11.75	33.66			
RMS	13.06534G	33.38	68.20	-34.82	15.43	3	Vertical	316	2.04	-	39.87	11.75	33.67			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06855G	47.67	88.20	-40.53	29.73	3	Horizontal	339	2.73	-	39.86	11.75	33.67			
RMS	13.06502G	33.40	68.20	-34.80	15.45	3	Horizontal	339	2.73	-	39.87	11.75	33.67			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60474G	48.86	83.54	-34.68	44.77	1	Vertical	80	1.79	-	37.70	15.19	48.80			
AV	19.60638G	34.57	63.54	-28.97	30.48	1	Vertical	80	1.79	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60572G	49.25	83.54	-34.29	45.16	1	Horizontal	288	2.78	-	37.70	15.19	48.80			
AV	19.60438G	34.61	63.54	-28.93	30.52	1	Horizontal	288	2.78	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6695MHz_TX

EUT_V_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39086G	56.77	74.00	-17.23	49.49	3	Vertical	32	1.82	-	40.30	11.73	44.75			
AV	13.38508G	44.28	54.00	-9.72	37.00	3	Vertical	32	1.82	-	40.30	11.73	44.75			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_V_4TX
Setting 100
03-P-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39272G	56.92	74.00	-17.08	49.64	3	Horizontal	331	1.81	-	40.30	11.73	44.75			
AV	13.38506G	44.30	54.00	-9.70	37.02	3	Horizontal	331	1.81	-	40.30	11.73	44.75			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08798G	49.46	83.54	-34.08	45.20	1	Vertical	303	1.85	-	37.80	15.24	48.78			
AV	20.08522G	34.56	63.54	-28.98	30.30	1	Vertical	303	1.85	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0807G	48.44	83.54	-35.10	44.18	1	Horizontal	266	2.27	-	37.80	15.24	48.78			
AV	20.08524G	34.59	63.54	-28.95	30.33	1	Horizontal	266	2.27	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6855MHz_TX




EUT_V_4TX
Setting 100
04-V-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71852G	53.64	88.20	-34.56	44.07	3	Vertical	327	2.27	-	40.24	12.63	43.30			
RMS	13.71498G	41.37	68.20	-26.83	31.80	3	Vertical	327	2.27	-	40.23	12.63	43.29			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6855MHz_TX




EUT_V_4TX
Setting 100
04-V-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70865G	54.51	88.20	-33.69	44.96	3	Horizontal	274	1.42	-	40.22	12.62	43.29			
RMS	13.71861G	41.36	68.20	-26.84	31.79	3	Horizontal	274	1.42	-	40.24	12.63	43.30			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5657G	49.33	83.54	-34.21	44.50	1	Vertical	133	1.53	-	37.90	15.63	48.70			
AV	20.56467G	36.58	63.54	-26.96	31.75	1	Vertical	133	1.53	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6855MHz_TX




EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56471G	49.35	83.54	-34.19	44.52	1	Horizontal	215	1.51	-	37.90	15.63	48.70			
AV	20.56498G	36.59	63.54	-26.95	31.76	1	Horizontal	215	1.51	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 91
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	78.62	88.20	-9.58	71.63	3	Vertical	153	2.02	-	34.10	8.09	35.20
RMS	5.9248G	66.81	68.20	-1.39	59.82	3	Vertical	153	2.02	-	34.10	8.09	35.20
PK	5.9624G	123.76	Inf	-Inf	116.72	3	Vertical	153	2.02	-	34.10	8.13	35.19
RMS	5.96G	112.62	Inf	-Inf	105.58	3	Vertical	153	2.02	-	34.10	8.13	35.19

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 91
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	76.71	88.20	-11.49	69.72	3	Horizontal	211	1.61	-	34.10	8.09	35.20			
RMS	5.925G	64.06	68.20	-4.14	57.07	3	Horizontal	211	1.61	-	34.10	8.09	35.20			
PK	5.9506G	118.29	Inf	-Inf	111.26	3	Horizontal	211	1.61	-	34.10	8.12	35.19			
RMS	5.9594G	107.25	Inf	-Inf	100.21	3	Horizontal	211	1.61	-	34.10	8.13	35.19			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 91
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90732G	54.98	74.00	-19.02	39.21	3	Vertical	359	2.16	-	38.70	11.79	34.72			
AV	11.91598G	42.49	54.00	-11.51	26.72	3	Vertical	359	2.16	-	38.70	11.80	34.73			
PK	17.86518G	57.42	74.00	-16.58	34.03	3	Vertical	270	2.22	-	42.81	14.18	33.60			
AV	17.87036G	46.69	54.00	-7.31	23.21	3	Vertical	270	2.22	-	42.89	14.19	33.60			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 91
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90052G	52.91	74.00	-21.09	37.14	3	Horizontal	335	2.09	-	38.70	11.79	34.72			
AV	11.91528G	40.64	54.00	-13.36	24.87	3	Horizontal	335	2.09	-	38.70	11.80	34.73			
PK	17.86542G	58.07	74.00	-15.93	34.67	3	Horizontal	360	2.73	-	42.82	14.18	33.60			
AV	17.875G	46.82	54.00	-7.18	23.28	3	Horizontal	360	2.73	-	42.95	14.19	33.60			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_V_4TX
Setting 91
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81982G	49.29	83.54	-34.25	40.58	1	Vertical	107	1.62	-	39.10	17.28	47.67			
AV	23.81997G	44.62	63.54	-18.92	35.91	1	Vertical	107	1.62	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 91
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81999G	51.90	83.54	-31.64	43.19	1	Horizontal	65	1.50	-	39.10	17.28	47.67			
AV	23.8199G	48.57	63.54	-14.97	39.86	1	Horizontal	65	1.50	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39409G	57.02	74.00	-16.98	40.58	3	Vertical	27	1.39	-	38.71	11.80	34.07			
AV	12.39008G	43.45	54.00	-10.55	27.01	3	Vertical	27	1.39	-	38.72	11.80	34.08			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38812G	56.09	74.00	-17.91	39.65	3	Horizontal	92	2.86	-	38.72	11.80	34.08			
AV	12.39497G	43.45	54.00	-10.55	27.01	3	Horizontal	92	2.86	-	38.71	11.80	34.07			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_V_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59658G	65.62	83.54	-17.92	60.97	1	Vertical	186.2	1.70	-	37.80	15.25	48.40			
AV	18.59922G	51.27	63.54	-12.27	46.62	1	Vertical	186.2	1.70	-	37.80	15.25	48.40			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 100
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58062G	61.29	83.54	-22.25	56.61	1	Horizontal	203	1.86	-	37.80	15.26	48.38			
AV	18.58134G	45.62	63.54	-17.92	40.94	1	Horizontal	203	1.86	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82615G	56.29	88.20	-31.91	38.56	3	Vertical	126	2.94	-	39.80	11.77	33.84			
RMS	12.83478G	44.29	68.20	-23.91	26.52	3	Vertical	126	2.94	-	39.84	11.77	33.84			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83488G	56.83	88.20	-31.37	39.06	3	Horizontal	256	1.92	-	39.84	11.77	33.84			
RMS	12.8304G	44.25	68.20	-23.95	26.50	3	Horizontal	256	1.92	-	39.82	11.77	33.84			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 100
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2477G	58.75	83.54	-24.79	54.34	1	Vertical	213.6	1.80	-	37.99	15.22	48.80			
AV	19.24551G	43.49	63.54	-20.05	39.09	1	Vertical	213.6	1.80	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_V_4TX
Setting 100
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24659G	57.62	83.54	-25.92	53.21	1	Horizontal	319	1.80	-	37.99	15.22	48.80			
AV	19.24686G	43.41	63.54	-20.13	39.00	1	Horizontal	319	1.80	-	37.99	15.22	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07211G	56.06	88.20	-32.14	38.11	3	Vertical	244	2.63	-	39.86	11.75	33.66			
RMS	13.06587G	43.89	68.20	-24.31	25.94	3	Vertical	244	2.63	-	39.87	11.75	33.67			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06557G	56.53	88.20	-31.67	38.58	3	Horizontal	69	2.96	-	39.87	11.75	33.67			
RMS	13.06596G	43.94	68.20	-24.26	25.99	3	Horizontal	69	2.96	-	39.87	11.75	33.67			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_V_4TX
Setting 100
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60221G	49.09	83.54	-34.45	45.00	1	Vertical	241	1.80	-	37.70	15.19	48.80			
AV	19.6071G	35.24	63.54	-28.30	31.15	1	Vertical	241	1.80	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 100
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60404G	55.10	83.54	-28.44	51.01	1	Horizontal	324	1.89	-	37.70	15.19	48.80			
AV	19.60359G	40.63	63.54	-22.91	36.54	1	Horizontal	324	1.89	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38937G	56.14	74.00	-17.86	37.01	3	Vertical	60	1.89	-	40.30	11.73	32.90			
AV	13.385G	44.37	54.00	-9.63	25.25	3	Vertical	60	1.89	-	40.30	11.73	32.91			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38584G	55.82	74.00	-18.18	36.69	3	Horizontal	186	1.04	-	40.30	11.73	32.90			
AV	13.39022G	44.42	54.00	-9.58	25.28	3	Horizontal	186	1.04	-	40.30	11.73	32.89			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08438G	46.56	83.54	-36.98	42.30	1	Vertical	189	2.75	-	37.80	15.24	48.78			
AV	20.08442G	32.54	63.54	-31.00	28.28	1	Vertical	189	2.75	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08498G	46.29	83.54	-37.25	42.03	1	Horizontal	336	1.23	-	37.80	15.24	48.78			
AV	20.08435G	32.60	63.54	-30.94	28.34	1	Horizontal	336	1.23	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT V_4TX
Setting 100
04-V-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70941G	54.24	88.20	-33.96	44.69	3	Vertical	63	1.32	-	40.22	12.62	43.29			
RMS	13.70987G	41.68	68.20	-26.52	32.13	3	Vertical	63	1.32	-	40.22	12.62	43.29			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 100
04-V-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71039G	53.70	88.20	-34.50	44.15	3	Horizontal	47	2.24	-	40.22	12.62	43.29			
RMS	13.71029G	41.66	68.20	-26.54	32.11	3	Horizontal	47	2.24	-	40.22	12.62	43.29			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56575G	48.23	83.54	-35.31	43.40	1	Vertical	109	1.53	-	37.90	15.63	48.70			
AV	20.56467G	36.89	63.54	-26.65	32.06	1	Vertical	109	1.53	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56521G	48.80	83.54	-34.74	43.97	1	Horizontal	51	1.55	-	37.90	15.63	48.70			
AV	20.56412G	36.88	63.54	-26.66	32.05	1	Horizontal	51	1.55	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 81
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	84.00	88.20	-4.20	77.01	3	Vertical	251.1	1.67	-	34.10	8.09	35.20			
RMS	5.925G	66.86	68.20	-1.34	59.87	3	Vertical	251.1	1.67	-	34.10	8.09	35.20			
PK	5.9758G	121.09	Inf	-Inf	114.04	3	Vertical	251.1	1.67	-	34.10	8.14	35.19			
RMS	5.9722G	110.58	Inf	-Inf	103.53	3	Vertical	251.1	1.67	-	34.10	8.14	35.19			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 81
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	73.51	88.20	-14.69	66.52	3	Horizontal	212.9	1.71	-	34.10	8.09	35.20			
RMS	5.9209G	57.43	68.20	-10.77	50.44	3	Horizontal	212.9	1.71	-	34.10	8.09	35.20			
PK	5.9824G	112.83	Inf	-Inf	105.77	3	Horizontal	212.9	1.71	-	34.10	8.15	35.19			
RMS	5.983G	102.37	Inf	-Inf	95.31	3	Horizontal	212.9	1.71	-	34.10	8.15	35.19			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 81
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.93248G	53.54	74.00	-20.46	37.79	3	Vertical	172	1.84	-	38.70	11.80	34.75				
AV	11.93022G	42.51	54.00	-11.49	26.76	3	Vertical	172	1.84	-	38.70	11.80	34.75				
PK	17.89462G	62.70	74.00	-11.30	38.87	3	Vertical	282	2.07	-	43.22	14.20	33.59				
AV	17.89561G	50.87	54.00	-3.13	27.02	3	Vertical	282	2.07	-	43.24	14.20	33.59				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 81
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92649G	54.71	74.00	-19.29	38.95	3	Horizontal	122	1.03	-	38.70	11.80	34.74			
AV	11.93021G	42.48	54.00	-11.52	26.73	3	Horizontal	122	1.03	-	38.70	11.80	34.75			
PK	17.8933G	64.07	74.00	-9.93	40.25	3	Horizontal	186	1.48	-	43.21	14.20	33.59			
AV	17.89526G	50.98	54.00	-3.02	27.14	3	Horizontal	186	1.48	-	43.23	14.20	33.59			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 81
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8516G	51.13	83.54	-32.41	42.40	1	Vertical	88	1.37	-	39.10	17.29	47.66			
AV	23.86134G	38.23	63.54	-25.31	29.52	1	Vertical	88	1.37	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_V_4TX
Setting 81
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86566G	51.28	83.54	-32.26	42.57	1	Horizontal	42	2.33	-	39.07	17.29	47.65			
AV	23.8597G	38.27	63.54	-25.27	29.56	1	Horizontal	42	2.33	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40775G	54.96	74.00	-19.04	38.50	3	Vertical	37	1.99	-	38.70	11.80	34.04			
AV	12.41413G	43.47	54.00	-10.53	27.00	3	Vertical	37	1.99	-	38.70	11.80	34.03			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41367G	55.84	74.00	-18.16	39.37	3	Horizontal	179	2.85	-	38.70	11.80	34.03			
AV	12.41468G	43.48	54.00	-10.52	27.01	3	Horizontal	179	2.85	-	38.70	11.80	34.03			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6144G	45.79	83.54	-37.75	41.12	1	Vertical	141	1.24	-	37.83	15.25	48.41			
AV	18.61428G	32.74	63.54	-30.80	28.07	1	Vertical	141	1.24	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61532G	45.98	83.54	-37.56	41.32	1	Horizontal	277	2.30	-	37.83	15.25	48.42			
AV	18.61427G	32.73	63.54	-30.81	28.06	1	Horizontal	277	2.30	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80582G	55.57	88.20	-32.63	37.93	3	Vertical	350	1.14	-	39.72	11.77	33.85			
RMS	12.80517G	44.04	68.20	-24.16	26.40	3	Vertical	350	1.14	-	39.72	11.77	33.85			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81179G	55.31	88.20	-32.89	37.64	3	Horizontal	223	2.52	-	39.75	11.77	33.85			
RMS	12.805G	43.96	68.20	-24.24	26.32	3	Horizontal	223	2.52	-	39.72	11.77	33.85			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21519G	46.48	83.54	-37.06	42.20	1	Vertical	118	1.28	-	37.86	15.22	48.80			
AV	19.21407G	32.38	63.54	-31.16	28.10	1	Vertical	118	1.28	-	37.86	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21596G	45.97	83.54	-37.57	41.69	1	Horizontal	14	1.78	-	37.86	15.22	48.80			
AV	19.216G	32.51	63.54	-31.03	28.23	1	Horizontal	14	1.78	-	37.86	15.22	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12782G	56.40	88.20	-31.80	38.26	3	Vertical	213	2.59	-	39.91	11.75	33.52			
RMS	13.12508G	43.82	68.20	-24.38	25.70	3	Vertical	213	2.59	-	39.90	11.75	33.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12932G	55.18	88.20	-33.02	37.03	3	Horizontal	359	2.45	-	39.92	11.75	33.52			
RMS	13.125G	43.79	68.20	-24.41	25.67	3	Horizontal	359	2.45	-	39.90	11.75	33.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69549G	46.00	83.54	-37.54	41.91	1	Vertical	320	2.67	-	37.70	15.19	48.80			
AV	19.69577G	32.50	63.54	-31.04	28.41	1	Vertical	320	2.67	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69528G	46.28	83.54	-37.26	42.19	1	Horizontal	196	1.73	-	37.70	15.19	48.80			
AV	19.69566G	32.47	63.54	-31.07	28.38	1	Horizontal	196	1.73	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36712G	56.10	74.00	-17.90	37.02	3	Vertical	64	2.86	-	40.30	11.73	32.95			
AV	13.37025G	44.06	54.00	-9.94	24.97	3	Vertical	64	2.86	-	40.30	11.73	32.94			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36561G	55.64	74.00	-18.36	36.56	3	Horizontal	11	2.38	-	40.30	11.73	32.95			
AV	13.37028G	44.11	54.00	-9.89	25.02	3	Horizontal	11	2.38	-	40.30	11.73	32.94			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05575G	45.83	83.54	-37.71	41.60	1	Vertical	60	2.02	-	37.80	15.22	48.79			
AV	20.0544G	32.36	63.54	-31.18	28.14	1	Vertical	60	2.02	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05448G	46.89	83.54	-36.65	42.67	1	Horizontal	356	2.19	-	37.80	15.21	48.79			
AV	20.05438G	32.32	63.54	-31.22	28.10	1	Horizontal	356	2.19	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68999G	53.15	88.20	-35.05	43.64	3	Vertical	82	1.33	-	40.20	12.60	43.29			
RMS	13.69037G	41.19	68.20	-27.01	31.68	3	Vertical	82	1.33	-	40.20	12.60	43.29			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69097G	53.25	88.20	-34.95	43.74	3	Horizontal	249	2.50	-	40.20	12.60	43.29			
RMS	13.6892G	41.18	68.20	-27.02	31.67	3	Horizontal	249	2.50	-	40.20	12.60	43.29			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53428G	47.80	83.54	-35.74	42.99	1	Vertical	212	1.53	-	37.90	15.61	48.70			
AV	20.53408G	36.07	63.54	-27.47	31.26	1	Vertical	212	1.53	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53415G	47.64	83.54	-35.90	42.83	1	Horizontal	46	1.52	-	37.90	15.61	48.70			
AV	20.53563G	36.04	63.54	-27.50	31.23	1	Horizontal	46	1.52	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 82
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	82.17	88.20	-6.03	75.18	3	Vertical	148	1.80	-	34.10	8.09	35.20			
RMS	5.925G	66.60	68.20	-1.60	59.61	3	Vertical	148	1.80	-	34.10	8.09	35.20			
PK	5.9622G	118.73	Inf	-Inf	111.69	3	Vertical	148	1.80	-	34.10	8.13	35.19			
RMS	5.979G	106.10	Inf	-Inf	99.04	3	Vertical	148	1.80	-	34.10	8.15	35.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 82
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	76.13	88.20	-12.07	69.14	3	Horizontal	208.1	1.80	-	34.10	8.09	35.20
RMS	5.9222G	57.79	68.20	-10.41	50.80	3	Horizontal	208.1	1.80	-	34.10	8.09	35.20
PK	5.9514G	112.48	Inf	-Inf	105.45	3	Horizontal	208.1	1.80	-	34.10	8.12	35.19
RMS	5.9882G	99.62	Inf	-Inf	92.55	3	Horizontal	208.1	1.80	-	34.10	8.16	35.19

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 82
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.96516G	52.85	74.00	-21.15	37.11	3	Vertical	22	1.91	-	38.70	11.82	34.78				
AV	11.965G	41.92	54.00	-12.08	26.18	3	Vertical	22	1.91	-	38.70	11.82	34.78				
PK	17.95765G	59.57	74.00	-14.43	34.96	3	Vertical	308	1.51	-	43.93	14.23	33.55				
AV	17.95292G	46.47	54.00	-7.53	21.89	3	Vertical	308	1.51	-	43.91	14.23	33.56				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 82
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.97488G	52.98	74.00	-21.02	37.25	3	Horizontal	248	1.68	-	38.70	11.82	34.79				
AV	11.96504G	41.98	54.00	-12.02	26.24	3	Horizontal	248	1.68	-	38.70	11.82	34.78				
PK	17.95715G	59.13	74.00	-14.87	34.52	3	Horizontal	138	2.01	-	43.93	14.23	33.55				
AV	17.95661G	46.33	54.00	-7.67	21.72	3	Horizontal	138	2.01	-	43.93	14.23	33.55				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 82
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93596G	51.13	83.54	-32.41	42.45	1	Vertical	173	2.62	-	39.00	17.31	47.63			
AV	23.9333G	38.00	63.54	-25.54	29.32	1	Vertical	173	2.62	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 82
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94478G	52.06	83.54	-31.48	43.36	1	Horizontal	280	2.66	-	39.00	17.32	47.62			
AV	23.93746G	37.98	63.54	-25.56	29.30	1	Horizontal	280	2.66	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45399G	55.35	74.00	-18.65	38.79	3	Vertical	153	2.15	-	38.72	11.80	33.96			
AV	12.45498G	43.70	54.00	-10.30	27.13	3	Vertical	153	2.15	-	38.72	11.80	33.95			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44732G	55.86	74.00	-18.14	39.33	3	Horizontal	221	1.73	-	38.70	11.80	33.97			
AV	12.45499G	43.72	54.00	-10.28	27.15	3	Horizontal	221	1.73	-	38.72	11.80	33.95			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67456G	45.99	83.54	-37.55	41.31	1	Vertical	50	1.68	-	37.90	15.25	48.47			
AV	18.67597G	32.90	63.54	-30.64	28.23	1	Vertical	50	1.68	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.675G	46.50	83.54	-37.04	41.82	1	Horizontal	201	2.09	-	37.90	15.25	48.47			
AV	18.67474G	32.89	63.54	-30.65	28.21	1	Horizontal	201	2.09	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77065G	56.11	88.20	-32.09	38.61	3	Vertical	77	1.45	-	39.58	11.77	33.85			
RMS	12.77407G	43.86	68.20	-24.34	26.34	3	Vertical	77	1.45	-	39.60	11.77	33.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76952G	54.99	88.20	-33.21	37.49	3	Horizontal	127	2.62	-	39.58	11.77	33.85			
RMS	12.77021G	43.85	68.20	-24.35	26.35	3	Horizontal	127	2.62	-	39.58	11.77	33.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15464G	47.45	83.54	-36.09	43.05	1	Vertical	138	1.86	-	37.98	15.22	48.80			
AV	19.15555G	32.64	63.54	-30.90	28.24	1	Vertical	138	1.86	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15587G	46.66	83.54	-36.88	42.26	1	Horizontal	47	1.24	-	37.98	15.22	48.80			
AV	19.15518G	32.73	63.54	-30.81	28.33	1	Horizontal	47	1.24	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24578G	55.64	88.20	-32.56	37.14	3	Vertical	172	1.13	-	40.00	11.74	33.24			
RMS	13.245G	44.33	68.20	-23.87	25.83	3	Vertical	172	1.13	-	40.00	11.74	33.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24623G	56.21	88.20	-31.99	37.71	3	Horizontal	211	1.36	-	40.00	11.74	33.24			
RMS	13.2452G	44.32	68.20	-23.88	25.82	3	Horizontal	211	1.36	-	40.00	11.74	33.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87492G	46.50	83.54	-37.04	42.42	1	Vertical	64	1.33	-	37.70	15.18	48.80			
AV	19.87551G	32.98	63.54	-30.56	28.90	1	Vertical	64	1.33	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87414G	46.48	83.54	-37.06	42.40	1	Horizontal	348	2.23	-	37.70	15.18	48.80			
AV	19.8753G	32.97	63.54	-30.57	28.89	1	Horizontal	348	2.23	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40963G	57.68	88.20	-30.52	38.45	3	Vertical	164	1.43	-	40.36	11.72	32.85			
RMS	13.41014G	44.70	68.20	-23.50	25.47	3	Vertical	164	1.43	-	40.36	11.72	32.85			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41439G	56.60	88.20	-31.60	37.33	3	Horizontal	188	2.23	-	40.39	11.72	32.84			
RMS	13.41042G	44.72	68.20	-23.48	25.48	3	Horizontal	188	2.23	-	40.36	11.72	32.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11592G	45.74	83.54	-37.80	41.46	1	Vertical	132	2.40	-	37.80	15.26	48.78			
AV	20.11499G	32.49	63.54	-31.05	28.21	1	Vertical	132	2.40	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.11543G	46.31	83.54	-37.23	42.03	1	Horizontal	242	2.19	-	37.80	15.26	48.78				
AV	20.11551G	32.53	63.54	-31.01	28.25	1	Horizontal	242	2.19	-	37.80	15.26	48.78				

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56523G	56.71	88.20	-31.49	36.81	3	Vertical	16	2.61	-	40.91	11.71	32.72			
RMS	13.56578G	44.95	68.20	-23.25	25.05	3	Vertical	16	2.61	-	40.91	11.71	32.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56901G	57.17	88.20	-31.03	37.30	3	Horizontal	132	1.30	-	40.89	11.71	32.73			
RMS	13.565G	44.97	68.20	-23.23	25.07	3	Horizontal	132	1.30	-	40.91	11.71	32.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3548G	48.18	83.54	-35.36	43.56	1	Vertical	54	2.66	-	37.89	15.46	48.73			
AV	20.35592G	34.02	63.54	-29.52	29.40	1	Vertical	54	2.66	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35555G	47.87	83.54	-35.67	43.25	1	Horizontal	163	2.21	-	37.89	15.46	48.73			
AV	20.3548G	33.89	63.54	-29.65	29.27	1	Horizontal	163	2.21	-	37.89	15.46	48.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 83
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9215G	80.59	88.20	-7.61	73.60	3	Vertical	285	1.80	-	34.10	8.09	35.20			
RMS	5.9245G	66.34	68.20	-1.86	59.35	3	Vertical	285	1.80	-	34.10	8.09	35.20			
PK	6.0445G	116.59	Inf	-Inf	109.35	3	Vertical	285	1.80	-	34.19	8.24	35.19			
RMS	6.054G	105.04	Inf	-Inf	97.79	3	Vertical	285	1.80	-	34.19	8.25	35.19			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 83
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	76.62	88.20	-11.58	69.63	3	Horizontal	212.2	3.00	-	34.10	8.09	35.20			
RMS	5.9225G	58.76	68.20	-9.44	51.77	3	Horizontal	212.2	3.00	-	34.10	8.09	35.20			
PK	6.0845G	109.99	Inf	-Inf	102.76	3	Horizontal	212.2	3.00	-	34.13	8.30	35.20			
RMS	6.101G	99.20	Inf	-Inf	91.98	3	Horizontal	212.2	3.00	-	34.10	8.32	35.20			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 83
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04929G	56.99	74.00	-17.01	40.98	3	Vertical	282	2.14	-	38.90	11.83	34.72			
AV	12.05388G	43.90	54.00	-10.10	27.87	3	Vertical	282	2.14	-	38.91	11.83	34.71			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 83
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05197G	57.05	74.00	-16.95	41.03	3	Horizontal	222	2.15	-	38.90	11.83	34.71			
AV	12.05416G	43.88	54.00	-10.12	27.85	3	Horizontal	222	2.15	-	38.91	11.83	34.71			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 83
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07557G	46.99	83.54	-36.55	42.37	1	Vertical	95	1.41	-	37.55	15.29	48.22			
AV	18.07563G	33.49	63.54	-30.05	28.87	1	Vertical	95	1.41	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 83
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07544G	46.66	83.54	-36.88	42.04	1	Horizontal	161	2.91	-	37.55	15.29	48.22			
AV	18.07554G	33.47	63.54	-30.07	28.85	1	Horizontal	161	2.91	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37469G	56.76	74.00	-17.24	51.77	3	Vertical	343	1.05	-	38.75	11.80	45.56			
AV	12.37053G	43.90	54.00	-10.10	38.90	3	Vertical	343	1.05	-	38.76	11.80	45.56			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36703G	56.55	74.00	-17.45	51.54	3	Horizontal	67	1.26	-	38.77	11.80	45.56			
AV	12.36713G	43.89	54.00	-10.11	38.88	3	Horizontal	67	1.26	-	38.77	11.80	45.56			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55538G	46.79	83.54	-36.75	42.09	1	Vertical	28	2.23	-	37.80	15.26	48.36			
AV	18.55499G	33.08	63.54	-30.46	28.37	1	Vertical	28	2.23	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55463G	46.37	83.54	-37.17	41.66	1	Horizontal	185	2.04	-	37.80	15.26	48.35			
AV	18.55481G	33.08	63.54	-30.46	28.37	1	Horizontal	185	2.04	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68832G	57.25	74.00	-16.75	51.49	3	Vertical	113	1.43	-	39.40	11.78	45.42			
AV	12.68505G	43.85	54.00	-10.15	38.09	3	Vertical	113	1.43	-	39.40	11.78	45.42			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_V_4TX
Setting 100
03-P-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68983G	56.55	74.00	-17.45	50.79	3	Horizontal	215	2.22	-	39.40	11.78	45.42			
AV	12.6851G	43.87	54.00	-10.13	38.11	3	Horizontal	215	2.22	-	39.40	11.78	45.42			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03487G	46.54	83.54	-37.00	42.18	1	Vertical	268	2.90	-	37.93	15.23	48.80			
AV	19.03484G	32.92	63.54	-30.62	28.56	1	Vertical	268	2.90	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03512G	45.95	83.54	-37.59	41.59	1	Horizontal	143	2.77	-	37.93	15.23	48.80			
AV	19.03489G	32.88	63.54	-30.66	28.52	1	Horizontal	143	2.77	-	37.93	15.23	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 100
03-P-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32973G	57.55	74.00	-16.45	50.36	3	Vertical	28	2.42	-	40.26	11.73	44.80			
AV	13.33064G	44.71	54.00	-9.29	37.52	3	Vertical	28	2.42	-	40.26	11.73	44.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_V_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32826G	57.30	74.00	-16.70	50.11	3	Horizontal	1	1.00	-	40.26	11.73	44.80			
AV	13.33036G	44.71	54.00	-9.29	37.52	3	Horizontal	1	1.00	-	40.26	11.73	44.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99409G	46.14	83.54	-37.40	42.06	1	Vertical	119	2.40	-	37.71	15.17	48.80			
AV	19.9949G	32.36	63.54	-31.18	28.28	1	Vertical	119	2.40	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99407G	46.26	83.54	-37.28	42.18	1	Horizontal	255	2.52	-	37.71	15.17	48.80			
AV	19.99489G	32.42	63.54	-31.12	28.34	1	Horizontal	255	2.52	-	37.71	15.17	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 87
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	81.06	88.20	-7.14	74.07	3	Vertical	90	1.80	-	34.10	8.09	35.20
RMS	5.925G	67.07	68.20	-1.13	60.08	3	Vertical	90	1.80	-	34.10	8.09	35.20
PK	6.206G	113.83	Inf	-Inf	106.25	3	Vertical	90	1.80	-	34.30	8.48	35.20
RMS	6.201G	103.20	Inf	-Inf	95.63	3	Vertical	90	1.80	-	34.30	8.47	35.20

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 87
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	72.18	88.20	-16.02	65.19	3	Horizontal	229.1	1.78	-	34.10	8.09	35.20			
RMS	5.925G	59.81	68.20	-8.39	52.82	3	Horizontal	229.1	1.78	-	34.10	8.09	35.20			
PK	6.082G	105.73	Inf	-Inf	98.49	3	Horizontal	229.1	1.78	-	34.14	8.29	35.19			
RMS	6.076G	95.89	Inf	-Inf	88.65	3	Horizontal	229.1	1.78	-	34.15	8.28	35.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT V_4TX
Setting 87
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21115G	56.65	74.00	-17.35	51.31	3	Vertical	319	2.66	-	39.00	11.81	45.47			
AV	12.21484G	44.18	54.00	-9.82	38.85	3	Vertical	319	2.66	-	39.00	11.81	45.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 87
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21488G	57.39	74.00	-16.61	52.06	3	Horizontal	168	1.63	-	39.00	11.81	45.48			
AV	12.21451G	44.14	54.00	-9.86	38.81	3	Horizontal	168	1.63	-	39.00	11.81	45.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_V_4TX
Setting 87
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31418G	46.97	83.54	-36.57	42.33	1	Vertical	249	2.62	-	37.63	15.27	48.26			
AV	18.31581G	33.12	63.54	-30.42	28.48	1	Vertical	249	2.62	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_V_4TX
Setting 87
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31505G	47.43	83.54	-36.11	42.79	1	Horizontal	197	1.48	-	37.63	15.27	48.26			
AV	18.31562G	33.25	63.54	-30.29	28.61	1	Horizontal	197	1.48	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT V_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52705G	56.67	74.00	-17.33	51.53	3	Vertical	343	2.52	-	38.95	11.79	45.60			
AV	12.52527G	43.79	54.00	-10.21	38.65	3	Vertical	343	2.52	-	38.95	11.79	45.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_V_4TX
Setting 100
03-P-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53339G	56.52	74.00	-17.48	51.35	3	Horizontal	205	1.67	-	38.97	11.79	45.59			
AV	12.52531G	43.79	54.00	-10.21	38.65	3	Horizontal	205	1.67	-	38.95	11.79	45.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79501G	46.79	83.54	-36.75	42.25	1	Vertical	170	2.41	-	37.90	15.24	48.60			
AV	18.7953G	33.14	63.54	-30.40	28.60	1	Vertical	170	2.41	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79564G	46.93	83.54	-36.61	42.39	1	Horizontal	205	2.03	-	37.90	15.24	48.60			
AV	18.79515G	33.16	63.54	-30.38	28.62	1	Horizontal	205	2.03	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 95
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.92	88.20	-8.28	72.93	3	Vertical	81.7	2.09	-	34.10	8.09	35.20			
RMS	5.9248G	67.00	68.20	-1.20	60.01	3	Vertical	81.7	2.09	-	34.10	8.09	35.20			
PK	5.9574G	124.17	Inf	-Inf	117.13	3	Vertical	81.7	2.09	-	34.10	8.13	35.19			
RMS	5.9504G	112.57	Inf	-Inf	105.54	3	Vertical	81.7	2.09	-	34.10	8.12	35.19			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 95
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	76.90	88.20	-11.30	69.91	3	Horizontal	221	1.65	-	34.10	8.09	35.20			
RMS	5.925G	64.25	68.20	-3.95	57.26	3	Horizontal	221	1.65	-	34.10	8.09	35.20			
PK	5.9506G	118.48	Inf	-Inf	111.45	3	Horizontal	221	1.65	-	34.10	8.12	35.19			
RMS	5.9594G	107.44	Inf	-Inf	100.40	3	Horizontal	221	1.65	-	34.10	8.13	35.19			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 95
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91194G	57.92	74.00	-16.08	42.16	3	Vertical	240	2.01	-	38.70	11.79	34.73			
AV	11.91385G	44.06	54.00	-9.94	28.29	3	Vertical	240	2.01	-	38.70	11.80	34.73			
PK	17.86898G	60.44	74.00	-13.56	36.98	3	Vertical	13	1.18	-	42.87	14.19	33.60			
AV	17.8691G	47.24	54.00	-6.76	23.78	3	Vertical	13	1.18	-	42.87	14.19	33.60			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 95
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91469G	57.79	74.00	-16.21	42.02	3	Horizontal	296	2.82	-	38.70	11.80	34.73			
AV	11.91457G	44.02	54.00	-9.98	28.25	3	Horizontal	296	2.82	-	38.70	11.80	34.73			
PK	17.86547G	60.13	74.00	-13.87	36.73	3	Horizontal	105	2.88	-	42.82	14.18	33.60			
AV	17.86664G	47.38	54.00	-6.62	23.97	3	Horizontal	105	2.88	-	42.83	14.18	33.60			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 95
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81462G	51.28	74.00	-22.72	42.57	1	Vertical	152	2.68	-	39.10	17.28	47.67			
AV	23.82572G	38.20	54.00	-15.80	29.49	1	Vertical	152	2.68	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 95
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81022G	51.71	74.00	-22.29	43.01	1	Horizontal	302	1.09	-	39.10	17.28	47.68			
AV	23.82866G	38.18	54.00	-15.82	29.47	1	Horizontal	302	1.09	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39399G	58.89	74.00	-15.11	42.45	3	Vertical	132	1.47	-	38.71	11.80	34.07			
AV	12.38654G	45.20	54.00	-8.80	28.75	3	Vertical	132	1.47	-	38.73	11.80	34.08			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38716G	58.93	74.00	-15.07	42.48	3	Horizontal	183	2.82	-	38.73	11.80	34.08			
AV	12.39237G	45.16	54.00	-8.84	28.71	3	Horizontal	183	2.82	-	38.72	11.80	34.07			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58502G	46.86	83.54	-36.68	42.20	1	Vertical	234	1.13	-	37.80	15.25	48.39			
AV	18.58528G	32.98	63.54	-30.56	28.32	1	Vertical	234	1.13	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58419G	46.50	83.54	-37.04	41.83	1	Horizontal	237	1.93	-	37.80	15.25	48.38			
AV	18.58465G	32.99	63.54	-30.55	28.32	1	Horizontal	237	1.93	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82878G	60.48	88.20	-27.72	42.73	3	Vertical	358	1.42	-	39.82	11.77	33.84			
RMS	12.8349G	45.92	68.20	-22.28	28.15	3	Vertical	358	1.42	-	39.84	11.77	33.84			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6415MHz_TX

EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82758G	59.32	88.20	-28.88	41.58	3	Horizontal	24	2.65	-	39.81	11.77	33.84			
RMS	12.82768G	45.82	68.20	-22.38	28.08	3	Horizontal	24	2.65	-	39.81	11.77	33.84			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24456G	46.46	83.54	-37.08	42.06	1	Vertical	148	1.20	-	37.98	15.22	48.80			
AV	19.24408G	32.74	63.54	-30.80	28.34	1	Vertical	148	1.20	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2443G	46.54	83.54	-37.00	42.14	1	Horizontal	184	1.81	-	37.98	15.22	48.80			
AV	19.24432G	32.80	63.54	-30.74	28.40	1	Horizontal	184	1.81	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07173G	58.82	88.20	-29.38	40.87	3	Vertical	150	1.30	-	39.86	11.75	33.66			
RMS	13.06514G	45.25	68.20	-22.95	27.30	3	Vertical	150	1.30	-	39.87	11.75	33.67			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07402G	58.97	88.20	-29.23	41.02	3	Horizontal	31	2.20	-	39.85	11.75	33.65			
RMS	13.0703G	45.16	68.20	-23.04	27.21	3	Horizontal	31	2.20	-	39.86	11.75	33.66			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60419G	46.01	83.54	-37.53	41.92	1	Vertical	345	2.72	-	37.70	15.19	48.80			
AV	19.60403G	32.21	63.54	-31.33	28.12	1	Vertical	345	2.72	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60576G	45.88	83.54	-37.66	41.79	1	Horizontal	74	1.05	-	37.70	15.19	48.80			
AV	19.60447G	32.24	63.54	-31.30	28.15	1	Horizontal	74	1.05	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39167G	60.46	74.00	-13.54	41.32	3	Vertical	325	1.59	-	40.30	11.73	32.89			
AV	13.39341G	46.33	54.00	-7.67	27.19	3	Vertical	325	1.59	-	40.30	11.73	32.89			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3928G	60.37	74.00	-13.63	41.23	3	Horizontal	105	2.27	-	40.30	11.73	32.89			
AV	13.38552G	46.27	54.00	-7.73	27.14	3	Horizontal	105	2.27	-	40.30	11.73	32.90			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08417G	46.02	83.54	-37.52	41.76	1	Vertical	341	2.39	-	37.80	15.24	48.78			
AV	20.08424G	32.38	63.54	-31.16	28.12	1	Vertical	341	2.39	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08495G	45.62	83.54	-37.92	41.36	1	Horizontal	285	1.25	-	37.80	15.24	48.78			
AV	20.08539G	32.27	63.54	-31.27	28.01	1	Horizontal	285	1.25	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71001G	53.96	88.20	-34.24	44.41	3	Vertical	188	2.65	-	40.22	12.62	43.29			
RMS	13.70957G	41.41	68.20	-26.79	31.86	3	Vertical	188	2.65	-	40.22	12.62	43.29			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71006G	53.99	88.20	-34.21	44.44	3	Horizontal	349	2.20	-	40.22	12.62	43.29			
RMS	13.70996G	41.44	68.20	-26.76	31.89	3	Horizontal	349	2.20	-	40.22	12.62	43.29			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56574G	48.59	83.54	-34.95	43.76	1	Vertical	75	1.53	-	37.90	15.63	48.70			
AV	20.56446G	36.68	63.54	-26.86	31.85	1	Vertical	75	1.53	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56442G	47.64	83.54	-35.90	42.81	1	Horizontal	183	1.52	-	37.90	15.63	48.70			
AV	20.56559G	36.76	63.54	-26.78	31.93	1	Horizontal	183	1.52	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 85
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9224G	80.89	88.20	-7.31	73.90	3	Vertical	143	1.72	-	34.10	8.09	35.20			
RMS	5.9248G	66.83	68.20	-1.37	59.84	3	Vertical	143	1.72	-	34.10	8.09	35.20			
PK	5.9826G	118.98	Inf	-Inf	111.92	3	Vertical	143	1.72	-	34.10	8.15	35.19			
RMS	5.9712G	108.49	Inf	-Inf	101.44	3	Vertical	143	1.72	-	34.10	8.14	35.19			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 85
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9246G	80.22	88.20	-7.98	73.23	3	Horizontal	224	1.64	-	34.10	8.09	35.20			
RMS	5.925G	64.37	68.20	-3.83	57.38	3	Horizontal	224	1.64	-	34.10	8.09	35.20			
PK	5.9494G	116.98	Inf	-Inf	109.96	3	Horizontal	224	1.64	-	34.10	8.12	35.20			
RMS	5.9622G	103.48	Inf	-Inf	96.44	3	Horizontal	224	1.64	-	34.10	8.13	35.19			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 85
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93121G	47.86	74.00	-26.14	32.11	3	Vertical	233	1.38	-	38.70	11.80	34.75			
AV	11.93202G	33.54	54.00	-20.46	17.79	3	Vertical	233	1.38	-	38.70	11.80	34.75			
PK	17.89875G	56.64	74.00	-17.36	32.74	3	Vertical	209	1.26	-	43.28	14.20	33.58			
AV	17.89898G	42.82	54.00	-11.18	18.91	3	Vertical	209	1.26	-	43.29	14.20	33.58			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 85
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92814G	47.24	74.00	-26.76	31.48	3	Horizontal	49	2.53	-	38.70	11.80	34.74			
AV	11.92929G	33.42	54.00	-20.58	17.66	3	Horizontal	49	2.53	-	38.70	11.80	34.74			
PK	17.89088G	56.15	74.00	-17.85	32.37	3	Horizontal	59	1.63	-	43.17	14.20	33.59			
AV	17.89711G	42.89	54.00	-11.11	19.02	3	Horizontal	59	1.63	-	43.26	14.20	33.59			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 85
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86224G	51.46	83.54	-32.08	42.75	1	Vertical	246	1.64	-	39.08	17.29	47.66			
AV	23.853G	38.25	63.54	-25.29	29.53	1	Vertical	246	1.64	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 85
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86312G	51.47	83.54	-32.07	42.76	1	Horizontal	144	2.27	-	39.07	17.29	47.65			
AV	23.85358G	38.41	63.54	-25.13	29.69	1	Horizontal	144	2.27	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40982G	58.63	74.00	-15.37	42.17	3	Vertical	113	1.35	-	38.70	11.80	34.04			
AV	12.40745G	45.26	54.00	-8.74	28.80	3	Vertical	113	1.35	-	38.70	11.80	34.04			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41006G	58.87	74.00	-15.13	42.41	3	Horizontal	92	1.23	-	38.70	11.80	34.04			
AV	12.41032G	45.34	54.00	-8.66	28.88	3	Horizontal	92	1.23	-	38.70	11.80	34.04			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61461G	47.08	83.54	-36.46	42.41	1	Vertical	141	2.39	-	37.83	15.25	48.41			
AV	18.61407G	32.85	63.54	-30.69	28.18	1	Vertical	141	2.39	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61518G	47.28	83.54	-36.26	42.62	1	Horizontal	24	2.89	-	37.83	15.25	48.42			
AV	18.61432G	33.09	63.54	-30.45	28.42	1	Horizontal	24	2.89	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80608G	59.15	88.20	-29.05	41.51	3	Vertical	298	2.17	-	39.72	11.77	33.85			
RMS	12.8148G	45.81	68.20	-22.39	28.12	3	Vertical	298	2.17	-	39.76	11.77	33.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81264G	59.44	88.20	-28.76	41.76	3	Horizontal	242	1.73	-	39.75	11.77	33.84			
RMS	12.81189G	45.76	68.20	-22.44	28.09	3	Horizontal	242	1.73	-	39.75	11.77	33.85			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21459G	46.31	83.54	-37.23	42.03	1	Vertical	320	1.56	-	37.86	15.22	48.80			
AV	19.21584G	32.51	63.54	-31.03	28.23	1	Vertical	320	1.56	-	37.86	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21401G	46.03	83.54	-37.51	41.75	1	Horizontal	224	2.03	-	37.86	15.22	48.80			
AV	19.21574G	32.56	63.54	-30.98	28.28	1	Horizontal	224	2.03	-	37.86	15.22	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12926G	58.77	88.20	-29.43	40.62	3	Vertical	131	2.61	-	39.92	11.75	33.52			
RMS	13.13402G	44.96	68.20	-23.24	26.79	3	Vertical	131	2.61	-	39.94	11.74	33.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6565MHz_TX

EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13421G	59.06	88.20	-29.14	40.89	3	Horizontal	227	2.99	-	39.94	11.74	33.51			
RMS	13.1296G	45.13	68.20	-23.07	26.98	3	Horizontal	227	2.99	-	39.92	11.75	33.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69575G	46.24	83.54	-37.30	42.15	1	Vertical	8	2.74	-	37.70	15.19	48.80			
AV	19.69572G	32.66	63.54	-30.88	28.57	1	Vertical	8	2.74	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6565MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69556G	46.67	83.54	-36.87	42.58	1	Horizontal	249	1.41	-	37.70	15.19	48.80			
AV	19.69592G	32.62	63.54	-30.92	28.53	1	Horizontal	249	1.41	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37196G	60.33	74.00	-13.67	41.24	3	Vertical	295	1.19	-	40.30	11.73	32.94			
AV	13.36701G	46.00	54.00	-8.00	26.92	3	Vertical	295	1.19	-	40.30	11.73	32.95			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37483G	59.73	74.00	-14.27	40.63	3	Horizontal	27	1.93	-	40.30	11.73	32.93			
AV	13.365G	45.98	54.00	-8.02	26.90	3	Horizontal	27	1.93	-	40.30	11.73	32.95			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05558G	46.24	83.54	-37.30	42.01	1	Vertical	176	1.64	-	37.80	15.22	48.79			
AV	20.05538G	32.38	63.54	-31.16	28.15	1	Vertical	176	1.64	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05569G	45.59	83.54	-37.95	41.36	1	Horizontal	200	1.89	-	37.80	15.22	48.79			
AV	20.05508G	32.40	63.54	-31.14	28.18	1	Horizontal	200	1.89	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 100
04-V-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68906G	53.41	88.20	-34.79	43.90	3	Vertical	196	2.66	-	40.20	12.60	43.29			
RMS	13.68924G	41.15	68.20	-27.05	31.64	3	Vertical	196	2.66	-	40.20	12.60	43.29			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68905G	53.11	88.20	-35.09	43.60	3	Horizontal	211	2.82	-	40.20	12.60	43.29			
RMS	13.6906G	41.21	68.20	-26.99	31.70	3	Horizontal	211	2.82	-	40.20	12.60	43.29			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 100
04-V-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53522G	48.39	83.54	-35.15	43.58	1	Vertical	112	1.54	-	37.90	15.61	48.70			
AV	20.53464G	35.94	63.54	-27.60	31.13	1	Vertical	112	1.54	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5341G	47.15	83.54	-36.39	42.34	1	Horizontal	260	1.51	-	37.90	15.61	48.70			
AV	20.53559G	36.08	63.54	-27.46	31.27	1	Horizontal	260	1.51	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 85
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9114G	83.15	88.20	-5.05	76.17	3	Vertical	149	2.05	-	34.10	8.08	35.20			
RMS	5.925G	66.88	68.20	-1.32	59.89	3	Vertical	149	2.05	-	34.10	8.09	35.20			
PK	5.9778G	115.79	Inf	-Inf	108.73	3	Vertical	149	2.05	-	34.10	8.15	35.19			
RMS	5.9966G	104.78	Inf	-Inf	97.70	3	Vertical	149	2.05	-	34.10	8.17	35.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 85
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9214G	79.78	88.20	-8.42	72.79	3	Horizontal	212.3	2.24	-	34.10	8.09	35.20			
RMS	5.9246G	62.50	68.20	-5.70	55.51	3	Horizontal	212.3	2.24	-	34.10	8.09	35.20			
PK	6.0142G	112.39	Inf	-Inf	105.26	3	Horizontal	212.3	2.24	-	34.13	8.19	35.19			
RMS	6.0158G	102.36	Inf	-Inf	95.23	3	Horizontal	212.3	2.24	-	34.13	8.19	35.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 85
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96624G	46.85	74.00	-27.15	31.11	3	Vertical	254	1.12	-	38.70	11.82	34.78			
AV	11.97239G	32.98	54.00	-21.02	17.24	3	Vertical	254	1.12	-	38.70	11.82	34.78			
PK	17.95311G	57.38	74.00	-16.62	32.80	3	Vertical	95	1.29	-	43.91	14.23	33.56			
AV	17.95626G	43.58	54.00	-10.42	18.97	3	Vertical	95	1.29	-	43.93	14.23	33.55			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 85
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97301G	46.74	74.00	-27.26	31.01	3	Horizontal	335	1.48	-	38.70	11.82	34.79			
AV	11.9681G	32.98	54.00	-21.02	17.24	3	Horizontal	335	1.48	-	38.70	11.82	34.78			
PK	17.95441G	57.45	74.00	-16.55	32.85	3	Horizontal	104	2.62	-	43.92	14.23	33.55			
AV	17.95477G	43.63	54.00	-10.37	19.03	3	Horizontal	104	2.62	-	43.92	14.23	33.55			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


5985MHz_TX

EUT_V_4TX
Setting 85
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93184G	51.70	74.00	-22.30	43.02	1	Vertical	28	1.60	-	39.00	17.31	47.63			
AV	23.934G	38.12	54.00	-15.88	29.44	1	Vertical	28	1.60	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 85
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93076G	51.47	74.00	-22.53	42.79	1	Horizontal	256	1.48	-	39.00	17.31	47.63			
AV	23.93144G	38.25	54.00	-15.75	29.57	1	Horizontal	256	1.48	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44861G	58.48	74.00	-15.52	41.95	3	Vertical	80	1.84	-	38.70	11.80	33.97			
AV	12.44711G	44.83	54.00	-9.17	28.30	3	Vertical	80	1.84	-	38.70	11.80	33.97			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.454G	58.79	74.00	-15.21	42.23	3	Horizontal	207	1.38	-	38.72	11.80	33.96			
AV	12.44562G	44.72	54.00	-9.28	28.19	3	Horizontal	207	1.38	-	38.70	11.80	33.97			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.67407G	46.58	83.54	-36.96	41.90	1	Vertical	159	2.65	-	37.90	15.25	48.47				
AV	18.67514G	32.86	63.54	-30.68	28.19	1	Vertical	159	2.65	-	37.90	15.25	48.48				

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67549G	46.68	83.54	-36.86	42.01	1	Horizontal	204	2.65	-	37.90	15.25	48.48			
AV	18.67488G	32.92	63.54	-30.62	28.24	1	Horizontal	204	2.65	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7659G	59.17	88.20	-29.03	41.69	3	Vertical	72	2.60	-	39.56	11.77	33.85			
RMS	12.77366G	45.53	68.20	-22.67	28.02	3	Vertical	72	2.60	-	39.59	11.77	33.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77195G	60.24	88.20	-27.96	42.73	3	Horizontal	181	1.87	-	39.59	11.77	33.85			
RMS	12.77488G	45.56	68.20	-22.64	28.04	3	Horizontal	181	1.87	-	39.60	11.77	33.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15467G	46.21	83.54	-37.33	41.81	1	Vertical	93	2.76	-	37.98	15.22	48.80			
AV	19.15482G	32.65	63.54	-30.89	28.25	1	Vertical	93	2.76	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1551G	46.52	83.54	-37.02	42.12	1	Horizontal	202	1.41	-	37.98	15.22	48.80			
AV	19.15463G	32.58	63.54	-30.96	28.18	1	Horizontal	202	1.41	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6625MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24054G	59.26	88.20	-28.94	40.77	3	Vertical	302	2.92	-	40.00	11.74	33.25			
RMS	13.24944G	45.50	68.20	-22.70	26.99	3	Vertical	302	2.92	-	40.00	11.74	33.23			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24876G	60.96	88.20	-27.24	42.45	3	Horizontal	7	1.22	-	40.00	11.74	33.23			
RMS	13.24653G	45.55	68.20	-22.65	27.05	3	Horizontal	7	1.22	-	40.00	11.74	33.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87576G	46.13	83.54	-37.41	42.05	1	Vertical	336	1.22	-	37.70	15.18	48.80			
AV	19.87403G	32.88	63.54	-30.66	28.80	1	Vertical	336	1.22	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6625MHz_TX

EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87591G	46.63	83.54	-36.91	42.55	1	Horizontal	76	1.75	-	37.70	15.18	48.80			
AV	19.87578G	32.89	63.54	-30.65	28.81	1	Horizontal	76	1.75	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6705MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40977G	60.45	88.20	-27.75	41.22	3	Vertical	48	1.61	-	40.36	11.72	32.85			
RMS	13.41055G	46.51	68.20	-21.69	27.27	3	Vertical	48	1.61	-	40.36	11.72	32.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41402G	60.50	88.20	-27.70	41.24	3	Horizontal	41	1.34	-	40.38	11.72	32.84			
RMS	13.40526G	46.48	68.20	-21.72	27.29	3	Horizontal	41	1.34	-	40.33	11.72	32.86			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11425G	45.78	83.54	-37.76	41.50	1	Vertical	25	1.17	-	37.80	15.26	48.78			
AV	20.11503G	32.45	63.54	-31.09	28.17	1	Vertical	25	1.17	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11584G	46.64	83.54	-36.90	42.36	1	Horizontal	290	2.19	-	37.80	15.26	48.78			
AV	20.11532G	32.37	63.54	-31.17	28.09	1	Horizontal	290	2.19	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57144G	61.35	88.20	-26.85	41.50	3	Vertical	306	2.36	-	40.87	11.71	32.73			
RMS	13.56805G	46.63	68.20	-21.57	26.76	3	Vertical	306	2.36	-	40.89	11.71	32.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57185G	60.12	88.20	-28.08	40.27	3	Horizontal	12	1.11	-	40.87	11.71	32.73			
RMS	13.56781G	46.58	68.20	-21.62	26.71	3	Horizontal	12	1.11	-	40.89	11.71	32.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35437G	47.71	83.54	-35.83	43.09	1	Vertical	154	1.52	-	37.89	15.46	48.73			
AV	20.35597G	33.91	63.54	-29.63	29.29	1	Vertical	154	1.52	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35599G	47.70	83.54	-35.84	43.08	1	Horizontal	186	1.21	-	37.89	15.46	48.73			
AV	20.35459G	33.91	63.54	-29.63	29.29	1	Horizontal	186	1.21	-	37.89	15.46	48.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 87
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9115G	82.71	88.20	-5.49	75.73	3	Vertical	151	2.27	-	34.10	8.08	35.20			
RMS	5.923G	67.04	68.20	-1.16	60.05	3	Vertical	151	2.27	-	34.10	8.09	35.20			
PK	6.054G	115.18	Inf	-Inf	107.93	3	Vertical	151	2.27	-	34.19	8.25	35.19			
RMS	6.054G	103.23	Inf	-Inf	95.98	3	Vertical	151	2.27	-	34.19	8.25	35.19			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 87
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	81.76	88.20	-6.44	74.77	3	Horizontal	214.9	2.40	-	34.10	8.09	35.20
RMS	5.925G	63.08	68.20	-5.12	56.09	3	Horizontal	214.9	2.40	-	34.10	8.09	35.20
PK	6.0565G	111.10	Inf	-Inf	103.85	3	Horizontal	214.9	2.40	-	34.19	8.25	35.19
RMS	6.058G	100.41	Inf	-Inf	93.16	3	Horizontal	214.9	2.40	-	34.18	8.26	35.19

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 87
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05464G	58.72	74.00	-15.28	42.69	3	Vertical	345	1.39	-	38.91	11.83	34.71			
AV	12.04551G	44.27	54.00	-9.73	28.28	3	Vertical	345	1.39	-	38.88	11.83	34.72			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 87
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05424G	58.39	74.00	-15.61	42.36	3	Horizontal	225	1.24	-	38.91	11.83	34.71			
AV	12.04513G	44.29	54.00	-9.71	28.31	3	Horizontal	225	1.24	-	38.88	11.83	34.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 87
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07573G	47.03	83.54	-36.51	42.41	1	Vertical	123	2.49	-	37.55	15.29	48.22			
AV	18.07492G	33.27	63.54	-30.27	28.64	1	Vertical	123	2.49	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 87
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07527G	46.94	83.54	-36.60	42.32	1	Horizontal	145	1.45	-	37.55	15.29	48.22			
AV	18.07543G	33.31	63.54	-30.23	28.69	1	Horizontal	145	1.45	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36532G	59.22	74.00	-14.78	42.77	3	Vertical	325	1.21	-	38.77	11.80	34.12			
AV	12.36795G	45.31	54.00	-8.69	28.87	3	Vertical	325	1.21	-	38.76	11.80	34.12			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36926G	59.06	74.00	-14.94	42.62	3	Horizontal	245	1.90	-	38.76	11.80	34.12			
AV	12.3661G	45.10	54.00	-8.90	28.65	3	Horizontal	245	1.90	-	38.77	11.80	34.12			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55472G	46.61	83.54	-36.93	41.90	1	Vertical	0	2.44	-	37.80	15.26	48.35			
AV	18.55551G	33.00	63.54	-30.54	28.30	1	Vertical	0	2.44	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6185MHz_TX

EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55569G	47.49	83.54	-36.05	42.79	1	Horizontal	272	2.63	-	37.80	15.26	48.36			
AV	18.55504G	33.10	63.54	-30.44	28.40	1	Horizontal	272	2.63	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6345MHz_TX

EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68668G	59.72	74.00	-14.28	42.40	3	Vertical	213	2.63	-	39.40	11.78	33.86			
AV	12.68605G	45.61	54.00	-8.39	28.29	3	Vertical	213	2.63	-	39.40	11.78	33.86			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6345MHz_TX

EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68605G	59.29	74.00	-14.71	41.97	3	Horizontal	160	2.47	-	39.40	11.78	33.86			
AV	12.68712G	45.66	54.00	-8.34	28.34	3	Horizontal	160	2.47	-	39.40	11.78	33.86			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6345MHz_TX

EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03558G	46.08	83.54	-37.46	41.72	1	Vertical	170	2.39	-	37.93	15.23	48.80			
AV	19.03535G	32.92	63.54	-30.62	28.56	1	Vertical	170	2.39	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_V_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03499G	46.72	83.54	-36.82	42.36	1	Horizontal	282	2.45	-	37.93	15.23	48.80			
AV	19.03509G	32.85	63.54	-30.69	28.49	1	Horizontal	282	2.45	-	37.93	15.23	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33142G	59.66	74.00	-14.34	40.70	3	Vertical	222	1.17	-	40.26	11.73	33.03			
AV	13.32804G	46.04	54.00	-7.96	27.09	3	Vertical	222	1.17	-	40.26	11.73	33.04			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32804G	59.92	74.00	-14.08	40.97	3	Horizontal	353	2.35	-	40.26	11.73	33.04			
AV	13.32932G	46.06	54.00	-7.94	27.11	3	Horizontal	353	2.35	-	40.26	11.73	33.04			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99494G	45.64	83.54	-37.90	41.56	1	Vertical	193	1.54	-	37.71	15.17	48.80			
AV	19.99409G	32.36	63.54	-31.18	28.28	1	Vertical	193	1.54	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99446G	45.85	83.54	-37.69	41.77	1	Horizontal	342	2.42	-	37.71	15.17	48.80			
AV	19.99448G	32.28	63.54	-31.26	28.20	1	Horizontal	342	2.42	-	37.71	15.17	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 90
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	81.20	88.20	-7.00	74.21	3	Vertical	84	1.45	-	34.10	8.09	35.20			
RMS	5.921G	66.40	68.20	-1.80	59.41	3	Vertical	84	1.45	-	34.10	8.09	35.20			
PK	6.1514G	111.91	Inf	-Inf	104.51	3	Vertical	84	1.45	-	34.20	8.40	35.20			
RMS	6.2458G	101.27	Inf	-Inf	93.63	3	Vertical	84	1.45	-	34.30	8.54	35.20			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 90
03-P-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9122G	80.64	88.20	-7.56	73.66	3	Horizontal	290	2.79	-	34.10	8.08	35.20			
RMS	5.925G	62.82	68.20	-5.38	55.83	3	Horizontal	290	2.79	-	34.10	8.09	35.20			
PK	6.2482G	108.75	Inf	-Inf	101.11	3	Horizontal	290	2.79	-	34.30	8.54	35.20			
RMS	6.1306G	97.66	Inf	-Inf	90.33	3	Horizontal	290	2.79	-	34.16	8.37	35.20			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 90
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21368G	59.05	74.00	-14.95	42.65	3	Vertical	80	1.87	-	39.00	11.81	34.41			
AV	12.20975G	45.51	54.00	-8.49	29.12	3	Vertical	80	1.87	-	39.00	11.81	34.42			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 90
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20535G	59.50	74.00	-14.50	43.11	3	Horizontal	73	1.56	-	39.00	11.81	34.42			
AV	12.20858G	45.68	54.00	-8.32	29.29	3	Horizontal	73	1.56	-	39.00	11.81	34.42			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 90
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31407G	47.31	83.54	-36.23	42.67	1	Vertical	223	2.27	-	37.63	15.27	48.26			
AV	18.31586G	33.19	63.54	-30.35	28.55	1	Vertical	223	2.27	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 90
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31597G	46.69	83.54	-36.85	42.05	1	Horizontal	122	1.83	-	37.63	15.27	48.26			
AV	18.31461G	33.26	63.54	-30.28	28.62	1	Horizontal	122	1.83	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6265MHz_TX

EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53364G	58.89	74.00	-15.11	42.00	3	Vertical	103	1.44	-	38.97	11.79	33.87			
AV	12.53491G	45.23	54.00	-8.77	28.34	3	Vertical	103	1.44	-	38.97	11.79	33.87			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6265MHz_TX

EUT_V_4TX
Setting 100
03-P-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5304G	58.88	74.00	-15.12	42.00	3	Horizontal	240	2.52	-	38.96	11.79	33.87			
AV	12.52941G	45.31	54.00	-8.69	28.43	3	Horizontal	240	2.52	-	38.96	11.79	33.87			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79592G	46.87	83.54	-36.67	42.33	1	Vertical	328	3.00	-	37.90	15.24	48.60			
AV	18.79519G	33.12	63.54	-30.42	28.58	1	Vertical	328	3.00	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79495G	47.06	83.54	-36.48	42.51	1	Horizontal	145	2.31	-	37.90	15.24	48.59			
AV	18.79536G	33.11	63.54	-30.43	28.57	1	Horizontal	145	2.31	-	37.90	15.24	48.60			


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

5955MHz_TX

16/02/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.959424G	-12.32	5.992125G	-64.16	-52.32	-11.84	1
5.960624G	-12.67	6.00075G	-64.33	-52.67	-11.66	2
5.958374G	-12.90	5.98705G	-64.95	-52.90	-12.05	3
5.956225G	-12.65	5.991025G	-64.85	-52.65	-12.20	4


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6195MHz_TX

15/02/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198749G	-12.10	6.22945G	-63.79	-52.10	-11.69	1
6.200624G	-12.68	6.2422G	-64.09	-52.68	-11.41	2
6.1938G	-12.36	6.22925G	-64.25	-52.36	-11.89	3
6.190001G	-12.40	6.159975G	-63.71	-52.40	-11.31	4

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6415MHz_TX

16/02/2025




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6435MHz_TX

16/02/2025




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6475MHz_TX

16/02/2025




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6515MHz_TX

16/02/2025




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6535MHz_TX

16/02/2025




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6695MHz_TX

16/02/2025




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6875MHz_TX

16/02/2025




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6895MHz_TX

16/02/2025




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6995MHz_TX

16/02/2025




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

7095MHz_TX

16/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

16/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

16/02/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

16/02/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

16/02/2025



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

16/02/2025

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.477724G	-12.40	6.428175G	-63.92	-52.40	-11.52	1
6.469651G	-12.82	6.4366G	-63.94	-52.82	-11.12	2
6.467477G	-12.53	6.4253G	-63.96	-52.53	-11.43	3
6.472301G	-11.53	6.4346G	-63.24	-51.53	-11.71	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

16/02/2025

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.519649G	-11.82	6.5526G	-64.25	-51.82	-12.43	1
6.517274G	-12.31	6.482075G	-64.21	-52.31	-11.90	2
6.509801G	-12.44	6.479475G	-64.46	-52.44	-12.02	3
6.512876G	-11.91	6.4844G	-63.18	-51.34	-11.84	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

16/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

16/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

16/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

16/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

16/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

16/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

16/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

16/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

16/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.391553G	-8.30	6.3257G	-59.13	-48.30	-10.83	1
6.399951G	-8.01	6.34345G	-58.52	-48.01	-10.51	2
6.407549G	-8.26	6.34305G	-59.14	-48.26	-10.88	3
6.394603G	-8.39	6.3433G	-58.83	-48.39	-10.44	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

16/02/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.430804G	-8.44	6.38195G	-58.18	-48.44	-9.74	1
6.439351G	-8.09	6.3837G	-58.00	-48.09	-9.91	2
6.434753G	-8.20	6.38385G	-58.39	-48.20	-10.19	3
6.440551G	-7.69	6.38415G	-58.38	-47.69	-10.69	4


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

16/02/2025

CF (Hz)
6.485G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.470304G	-10.61	6.401G	-60.88	-50.61	-10.27	1
6.477802G	-10.81	6.42375G	-60.65	-50.81	-9.84	2
6.491598G	-10.90	6.42365G	-60.70	-50.90	-9.80	3
6.471153G	-10.16	6.4235G	-60.76	-50.16	-10.60	4


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

16/02/2025

CF (Hz)
6.525G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52425G	-10.41	6.463G	-60.91	-50.41	-10.50	1
6.522601G	-10.23	6.5864G	-61.16	-50.23	-10.93	2
6.518852G	-10.30	6.4605G	-61.63	-50.30	-11.33	3
6.518252G	-10.24	6.4253G	-61.20	-50.24	-10.96	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

16/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

16/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

16/02/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

16/02/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

16/02/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

16/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

16/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

16/02/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

16/02/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

16/02/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

16/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

16/02/2025



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

16/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

16/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

16/02/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

16/02/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

16/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99651G	-4.98	6.8651G	-51.14	-44.98	-6.16	1
6.99601G	-5.25	6.8494G	-54.70	-45.25	-9.45	2
6.99701G	-4.76	6.8493G	-53.75	-44.76	-8.99	3
6.99711G	-4.87	6.8493G	-53.62	-44.87	-8.75	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

16/02/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08918G	-2.53	6.268G	-51.27	-42.53	-8.74	1
5.99461G	-3.67	6.268G	-52.93	-43.49	-9.44	2
6.10138G	-3.66	6.269G	-52.89	-43.44	-9.45	3
6.08738G	-3.10	6.2688G	-53.13	-43.04	-10.09	4