


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 79
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.1717G	57.45	88.20	-30.75	38.23	3	Vertical	219	1.80	-	40.90	11.82	33.50			
RMS	14.165G	45.81	68.20	-22.39	26.60	3	Vertical	219	1.80	-	40.90	11.81	33.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 79
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17481G	57.32	88.20	-30.88	38.11	3	Horizontal	135	2.38	-	40.90	11.82	33.51			
RMS	14.165G	45.84	68.20	-22.36	26.63	3	Horizontal	135	2.38	-	40.90	11.81	33.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 79
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25401G	47.57	83.54	-35.97	42.02	1	Vertical	265	2.85	-	38.01	16.19	48.65			
AV	21.25493G	34.45	63.54	-29.09	28.90	1	Vertical	265	2.85	-	38.01	16.19	48.65			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 79
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25403G	47.99	83.54	-35.55	42.44	1	Horizontal	192	1.84	-	38.01	16.19	48.65			
AV	21.25554G	34.33	63.54	-29.21	28.78	1	Horizontal	192	1.84	-	38.01	16.19	48.65			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 82
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	82.17	88.20	-6.03	75.18	3	Vertical	148	1.80	-	34.10	8.09	35.20			
RMS	5.925G	66.60	68.20	-1.60	59.61	3	Vertical	148	1.80	-	34.10	8.09	35.20			
PK	5.9622G	118.73	Inf	-Inf	111.69	3	Vertical	148	1.80	-	34.10	8.13	35.19			
RMS	5.979G	106.10	Inf	-Inf	99.04	3	Vertical	148	1.80	-	34.10	8.15	35.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 82
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	76.13	88.20	-12.07	69.14	3	Horizontal	208.1	1.80	-	34.10	8.09	35.20			
RMS	5.9222G	57.79	68.20	-10.41	50.80	3	Horizontal	208.1	1.80	-	34.10	8.09	35.20			
PK	5.9514G	112.48	Inf	-Inf	105.45	3	Horizontal	208.1	1.80	-	34.10	8.12	35.19			
RMS	5.9882G	99.62	Inf	-Inf	92.55	3	Horizontal	208.1	1.80	-	34.10	8.16	35.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 82
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96516G	52.85	74.00	-21.15	37.11	3	Vertical	22	1.91	-	38.70	11.82	34.78			
AV	11.965G	41.92	54.00	-12.08	26.18	3	Vertical	22	1.91	-	38.70	11.82	34.78			
PK	17.95765G	59.57	74.00	-14.43	34.96	3	Vertical	308	1.51	-	43.93	14.23	33.55			
AV	17.95292G	46.47	54.00	-7.53	21.89	3	Vertical	308	1.51	-	43.91	14.23	33.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 82
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97488G	52.98	74.00	-21.02	37.25	3	Horizontal	248	1.68	-	38.70	11.82	34.79			
AV	11.96504G	41.98	54.00	-12.02	26.24	3	Horizontal	248	1.68	-	38.70	11.82	34.78			
PK	17.95715G	59.13	74.00	-14.87	34.52	3	Horizontal	138	2.01	-	43.93	14.23	33.55			
AV	17.95661G	46.33	54.00	-7.67	21.72	3	Horizontal	138	2.01	-	43.93	14.23	33.55			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 82
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93596G	51.13	83.54	-32.41	42.45	1	Vertical	173	2.62	-	39.00	17.31	47.63			
AV	23.9333G	38.00	63.54	-25.54	29.32	1	Vertical	173	2.62	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 82
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94478G	52.06	83.54	-31.48	43.36	1	Horizontal	280	2.66	-	39.00	17.32	47.62			
AV	23.93746G	37.98	63.54	-25.56	29.30	1	Horizontal	280	2.66	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45399G	55.35	74.00	-18.65	38.79	3	Vertical	153	2.15	-	38.72	11.80	33.96			
AV	12.45498G	43.70	54.00	-10.30	27.13	3	Vertical	153	2.15	-	38.72	11.80	33.95			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44732G	55.86	74.00	-18.14	39.33	3	Horizontal	221	1.73	-	38.70	11.80	33.97			
AV	12.45499G	43.72	54.00	-10.28	27.15	3	Horizontal	221	1.73	-	38.72	11.80	33.95			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67456G	45.99	83.54	-37.55	41.31	1	Vertical	50	1.68	-	37.90	15.25	48.47			
AV	18.67597G	32.90	63.54	-30.64	28.23	1	Vertical	50	1.68	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.675G	46.50	83.54	-37.04	41.82	1	Horizontal	201	2.09	-	37.90	15.25	48.47			
AV	18.67474G	32.89	63.54	-30.65	28.21	1	Horizontal	201	2.09	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77065G	56.11	88.20	-32.09	38.61	3	Vertical	77	1.45	-	39.58	11.77	33.85			
RMS	12.77407G	43.86	68.20	-24.34	26.34	3	Vertical	77	1.45	-	39.60	11.77	33.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76952G	54.99	88.20	-33.21	37.49	3	Horizontal	127	2.62	-	39.58	11.77	33.85			
RMS	12.77021G	43.85	68.20	-24.35	26.35	3	Horizontal	127	2.62	-	39.58	11.77	33.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15464G	47.45	83.54	-36.09	43.05	1	Vertical	138	1.86	-	37.98	15.22	48.80			
AV	19.15555G	32.64	63.54	-30.90	28.24	1	Vertical	138	1.86	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15587G	46.66	83.54	-36.88	42.26	1	Horizontal	47	1.24	-	37.98	15.22	48.80			
AV	19.15518G	32.73	63.54	-30.81	28.33	1	Horizontal	47	1.24	-	37.98	15.22	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92778G	55.53	88.20	-32.67	37.55	3	Vertical	102	2.21	-	40.06	11.76	33.84			
RMS	12.925G	44.06	68.20	-24.14	26.09	3	Vertical	102	2.21	-	40.05	11.76	33.84			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92758G	55.15	88.20	-33.05	37.17	3	Horizontal	233	1.90	-	40.06	11.76	33.84			
RMS	12.925G	44.02	68.20	-24.18	26.05	3	Horizontal	233	1.90	-	40.05	11.76	33.84			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39537G	46.04	83.54	-37.50	41.74	1	Vertical	10	2.69	-	37.89	15.21	48.80			
AV	19.39542G	32.33	63.54	-31.21	28.03	1	Vertical	10	2.69	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39406G	45.97	83.54	-37.57	41.67	1	Horizontal	329	1.57	-	37.89	15.21	48.80			
AV	19.39586G	32.50	63.54	-31.04	28.20	1	Horizontal	329	1.57	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08692G	55.53	88.20	-32.67	37.57	3	Vertical	106	1.65	-	39.83	11.75	33.62			
RMS	13.08552G	44.06	68.20	-24.14	26.10	3	Vertical	106	1.65	-	39.83	11.75	33.62			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08636G	55.94	88.20	-32.26	37.98	3	Horizontal	100	1.01	-	39.83	11.75	33.62			
RMS	13.08509G	44.07	68.20	-24.13	26.12	3	Horizontal	100	1.01	-	39.83	11.75	33.63			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63579G	46.28	83.54	-37.26	42.19	1	Vertical	6	2.31	-	37.70	15.19	48.80			
AV	19.63527G	32.42	63.54	-31.12	28.33	1	Vertical	6	2.31	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6545MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	19.63568G	45.87	83.54	-37.67	41.78	1	Horizontal	272	1.84	-	37.70	15.19	48.80				
AV	19.63507G	32.37	63.54	-31.17	28.28	1	Horizontal	272	1.84	-	37.70	15.19	48.80				

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24578G	55.64	88.20	-32.56	37.14	3	Vertical	172	1.13	-	40.00	11.74	33.24			
RMS	13.245G	44.33	68.20	-23.87	25.83	3	Vertical	172	1.13	-	40.00	11.74	33.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24623G	56.21	88.20	-31.99	37.71	3	Horizontal	211	1.36	-	40.00	11.74	33.24			
RMS	13.2452G	44.32	68.20	-23.88	25.82	3	Horizontal	211	1.36	-	40.00	11.74	33.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87492G	46.50	83.54	-37.04	42.42	1	Vertical	64	1.33	-	37.70	15.18	48.80			
AV	19.87551G	32.98	63.54	-30.56	28.90	1	Vertical	64	1.33	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87414G	46.48	83.54	-37.06	42.40	1	Horizontal	348	2.23	-	37.70	15.18	48.80			
AV	19.8753G	32.97	63.54	-30.57	28.89	1	Horizontal	348	2.23	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40963G	57.68	88.20	-30.52	38.45	3	Vertical	164	1.43	-	40.36	11.72	32.85			
RMS	13.41014G	44.70	68.20	-23.50	25.47	3	Vertical	164	1.43	-	40.36	11.72	32.85			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41439G	56.60	88.20	-31.60	37.33	3	Horizontal	188	2.23	-	40.39	11.72	32.84			
RMS	13.41042G	44.72	68.20	-23.48	25.48	3	Horizontal	188	2.23	-	40.36	11.72	32.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11592G	45.74	83.54	-37.80	41.46	1	Vertical	132	2.40	-	37.80	15.26	48.78			
AV	20.11499G	32.49	63.54	-31.05	28.21	1	Vertical	132	2.40	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11543G	46.31	83.54	-37.23	42.03	1	Horizontal	242	2.19	-	37.80	15.26	48.78			
AV	20.11551G	32.53	63.54	-31.01	28.25	1	Horizontal	242	2.19	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56523G	56.71	88.20	-31.49	36.81	3	Vertical	16	2.61	-	40.91	11.71	32.72			
RMS	13.56578G	44.95	68.20	-23.25	25.05	3	Vertical	16	2.61	-	40.91	11.71	32.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56901G	57.17	88.20	-31.03	37.30	3	Horizontal	132	1.30	-	40.89	11.71	32.73			
RMS	13.565G	44.97	68.20	-23.23	25.07	3	Horizontal	132	1.30	-	40.91	11.71	32.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3548G	48.18	83.54	-35.36	43.56	1	Vertical	54	2.66	-	37.89	15.46	48.73			
AV	20.35592G	34.02	63.54	-29.52	29.40	1	Vertical	54	2.66	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35555G	47.87	83.54	-35.67	43.25	1	Horizontal	163	2.21	-	37.89	15.46	48.73			
AV	20.3548G	33.89	63.54	-29.65	29.27	1	Horizontal	163	2.21	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72543G	56.97	88.20	-31.23	37.47	3	Vertical	262	2.34	-	40.75	11.70	32.95			
RMS	13.73024G	45.01	68.20	-23.19	25.53	3	Vertical	262	2.34	-	40.74	11.70	32.96			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72575G	56.19	88.20	-32.01	36.69	3	Horizontal	16	2.87	-	40.75	11.70	32.95			
RMS	13.73024G	45.03	68.20	-23.17	25.55	3	Horizontal	16	2.87	-	40.74	11.70	32.96			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5949G	46.76	83.54	-36.78	41.91	1	Vertical	126	2.63	-	37.90	15.65	48.70			
AV	20.59455G	33.26	63.54	-30.28	28.41	1	Vertical	126	2.63	-	37.90	15.65	48.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59465G	46.49	83.54	-37.05	41.64	1	Horizontal	144	2.91	-	37.90	15.65	48.70			
AV	20.59464G	33.23	63.54	-30.31	28.38	1	Horizontal	144	2.91	-	37.90	15.65	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	13.89023G	56.87	88.20	-31.33	37.60	3	Vertical	231	1.69	-	40.76	11.69	33.18				
RMS	13.89136G	45.83	68.20	-22.37	26.56	3	Vertical	231	1.69	-	40.77	11.69	33.19				

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89228G	58.08	88.20	-30.12	38.81	3	Horizontal	142	1.09	-	40.77	11.69	33.19			
RMS	13.885G	45.79	68.20	-22.41	26.54	3	Horizontal	142	1.09	-	40.74	11.69	33.18			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8358G	48.05	83.54	-35.49	43.00	1	Vertical	87	1.14	-	37.90	15.85	48.70			
AV	20.83596G	34.16	63.54	-29.38	29.11	1	Vertical	87	1.14	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83581G	47.65	83.54	-35.89	42.60	1	Horizontal	261	1.02	-	37.90	15.85	48.70			
AV	20.83595G	34.03	63.54	-29.51	28.98	1	Horizontal	261	1.02	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 88
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9974G	119.27	Inf	-Inf	109.93	3	Vertical	73.5	2.02	-	36.09	8.38	35.13			
RMS	6.9942G	108.27	Inf	-Inf	98.93	3	Vertical	73.5	2.02	-	36.08	8.39	35.13			
PK	7.1274G	79.89	88.20	-8.31	69.89	3	Vertical	73.5	2.02	-	36.66	8.48	35.14			
RMS	7.125G	66.55	68.20	-1.65	56.56	3	Vertical	73.5	2.02	-	36.65	8.48	35.14			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 88
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9946G	114.76	Inf	-Inf	105.42	3	Horizontal	138.6	1.96	-	36.08	8.39	35.13			
RMS	7.0114G	100.74	Inf	-Inf	91.34	3	Horizontal	138.6	1.96	-	36.15	8.38	35.13			
PK	7.135G	76.16	88.20	-12.04	66.11	3	Horizontal	138.6	1.96	-	36.71	8.48	35.14			
RMS	7.125G	61.83	68.20	-6.37	51.84	3	Horizontal	138.6	1.96	-	36.65	8.48	35.14			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 88
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	14.05459G	57.04	88.20	-31.16	37.90	3	Vertical	18	2.78	-	40.81	11.72	33.39				
RMS	14.05055G	46.16	68.20	-22.04	27.03	3	Vertical	18	2.78	-	40.80	11.72	33.39				

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 88
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05488G	58.30	88.20	-29.90	39.16	3	Horizontal	146	2.89	-	40.81	11.72	33.39			
RMS	14.0502G	46.14	68.20	-22.06	27.01	3	Horizontal	146	2.89	-	40.80	11.72	33.39			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 88
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07521G	47.15	83.54	-36.39	41.78	1	Vertical	149	1.92	-	38.00	16.05	48.68			
AV	21.07418G	33.62	63.54	-29.92	28.26	1	Vertical	149	1.92	-	38.00	16.05	48.69			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 88
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07518G	47.30	83.54	-36.24	41.93	1	Horizontal	187	1.32	-	38.00	16.05	48.68			
AV	21.0742G	33.71	63.54	-29.83	28.35	1	Horizontal	187	1.32	-	38.00	16.05	48.69			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 83
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9215G	80.59	88.20	-7.61	73.60	3	Vertical	285	1.80	-	34.10	8.09	35.20			
RMS	5.9245G	66.34	68.20	-1.86	59.35	3	Vertical	285	1.80	-	34.10	8.09	35.20			
PK	6.0445G	116.59	Inf	-Inf	109.35	3	Vertical	285	1.80	-	34.19	8.24	35.19			
RMS	6.054G	105.04	Inf	-Inf	97.79	3	Vertical	285	1.80	-	34.19	8.25	35.19			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 83
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	76.62	88.20	-11.58	69.63	3	Horizontal	212.2	3.00	-	34.10	8.09	35.20			
RMS	5.9225G	58.76	68.20	-9.44	51.77	3	Horizontal	212.2	3.00	-	34.10	8.09	35.20			
PK	6.0845G	109.99	Inf	-Inf	102.76	3	Horizontal	212.2	3.00	-	34.13	8.30	35.20			
RMS	6.101G	99.20	Inf	-Inf	91.98	3	Horizontal	212.2	3.00	-	34.10	8.32	35.20			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 83
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	12.04929G	56.99	74.00	-17.01	40.98	3	Vertical	282	2.14	-	38.90	11.83	34.72				
AV	12.05388G	43.90	54.00	-10.10	27.87	3	Vertical	282	2.14	-	38.91	11.83	34.71				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 83
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05197G	57.05	74.00	-16.95	41.03	3	Horizontal	222	2.15	-	38.90	11.83	34.71			
AV	12.05416G	43.88	54.00	-10.12	27.85	3	Horizontal	222	2.15	-	38.91	11.83	34.71			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 83
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07557G	46.99	83.54	-36.55	42.37	1	Vertical	95	1.41	-	37.55	15.29	48.22			
AV	18.07563G	33.49	63.54	-30.05	28.87	1	Vertical	95	1.41	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 83
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07544G	46.66	83.54	-36.88	42.04	1	Horizontal	161	2.91	-	37.55	15.29	48.22			
AV	18.07554G	33.47	63.54	-30.07	28.85	1	Horizontal	161	2.91	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	12.37469G	56.76	74.00	-17.24	51.77	3	Vertical	343	1.05	-	38.75	11.80	45.56				
AV	12.37053G	43.90	54.00	-10.10	38.90	3	Vertical	343	1.05	-	38.76	11.80	45.56				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36703G	56.55	74.00	-17.45	51.54	3	Horizontal	67	1.26	-	38.77	11.80	45.56			
AV	12.36713G	43.89	54.00	-10.11	38.88	3	Horizontal	67	1.26	-	38.77	11.80	45.56			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55538G	46.79	83.54	-36.75	42.09	1	Vertical	28	2.23	-	37.80	15.26	48.36			
AV	18.55499G	33.08	63.54	-30.46	28.37	1	Vertical	28	2.23	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55463G	46.37	83.54	-37.17	41.66	1	Horizontal	185	2.04	-	37.80	15.26	48.35			
AV	18.55481G	33.08	63.54	-30.46	28.37	1	Horizontal	185	2.04	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68832G	57.25	74.00	-16.75	51.49	3	Vertical	113	1.43	-	39.40	11.78	45.42			
AV	12.68505G	43.85	54.00	-10.15	38.09	3	Vertical	113	1.43	-	39.40	11.78	45.42			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68983G	56.55	74.00	-17.45	50.79	3	Horizontal	215	2.22	-	39.40	11.78	45.42			
AV	12.6851G	43.87	54.00	-10.13	38.11	3	Horizontal	215	2.22	-	39.40	11.78	45.42			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03487G	46.54	83.54	-37.00	42.18	1	Vertical	268	2.90	-	37.93	15.23	48.80			
AV	19.03484G	32.92	63.54	-30.62	28.56	1	Vertical	268	2.90	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03512G	45.95	83.54	-37.59	41.59	1	Horizontal	143	2.77	-	37.93	15.23	48.80			
AV	19.03489G	32.88	63.54	-30.66	28.52	1	Horizontal	143	2.77	-	37.93	15.23	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.01104G	58.01	88.20	-30.19	51.26	3	Vertical	347	1.62	-	40.06	11.75	45.06			
RMS	13.00653G	44.59	68.20	-23.61	37.83	3	Vertical	347	1.62	-	40.07	11.75	45.06			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00808G	57.57	88.20	-30.63	50.81	3	Horizontal	191	2.60	-	40.07	11.75	45.06			
RMS	13.01077G	44.59	68.20	-23.61	37.84	3	Horizontal	191	2.60	-	40.06	11.75	45.06			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	19.51482G	45.61	83.54	-37.93	41.44	1	Vertical	330	1.68	-	37.77	15.20	48.80				
AV	19.51547G	32.11	63.54	-31.43	27.94	1	Vertical	330	1.68	-	37.77	15.20	48.80				

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6505MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51538G	45.80	83.54	-37.74	41.63	1	Horizontal	165	2.41	-	37.77	15.20	48.80			
AV	19.514G	32.06	63.54	-31.48	27.89	1	Horizontal	165	2.41	-	37.77	15.20	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32973G	57.55	74.00	-16.45	50.36	3	Vertical	28	2.42	-	40.26	11.73	44.80			
AV	13.33064G	44.71	54.00	-9.29	37.52	3	Vertical	28	2.42	-	40.26	11.73	44.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32826G	57.30	74.00	-16.70	50.11	3	Horizontal	1	1.00	-	40.26	11.73	44.80			
AV	13.33036G	44.71	54.00	-9.29	37.52	3	Horizontal	1	1.00	-	40.26	11.73	44.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99409G	46.14	83.54	-37.40	42.06	1	Vertical	119	2.40	-	37.71	15.17	48.80			
AV	19.99499G	32.36	63.54	-31.18	28.28	1	Vertical	119	2.40	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99407G	46.26	83.54	-37.28	42.18	1	Horizontal	255	2.52	-	37.71	15.17	48.80			
AV	19.99489G	32.42	63.54	-31.12	28.34	1	Horizontal	255	2.52	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.65268G	58.49	88.20	-29.71	50.62	3	Vertical	28	2.35	-	40.71	11.71	44.55			
RMS	13.65457G	45.60	68.20	-22.60	37.73	3	Vertical	28	2.35	-	40.71	11.71	44.55			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64834G	58.38	88.20	-29.82	50.53	3	Horizontal	119	1.98	-	40.70	11.71	44.56			
RMS	13.65257G	45.59	68.20	-22.61	37.72	3	Horizontal	119	1.98	-	40.71	11.71	44.55			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47592G	47.34	83.54	-36.20	42.58	1	Vertical	124	1.64	-	37.90	15.56	48.70			
AV	20.4742G	33.92	63.54	-29.62	29.17	1	Vertical	124	1.64	-	37.90	15.56	48.71			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6825MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47597G	47.29	83.54	-36.25	42.53	1	Horizontal	23	1.83	-	37.90	15.56	48.70			
AV	20.47569G	33.92	63.54	-29.62	29.16	1	Horizontal	23	1.83	-	37.90	15.56	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 85
03-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9697G	114.34	Inf	-Inf	105.03	3	Vertical	73.2	1.93	-	35.98	8.47	35.14			
RMS	6.9193G	108.73	Inf	-Inf	99.34	3	Vertical	73.2	1.93	-	35.90	8.63	35.14			
PK	7.129G	79.14	88.20	-9.06	69.13	3	Vertical	73.2	1.93	-	36.67	8.48	35.14			
RMS	7.1263G	66.65	68.20	-1.55	56.65	3	Vertical	73.2	1.93	-	36.66	8.48	35.14			
PK	7.259G	58.47	74.00	-15.53	47.95	3	Vertical	73.2	1.93	-	37.09	8.58	35.15			
AV	7.25G	47.68	54.00	-6.32	37.16	3	Vertical	73.2	1.93	-	37.10	8.57	35.15			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 85
03-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9805G	106.80	Inf	-Inf	97.48	3	Horizontal	312.3	2.94	-	36.02	8.43	35.13			
RMS	7.0426G	96.85	Inf	-Inf	87.30	3	Horizontal	312.3	2.94	-	36.27	8.41	35.13			
RMS	7.1299G	56.49	68.20	-11.71	46.47	3	Horizontal	312.3	2.94	-	36.68	8.48	35.14			
PK	7.1353G	70.95	88.20	-17.25	60.89	3	Horizontal	312.3	2.94	-	36.71	8.49	35.14			
AV	7.25G	45.32	54.00	-8.68	34.80	3	Horizontal	312.3	2.94	-	37.10	8.57	35.15			
PK	7.2523G	56.11	74.00	-17.89	45.59	3	Horizontal	312.3	2.94	-	37.10	8.57	35.15			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 85
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96782G	58.41	88.20	-29.79	50.22	3	Vertical	239	2.52	-	40.84	11.68	44.33			
RMS	13.965G	45.95	68.20	-22.25	37.77	3	Vertical	239	2.52	-	40.83	11.68	44.33			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 85
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97055G	59.21	88.20	-28.99	51.02	3	Horizontal	277	2.56	-	40.84	11.68	44.33			
RMS	13.97452G	45.97	68.20	-22.23	37.77	3	Horizontal	277	2.56	-	40.85	11.68	44.33			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 85
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95543G	47.21	83.54	-36.33	42.05	1	Vertical	286	1.81	-	37.91	15.95	48.70			
AV	20.95547G	33.87	63.54	-29.67	28.71	1	Vertical	286	1.81	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 85
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95494G	48.23	83.54	-35.31	43.07	1	Horizontal	238	1.25	-	37.91	15.95	48.70			
AV	20.95497G	33.87	63.54	-29.67	28.71	1	Horizontal	238	1.25	-	37.91	15.95	48.70			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 87
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	81.06	88.20	-7.14	74.07	3	Vertical	90	1.80	-	34.10	8.09	35.20			
RMS	5.925G	67.07	68.20	-1.13	60.08	3	Vertical	90	1.80	-	34.10	8.09	35.20			
PK	6.206G	113.83	Inf	-Inf	106.25	3	Vertical	90	1.80	-	34.30	8.48	35.20			
RMS	6.201G	103.20	Inf	-Inf	95.63	3	Vertical	90	1.80	-	34.30	8.47	35.20			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 87
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	72.18	88.20	-16.02	65.19	3	Horizontal	229.1	1.78	-	34.10	8.09	35.20			
RMS	5.925G	59.81	68.20	-8.39	52.82	3	Horizontal	229.1	1.78	-	34.10	8.09	35.20			
PK	6.082G	105.73	Inf	-Inf	98.49	3	Horizontal	229.1	1.78	-	34.14	8.29	35.19			
RMS	6.076G	95.89	Inf	-Inf	88.65	3	Horizontal	229.1	1.78	-	34.15	8.28	35.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 87
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21115G	56.65	74.00	-17.35	51.31	3	Vertical	319	2.66	-	39.00	11.81	45.47			
AV	12.21484G	44.18	54.00	-9.82	38.85	3	Vertical	319	2.66	-	39.00	11.81	45.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 87
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21488G	57.39	74.00	-16.61	52.06	3	Horizontal	168	1.63	-	39.00	11.81	45.48			
AV	12.21451G	44.14	54.00	-9.86	38.81	3	Horizontal	168	1.63	-	39.00	11.81	45.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 87
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31418G	46.97	83.54	-36.57	42.33	1	Vertical	249	2.62	-	37.63	15.27	48.26			
AV	18.31581G	33.12	63.54	-30.42	28.48	1	Vertical	249	2.62	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 87
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31505G	47.43	83.54	-36.11	42.79	1	Horizontal	197	1.48	-	37.63	15.27	48.26			
AV	18.31562G	33.25	63.54	-30.29	28.61	1	Horizontal	197	1.48	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52705G	56.67	74.00	-17.33	51.53	3	Vertical	343	2.52	-	38.95	11.79	45.60			
AV	12.52527G	43.79	54.00	-10.21	38.65	3	Vertical	343	2.52	-	38.95	11.79	45.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53339G	56.52	74.00	-17.48	51.35	3	Horizontal	205	1.67	-	38.97	11.79	45.59			
AV	12.52531G	43.79	54.00	-10.21	38.65	3	Horizontal	205	1.67	-	38.95	11.79	45.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79501G	46.79	83.54	-36.75	42.25	1	Vertical	170	2.41	-	37.90	15.24	48.60			
AV	18.7953G	33.14	63.54	-30.40	28.60	1	Vertical	170	2.41	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79564G	46.93	83.54	-36.61	42.39	1	Horizontal	205	2.03	-	37.90	15.24	48.60			
AV	18.79515G	33.16	63.54	-30.38	28.62	1	Horizontal	205	2.03	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84598G	57.45	88.20	-30.75	51.04	3	Vertical	295	2.94	-	39.88	11.77	45.24			
RMS	12.85391G	44.81	68.20	-23.39	38.36	3	Vertical	295	2.94	-	39.91	11.77	45.23			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8485G	57.98	88.20	-30.22	51.56	3	Horizontal	67	2.94	-	39.89	11.77	45.24			
RMS	12.85369G	44.79	68.20	-23.41	38.34	3	Horizontal	67	2.94	-	39.91	11.77	45.23			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27568G	45.92	83.54	-37.62	41.61	1	Vertical	215	2.06	-	37.90	15.21	48.80			
AV	19.27482G	32.47	63.54	-31.07	28.16	1	Vertical	215	2.06	-	37.90	15.21	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6425MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27512G	45.92	83.54	-37.62	41.61	1	Horizontal	309	2.48	-	37.90	15.21	48.80			
AV	19.27457G	32.47	63.54	-31.07	28.16	1	Horizontal	309	2.48	-	37.90	15.21	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17306G	57.19	88.20	-31.01	50.38	3	Vertical	239	1.92	-	40.00	11.74	44.93			
RMS	13.17123G	44.39	68.20	-23.81	37.58	3	Vertical	239	1.92	-	40.00	11.74	44.93			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1695G	56.91	88.20	-31.29	50.10	3	Horizontal	268	1.92	-	40.00	11.74	44.93			
RMS	13.17133G	44.41	68.20	-23.79	37.60	3	Horizontal	268	1.92	-	40.00	11.74	44.93			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75404G	45.86	83.54	-37.68	41.78	1	Vertical	84	1.53	-	37.70	15.18	48.80			
AV	19.75505G	32.86	63.54	-30.68	28.78	1	Vertical	84	1.53	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6585MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75525G	46.83	83.54	-36.71	42.75	1	Horizontal	227	1.21	-	37.70	15.18	48.80			
AV	19.75486G	32.81	63.54	-30.73	28.73	1	Horizontal	227	1.21	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4876G	58.29	88.20	-29.91	50.56	3	Vertical	135	1.83	-	40.68	11.72	44.67			
RMS	13.49122G	45.24	68.20	-22.96	37.51	3	Vertical	135	1.83	-	40.68	11.72	44.67			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT Y_4TX
Setting 100
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49121G	58.27	88.20	-29.93	50.54	3	Horizontal	11	1.47	-	40.68	11.72	44.67			
RMS	13.4872G	45.23	68.20	-22.97	37.51	3	Horizontal	11	1.47	-	40.67	11.72	44.67			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23588G	47.12	83.54	-36.42	42.71	1	Vertical	173	2.67	-	37.80	15.36	48.75			
AV	20.23549G	34.01	63.54	-29.53	29.60	1	Vertical	173	2.67	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6745MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23405G	48.02	83.54	-35.52	43.61	1	Horizontal	78	1.41	-	37.80	15.36	48.75			
AV	20.23476G	33.96	63.54	-29.58	29.55	1	Horizontal	78	1.41	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 75
03-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
RMS	6.7682G	104.02	Inf	-Inf	94.19	3	Vertical	269	1.79	-	36.00	9.00	35.17			
PK	6.8702G	109.55	Inf	-Inf	100.01	3	Vertical	269	1.79	-	35.90	8.79	35.15			
RMS	7.1258G	56.95	68.20	-11.25	46.96	3	Vertical	269	1.79	-	36.65	8.48	35.14			
PK	7.1342G	70.13	88.20	-18.07	60.08	3	Vertical	269	1.79	-	36.71	8.48	35.14			
AV	7.25G	52.80	54.00	-1.20	42.28	3	Vertical	269	1.79	-	37.10	8.57	35.15			
PK	7.2506G	63.55	74.00	-10.45	53.03	3	Vertical	269	1.79	-	37.10	8.57	35.15			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 75
03-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
RMS	6.7826G	102.71	Inf	-Inf	92.87	3	Horizontal	296.6	2.52	-	36.00	9.01	35.17			
PK	6.8426G	108.03	Inf	-Inf	98.40	3	Horizontal	296.6	2.52	-	35.91	8.88	35.16			
RMS	7.1258G	50.54	68.20	-17.66	40.55	3	Horizontal	296.6	2.52	-	36.65	8.48	35.14			
PK	7.1306G	63.77	88.20	-24.43	53.75	3	Horizontal	296.6	2.52	-	36.68	8.48	35.14			
PK	7.25G	58.32	74.00	-15.68	47.80	3	Horizontal	296.6	2.52	-	37.10	8.57	35.15			
AV	7.25G	46.85	54.00	-7.15	36.33	3	Horizontal	296.6	2.52	-	37.10	8.57	35.15			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 75
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81336G	58.97	88.20	-29.23	51.12	3	Vertical	250	2.15	-	40.60	11.69	44.44			
RMS	13.81496G	45.84	68.20	-22.36	37.99	3	Vertical	250	2.15	-	40.60	11.69	44.44			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 75
03-P-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80873G	58.98	88.20	-29.22	51.13	3	Horizontal	110	1.83	-	40.60	11.69	44.44			
RMS	13.81223G	45.85	68.20	-22.35	38.00	3	Horizontal	110	1.83	-	40.60	11.69	44.44			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 75
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71544G	47.05	83.54	-36.49	42.10	1	Vertical	58	2.85	-	37.90	15.75	48.70			
AV	20.71449G	33.78	63.54	-29.76	28.83	1	Vertical	58	2.85	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6905MHz_TX

EUT Y_4TX
Setting 75
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71517G	47.26	83.54	-36.28	42.31	1	Horizontal	317	1.03	-	37.90	15.75	48.70			
AV	20.71453G	33.90	63.54	-29.64	28.95	1	Horizontal	317	1.03	-	37.90	15.75	48.70			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 95
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.92	88.20	-8.28	72.93	3	Vertical	81.7	2.09	-	34.10	8.09	35.20			
RMS	5.9248G	67.00	68.20	-1.20	60.01	3	Vertical	81.7	2.09	-	34.10	8.09	35.20			
PK	5.9574G	124.17	Inf	-Inf	117.13	3	Vertical	81.7	2.09	-	34.10	8.13	35.19			
RMS	5.9504G	112.57	Inf	-Inf	105.54	3	Vertical	81.7	2.09	-	34.10	8.12	35.19			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 95
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	76.90	88.20	-11.30	69.91	3	Horizontal	221	1.65	-	34.10	8.09	35.20			
RMS	5.925G	64.25	68.20	-3.95	57.26	3	Horizontal	221	1.65	-	34.10	8.09	35.20			
PK	5.9506G	118.48	Inf	-Inf	111.45	3	Horizontal	221	1.65	-	34.10	8.12	35.19			
RMS	5.9594G	107.44	Inf	-Inf	100.40	3	Horizontal	221	1.65	-	34.10	8.13	35.19			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 95
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91194G	57.92	74.00	-16.08	42.16	3	Vertical	240	2.01	-	38.70	11.79	34.73			
AV	11.91385G	44.06	54.00	-9.94	28.29	3	Vertical	240	2.01	-	38.70	11.80	34.73			
PK	17.86898G	60.44	74.00	-13.56	36.98	3	Vertical	13	1.18	-	42.87	14.19	33.60			
AV	17.8691G	47.24	54.00	-6.76	23.78	3	Vertical	13	1.18	-	42.87	14.19	33.60			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 95
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91469G	57.79	74.00	-16.21	42.02	3	Horizontal	296	2.82	-	38.70	11.80	34.73			
AV	11.91457G	44.02	54.00	-9.98	28.25	3	Horizontal	296	2.82	-	38.70	11.80	34.73			
PK	17.86547G	60.13	74.00	-13.87	36.73	3	Horizontal	105	2.88	-	42.82	14.18	33.60			
AV	17.86664G	47.38	54.00	-6.62	23.97	3	Horizontal	105	2.88	-	42.83	14.18	33.60			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 95
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81462G	51.28	74.00	-22.72	42.57	1	Vertical	152	2.68	-	39.10	17.28	47.67			
AV	23.82572G	38.20	54.00	-15.80	29.49	1	Vertical	152	2.68	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


5955MHz_TX

EUT Y_4TX
Setting 95
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81022G	51.71	74.00	-22.29	43.01	1	Horizontal	302	1.09	-	39.10	17.28	47.68			
AV	23.82866G	38.18	54.00	-15.82	29.47	1	Horizontal	302	1.09	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39399G	58.89	74.00	-15.11	42.45	3	Vertical	132	1.47	-	38.71	11.80	34.07			
AV	12.38654G	45.20	54.00	-8.80	28.75	3	Vertical	132	1.47	-	38.73	11.80	34.08			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6195MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38716G	58.93	74.00	-15.07	42.48	3	Horizontal	183	2.82	-	38.73	11.80	34.08			
AV	12.39237G	45.16	54.00	-8.84	28.71	3	Horizontal	183	2.82	-	38.72	11.80	34.07			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6195MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58502G	46.86	83.54	-36.68	42.20	1	Vertical	234	1.13	-	37.80	15.25	48.39			
AV	18.58528G	32.98	63.54	-30.56	28.32	1	Vertical	234	1.13	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6195MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58419G	46.50	83.54	-37.04	41.83	1	Horizontal	237	1.93	-	37.80	15.25	48.38			
AV	18.58465G	32.99	63.54	-30.55	28.32	1	Horizontal	237	1.93	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82878G	60.48	88.20	-27.72	42.73	3	Vertical	358	1.42	-	39.82	11.77	33.84			
RMS	12.8349G	45.92	68.20	-22.28	28.15	3	Vertical	358	1.42	-	39.84	11.77	33.84			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6415MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82758G	59.32	88.20	-28.88	41.58	3	Horizontal	24	2.65	-	39.81	11.77	33.84			
RMS	12.82768G	45.82	68.20	-22.38	28.08	3	Horizontal	24	2.65	-	39.81	11.77	33.84			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6415MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24456G	46.46	83.54	-37.08	42.06	1	Vertical	148	1.20	-	37.98	15.22	48.80			
AV	19.24408G	32.74	63.54	-30.80	28.34	1	Vertical	148	1.20	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6415MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	19.2443G	46.54	83.54	-37.00	42.14	1	Horizontal	184	1.81	-	37.98	15.22	48.80				
AV	19.24432G	32.80	63.54	-30.74	28.40	1	Horizontal	184	1.81	-	37.98	15.22	48.80				

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6435MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87046G	59.88	88.20	-28.32	42.02	3	Vertical	327	1.22	-	39.94	11.76	33.84			
RMS	12.87407G	46.15	68.20	-22.05	28.28	3	Vertical	327	1.22	-	39.95	11.76	33.84			

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6435MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87497G	59.59	88.20	-28.61	41.72	3	Horizontal	264	1.95	-	39.95	11.76	33.84			
RMS	12.87466G	45.97	68.20	-22.23	28.10	3	Horizontal	264	1.95	-	39.95	11.76	33.84			

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6435MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.3057G	45.58	83.54	-37.96	41.37	1	Vertical	206	1.28	-	37.80	15.21	48.80			
AV	19.30546G	32.36	63.54	-31.18	28.15	1	Vertical	206	1.28	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30568G	45.44	83.54	-38.10	41.23	1	Horizontal	123	2.53	-	37.80	15.21	48.80			
AV	19.30507G	32.39	63.54	-31.15	28.18	1	Horizontal	123	2.53	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94719G	59.26	88.20	-28.94	41.24	3	Vertical	161	2.32	-	40.09	11.76	33.83			
RMS	12.94722G	45.36	68.20	-22.84	27.34	3	Vertical	161	2.32	-	40.09	11.76	33.83			

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.9541G	58.84	88.20	-29.36	40.81	3	Horizontal	151	2.68	-	40.10	11.76	33.83			
RMS	12.9477G	45.28	68.20	-22.92	27.25	3	Horizontal	151	2.68	-	40.10	11.76	33.83			

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42442G	45.77	83.54	-37.77	41.57	1	Vertical	224	1.36	-	37.80	15.20	48.80			
AV	19.42424G	32.04	63.54	-31.50	27.84	1	Vertical	224	1.36	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6475MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.42464G	45.96	83.54	-37.58	41.76	1	Horizontal	106	2.66	-	37.80	15.20	48.80			
AV	19.42473G	32.03	63.54	-31.51	27.83	1	Horizontal	106	2.66	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6515MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03337G	60.39	88.20	-27.81	42.42	3	Vertical	103	2.01	-	39.97	11.75	33.75			
RMS	13.025G	45.90	68.20	-22.30	27.92	3	Vertical	103	2.01	-	40.00	11.75	33.77			

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6515MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03315G	59.07	88.20	-29.13	41.10	3	Horizontal	263	2.67	-	39.97	11.75	33.75			
RMS	13.025G	45.95	68.20	-22.25	27.97	3	Horizontal	263	2.67	-	40.00	11.75	33.77			

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6515MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54489G	45.42	83.54	-38.12	41.31	1	Vertical	128	2.27	-	37.71	15.20	48.80			
AV	19.54472G	32.06	63.54	-31.48	27.95	1	Vertical	128	2.27	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6515MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54535G	46.62	83.54	-36.92	42.51	1	Horizontal	146	1.28	-	37.71	15.20	48.80			
AV	19.54432G	32.15	63.54	-31.39	28.04	1	Horizontal	146	1.28	-	37.71	15.20	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6535MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07173G	58.82	88.20	-29.38	40.87	3	Vertical	150	1.30	-	39.86	11.75	33.66			
RMS	13.06514G	45.25	68.20	-22.95	27.30	3	Vertical	150	1.30	-	39.87	11.75	33.67			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6535MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07402G	58.97	88.20	-29.23	41.02	3	Horizontal	31	2.20	-	39.85	11.75	33.65			
RMS	13.0703G	45.16	68.20	-23.04	27.21	3	Horizontal	31	2.20	-	39.86	11.75	33.66			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6535MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60419G	46.01	83.54	-37.53	41.92	1	Vertical	345	2.72	-	37.70	15.19	48.80			
AV	19.60403G	32.21	63.54	-31.33	28.12	1	Vertical	345	2.72	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6535MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60576G	45.88	83.54	-37.66	41.79	1	Horizontal	74	1.05	-	37.70	15.19	48.80			
AV	19.60447G	32.24	63.54	-31.30	28.15	1	Horizontal	74	1.05	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39167G	60.46	74.00	-13.54	41.32	3	Vertical	325	1.59	-	40.30	11.73	32.89			
AV	13.39341G	46.33	54.00	-7.67	27.19	3	Vertical	325	1.59	-	40.30	11.73	32.89			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3928G	60.37	74.00	-13.63	41.23	3	Horizontal	105	2.27	-	40.30	11.73	32.89			
AV	13.38552G	46.27	54.00	-7.73	27.14	3	Horizontal	105	2.27	-	40.30	11.73	32.90			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.08417G	46.02	83.54	-37.52	41.76	1	Vertical	341	2.39	-	37.80	15.24	48.78				
AV	20.08424G	32.38	63.54	-31.16	28.12	1	Vertical	341	2.39	-	37.80	15.24	48.78				

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08495G	45.62	83.54	-37.92	41.36	1	Horizontal	285	1.25	-	37.80	15.24	48.78			
AV	20.08539G	32.27	63.54	-31.27	28.01	1	Horizontal	285	1.25	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71001G	53.96	88.20	-34.24	44.41	3	Vertical	188	2.65	-	40.22	12.62	43.29			
RMS	13.70957G	41.41	68.20	-26.79	31.86	3	Vertical	188	2.65	-	40.22	12.62	43.29			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71006G	53.99	88.20	-34.21	44.44	3	Horizontal	349	2.20	-	40.22	12.62	43.29			
RMS	13.70996G	41.44	68.20	-26.76	31.89	3	Horizontal	349	2.20	-	40.22	12.62	43.29			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56574G	48.59	83.54	-34.95	43.76	1	Vertical	75	1.53	-	37.90	15.63	48.70			
AV	20.56446G	36.68	63.54	-26.86	31.85	1	Vertical	75	1.53	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6855MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56442G	47.64	83.54	-35.90	42.81	1	Horizontal	183	1.52	-	37.90	15.63	48.70			
AV	20.56559G	36.76	63.54	-26.78	31.93	1	Horizontal	183	1.52	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6875MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.75486G	60.72	88.20	-27.48	41.32	3	Vertical	229	1.09	-	40.69	11.70	32.99			
RMS	13.74521G	46.89	68.20	-21.31	27.46	3	Vertical	229	1.09	-	40.71	11.70	32.98			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6875MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.75187G	60.70	88.20	-27.50	41.29	3	Horizontal	260	1.29	-	40.70	11.70	32.99			
RMS	13.75087G	46.90	68.20	-21.30	27.49	3	Horizontal	260	1.29	-	40.70	11.70	32.99			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6875MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6247G	46.94	83.54	-36.60	42.06	1	Vertical	185	1.95	-	37.90	15.68	48.70			
AV	20.62543G	33.04	63.54	-30.50	28.16	1	Vertical	185	1.95	-	37.90	15.68	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6875MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62493G	46.40	83.54	-37.14	41.52	1	Horizontal	41	1.47	-	37.90	15.68	48.70			
AV	20.62462G	33.03	63.54	-30.51	28.15	1	Horizontal	41	1.47	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6895MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.789G	60.76	88.20	-27.44	41.48	3	Vertical	128	2.52	-	40.62	11.70	33.04			
RMS	13.79117G	47.02	68.20	-21.18	27.74	3	Vertical	128	2.52	-	40.62	11.70	33.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6895MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79035G	60.48	88.20	-27.72	41.20	3	Horizontal	142	2.24	-	40.62	11.70	33.04			
RMS	13.791G	46.76	68.20	-21.44	27.48	3	Horizontal	142	2.24	-	40.62	11.70	33.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6895MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68432G	46.67	83.54	-36.87	41.74	1	Vertical	80	1.01	-	37.90	15.73	48.70			
AV	20.68549G	33.64	63.54	-29.90	28.71	1	Vertical	80	1.01	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6895MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68454G	47.17	83.54	-36.37	42.24	1	Horizontal	135	2.45	-	37.90	15.73	48.70			
AV	20.68432G	33.65	63.54	-29.89	28.72	1	Horizontal	135	2.45	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6995MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98996G	60.82	88.20	-27.38	41.59	3	Vertical	119	1.70	-	40.88	11.68	33.33			
RMS	13.98567G	47.50	68.20	-20.70	28.27	3	Vertical	119	1.70	-	40.87	11.68	33.32			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6995MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.99428G	62.14	88.20	-26.06	42.90	3	Horizontal	167	1.18	-	40.89	11.68	33.33			
RMS	13.99055G	47.58	68.20	-20.62	28.35	3	Horizontal	167	1.18	-	40.88	11.68	33.33			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6995MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.98503G	47.31	83.54	-36.23	42.07	1	Vertical	298	1.53	-	37.97	15.97	48.70				
AV	20.98488G	33.99	63.54	-29.55	28.75	1	Vertical	298	1.53	-	37.97	15.97	48.70				

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


6995MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98442G	47.65	83.54	-35.89	42.41	1	Horizontal	119	1.17	-	37.97	15.97	48.70			
AV	20.98467G	33.92	63.54	-29.62	28.68	1	Horizontal	119	1.17	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 91
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.096G	122.86	Inf	-Inf	113.07	3	Vertical	73.6	1.98	-	36.48	8.45	35.14			
RMS	7.094G	112.41	Inf	-Inf	102.62	3	Vertical	73.6	1.98	-	36.48	8.45	35.14			
PK	7.1264G	78.18	88.20	-10.02	68.18	3	Vertical	73.6	1.98	-	36.66	8.48	35.14			
RMS	7.125G	66.74	68.20	-1.46	56.75	3	Vertical	73.6	1.98	-	36.65	8.48	35.14			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 91
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0866G	116.01	Inf	-Inf	106.26	3	Horizontal	158.2	1.84	-	36.45	8.44	35.14			
RMS	7.0868G	106.13	Inf	-Inf	96.38	3	Horizontal	158.2	1.84	-	36.45	8.44	35.14			
PK	7.1256G	78.73	88.20	-9.47	68.74	3	Horizontal	158.2	1.84	-	36.65	8.48	35.14			
RMS	7.1252G	66.01	68.20	-2.19	56.02	3	Horizontal	158.2	1.84	-	36.65	8.48	35.14			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 91
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	14.19051G	57.66	88.20	-30.54	49.50	3	Vertical	254	2.34	-	40.90	11.83	44.57				
RMS	14.1917G	46.60	68.20	-21.60	38.44	3	Vertical	254	2.34	-	40.90	11.83	44.57				

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 91
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.19358G	56.53	88.20	-31.67	48.37	3	Horizontal	310	1.78	-	40.90	11.83	44.57			
RMS	14.19412G	44.64	68.20	-23.56	36.48	3	Horizontal	310	1.78	-	40.90	11.83	44.57			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


7095MHz_TX

EUT_Y_4TX
Setting 91
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28545G	48.66	83.54	-34.88	43.01	1	Vertical	100	1.36	-	38.07	16.22	48.64			
AV	21.28461G	34.69	63.54	-28.85	29.04	1	Vertical	100	1.36	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX


7095MHz_TX

EUT Y_4TX
Setting 91
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2859G	49.00	83.54	-34.54	43.35	1	Horizontal	182	2.57	-	38.07	16.22	48.64			
AV	21.28554G	34.77	63.54	-28.77	29.12	1	Horizontal	182	2.57	-	38.07	16.22	48.64			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 85
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9224G	80.89	88.20	-7.31	73.90	3	Vertical	143	1.72	-	34.10	8.09	35.20			
RMS	5.9248G	66.83	68.20	-1.37	59.84	3	Vertical	143	1.72	-	34.10	8.09	35.20			
PK	5.9826G	118.98	Inf	-Inf	111.92	3	Vertical	143	1.72	-	34.10	8.15	35.19			
RMS	5.9712G	108.49	Inf	-Inf	101.44	3	Vertical	143	1.72	-	34.10	8.14	35.19			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 85
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	80.22	88.20	-7.98	73.23	3	Horizontal	224	1.64	-	34.10	8.09	35.20			
RMS	5.925G	64.37	68.20	-3.83	57.38	3	Horizontal	224	1.64	-	34.10	8.09	35.20			
PK	5.9494G	116.98	Inf	-Inf	109.96	3	Horizontal	224	1.64	-	34.10	8.12	35.20			
RMS	5.9622G	103.48	Inf	-Inf	96.44	3	Horizontal	224	1.64	-	34.10	8.13	35.19			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 85
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93121G	47.86	74.00	-26.14	32.11	3	Vertical	233	1.38	-	38.70	11.80	34.75			
AV	11.93202G	33.54	54.00	-20.46	17.79	3	Vertical	233	1.38	-	38.70	11.80	34.75			
PK	17.89875G	56.64	74.00	-17.36	32.74	3	Vertical	209	1.26	-	43.28	14.20	33.58			
AV	17.89898G	42.82	54.00	-11.18	18.91	3	Vertical	209	1.26	-	43.29	14.20	33.58			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 85
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92814G	47.24	74.00	-26.76	31.48	3	Horizontal	49	2.53	-	38.70	11.80	34.74			
AV	11.92929G	33.42	54.00	-20.58	17.66	3	Horizontal	49	2.53	-	38.70	11.80	34.74			
PK	17.89088G	56.15	74.00	-17.85	32.37	3	Horizontal	59	1.63	-	43.17	14.20	33.59			
AV	17.89711G	42.89	54.00	-11.11	19.02	3	Horizontal	59	1.63	-	43.26	14.20	33.59			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 85
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86224G	51.46	83.54	-32.08	42.75	1	Vertical	246	1.64	-	39.08	17.29	47.66			
AV	23.853G	38.25	63.54	-25.29	29.53	1	Vertical	246	1.64	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
Setting 85
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86312G	51.47	83.54	-32.07	42.76	1	Horizontal	144	2.27	-	39.07	17.29	47.65			
AV	23.85358G	38.41	63.54	-25.13	29.69	1	Horizontal	144	2.27	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40982G	58.63	74.00	-15.37	42.17	3	Vertical	113	1.35	-	38.70	11.80	34.04			
AV	12.40745G	45.26	54.00	-8.74	28.80	3	Vertical	113	1.35	-	38.70	11.80	34.04			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41006G	58.87	74.00	-15.13	42.41	3	Horizontal	92	1.23	-	38.70	11.80	34.04			
AV	12.41032G	45.34	54.00	-8.66	28.88	3	Horizontal	92	1.23	-	38.70	11.80	34.04			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6205MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61461G	47.08	83.54	-36.46	42.41	1	Vertical	141	2.39	-	37.83	15.25	48.41			
AV	18.61407G	32.85	63.54	-30.69	28.18	1	Vertical	141	2.39	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61518G	47.28	83.54	-36.26	42.62	1	Horizontal	24	2.89	-	37.83	15.25	48.42			
AV	18.61432G	33.09	63.54	-30.45	28.42	1	Horizontal	24	2.89	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6405MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80608G	59.15	88.20	-29.05	41.51	3	Vertical	298	2.17	-	39.72	11.77	33.85			
RMS	12.8148G	45.81	68.20	-22.39	28.12	3	Vertical	298	2.17	-	39.76	11.77	33.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81264G	59.44	88.20	-28.76	41.76	3	Horizontal	242	1.73	-	39.75	11.77	33.84			
RMS	12.81189G	45.76	68.20	-22.44	28.09	3	Horizontal	242	1.73	-	39.75	11.77	33.85			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21459G	46.31	83.54	-37.23	42.03	1	Vertical	320	1.56	-	37.86	15.22	48.80			
AV	19.21584G	32.51	63.54	-31.03	28.23	1	Vertical	320	1.56	-	37.86	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21401G	46.03	83.54	-37.51	41.75	1	Horizontal	224	2.03	-	37.86	15.22	48.80			
AV	19.21574G	32.56	63.54	-30.98	28.28	1	Horizontal	224	2.03	-	37.86	15.22	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6445MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88974G	59.85	88.20	-28.35	41.95	3	Vertical	35	1.56	-	39.98	11.76	33.84			
RMS	12.88875G	46.06	68.20	-22.14	28.16	3	Vertical	35	1.56	-	39.98	11.76	33.84			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6445MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88735G	60.09	88.20	-28.11	42.20	3	Horizontal	327	1.25	-	39.97	11.76	33.84			
RMS	12.88962G	45.94	68.20	-22.26	28.04	3	Horizontal	327	1.25	-	39.98	11.76	33.84			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6445MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.33415G	45.75	83.54	-37.79	41.54	1	Vertical	286	2.61	-	37.80	15.21	48.80			
AV	19.33578G	32.17	63.54	-31.37	27.96	1	Vertical	286	2.61	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6445MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.33517G	45.89	83.54	-37.65	41.68	1	Horizontal	133	1.31	-	37.80	15.21	48.80			
AV	19.33577G	32.32	63.54	-31.22	28.11	1	Horizontal	133	1.31	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6485MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96625G	59.01	88.20	-29.19	40.98	3	Vertical	328	1.62	-	40.10	11.76	33.83			
RMS	12.96539G	45.17	68.20	-23.03	27.14	3	Vertical	328	1.62	-	40.10	11.76	33.83			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6485MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97448G	59.34	88.20	-28.86	41.31	3	Horizontal	343	2.60	-	40.10	11.76	33.83			
RMS	12.96571G	45.07	68.20	-23.13	27.04	3	Horizontal	343	2.60	-	40.10	11.76	33.83			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6485MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.45523G	45.55	83.54	-37.99	41.44	1	Vertical	1	2.37	-	37.71	15.20	48.80			
AV	19.45454G	31.91	63.54	-31.63	27.80	1	Vertical	1	2.37	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6485MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.45459G	46.24	83.54	-37.30	42.13	1	Horizontal	25	1.35	-	37.71	15.20	48.80			
AV	19.45524G	31.96	63.54	-31.58	27.85	1	Horizontal	25	1.35	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6525MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.0451G	59.54	88.20	-28.66	41.59	3	Vertical	332	1.69	-	39.92	11.75	33.72			
RMS	13.04605G	45.62	68.20	-22.58	27.67	3	Vertical	332	1.69	-	39.92	11.75	33.72			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6525MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05283G	59.19	88.20	-29.01	41.25	3	Horizontal	181	2.26	-	39.89	11.75	33.70			
RMS	13.05024G	45.71	68.20	-22.49	27.77	3	Horizontal	181	2.26	-	39.90	11.75	33.71			

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6525MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	19.57476G	45.59	83.54	-37.95	41.49	1	Vertical	358	2.44	-	37.70	15.20	48.80				
AV	19.57466G	32.17	63.54	-31.37	28.07	1	Vertical	358	2.44	-	37.70	15.20	48.80				

6.425-6.525GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6525MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57582G	46.13	83.54	-37.41	42.03	1	Horizontal	113	1.28	-	37.70	15.20	48.80			
AV	19.57414G	32.15	63.54	-31.39	28.05	1	Horizontal	113	1.28	-	37.70	15.20	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6565MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12926G	58.77	88.20	-29.43	40.62	3	Vertical	131	2.61	-	39.92	11.75	33.52			
RMS	13.13402G	44.96	68.20	-23.24	26.79	3	Vertical	131	2.61	-	39.94	11.74	33.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6565MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13421G	59.06	88.20	-29.14	40.89	3	Horizontal	227	2.99	-	39.94	11.74	33.51			
RMS	13.1296G	45.13	68.20	-23.07	26.98	3	Horizontal	227	2.99	-	39.92	11.75	33.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6565MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69575G	46.24	83.54	-37.30	42.15	1	Vertical	8	2.74	-	37.70	15.19	48.80			
AV	19.69572G	32.66	63.54	-30.88	28.57	1	Vertical	8	2.74	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6565MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69556G	46.67	83.54	-36.87	42.58	1	Horizontal	249	1.41	-	37.70	15.19	48.80			
AV	19.69592G	32.62	63.54	-30.92	28.53	1	Horizontal	249	1.41	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37196G	60.33	74.00	-13.67	41.24	3	Vertical	295	1.19	-	40.30	11.73	32.94			
AV	13.36701G	46.00	54.00	-8.00	26.92	3	Vertical	295	1.19	-	40.30	11.73	32.95			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37483G	59.73	74.00	-14.27	40.63	3	Horizontal	27	1.93	-	40.30	11.73	32.93			
AV	13.365G	45.98	54.00	-8.02	26.90	3	Horizontal	27	1.93	-	40.30	11.73	32.95			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05558G	46.24	83.54	-37.30	42.01	1	Vertical	176	1.64	-	37.80	15.22	48.79			
AV	20.05538G	32.38	63.54	-31.16	28.15	1	Vertical	176	1.64	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6685MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05569G	45.59	83.54	-37.95	41.36	1	Horizontal	200	1.89	-	37.80	15.22	48.79			
AV	20.05508G	32.40	63.54	-31.14	28.18	1	Horizontal	200	1.89	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6845MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68906G	53.41	88.20	-34.79	43.90	3	Vertical	196	2.66	-	40.20	12.60	43.29			
RMS	13.68924G	41.15	68.20	-27.05	31.64	3	Vertical	196	2.66	-	40.20	12.60	43.29			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6845MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68905G	53.11	88.20	-35.09	43.60	3	Horizontal	211	2.82	-	40.20	12.60	43.29			
RMS	13.6906G	41.21	68.20	-26.99	31.70	3	Horizontal	211	2.82	-	40.20	12.60	43.29			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6845MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53522G	48.39	83.54	-35.15	43.58	1	Vertical	112	1.54	-	37.90	15.61	48.70			
AV	20.53464G	35.94	63.54	-27.60	31.13	1	Vertical	112	1.54	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6845MHz_TX

EUT Y_4TX
Setting 100
04-V-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5341G	47.15	83.54	-36.39	42.34	1	Horizontal	260	1.51	-	37.90	15.61	48.70			
AV	20.5359G	36.08	63.54	-27.46	31.27	1	Horizontal	260	1.51	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6885MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76748G	60.84	88.20	-27.36	41.48	3	Vertical	196	1.32	-	40.67	11.70	33.01			
RMS	13.77095G	47.06	68.20	-21.14	27.71	3	Vertical	196	1.32	-	40.66	11.70	33.01			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6885MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76786G	60.89	88.20	-27.31	41.54	3	Horizontal	250	2.50	-	40.66	11.70	33.01			
RMS	13.77047G	46.98	68.20	-21.22	27.63	3	Horizontal	250	2.50	-	40.66	11.70	33.01			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6885MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65416G	46.95	83.54	-36.59	42.05	1	Vertical	261	2.79	-	37.90	15.70	48.70			
AV	20.65554G	33.40	63.54	-30.14	28.50	1	Vertical	261	2.79	-	37.90	15.70	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6885MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65452G	46.59	83.54	-36.95	41.69	1	Horizontal	333	1.74	-	37.90	15.70	48.70			
AV	20.65577G	33.36	63.54	-30.18	28.46	1	Horizontal	333	1.74	-	37.90	15.70	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6925MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.85417G	60.58	88.20	-27.62	41.40	3	Vertical	84	2.80	-	40.62	11.69	33.13			
RMS	13.85485G	46.63	68.20	-21.57	27.45	3	Vertical	84	2.80	-	40.62	11.69	33.13			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6925MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8503G	61.16	88.20	-27.04	42.00	3	Horizontal	85	2.19	-	40.60	11.69	33.13			
RMS	13.85375G	46.58	68.20	-21.62	27.40	3	Horizontal	85	2.19	-	40.62	11.69	33.13			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6925MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77452G	48.09	83.54	-35.45	43.09	1	Vertical	226	1.24	-	37.90	15.80	48.70			
AV	20.77599G	34.61	63.54	-28.93	29.61	1	Vertical	226	1.24	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


6925MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77415G	47.92	83.54	-35.62	42.92	1	Horizontal	211	1.06	-	37.90	15.80	48.70			
AV	20.77582G	34.70	63.54	-28.84	29.70	1	Horizontal	211	1.06	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


7005MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00688G	61.19	88.20	-27.01	41.96	3	Vertical	222	2.15	-	40.89	11.69	33.35			
RMS	14.00564G	47.51	68.20	-20.69	28.29	3	Vertical	222	2.15	-	40.89	11.68	33.35			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


7005MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.01274G	61.81	88.20	-26.39	42.60	3	Horizontal	209	2.29	-	40.87	11.69	33.35			
RMS	14.00529G	47.47	68.20	-20.73	28.25	3	Horizontal	209	2.29	-	40.89	11.68	33.35			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


7005MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01546G	47.28	83.54	-36.26	41.98	1	Vertical	188	1.13	-	38.00	16.00	48.70			
AV	21.01599G	33.94	63.54	-29.60	28.64	1	Vertical	188	1.13	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


7005MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01589G	47.26	83.54	-36.28	41.96	1	Horizontal	360	1.67	-	38.00	16.00	48.70			
AV	21.01459G	33.97	63.54	-29.57	28.67	1	Horizontal	360	1.67	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 81
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0931G	115.72	Inf	-Inf	105.94	3	Vertical	149	1.79	-	36.47	8.45	35.14			
RMS	7.1018G	106.55	Inf	-Inf	96.72	3	Vertical	149	1.79	-	36.51	8.46	35.14			
PK	7.1294G	81.32	88.20	-6.88	71.30	3	Vertical	149	1.79	-	36.68	8.48	35.14			
RMS	7.1252G	67.16	68.20	-1.04	57.17	3	Vertical	149	1.79	-	36.65	8.48	35.14			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 81
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0796G	114.35	Inf	-Inf	104.63	3	Horizontal	297	2.05	-	36.42	8.44	35.14			
RMS	7.079G	103.77	Inf	-Inf	94.05	3	Horizontal	297	2.05	-	36.42	8.44	35.14			
PK	7.1264G	77.61	88.20	-10.59	67.61	3	Horizontal	297	2.05	-	36.66	8.48	35.14			
RMS	7.1258G	63.03	68.20	-5.17	53.04	3	Horizontal	297	2.05	-	36.65	8.48	35.14			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 81
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17116G	50.08	88.20	-38.12	30.86	3	Vertical	98	2.07	-	40.90	11.82	33.50			
RMS	14.17385G	36.47	68.20	-31.73	17.26	3	Vertical	98	2.07	-	40.90	11.82	33.51			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


7085MHz_TX

EUT Y_4TX
Setting 81
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17428G	50.12	88.20	-38.08	30.91	3	Horizontal	35	2.96	-	40.90	11.82	33.51			
RMS	14.16538G	36.40	68.20	-31.80	17.19	3	Horizontal	35	2.96	-	40.90	11.81	33.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 81
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25577G	48.21	83.54	-35.33	42.66	1	Vertical	117	2.39	-	38.01	16.19	48.65			
AV	21.25577G	34.35	63.54	-29.19	28.80	1	Vertical	117	2.39	-	38.01	16.19	48.65			

6.875-7.125GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX


7085MHz_TX

EUT_Y_4TX
Setting 81
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25574G	47.50	83.54	-36.04	41.95	1	Horizontal	183	1.83	-	38.01	16.19	48.65			
AV	21.25486G	34.33	63.54	-29.21	28.78	1	Horizontal	183	1.83	-	38.01	16.19	48.65			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 85
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9114G	83.15	88.20	-5.05	76.17	3	Vertical	149	2.05	-	34.10	8.08	35.20			
RMS	5.925G	66.88	68.20	-1.32	59.89	3	Vertical	149	2.05	-	34.10	8.09	35.20			
PK	5.9778G	115.79	Inf	-Inf	108.73	3	Vertical	149	2.05	-	34.10	8.15	35.19			
RMS	5.9966G	104.78	Inf	-Inf	97.70	3	Vertical	149	2.05	-	34.10	8.17	35.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 85
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	79.78	88.20	-8.42	72.79	3	Horizontal	212.3	2.24	-	34.10	8.09	35.20			
RMS	5.9246G	62.50	68.20	-5.70	55.51	3	Horizontal	212.3	2.24	-	34.10	8.09	35.20			
PK	6.0142G	112.39	Inf	-Inf	105.26	3	Horizontal	212.3	2.24	-	34.13	8.19	35.19			
RMS	6.0158G	102.36	Inf	-Inf	95.23	3	Horizontal	212.3	2.24	-	34.13	8.19	35.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 85
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96624G	46.85	74.00	-27.15	31.11	3	Vertical	254	1.12	-	38.70	11.82	34.78			
AV	11.97239G	32.98	54.00	-21.02	17.24	3	Vertical	254	1.12	-	38.70	11.82	34.78			
PK	17.95311G	57.38	74.00	-16.62	32.80	3	Vertical	95	1.29	-	43.91	14.23	33.56			
AV	17.95626G	43.58	54.00	-10.42	18.97	3	Vertical	95	1.29	-	43.93	14.23	33.55			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 85
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97301G	46.74	74.00	-27.26	31.01	3	Horizontal	335	1.48	-	38.70	11.82	34.79			
AV	11.9681G	32.98	54.00	-21.02	17.24	3	Horizontal	335	1.48	-	38.70	11.82	34.78			
PK	17.95441G	57.45	74.00	-16.55	32.85	3	Horizontal	104	2.62	-	43.92	14.23	33.55			
AV	17.95477G	43.63	54.00	-10.37	19.03	3	Horizontal	104	2.62	-	43.92	14.23	33.55			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 85
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93184G	51.70	74.00	-22.30	43.02	1	Vertical	28	1.60	-	39.00	17.31	47.63			
AV	23.934G	38.12	54.00	-15.88	29.44	1	Vertical	28	1.60	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
Setting 85
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93076G	51.47	74.00	-22.53	42.79	1	Horizontal	256	1.48	-	39.00	17.31	47.63			
AV	23.93144G	38.25	54.00	-15.75	29.57	1	Horizontal	256	1.48	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44861G	58.48	74.00	-15.52	41.95	3	Vertical	80	1.84	-	38.70	11.80	33.97			
AV	12.44711G	44.83	54.00	-9.17	28.30	3	Vertical	80	1.84	-	38.70	11.80	33.97			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6225MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.454G	58.79	74.00	-15.21	42.23	3	Horizontal	207	1.38	-	38.72	11.80	33.96			
AV	12.44562G	44.72	54.00	-9.28	28.19	3	Horizontal	207	1.38	-	38.70	11.80	33.97			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6225MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67407G	46.58	83.54	-36.96	41.90	1	Vertical	159	2.65	-	37.90	15.25	48.47			
AV	18.67514G	32.86	63.54	-30.68	28.19	1	Vertical	159	2.65	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67549G	46.68	83.54	-36.86	42.01	1	Horizontal	204	2.65	-	37.90	15.25	48.48			
AV	18.67488G	32.92	63.54	-30.62	28.24	1	Horizontal	204	2.65	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.7659G	59.17	88.20	-29.03	41.69	3	Vertical	72	2.60	-	39.56	11.77	33.85			
RMS	12.77366G	45.53	68.20	-22.67	28.02	3	Vertical	72	2.60	-	39.59	11.77	33.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6385MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77195G	60.24	88.20	-27.96	42.73	3	Horizontal	181	1.87	-	39.59	11.77	33.85			
RMS	12.77488G	45.56	68.20	-22.64	28.04	3	Horizontal	181	1.87	-	39.60	11.77	33.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15467G	46.21	83.54	-37.33	41.81	1	Vertical	93	2.76	-	37.98	15.22	48.80			
AV	19.15482G	32.65	63.54	-30.89	28.25	1	Vertical	93	2.76	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6385MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1551G	46.52	83.54	-37.02	42.12	1	Horizontal	202	1.41	-	37.98	15.22	48.80			
AV	19.15463G	32.58	63.54	-30.96	28.18	1	Horizontal	202	1.41	-	37.98	15.22	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6465MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92867G	59.00	88.20	-29.20	41.02	3	Vertical	62	2.03	-	40.06	11.76	33.84			
RMS	12.92787G	45.44	68.20	-22.76	27.46	3	Vertical	62	2.03	-	40.06	11.76	33.84			

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6465MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92594G	59.65	88.20	-28.55	41.68	3	Horizontal	194	1.29	-	40.05	11.76	33.84			
RMS	12.92924G	45.52	68.20	-22.68	27.54	3	Horizontal	194	1.29	-	40.06	11.76	33.84			

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6465MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39414G	45.58	83.54	-37.96	41.28	1	Vertical	283	1.31	-	37.89	15.21	48.80			
AV	19.39499G	32.25	63.54	-31.29	27.95	1	Vertical	283	1.31	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6465MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39536G	45.69	83.54	-37.85	41.39	1	Horizontal	249	1.81	-	37.89	15.21	48.80			
AV	19.39416G	32.28	63.54	-31.26	27.98	1	Horizontal	249	1.81	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6545MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08507G	59.24	88.20	-28.96	41.29	3	Vertical	138	1.13	-	39.83	11.75	33.63			
RMS	13.09049G	45.07	68.20	-23.13	27.11	3	Vertical	138	1.13	-	39.82	11.75	33.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6545MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09395G	59.99	88.20	-28.21	42.03	3	Horizontal	24	1.67	-	39.81	11.75	33.60			
RMS	13.09019G	45.16	68.20	-23.04	27.20	3	Horizontal	24	1.67	-	39.82	11.75	33.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6545MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	19.63588G	46.55	83.54	-36.99	42.46	1	Vertical	23	1.43	-	37.70	15.19	48.80				
AV	19.634G	32.20	63.54	-31.34	28.11	1	Vertical	23	1.43	-	37.70	15.19	48.80				

6.425-6.525GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6545MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63493G	45.27	83.54	-38.27	41.18	1	Horizontal	25	2.68	-	37.70	15.19	48.80			
AV	19.63493G	32.23	63.54	-31.31	28.14	1	Horizontal	25	2.68	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24054G	59.26	88.20	-28.94	40.77	3	Vertical	302	2.92	-	40.00	11.74	33.25			
RMS	13.24944G	45.50	68.20	-22.70	26.99	3	Vertical	302	2.92	-	40.00	11.74	33.23			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24876G	60.96	88.20	-27.24	42.45	3	Horizontal	7	1.22	-	40.00	11.74	33.23			
RMS	13.24653G	45.55	68.20	-22.65	27.05	3	Horizontal	7	1.22	-	40.00	11.74	33.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6625MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87576G	46.13	83.54	-37.41	42.05	1	Vertical	336	1.22	-	37.70	15.18	48.80			
AV	19.87403G	32.88	63.54	-30.66	28.80	1	Vertical	336	1.22	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	19.87591G	46.63	83.54	-36.91	42.55	1	Horizontal	76	1.75	-	37.70	15.18	48.80				
AV	19.87578G	32.89	63.54	-30.65	28.81	1	Horizontal	76	1.75	-	37.70	15.18	48.80				

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40977G	60.45	88.20	-27.75	41.22	3	Vertical	48	1.61	-	40.36	11.72	32.85			
RMS	13.41055G	46.51	68.20	-21.69	27.27	3	Vertical	48	1.61	-	40.36	11.72	32.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.414026G	60.50	88.20	-27.70	41.24	3	Horizontal	41	1.34	-	40.38	11.72	32.84			
RMS	13.40526G	46.48	68.20	-21.72	27.29	3	Horizontal	41	1.34	-	40.33	11.72	32.86			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6705MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11425G	45.78	83.54	-37.76	41.50	1	Vertical	25	1.17	-	37.80	15.26	48.78			
AV	20.11503G	32.45	63.54	-31.09	28.17	1	Vertical	25	1.17	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11584G	46.64	83.54	-36.90	42.36	1	Horizontal	290	2.19	-	37.80	15.26	48.78			
AV	20.11532G	32.37	63.54	-31.17	28.09	1	Horizontal	290	2.19	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57144G	61.35	88.20	-26.85	41.50	3	Vertical	306	2.36	-	40.87	11.71	32.73			
RMS	13.56805G	46.63	68.20	-21.57	26.76	3	Vertical	306	2.36	-	40.89	11.71	32.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57185G	60.12	88.20	-28.08	40.27	3	Horizontal	12	1.11	-	40.87	11.71	32.73			
RMS	13.56781G	46.58	68.20	-21.62	26.71	3	Horizontal	12	1.11	-	40.89	11.71	32.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35437G	47.71	83.54	-35.83	43.09	1	Vertical	154	1.52	-	37.89	15.46	48.73			
AV	20.35597G	33.91	63.54	-29.63	29.29	1	Vertical	154	1.52	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35599G	47.70	83.54	-35.84	43.08	1	Horizontal	186	1.21	-	37.89	15.46	48.73			
AV	20.35459G	33.91	63.54	-29.63	29.29	1	Horizontal	186	1.21	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6865MHz_TX

EUT_Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.73325G	60.77	88.20	-27.43	41.30	3	Vertical	53	1.20	-	40.73	11.70	32.96			
RMS	13.73126G	46.75	68.20	-21.45	27.27	3	Vertical	53	1.20	-	40.74	11.70	32.96			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6865MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72528G	61.03	88.20	-27.17	41.53	3	Horizontal	249	1.42	-	40.75	11.70	32.95			
RMS	13.73032G	46.84	68.20	-21.36	27.36	3	Horizontal	249	1.42	-	40.74	11.70	32.96			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6865MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59483G	47.33	83.54	-36.21	42.48	1	Vertical	78	1.79	-	37.90	15.65	48.70			
AV	20.5947G	33.22	63.54	-30.32	28.37	1	Vertical	78	1.79	-	37.90	15.65	48.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6865MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59476G	46.61	83.54	-36.93	41.76	1	Horizontal	201	1.69	-	37.90	15.65	48.70			
AV	20.59462G	33.23	63.54	-30.31	28.38	1	Horizontal	201	1.69	-	37.90	15.65	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88601G	60.82	88.20	-27.38	41.57	3	Vertical	87	2.44	-	40.74	11.69	33.18			
RMS	13.88961G	46.69	68.20	-21.51	27.42	3	Vertical	87	2.44	-	40.76	11.69	33.18			

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89462G	60.76	88.20	-27.44	41.48	3	Horizontal	360	2.20	-	40.78	11.69	33.19			
RMS	13.88816G	46.70	68.20	-21.50	27.44	3	Horizontal	360	2.20	-	40.75	11.69	33.18			

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8358G	47.72	83.54	-35.82	42.67	1	Vertical	184	3.00	-	37.90	15.85	48.70			
AV	20.83524G	33.98	63.54	-29.56	28.93	1	Vertical	184	3.00	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6945MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8358G	47.23	83.54	-36.31	42.18	1	Horizontal	93	1.81	-	37.90	15.85	48.70			
AV	20.8359G	34.03	63.54	-29.51	28.98	1	Horizontal	93	1.81	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 90
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.999G	121.45	Inf	-Inf	112.11	3	Vertical	269	2.07	-	36.10	8.37	35.13			
RMS	6.9874G	107.41	Inf	-Inf	98.08	3	Vertical	269	2.07	-	36.05	8.41	35.13			
PK	7.125G	82.84	88.20	-5.36	72.85	3	Vertical	269	2.07	-	36.65	8.48	35.14			
RMS	7.1254G	66.80	68.20	-1.40	56.81	3	Vertical	269	2.07	-	36.65	8.48	35.14			

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 90
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0146G	112.97	Inf	-Inf	103.56	3	Horizontal	295.6	1.93	-	36.16	8.38	35.13			
RMS	7.0134G	103.25	Inf	-Inf	93.85	3	Horizontal	295.6	1.93	-	36.15	8.38	35.13			
PK	7.125G	78.51	88.20	-9.69	68.52	3	Horizontal	295.6	1.93	-	36.65	8.48	35.14			
RMS	7.125G	63.42	68.20	-4.78	53.43	3	Horizontal	295.6	1.93	-	36.65	8.48	35.14			

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 90
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04693G	61.50	88.20	-26.70	42.36	3	Vertical	122	1.19	-	40.81	11.72	33.39			
RMS	14.05435G	47.46	68.20	-20.74	28.32	3	Vertical	122	1.19	-	40.81	11.72	33.39			

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 90
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05109G	61.13	88.20	-27.07	42.00	3	Horizontal	139	1.80	-	40.80	11.72	33.39			
RMS	14.04501G	47.50	68.20	-20.70	28.35	3	Horizontal	139	1.80	-	40.81	11.72	33.38			

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 90
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07413G	47.64	83.54	-35.90	42.28	1	Vertical	11	2.21	-	38.00	16.05	48.69			
AV	21.07419G	33.54	63.54	-30.00	28.18	1	Vertical	11	2.21	-	38.00	16.05	48.69			

6.875-7.125GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


7025MHz_TX

EUT Y_4TX
Setting 90
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07416G	47.29	83.54	-36.25	41.93	1	Horizontal	161	1.32	-	38.00	16.05	48.69			
AV	21.07439G	33.58	63.54	-29.96	28.22	1	Horizontal	161	1.32	-	38.00	16.05	48.69			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 87
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9115G	82.71	88.20	-5.49	75.73	3	Vertical	151	2.27	-	34.10	8.08	35.20			
RMS	5.923G	67.04	68.20	-1.16	60.05	3	Vertical	151	2.27	-	34.10	8.09	35.20			
PK	6.054G	115.18	Inf	-Inf	107.93	3	Vertical	151	2.27	-	34.19	8.25	35.19			
RMS	6.054G	103.23	Inf	-Inf	95.98	3	Vertical	151	2.27	-	34.19	8.25	35.19			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 87
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	81.76	88.20	-6.44	74.77	3	Horizontal	214.9	2.40	-	34.10	8.09	35.20			
RMS	5.925G	63.08	68.20	-5.12	56.09	3	Horizontal	214.9	2.40	-	34.10	8.09	35.20			
PK	6.0565G	111.10	Inf	-Inf	103.85	3	Horizontal	214.9	2.40	-	34.19	8.25	35.19			
RMS	6.058G	100.41	Inf	-Inf	93.16	3	Horizontal	214.9	2.40	-	34.18	8.26	35.19			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 87
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05464G	58.72	74.00	-15.28	42.69	3	Vertical	345	1.39	-	38.91	11.83	34.71			
AV	12.04551G	44.27	54.00	-9.73	28.28	3	Vertical	345	1.39	-	38.88	11.83	34.72			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 87
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05424G	58.39	74.00	-15.61	42.36	3	Horizontal	225	1.24	-	38.91	11.83	34.71			
AV	12.04513G	44.29	54.00	-9.71	28.31	3	Horizontal	225	1.24	-	38.88	11.83	34.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 87
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07573G	47.03	83.54	-36.51	42.41	1	Vertical	123	2.49	-	37.55	15.29	48.22			
AV	18.07492G	33.27	63.54	-30.27	28.64	1	Vertical	123	2.49	-	37.55	15.29	48.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 87
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07527G	46.94	83.54	-36.60	42.32	1	Horizontal	145	1.45	-	37.55	15.29	48.22			
AV	18.07543G	33.31	63.54	-30.23	28.69	1	Horizontal	145	1.45	-	37.55	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36532G	59.22	74.00	-14.78	42.77	3	Vertical	325	1.21	-	38.77	11.80	34.12			
AV	12.36795G	45.31	54.00	-8.69	28.87	3	Vertical	325	1.21	-	38.76	11.80	34.12			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36926G	59.06	74.00	-14.94	42.62	3	Horizontal	245	1.90	-	38.76	11.80	34.12			
AV	12.3661G	45.10	54.00	-8.90	28.65	3	Horizontal	245	1.90	-	38.77	11.80	34.12			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55472G	46.61	83.54	-36.93	41.90	1	Vertical	0	2.44	-	37.80	15.26	48.35			
AV	18.55551G	33.00	63.54	-30.54	28.30	1	Vertical	0	2.44	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6185MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55569G	47.49	83.54	-36.05	42.79	1	Horizontal	272	2.63	-	37.80	15.26	48.36			
AV	18.55504G	33.10	63.54	-30.44	28.40	1	Horizontal	272	2.63	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	12.68668G	59.72	74.00	-14.28	42.40	3	Vertical	213	2.63	-	39.40	11.78	33.86				
AV	12.68605G	45.61	54.00	-8.39	28.29	3	Vertical	213	2.63	-	39.40	11.78	33.86				

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68605G	59.29	74.00	-14.71	41.97	3	Horizontal	160	2.47	-	39.40	11.78	33.86			
AV	12.68712G	45.66	54.00	-8.34	28.34	3	Horizontal	160	2.47	-	39.40	11.78	33.86			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	19.03558G	46.08	83.54	-37.46	41.72	1	Vertical	170	2.39	-	37.93	15.23	48.80				
AV	19.03535G	32.92	63.54	-30.62	28.56	1	Vertical	170	2.39	-	37.93	15.23	48.80				

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03499G	46.72	83.54	-36.82	42.36	1	Horizontal	282	2.45	-	37.93	15.23	48.80			
AV	19.03509G	32.85	63.54	-30.69	28.49	1	Horizontal	282	2.45	-	37.93	15.23	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6505MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00869G	59.73	88.20	-28.47	41.72	3	Vertical	197	2.11	-	40.07	11.75	33.81			
RMS	13.00523G	45.78	68.20	-22.42	27.77	3	Vertical	197	2.11	-	40.08	11.75	33.82			

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6505MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.01185G	59.52	88.20	-28.68	41.52	3	Horizontal	177	2.20	-	40.05	11.75	33.80			
RMS	13.01057G	45.22	68.20	-22.98	27.21	3	Horizontal	177	2.20	-	40.06	11.75	33.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6505MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51561G	45.74	83.54	-37.80	41.57	1	Vertical	29	1.40	-	37.77	15.20	48.80			
AV	19.51443G	31.94	63.54	-31.60	27.77	1	Vertical	29	1.40	-	37.77	15.20	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6505MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51412G	45.68	83.54	-37.86	41.51	1	Horizontal	117	2.19	-	37.77	15.20	48.80			
AV	19.51477G	31.96	63.54	-31.58	27.79	1	Horizontal	117	2.19	-	37.77	15.20	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33142G	59.66	74.00	-14.34	40.70	3	Vertical	222	1.17	-	40.26	11.73	33.03			
AV	13.32804G	46.04	54.00	-7.96	27.09	3	Vertical	222	1.17	-	40.26	11.73	33.04			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32804G	59.92	74.00	-14.08	40.97	3	Horizontal	353	2.35	-	40.26	11.73	33.04			
AV	13.32932G	46.06	54.00	-7.94	27.11	3	Horizontal	353	2.35	-	40.26	11.73	33.04			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99494G	45.64	83.54	-37.90	41.56	1	Vertical	193	1.54	-	37.71	15.17	48.80			
AV	19.99409G	32.36	63.54	-31.18	28.28	1	Vertical	193	1.54	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99446G	45.85	83.54	-37.69	41.77	1	Horizontal	342	2.42	-	37.71	15.17	48.80			
AV	19.99448G	32.28	63.54	-31.26	28.20	1	Horizontal	342	2.42	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6825MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.6479G	61.25	88.20	-26.95	41.68	3	Vertical	83	2.60	-	40.70	11.71	32.84			
RMS	13.65035G	47.05	68.20	-21.15	27.48	3	Vertical	83	2.60	-	40.70	11.71	32.84			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6825MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64605G	60.97	88.20	-27.23	41.40	3	Horizontal	252	2.43	-	40.70	11.71	32.84			
RMS	13.645G	46.86	68.20	-21.34	27.29	3	Horizontal	252	2.43	-	40.70	11.71	32.84			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6825MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47455G	47.94	83.54	-35.60	43.19	1	Vertical	56	2.74	-	37.90	15.56	48.71			
AV	20.47536G	33.80	63.54	-29.74	29.04	1	Vertical	56	2.74	-	37.90	15.56	48.70			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6825MHz_TX

EUT Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47402G	47.54	83.54	-36.00	42.79	1	Horizontal	49	2.28	-	37.90	15.56	48.71			
AV	20.47565G	33.83	63.54	-29.71	29.07	1	Horizontal	49	2.28	-	37.90	15.56	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 89
03-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9571G	113.59	Inf	-Inf	104.29	3	Vertical	151	1.94	-	35.93	8.51	35.14			
RMS	6.922G	109.06	Inf	-Inf	99.68	3	Vertical	151	1.94	-	35.90	8.62	35.14			
PK	7.138G	78.22	88.20	-9.98	68.14	3	Vertical	151	1.94	-	36.73	8.49	35.14			
RMS	7.1272G	66.52	68.20	-1.68	56.52	3	Vertical	151	1.94	-	36.66	8.48	35.14			
PK	7.2505G	63.23	74.00	-10.77	52.71	3	Vertical	151	1.94	-	37.10	8.57	35.15			
AV	7.25G	50.68	54.00	-3.32	40.16	3	Vertical	151	1.94	-	37.10	8.57	35.15			

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 89
03-P-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9076G	108.37	Inf	-Inf	98.95	3	Horizontal	144	1.44	-	35.90	8.67	35.15			
RMS	6.9175G	106.12	Inf	-Inf	96.72	3	Horizontal	144	1.44	-	35.90	8.64	35.14			
PK	7.1479G	78.08	88.20	-10.12	67.93	3	Horizontal	144	1.44	-	36.79	8.50	35.14			
RMS	7.1263G	61.12	68.20	-7.08	51.12	3	Horizontal	144	1.44	-	36.66	8.48	35.14			
PK	7.2514G	59.73	74.00	-14.27	49.21	3	Horizontal	144	1.44	-	37.10	8.57	35.15			
AV	7.25G	47.74	54.00	-6.26	37.22	3	Horizontal	144	1.44	-	37.10	8.57	35.15			

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 89
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96967G	61.44	88.20	-26.76	42.22	3	Vertical	316	1.82	-	40.84	11.68	33.30			
RMS	13.96738G	47.11	68.20	-21.09	27.89	3	Vertical	316	1.82	-	40.83	11.68	33.29			

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6985MHz_TX

EUT Y_4TX
Setting 89
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97408G	61.38	88.20	-26.82	42.15	3	Horizontal	285	2.62	-	40.85	11.68	33.30			
RMS	13.97141G	47.24	68.20	-20.96	28.02	3	Horizontal	285	2.62	-	40.84	11.68	33.30			

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 89
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95526G	47.31	83.54	-36.23	42.15	1	Vertical	218	2.69	-	37.91	15.95	48.70			
AV	20.95454G	33.90	63.54	-29.64	28.74	1	Vertical	218	2.69	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 89
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.95522G	47.41	83.54	-36.13	42.25	1	Horizontal	90	1.14	-	37.91	15.95	48.70				
AV	20.95456G	33.86	63.54	-29.68	28.70	1	Horizontal	90	1.14	-	37.91	15.95	48.70				

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 90
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	81.20	88.20	-7.00	74.21	3	Vertical	84	1.45	-	34.10	8.09	35.20			
RMS	5.921G	66.40	68.20	-1.80	59.41	3	Vertical	84	1.45	-	34.10	8.09	35.20			
PK	6.1514G	111.91	Inf	-Inf	104.51	3	Vertical	84	1.45	-	34.20	8.40	35.20			
RMS	6.2458G	101.27	Inf	-Inf	93.63	3	Vertical	84	1.45	-	34.30	8.54	35.20			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 90
03-P-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9122G	80.64	88.20	-7.56	73.66	3	Horizontal	290	2.79	-	34.10	8.08	35.20			
RMS	5.925G	62.82	68.20	-5.38	55.83	3	Horizontal	290	2.79	-	34.10	8.09	35.20			
PK	6.2482G	108.75	Inf	-Inf	101.11	3	Horizontal	290	2.79	-	34.30	8.54	35.20			
RMS	6.1306G	97.66	Inf	-Inf	90.33	3	Horizontal	290	2.79	-	34.16	8.37	35.20			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 90
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	12.21368G	59.05	74.00	-14.95	42.65	3	Vertical	80	1.87	-	39.00	11.81	34.41				
AV	12.20975G	45.51	54.00	-8.49	29.12	3	Vertical	80	1.87	-	39.00	11.81	34.42				

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 90
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20535G	59.50	74.00	-14.50	43.11	3	Horizontal	73	1.56	-	39.00	11.81	34.42			
AV	12.20858G	45.68	54.00	-8.32	29.29	3	Horizontal	73	1.56	-	39.00	11.81	34.42			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
Setting 90
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31407G	47.31	83.54	-36.23	42.67	1	Vertical	223	2.27	-	37.63	15.27	48.26			
AV	18.31586G	33.19	63.54	-30.35	28.55	1	Vertical	223	2.27	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 90
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31597G	46.69	83.54	-36.85	42.05	1	Horizontal	122	1.83	-	37.63	15.27	48.26			
AV	18.31461G	33.26	63.54	-30.28	28.62	1	Horizontal	122	1.83	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6265MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53364G	58.89	74.00	-15.11	42.00	3	Vertical	103	1.44	-	38.97	11.79	33.87			
AV	12.53491G	45.23	54.00	-8.77	28.34	3	Vertical	103	1.44	-	38.97	11.79	33.87			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6265MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.5304G	58.88	74.00	-15.12	42.00	3	Horizontal	240	2.52	-	38.96	11.79	33.87			
AV	12.52941G	45.31	54.00	-8.69	28.43	3	Horizontal	240	2.52	-	38.96	11.79	33.87			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79592G	46.87	83.54	-36.67	42.33	1	Vertical	328	3.00	-	37.90	15.24	48.60			
AV	18.79519G	33.12	63.54	-30.42	28.58	1	Vertical	328	3.00	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6265MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79495G	47.06	83.54	-36.48	42.51	1	Horizontal	145	2.31	-	37.90	15.24	48.59			
AV	18.79536G	33.11	63.54	-30.43	28.57	1	Horizontal	145	2.31	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6425MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84622G	60.08	88.20	-28.12	42.27	3	Vertical	272	1.31	-	39.88	11.77	33.84			
RMS	12.8486G	46.20	68.20	-22.00	28.38	3	Vertical	272	1.31	-	39.89	11.77	33.84			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6425MHz_TX

EUT Y_4TX
Setting 100
03-P-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8465G	60.12	88.20	-28.08	42.30	3	Horizontal	243	2.14	-	39.89	11.77	33.84			
RMS	12.84913G	46.14	68.20	-22.06	28.31	3	Horizontal	243	2.14	-	39.90	11.77	33.84			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz_TX

EUT_Y_4TX
Setting 100
02-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27453G	45.93	83.54	-37.61	41.62	1	Vertical	304	2.35	-	37.90	15.21	48.80			
AV	19.27505G	32.39	63.54	-31.15	28.08	1	Vertical	304	2.35	-	37.90	15.21	48.80			